

**PART A: MULTIPLE CHOICE QUESTION: Fill the table below with correct answer**

|                                                                                                                                                                                                                                                                                   |                                                                                                                                                                              |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>Q1) Trace</b></p> <pre> class A{ public: static void out(int a=0, int b=1){ cout&lt;&lt;++a+b++&lt;&lt;endl; } }; int main(){ A::out(); }</pre> <p>A) 2.    B) 3.    C) other    D) error</p>                                                                               | <p><b>Q3) Trace</b></p> <pre> char * fun(char *p){ return ++p; } int main(){ char c[]="abc"; char *d=fun(c); cout&lt;&lt;d; }</pre> <p>A) c    B) a    C) bc    D) other</p> |
| <p><b>Q2) trace</b></p> <pre> namespace M{ class M{ int x,y; public: M(int a, int b):x(a),y(b){ cout&lt;&lt;x+y; } static int fun(int a,int b) {return a+b;} ~M(){ cout&lt;&lt;9; } }; } int main(){ cout&lt;&lt;M::M::fun(1,2);}</pre> <p>A) 9    B) 3.    C) 39    D) other</p> | <p><b>Q4) Trace</b></p> <pre> struct{ int age;char *name="abc"; }k; int main(){ k.age=5; cout&lt;&lt;k.name; }</pre> <p>A) abc    B) ab.    C) C    D) other</p>             |

|                                                                                                                                                                           |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <b>Q5) Trace</b><br><pre> class A{     void out(int a){         cout&lt;&lt;a;     }     public: A(int a){ out(a);}     ~A(){cout&lt;&lt;2;} }; int main(){ A(3); }</pre> |  |
| A) 23 <b>B) 32</b> C) 3    D) other                                                                                                                                       |  |

PART B: MULTIPLE CHOICE QUESTION: fill the table below with correct answer

|                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                    |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Q 1) Trace</b><br><pre> using namespace std; template &lt;class U,class V&gt; U fun(U a,V b){     cout&lt;&lt;a&lt;&lt;" "&lt;&lt;b;     a++;     return a; } int main(){     cout&lt;&lt;fun(4,'d'); }</pre> | <b>Q3) Trace</b><br><pre> class G{     double x;     public:     G(int a){x=a;}     G &amp; operator-(G ob){         this-&gt;x=this-&gt;x - ob.x;         return *this;     }     void out(){ cout&lt;&lt;this-&gt;x&lt;&lt;endl;} }; int main(){     G ga(5),gb(1),gc(2);     ga=ga-gb-gc;     ga.out(); }</pre> |
| A) d5,4. <b>B) 4,d5.</b> C) 45,d.    d) other                                                                                                                                                                    | <b>A) 2.</b> B) 3.    C) -2.    D) other                                                                                                                                                                                                                                                                           |
| <b>Q2) Trace</b>                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                    |

Q:2

```
int a[5]={5,6,-1,4,0};
class A{
private: int *p;
public: A(){p=a;}
void moveNext(){ p++;}
void movePrev(){ p--;}
void out(){ cout<<*p<<endl;}
};
int main()
{
A xa;
xa.moveNext();xa.moveNext();xa.moveNext();
xa.movePrev();
xa.out();
}
```

A) 6    **B) -1**    C) 4    D) other

Q4) Trace

```
class B{
public:int x; B *next, *prev;
B * fun();
void out()
{ cout<< this->x; }
~B(){ cout<<9; }
};
B * fun(){ return new B();}

int main(){
B *xa=fun(), *xb=fun();
xa->x=3; xa->next=xb; xb->x=5;
xb->prev=xa;
xa->next->prev->next->prev->next->prev->out();
delete xa;
delete xb;
}
```

A)93    B) 939.    **C) 399**    D) other

Q5) Trace

```
public:
static int fun(int a,int b){ return a+b; }
static int fun(int x ){ return int(x);}
static int fun(double a) { return 1; };
};

int main(){
cout<< MyA::fun(8,2)/MyA::fun(2)
*MyA::fun(2.5);
}
```

A)2    B) 4    C) 1    **D) others**