


Below is a diagram of a self-organizing
:map



Hint: The winner is determined using
.Euclidean distance

Suppose that the SOM, shown in Figure, is
used to classify types of **Airplanes** based
on three parameters: Size, speed and
passenger load. The weights of the output
:nodes are shown in the table below

EDCBA

5 2 1 5 3 Size

2 3 5 1 2 Speed

5 2 1 1 5 P_Load

Each of the three parameters is assessed
on a scale from 1 to 5. For example, small
airplanes have size 1, while huge planes
.would have value 5

Answer each of the following questions

a) How many types of planes can this
?SOM classify

b) Which node will be the winner, if a vector
representing airplane x (1; 5; 1) is fed into
?the input

c) Suppose you were asked to change the
design of the SOM in order to take into
account two additional parameters: Price
and fuel consumption. What would you
?need to change in this SOM

A regression between foot length (response variable in cm, y) and height (independent variable in inches, x) for 33 students resulted in the following regression equation

$$y = 10.9 + 0.23x$$

One student in the sample was 73 inches tall with a foot length of 29 cm. What is the predicted foot length for this student

اختر أحد الخيارات

a. 17.57 cm ☐

b. 29 cm ☐

c. 33 cm ☐

d. 27.69 cm ☐

We have trained a machine learning model to identify that whether the object in an image is a cat. Now we use 200 images to test its performance. Among 200 images, 180 contain cats and 20 do not contain cats. The identification result of the model is that 140 images contain cats and 60 do not contain cats. Given that TP (true .positive) of the model = 135

?What is the Recall of the model

اخترأحد الخيارات
SPARK
POLYTECHNIC % a. 75.7 ☐

% b. 75 ☐

% c. 82.5 ☐

% d. 96.4 ☐

الممسوحة ضوئيا بـ CamScanner

In neural network, one disadvantage of
: sigmoid activation function

اختر أحد الخيارات

- a. easy to derive ☐
- b. it has a gradient vanishing phenomenon (its derivative is close to 0 at the point away from the central point) ☐
- c. It is continuous ☐
- d. It is monotonic ☐

Backpropagation is the transfer of error back through the network using a set of recurrent connections.



اختر أحد الخيارات

صح



خطأ



The following data: (1, 1), (20, 400), (30, 800), (40, 1300) is regressed with least squares regression to $y = b + wx$. The value of w most nearly is

اختر أحد الخيارات

a. 27.480 ☐

b. 32.625 ☐

c. 40.000 ☐

d. 28.956 ☐

:In reinforcement learning, there is

اختراع أحد الخيارات

a. Input and limited feedback(reward/punishment) ☐

b. Output ☐

c. Input ☐

d. Both input and output ☐

:Transfer learning is

اختراع الخيارات

- a. an area of machine learning concerned with how software agents ought to take actions in an environment in order to maximize the notion of cumulative reward
- b. a type of machine learning algorithm used to draw inferences from datasets consisting of input data without labeled responses
- c. a machine learning method where a model developed for a task is reused as the starting point for a model on a second task
- d. the machine learning task of learning a function that maps an input to an output based on example input-output pairs

Which of the following 2 input Boolean logic functions are linearly inseparable ?(that is, NOT linearly separable)

اختر أحد الخيارات

a. XOR ☐

b. NAND ☐

c. OR ☐

d. AND ☐

In machine learning models, the data
:validation set is used to tune

اختراع الخيارات

a. The model hyper parameters ☐

b. underfitting ☐

c. overfitting ☐

d. The model internal parameters ☐

What is the name of this task that can be solved with machine learning: "The computer program is asked to specify which of k categories some input belongs to"

اختراع أحد الخيارات

- a. Regression ☐
- b. crossvalidation ☐
- c. Classification ☐
- d. Generalization ☐

Why are linearly separable problems
interesting to neural network researchers

اختر أحد الخيارات

- a. Because they are the only problems ☐
that a perceptron can solve
successfully.
- b. Because they are the only problems ☐
that a neural network can solve
successfully.
- c. Because they are the only ☐
mathematical functions that are
continuous.
- d. Because they are the only ☐
mathematical functions that you can
draw.

Which statement is not true about gradient
descent?

اختر أحد الخيارات

- a. It is related to derivative of a function.
- b. During computation of the gradient descent the steps are taken proportional to the positive of the gradient (or approximate gradient) of the function at the current point.
- c. Gradient descent is a first-order iterative optimization algorithm for finding a local minimum of a differentiable function.
- d. It is used in many AI algorithms to optimize the cost function.

What is the name of this principle in machine learning: "The goal of machine learning is that the learnt model should perform well on new samples, not just those on which the model has been trained"

اختر أحد الخيارات

a. Overfitting ☐

b. Classification ☐

c. Generalization ☐

d. Underfitting ☐



0


8

5

3

Spar

POLYTECHNIC





C



D



B



A



E



الممسوحة ضوئياً بـ CamScanner





إختتر...



increase the number of dimensions in the output space to 7



no change



increase the number of dimensions in the input space to 5



increase the number of weights to node 5 by 2

الممسوحة ضوئيا بـ CamScanner



5

In machine learning the simple linear regression equation can be written as $y = b + w x$

the parameter b represents the

اختر أحد الخيارات

- a. average or predicted response ☐
- b. estimated weight ☐
- c. independent variable ☐
- d. estimated bias ☐

D

In machine learning the simple linear regression equation can be written as $y = b + w x$

A

the variable y represents the

اختراع أحد الخيارات

a. average or predicted response ☐

b. independent variable ☐

c. estimated weight ☐

d. estimated bias ☐

What is the name of this task that can be solved with machine learning: "In this type of task, the computer program is asked to predict a numerical value given some .input"

اختر أحد الخيارات

- a. Classification ☐
- b. Regression ☐
- c. Crossvalidation ☐
- d. Generalization ☐

What is the name of this phenomenon that sometimes occurs in machine learning model: "occurs when the training error of the learnt model is small but the test error?" is large

SPAR POLYTECHNIC

اختر أحد الخيارات

- a. Overfitting ☐
- b. Underfitting ☐
- c. Generalization ☐
- d. Classification ☐

سؤال 14

غير مجاب عليه بعد

الدرجة من 1.00

علم هذا السؤال

An example of a hyperparameter of a
neural network

اختر أحد الخيارات

a. Weights ☐

b. Number of inputs ☐

c. Learning rate ☐

d. Bias ☐

الممسوحة ضوئياً بـ CamScanner

سؤال 8

غير مجاب عليه بعد

الدرجة من 1.00

علم هذا السؤال

Decision tree is an algorithm for which
?machine learning task

اختر أحد الخيارات

a. regression ☐

b. dimensionality reduction ☐

c. clustering ☐

d. classification ☐

:Transfer learning is

اختر أحد الخيارات

- a. an area of machine learning ☐ concerned with how software agents ought to take actions in an environment in order to maximize the notion of cumulative reward
- b. a type of machine learning algorithm ☐ used to draw inferences from datasets consisting of input data without labeled responses
- c. a machine learning method where a ☐ model developed for a task is reused as the starting point for a model on a second task
- d. the machine learning task of ☐ learning a function that maps an input to an output based on example input-output pairs

In unsupervised learning, training set of data includes

اختر أحد الخيارات

a. Input ☐

b. Output ☐

c. Both input and output ☐

d. None ☐

We have trained a machine learning model to identify that whether the object in an image is a cat. Now we use 200 images to test its performance. Among 200 images, 180 contain cats and 20 do not contain cats. The identification result of the model is that 140 images contain cats and 60 do not contain cats. Given that TP (true positive) of the model = 135.

?What is the Accuracy of the model

POLYTECHNIC اختراحد الخيارات

% a. 96.4 ☐

% b. 75.7 ☐

% c. 82.5 ☐

% d. 75 ☐

What is the name of this task that can be solved with machine learning: "In this type of task, the computer program is asked to predict a numerical value given some".input

اختر أحد الخيارات

a. Classification ☐

b. Regression ☐

c. Crossvalidation ☐

d. Generalization ☐

In machine learning the simple linear regression equation can be written as $y = b + w x$

the variable y represents the

اختر أحد الخيارات

a. average or predicted response ☐

b. independent variable ☐

c. estimated weight ☐

d. estimated bias ☐

We have trained a machine learning model to identify that whether the object in an image is a cat. Now we use 200 images to test its performance. Among 200 images, 180 contain cats and 20 do not contain cats. The identification result of the model is that 140 images contain cats and 60 do not contain cats. Given that TP (true .positive) of the model = 135

?What is the Recall of the model

POLYTECHNIC

اخترأحد الخيارات

% a. 75.7 ☐

% b. 75 ☐

% c. 82.5 ☐

% d. 96.4 ☐

A regression between foot length (response variable in cm, y) and height (independent variable in inches, x) for 33 students resulted in the following regression equation

$$y = 10.9 + 0.23x$$

One student in the sample was 73 inches tall with a foot length of 29 cm. What is the predicted foot length for this student

POLYTECHNIC اختر أحد الخيارات

a. 17.57 cm ☐

b. 29 cm ☐

c. 33 cm ☐

d. 27.69 cm ☐



إختبر...

☐ increase the number of dimensions in the output space to 7

☐ no change

☐ increase the number of dimensions in the input space to 5

☐ increase the number of weights to node 5 by 2



C



D



B



A



E





0

8

5


3

Spar
POLYTECHNIC



Below is a diagram of a self-organizing

:map



Hint: The winner is determined using

.Euclidean distance

Suppose that the SOM, shown in Figure, is

used to classify types of **Airplanes** based

on three parameters: Size, speed and

passenger load. The weights of the output

:nodes are shown in the table below

EDCBA

5 2 1 5 3 Size

2 3 5 1 2 Speed

5 2 1 1 5 P_Load

Each of the three parameters is assessed

on a scale from 1 to 5. For example, small

airplanes have size 1, while huge planes

.would have value 5

:Answer each of the following questions

a) How many types of planes can this



?SOM classify

b) Which node will be the winner, if a vector

representing airplane x **(1; 5; 1)** is fed into



?the input

c) Suppose you were asked to change the

design of the SOM in order to take into

account two additional parameters: Price

and fuel consumption. What would you

?need to change in this SOM

إختبر...

In machine learning the simple linear regression equation can be written as $y = b + w x$

the parameter b represents the

اخترأحد الخيارات

a. average or predicted response ☐

b. estimated weight ☐

c. independent variable ☐

d. estimated bias ☐

In neural network, one disadvantage of
: sigmoid activation function

اخترأحد الخيارات

a. easy to derive ☐

b. it has a gradient vanishing phenomenon (its derivative is close to 0 at the point away from the central point) ☐

c. It is continuous ☐

d. It is monotonic ☐

Backpropagation is the transfer of error back through the network using a set of recurrent connections.



The following data: (1, 1), (20, 400), (30, 800), (40, 1300) is regressed with least squares regression to $y = b + wx$. The value of w most nearly is

اختر أحد الخيارات

a. 27.480 ☐

b. 32.625 ☐

c. 40.000 ☐

d. 28.956 ☐

Which of the following 2 input Boolean logic functions are linearly inseparable ?(that is, NOT linearly separable)

اختر أحد الخيارات

a. XOR



b. NAND



c. OR



d. AND



Spar
POLYTECHNIC

:Transfer learning is

اختراع أحد الخيارات

- a. an area of machine learning concerned with how software agents ought to take actions in an environment in order to maximize the notion of cumulative reward
- b. a type of machine learning algorithm used to draw inferences from datasets consisting of input data without labeled responses
- c. a machine learning method where a model developed for a task is reused as the starting point for a model on a second task
- d. the machine learning task of learning a function that maps an input to an output based on example input-output pairs

:In reinforcement learning, there is

اختراع الخيارات

a. Input and limited
feedback(reward/punishment)

b. Output

c. Input

d. Both input and output

In machine learning models, the data
validation set is used to tune

اختراع الخيارات

a. The model hyper parameters ☐

b. underfitting ☐

c. overfitting ☐

d. The model internal parameters ☐

What is the name of this task that can be solved with machine learning: "The computer program is asked to specify which of k categories some input belongs to"

اختر أحد الخيارات

a. Regression ☐

b. crossvalidation ☐

c. Classification ☐

d. Generalization ☐

Why are linearly separable problems
?interesting to neural network researchers

اخترأحد الخيارات

- a. Because they are the only problems ☐
that a perceptron can solve
.successfully
- b. Because they are the only problems ☐
that a neural network can solve
.successfully
- c. Because they are the only ☐
mathematical functions that are
.continuous
- d. Because they are the only ☐
mathematical functions that you can
.draw

Which statement is not true about gradient
descent

اختر أحد الخيارات

- a. It is related to derivative of a ☐ function.
- b. During computation of the gradient ☐ descent the steps are taken proportional to the positive of the gradient (or approximate gradient) of the function at the current point.
- c. Gradient descent is a first-order ☐ iterative optimization algorithm for finding a local minimum of a differentiable function.
- d. It is used in many AI algorithms to ☐ optimize the cost function.

What is the name of this principle in machine learning: "The goal of machine learning is that the learnt model should perform well on new samples, not just those on which the model has been trained"

اختراع أحد الخيارات

SpaRc

POLYTECHNIC

- a. Overfitting ☐
- b. Classification ☐
- c. Generalization ☐
- d. Underfitting ☐