

Al-Balqa Applied University
COMPUTERS AND NETWORKS SYSTEMS-1

Inst: Dr. Ahmad Sharadqh
Name of Student: _____

Date 26/1/2020

12. _____ **C** performs a real-time lookup of a digital certificate's status.
a. Certificate Revocation List (CRL) b. Real-Time CA Verification (RTCAV)
c. Online Certificate Status Protocol (OCSP) d. CA Registry Database (CARD)
13. Public key infrastructure (PKI) _____ **C** _____
a. generates public/private keys automatically b. creates private key cryptography
c. is the management of digital certificates d. requires the use of an RA instead of a CA
14. _____ **B** is a protocol for securely accessing a remote computer.
a. Transport Layer Security (TLS) b. Secure Shell (SSH)
c. Secure Sockets Layer (SSL) d. Secure Hypertext Transport Protocol (SHTTP)
15. Which of the following TCP/IP protocols do not relate to security? **A** d. FTP
a. IP b. SNMP c. HTTPS
16. Perform host software baselining as _____ **C** and _____
a. Baseline b. Configuration settings c. Security policy d. Security template
17. Advantages of load-balancing technology. **D**
a. Reduces probability of overloading a single server b. Reduces network downtime
c. Optimizes bandwidth of network computes d. all of them
18. One of them is not advantages of proxy servers. **B**
a. decreased speed b. Reduced costs c. Improved management d. Stronger security
19. Methods of firewall packet filtering. _____ **D** _____ that inspects incoming packet and permits or denies based on conditions set by administrator.
a. Stateful packet filtering b. Stateless packet filtering c. State packet filtering d. Firewall
20. Firewall actions on a packet. _____ that prevent the packet from passing into the network and send no response to sender.
a. Drop b. Reject c. Deny d. delete
21. What is checked in standard ACLs when making decision on approval or denial? **B**
a. Only destination IP address b. Both source & destination IP addresses
c. Nothing is check (every is allowed) d. Only source IP address
22. Which type of mask is used in ACE's of Access Control Lists? **B**
a. Subnet Mask b. Wildcard Mask c. Face Mask d. Nothing
23. Which statement is False about Access Control Lists?
a. If a match is found, the remaining entries are not checked
b. ACL will check all entries till the end even if a match is found in first entry
24. Which statement about access lists that are applied to an interface is true? **C**
a. ACL's only work at Layer 1 b. You can configure one ACL in one network
c. You can configure one ACL per interface, per protocol & per direction
25. A host is able to ping a web server, but it is not able to do HTTP request. What is the most likely cause of the problem? **C**
a. ACL blocking port 23 b. ACL blocking all ports
c. ACL blocking port 80 d. ACL blocking port 443
- Access Control Lists can only be applied to Inbound direction.
a. True b. False

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
B	B	D	A	B	A	C	B			C	C			
16	17	18	19	20	21	22	23	24	25	26	27	28	29	

Question 2: Fill in the gap with VLAN, Spammers, Proxy server, Fuzzing, Security Patch, VPN, Security Template, DMZ , and Port mirroring. (9 marks)

- _____ software security update to repair discovered vulnerabilities.
- _____ collections of security configuration settings.
- _____ can distribute malware through email attachments
- _____ Allows administrator to configure the switch to copy traffic that occurs on some or all ports to a designated monitoring port on the switch
- _____ a software testing technique that deliberately provides invalid, unexpected, or random data as inputs to a program.
- _____ a computer or an application program that intercepts user requests from the internal network and processes that request on behalf of the user
- _____ enables authorized users to use an unsecured public network, that all data transmitted between remote device and network is encrypted.
- _____ a separate network located outside secure network perimeter,

Al-Balqa Applied University
COMPUTERS AND NETWORKS SYSTEMS-1

Inst: Dr. Ahmad Sharadqh

Name of Student:

Date 26/1/2020

untrusted outside users can access this area but not secure network.

j. _____ Allow scattered users to be logically grouped together

Question 3:

A. Define the type of attack for protecting the switch? (3 marks) (12 marks)

Type of attack	Description	Security defense
	An attacker can overflow the switch's address table with fake MAC addresses, forcing it to act like a hub, sending packets to all devices.	Use a switch that can close ports with too many MAC addresses.
	If two devices have the same MAC address, a switch may send frames to each device. An attacker can change the MAC address on her device to match the target device's MAC address.	Configure the switch so that only one port can be assigned per MAC address.
	The attacker sends a forged ARP packet to the source device, substituting the attacker's computer MAC address.	Use an ARP detection appliance.

B. What is the list of steps for securing a host computer? (3 marks)

1.

2.

3.

C. There are two levels of security controls, Mention them? (mark)

1.

2.

D. There are five-step process for protecting operating system, Mention three of them? (3 marks)

1.

2.

3.

E. Methods for designing a secure network, mention two of them? (2 marks)

1.

2.

Good Luck

True