

Akcelport industries

13, Shah Industrial Estate, Deonar, Chembur, Mumbai - 400088, INDIA.
Tel. : +91 - 22 - 2555 5888, Telefax : +91 - 22 - 2506 4667
E-mail : mail@akcelport.com, Web : www.akcelport.com

Product Catalog

" **Quality** is not just controlled, it's **IN-BUILT** "

CABLE LUGS

Manufactured from ETP copper
Finish : Tin Electroplated
Inspection hole available on request
Bell Mouth Entry available on request



ORDERING INFORMATION

Example :

CSLA-6-516 - X X

PRODUCT CODE AS PER CATALOG

BLANK = WITHOUT FLARED / BELL MOUTH ENTRY
B = WITH FLARED / BELL MOUTH ENTRY

BLANK = WITHOUT INSPECTION WINDOW
I = WITH INSPECTION WINDOW


Note :

The Default Configuration of any lug is considered to be : Without Inspection window, and Without Flared / Bell mouth entry.

Please mention "I" after the product code for inspection hole and
"B" for bell mouth / flared entry

COPPER LUGS WITH STANDARD BARREL - CSLA Series

CODE NO.	GAUGE AWG	Stud Size F	A mm	B mm	C mm	D mm	E mm
CSLA-8-10	8 AWG	# 10	6.5	4.5	30	14	13
CSLA-8-14	8 AWG	1 / 4"	6.5	4.5	33	17	13
CSLA-8-516	8 AWG	5 /16"	6.5	4.5	33	17	13
CSLA-6-10	6 AWG	# 10	7.5	5	35	16	16
CSLA-6-14	6 AWG	1 / 4"	7.5	5	35	16	16
CSLA-6-516	6 AWG	5 /16"	7.5	5	37	18	16
CSLA-6-38	6 AWG	3 / 8"	7.5	5	39	20	16
CSLA-4-10	4 AWG	# 10	8.6	6.2	36	14	17
CSLA-4-14	4 AWG	1 / 4"	8.6	6.2	40	18	17
CSLA-4-516	4 AWG	5 /16"	8.6	6.2	40	18	17
CSLA-4-38	4 AWG	3 / 8"	8.6	6.2	42	20	17
CSLA-3-10	3 AWG	#10	9.5	7.3	36	14	18
CSLA-3-14	3 AWG	1 / 4"	9.5	7.3	39	17	18
CSLA-3-516	3 AWG	5 /16"	9.5	7.3	41	19	18
CSLA-3-38	3 AWG	3 / 8"	9.5	7.3	42	20	18
CSLA-2-10	2 AWG	#10	10.5	7.8	37	14	18




CODE NO.	GAUGE AWG	Stud Size F	A mm	B mm	C mm	D mm	E mm
CSLA-3-38	3 AWG	3 / 8"	9.5	7.3	42	20	18
CSLA-2-10	2 AWG	#10	10.5	7.8	37	14	18
CSLA-2-14	2 AWG	1 / 4"	10.5	7.8	40	17	18
CSLA-2-516	2 AWG	5 /16"	10.5	7.8	43	20	18
CSLA-2-516-N	2 AWG	5 /16”	10.5	7.8	46	20	21
CSLA-2-38	2 AWG	3 / 8"	10.5	7.8	43	20	18
CSLA-2-12	2 AWG	1 / 2"	10.5	7.8	48	25	18
CSLA-1-10	1 AWG	#10	11.7	9.1	37	14	18
CSLA-1-14	1 AWG	1 / 4"	11.7	9.1	40	17	18
CSLA-1-516	1 AWG	5 /16"	11.7	9.1	43	20	18
CSLA-1-516-N	1 AWG	5 /16”	11.7	9.1	46	20	21
CSLA-1-38	1 AWG	3 / 8"	11.7	9.1	43	20	18
CSLA-1-12	1 AWG	1 / 2"	11.7	9.1	48	25	18
CSLA-1/0-10	1/0 AWG	#10	13	10	40	14	19
CSLA-1/0-14	1/0 AWG	1 / 4"	13	10	43	17	19
CSLA-1/0-516	1/0 AWG	5 /16"	13	10	46	20	19
CSLA-1/0-516-N	1/0 AWG	5 /16”	13	10	50	21	22
CSLA-1/0-38	1/0 AWG	3 / 8"	13	10	46	20	19
CSLA-1/0-12	1/0 AWG	1 / 2"	13	10	51	25	19
CSLA-2/0-10	2/0 AWG	#10	14.2	11.2	41	14	19
CSLA-2/0-14	2/0 AWG	1 / 4"	14.2	11.2	44	17	19
CSLA-2/0-516	2/0 AWG	5 /16"	14.2	11.2	47	20	19
CSLA-2/0-38	2/0 AWG	3 / 8"	14.2	11.2	47	20	19
CSLA-2/0-38-N	2/0 AWG	3 / 8”	14.2	11.2	54	22	24
CSLA-2/0-12	2/0 AWG	1 / 2"	14.2	11.2	52	25	19
CSLA-3/0-10	3/0 AWG	#10	15.7	12.7	44	14	22
CSLA-3/0-14	3/0 AWG	1 / 4"	15.7	12.7	47	17	22
CSLA-3/0-516	3/0 AWG	5 /16"	15.7	12.7	50	20	22
CSLA-3/0-38	3/0 AWG	3 / 8"	15.7	12.7	50	20	22
CSLA-3/0-38-N	3/0 AWG	3 / 8”	15.7	12.7	57	25	26
CSLA-3/0-12	3/0 AWG	1 / 2"	15.7	12.7	55	25	22
CSLA-4/0-14	4/0 AWG	1 / 4"	17.4	13.9	55	22	25
CSLA-4/0-516	4/0 AWG	5 /16"	17.4	13.9	55	22	25
CSLA-4/0-38	4/0 AWG	3 / 8"	17.4	13.9	55	22	25
CSLA-4/0-12	4/0 AWG	1 / 2"	17.4	13.9	60	27	25
CSLA-4/0-12-N	4/0 AWG	1 / 2”	17.4	13.9	61	27	28
CSLA-250-516	250kcmil	5 /16"	19	15.1	58	22	28
CSLA-250-38	250kcmil	3 / 8"	19	15.1	58	22	28
CSLA-250-12	250kcmil	1 / 2"	19	15.1	63	27	28
CSLA-250-12-N	250kcmil	1 / 2”	19	15.1	64	28	30
CSLA-300-516	300kcmil	5 /16"	20.6	16.5	60	22	30
CSLA-300-38	300kcmil	3 / 8"	20.6	16.5	60	22	30
CSLA-300-12	300kcmil	1 / 2"	20.6	16.5	65	27	30
CSLA-300-12-N	300kcmil	1 / 2”	20.6	16.5	70	28	33
CSLA-300-58	300kcmil	5 / 8"	20.6	16.5	72	34	30
CSLA-350-38	350kcmil	3 / 8"	22	17.8	60	22	30
CSLA-350-12	350kcmil	1 / 2"	22	17.8	65	27	30

CODE NO.	GAUGE AWG	Stud Size F	A mm	B mm	C mm	D mm	E mm
CSLA350-12-N	350kcmil	1 / 2"	22	17.8	77	34	35
CSLA-350-58	350kcmil	5 / 8"	22	17.8	72	34	30
CSLA-400-38	400kcmil	3 / 8"	25	19.5	65	22	32
CSLA-400-12	400kcmil	1 / 2"	25	19.5	70	27	32
CSLA-400-12-N	400kcmil	1 / 2"	25	19.5	83	37	38
CSLA-400-58	400kcmil	5 / 8"	25	19.5	77	34	32
CSLA-500-38	500kcmil	3 / 8"	26	21.2	69	22	35
CSLA-500-12	500kcmil	1 / 2"	26	21.2	77	30	35
CSLA-500-12-N	500kcmil	1 / 2"	26	21.2	90	38	40
CSLA-500-58	500kcmil	5 / 8"	26	21.2	81	34	35
CSLA-600-38	600kcmil	3 / 8"	30	23.6	74	22	38
CSLA-600-12	600kcmil	1 / 2"	30	23.6	90	38	38
CSLA-600-12-N	600kcmil	1 / 2"	30	23.6	102	42	45
CSLA-600-58	600kcmil	5 / 8"	30	23.6	90	38	38
CSLA-700-12	700kcmil	1 / 2"	31.7	25.4	110	47	46
CSLA-700-12-N	700kcmil	1 / 2"	31.7	25.4	110	47	46
CSLA-700-58	700kcmil	5 / 8"	31.7	25.4	110	47	46
CSLA-750-12	750kcmil	1 / 2"	33	26.2	114	49	48
CSLA-750-58	750kcmil	5 / 8"	33	26.2	114	49	48
CSLA-800-12	800kcmil	1 / 2"	33.5	27	118	50	50
CSLA-800-58	800kcmil	5 / 8"	33.5	27	118	50	50
CSLA-1000-12	1000kcmil	1 / 2"	36.5	30.2	126	52	48
CSLA-1000-58	1000kcmil	5 / 8"	36.5	30.2	126	52	48

COPPER LUGS WITH STANDARD BARREL - CSWA Series

CODE NO.	GAUGE sq.mm	Stud Size F	A mm	B mm	C mm	D mm	E mm
CSWA-10-5	10	M5	6.5	4.5	30	14	13
CSWA-10-6	10	M6	6.5	4.5	33	17	13
CSWA-10-8	10	M8	6.5	4.5	33	17	13
CSWA-16-5	16	M5	7.5	5	35	16	16
CSWA-16-6	16	M6	7.5	5	35	16	16
CSWA-16-8	16	M8	7.5	5	37	18	16
CSWA-16-10	16	M10	7.5	5	39	20	16
CSWA-20-5	20	M5	8.6	6.2	36	14	17
CSWA-20-6	20	M6	8.6	6.2	40	18	17
CSWA-20-8	20	M8	8.6	6.2	40	18	17
CSWA-20-10	20	M10	8.6	6.2	42	20	17
CSWA-25-5	25	M5	9.5	7.3	36	14	18
CSWA-25-6	25	M6	9.5	7.3	39	17	18
CSWA-25-8	25	M8	9.5	7.3	41	19	18




CODE NO.	GAUGE Sq.mm	Stud Size F	A mm	B mm	C mm	D mm	E mm
CSWA-25-10	25	M10	9.5	7.3	42	20	18
CSWA-35-5	35	M5	10.5	7.8	37	14	18
CSWA-35-6	35	M6	10.5	7.8	40	17	18
CSWA-35-8	35	M8	10.5	7.8	43	20	18
CSWA-35-10	35	M10	10.5	7.8	43	20	18
CSWA-35-12	35	M12	10.5	7.8	48	25	18
CSWA-40-5	40	M5	11.7	9.1	37	14	18
CSWA-40-6	40	M6	11.7	9.1	40	17	18
CSWA-40-8	40	M8	11.7	9.1	43	20	18
CSWA-40-10	40	M10	11.7	9.1	43	20	18
CSWA-40-12	40	M12	11.7	9.1	48	25	18
CSWA-50-5	50	M5	13	10	40	14	19
CSWA-50-6	50	M6	13	10	43	17	19
CSWA-50-8	50	M8	13	10	46	20	19
CSWA-50-10	50	M10	13	10	46	20	19
CSWA-50-12	50	M12	13	10	51	25	19
CSWA-70-5	70	M5	14.2	11.2	41	14	19
CSWA-70-6	70	M6	14.2	11.2	44	17	19
CSWA-70-8	70	M8	14.2	11.2	47	20	19
CSWA-70-10	70	M10	14.2	11.2	47	20	19
CSWA-70-12	70	M12	14.2	11.2	52	25	19
CSWA-85-5	85	M5	15.7	12.7	44	14	22
CSWA-85-6	85	M6	15.7	12.7	47	17	22
CSWA-85-8	85	M8	15.7	12.7	50	20	22
CSWA-85-10	85	M10	15.7	12.7	50	20	22
CSWA-85-12	85	M12	15.7	12.7	55	25	22
CSWA-95-6	95	M6	17.4	13.9	55	22	25
CSWA-95-8	95	M8	17.4	13.9	55	22	25
CSWA-95-10	95	M10	17.4	13.9	55	22	25
CSWA-95-12	95	M12	17.4	13.9	60	27	25
CSWA-120-8	120	M8	19	15.1	58	22	28
CSWA-120-10	120	M10	19	15.1	58	22	28
CSWA-120-12	120	M12	19	15.1	63	27	28
CSWA-150-8	150	M8	20.6	16.5	60	22	30
CSWA-150-10	150	M10	20.6	16.5	60	22	30
CSWA-150-12	150	M12	20.6	16.5	65	27	30
CSWA-150-16	150	M16	20.6	16.5	72	34	30
CSWA-185-10	185	M10	22	17.8	60	22	30
CSWA-185-12	185	M12	22	17.8	65	27	30
CSWA-185-16	185	M16	22	17.8	72	34	30
CSWA-200-10	200	M10	25	19.5	65	22	32
CSWA-200-12	200	M12	25	19.5	70	27	32
CSWA-200-16	200	M16	25	19.5	77	34	32

CODE NO.	GAUGE Sq.mm	Stud Size F	A mm	B mm	C mm	D mm	E mm
CSWA-240-10	240	M10	26	21.2	69	22	35
CSWA-240-12	240	M12	26	21.2	77	30	35
CSWA-240-16	240	M16	26	21.2	81	34	35
CSWA-300-10	300	M10	30	23.6	74	22	38
CSWA-300-12	300	M12	30	23.6	90	38	38
CSWA-300-16	300	M16	30	23.6	90	38	38
CSWA-350-12	350	M12	31.7	25.4	110	47	46
CSWA-350-16	350	M16	31.7	25.4	110	47	46
CSWA-375-12	375	M12	33	26.2	114	49	48
CSWA-375-16	375	M16	33	26.2	114	49	48
CSWA-400-12	400	M12	33.5	27	118	50	50
CSWA-400-16	400	M16	33.5	27	118	50	50
CSWA-500-12	500	M12	36.5	30.2	126	52	48
CSWA-500-16	500	M16	36.5	30.2	126	52	48

COPPER LUGS WITH LONG BARREL - CLLA Series

CODE NO.	GAUGE AWG	Stud Size F	A mm	B mm	C mm	D mm	E mm
CLLA-8-10	8 AWG	#10	6.5	4.5	38	14	21
CLLA-8-14	8 AWG	1 / 4"	6.5	4.5	41	17	21
CLLA-8-516	8 AWG	5 /16"	6.5	4.5	41	17	21
CLLA-6-10	6 AWG	#10	7.5	5	47	16	28
CLLA-6-14	6 AWG	1 / 4"	7.5	5	47	16	28
CLLA-6-516	6 AWG	5 /16"	7.5	5	49	18	28
CLLA-6-38	6 AWG	3 / 8"	7.5	5	51	20	28
CLLA-4-10	4 AWG	#10	8.6	6.2	47	14	28
CLLA-4-14	4 AWG	1 / 4"	8.6	6.2	51	18	28
CLLA-4-516	4 AWG	5 /16"	8.6	6.2	51	18	28
CLLA-4-38	4 AWG	3 / 8"	8.6	6.2	53	20	28
CLLA-3-10	3 AWG	#10	9.5	7.3	46	14	28
CLLA-3-14	3 AWG	1 / 4"	9.5	7.3	49	17	28
CLLA-3-516	3 AWG	5 /16"	9.5	7.3	51	19	28
CLLA-3-38	3 AWG	3 / 8"	9.5	7.3	52	20	28
CLLA-2-10	2 AWG	#10	10.5	7.8	47	14	28
CLLA-2-14	2 AWG	1 / 4"	10.5	7.8	50	17	28
CLLA-2-516	2 AWG	5 /16"	10.5	7.8	53	20	28
CLLA-2-38	2 AWG	3 / 8"	10.5	7.8	53	20	28
CLLA-2-12	2 AWG	1 / 2"	10.5	7.8	58	25	28




CODE NO.	GAUGE AWG	Stud Size F	A mm	B mm	C mm	D mm	E mm
CLLA-1-10	1 AWG	#10	11.7	9.1	54	14	35
CLLA-1-14	1 AWG	1 / 4"	11.7	9.1	57	17	35
CLLA-1-516	1 AWG	5 /16"	11.7	9.1	60	20	35
CLLA-1-38	1 AWG	3 / 8"	11.7	9.1	60	20	35
CLLA-1-12	1 AWG	1 / 2"	11.7	9.1	65	25	35
CLLA-1/0-10	1/0 AWG	#10	13	10	59	14	38
CLLA-1/0-14	1/0 AWG	1 / 4"	13	10	62	17	38
CLLA-1/0-516	1/0 AWG	5 /16"	13	10	65	20	38
CLLA-1/0-38	1/0 AWG	3 / 8"	13	10	65	20	38
CLLA-1/0-12	1/0 AWG	1 / 2"	13	10	70	25	38
CLLA-2/0-10	2/0 AWG	#10	14.2	11.2	60	14	38
CLLA-2/0-14	2/0 AWG	1 / 4"	14.2	11.2	63	17	38
CLLA-2/0-516	2/0 AWG	5 /16"	14.2	11.2	66	20	38
CLLA-2/0-38	2/0 AWG	3 / 8"	14.2	11.2	66	20	38
CLLA-2/0-12	2/0 AWG	1 / 2"	14.2	11.2	71	25	38
CLLA-3/0-10	3/0 AWG	#10	15.7	12.7	60	14	38
CLLA-3/0-14	3/0 AWG	1 / 4"	15.7	12.7	63	17	38
CLLA-3/0-516	3/0 AWG	5 /16"	15.7	12.7	66	20	38
CLLA-3/0-38	3/0 AWG	3 / 8"	15.7	12.7	66	20	38
CLLA-3/0-12	3/0 AWG	1 / 2"	15.7	12.7	71	25	38
CLLA-4/0-14	4/0 AWG	1 / 4"	17.4	13.9	68	22	38
CLLA-4/0-516	4/0 AWG	5 /16"	17.4	13.9	68	22	38
CLLA-4/0-38	4/0 AWG	3 / 8"	17.4	13.9	68	22	38
CLLA-4/0-12	4/0 AWG	1 / 2"	17.4	13.9	73	27	38
CLLA-250-516	250kcmil	5 /16"	19	15.1	72	22	42
CLLA-250-38	250kcmil	3 / 8"	19	15.1	72	22	42
CLLA-250-12	250kcmil	1 / 2"	19	15.1	77	27	42
CLLA-300-516	300kcmil	5 /16"	20.6	16.5	80	22	50
CLLA-300-38	300kcmil	3 / 8"	20.6	16.5	80	22	50
CLLA-300-12	300kcmil	1 / 2"	20.6	16.5	85	27	50
CLLA-300-58	300kcmil	5 / 8"	20.6	16.5	92	34	50
CLLA-350-38	350kcmil	3 / 8"	22	17.8	80	22	50
CLLA-350-12	350kcmil	1 / 2"	22	17.8	85	27	50
CLLA-350-58	350kcmil	5 / 8"	22	17.8	92	34	50
CLLA-400-38	400kcmil	3 / 8"	25	19.5	87	22	54
CLLA-400-12	400kcmil	1 / 2"	25	19.5	92	27	54
CLLA-400-58	400kcmil	5 / 8"	25	19.5	99	34	54

CODE NO.	GAUGE AWG	Stud Size F	A mm	B mm	C mm	D mm	E mm
CLLA-500-38	500kcmil	3 / 8"	26	21.2	91	22	57
CLLA-500-12	500kcmil	1 / 2"	26	21.2	99	30	57
CLLA-500-58	500kcmil	5 / 8"	26	21.2	103	34	57
CLLA-600-38	600kcmil	3 / 8"	30	23.6	104	22	68
CLLA-600-12	600kcmil	1 / 2"	30	23.6	120	38	68
CLLA-600-58	600kcmil	5 / 8"	30	23.6	120	38	68
CLLA-700-12	700kcmil	1 / 2"	31.7	25.4	132	47	68
CLLA-700-58	700kcmil	5 / 8"	31.7	25.4	132	47	68
CLLA-750-12	750kcmil	1 / 2"	33	26.2	134	49	68
CLLA-750-58	750kcmil	5 / 8"	33	26.2	134	49	68
CLLA-800-12	800kcmil	1 / 2"	33.5	27	138	50	70
CLLA-800-58	800kcmil	5 / 8"	33.5	27	138	50	70
CLLA-1000-12	1000kcmil	1 / 2"	36.5	30.2	153	52	75
CLLA-1000-58	1000kcmil	5 / 8"	36.5	30.2	153	52	75

COPPER LUGS WITH LONG BARREL - CLWA Series

CODE NO.	GAUGE Sq. mm	Stud Size F	A mm	B mm	C mm	D mm	E mm
CLWA-10-5	10	M5	6.5	4.5	38	14	21
CLWA-10-6	10	M6	6.5	4.5	41	17	21
CLWA-10-8	10	M8	6.5	4.5	41	17	21
CLWA-16-5	16	M5	7.5	5	47	16	28
CLWA-16-6	16	M6	7.5	5	47	16	28
CLWA-16-8	16	M8	7.5	5	49	18	28
CLWA-16-10	16	M10	7.5	5	51	20	28
CLWA-20-5	20	M5	8.6	6.2	47	14	28
CLWA-20-6	20	M6	8.6	6.2	51	18	28
CLWA-20-8	20	M8	8.6	6.2	51	18	28
CLWA-20-10	20	M10	8.6	6.2	53	20	28
CLWA-25-5	25	M5	9.5	7.3	46	14	28
CLWA-25-6	25	M6	9.5	7.3	49	17	28
CLWA-25-8	25	M8	9.5	7.3	51	19	28
CLWA-25-10	25	M10	9.5	7.3	52	20	28
CLWA-35-5	35	M5	10.5	7.8	47	14	28
CLWA-35-6	35	M6	10.5	7.8	50	17	28
CLWA-35-8	35	M8	10.5	7.8	53	20	28
CLWA-35-10	35	M10	10.5	7.8	53	20	28




CODE NO.	GAUGE Sq. mm	Stud Size F	A mm	B mm	C mm	D mm	E mm
CLWA-35-12	35	M12	10.5	7.8	58	25	28
CLWA-40-5	40	M5	11.7	9.1	54	14	35
CLWA-40-6	40	M6	11.7	9.1	57	17	35
CLWA-40-8	40	M8	11.7	9.1	60	20	35
CLWA-40-10	40	M10	11.7	9.1	60	20	35
CLWA-40-12	40	M12	11.7	9.1	65	25	35
CLWA-50-5	50	M5	13	10	59	14	38
CLWA-50-6	50	M6	13	10	62	17	38
CLWA-50-8	50	M8	13	10	65	20	38
CLWA-50-10	50	M10	13	10	65	20	38
CLWA-50-12	50	M12	13	10	70	25	38
CLWA-70-5	70	M5	14.2	11.2	60	14	38
CLWA-70-6	70	M6	14.2	11.2	63	17	38
CLWA-70-8	70	M8	14.2	11.2	66	20	38
CLWA-70-10	70	M10	14.2	11.2	66	20	38
CLWA-70-12	70	M12	14.2	11.2	71	25	38
CLWA-85-5	85	M5	15.7	12.7	60	14	38
CLWA-85-6	85	M6	15.7	12.7	63	17	38
CLWA-85-8	85	M8	15.7	12.7	66	20	38
CLWA-85-10	85	M10	15.7	12.7	66	20	38
CLWA-85-12	85	M12	15.7	12.7	71	25	38
CLWA-95-6	95	M6	17.4	13.9	68	22	38
CLWA-95-8	95	M8	17.4	13.9	68	22	38
CLWA-95-10	95	M10	17.4	13.9	68	22	38
CLWA-95-12	95	M12	17.4	13.9	73	27	38
CLWA-120-8	120	M8	19	15.1	72	22	42
CLWA-120-10	120	M10	19	15.1	72	22	42
CLWA-120-12	120	M12	19	15.1	77	27	42
CLWA-150-8	150	M8	20.6	16.5	80	22	50
CLWA-150-10	150	M10	20.6	16.5	80	22	50
CLWA-150-12	150	M12	20.6	16.5	85	27	50
CLWA-150-16	150	M16	20.6	16.5	92	34	50
CLWA-185-10	185	M10	22	17.8	80	22	50
CLWA-185-12	185	M12	22	17.8	85	27	50
CLWA-185-16	185	M16	22	17.8	92	34	50
CLWA-200-10	200	M10	25	19.5	87	22	54
CLWA-200-12	200	M12	25	19.5	92	27	54

CODE NO.	GAUGE Sq. mm	Stud Size F	A mm	B mm	C mm	D mm	E mm
CLWA-200-16	200	M16	25	19.5	99	34	54
CLWA-240-10	240	M10	26	21.2	91	22	57
CLWA-240-12	240	M12	26	21.2	99	30	57
CLWA-240-16	240	M16	26	21.2	103	34	57
CLWA-300-10	300	M10	30	23.6	104	22	68
CLWA-300-12	300	M12	30	23.6	120	38	68
CLWA-300-16	300	M16	30	23.6	120	38	68
CLWA-350-12	350	M12	31.7	25.4	132	47	68
CLWA-350-16	350	M16	31.7	25.4	132	47	68
CLWA-375-12	375	M12	33	26.2	134	49	68
CLWA-375-16	375	M16	33	26.2	134	49	68
CLWA-400-12	400	M12	33.5	27	138	50	70
CLWA-400-16	400	M16	33.5	27	138	50	70
CLWA-500-12	500	M12	36.5	30.2	153	52	75
CLWA-500-16	500	M16	36.5	30.2	153	52	75

COPPER LUGS WITH 2 HOLE AND STANDARD BARREL - CSLB Series

CODE NO.	GAUGE AWG	Stud Size F	A mm	B mm	C mm	D mm	E mm	G mm
CSLB-8-10	8 AWG	#10	6.5	4.5	51	35	13	18
CSLB-8-14	8 AWG	1 / 4"	6.5	4.5	51	35	13	18
CSLB-6-10	6 AWG	#10	7.5	5	54	35	16	18
CSLB-6-14	6 AWG	1 / 4"	7.5	5	54	35	16	18
CSLB-6-516	6 AWG	5 /16"	7.5	5	54	35	16	18
CSLB-6-38	6 AWG	3 / 8"	7.5	5	65	46	16	22
CSLB-4-10	4 AWG	#10	8.6	6.2	57	35	17	18
CSLB-4-14	4 AWG	1 / 4"	8.6	6.2	57	35	17	18
CSLB-4-516	4 AWG	5 /16"	8.6	6.2	57	35	17	18
CSLB-4-38	4 AWG	3 / 8"	8.6	6.2	68	46	17	22
CSLB-3-10	3 AWG	#10	9.5	7.3	57	35	18	18
CSLB-3-14	3 AWG	1 / 4"	9.5	7.3	57	35	18	18
CSLB-3-516	3 AWG	5 /16"	9.5	7.3	57	35	18	18
CSLB-3-38	3 AWG	3 / 8"	9.5	7.3	68	46	18	22
CSLB-2-10	2 AWG	#10	10.5	7.8	58	35	18	18
CSLB-2-14	2 AWG	1 / 4"	10.5	7.8	58	35	18	18
CSLB-2-516	2 AWG	5 /16"	10.5	7.8	58	35	18	18
CSLB-2-38	2 AWG	3 / 8"	10.5	7.8	69	46	18	22




CODE NO.	GAUGE AWG	Stud Size F	A mm	B mm	C mm	D mm	E mm	G mm
CSLB-2-12	2 AWG	1 / 2"	10.5	7.8	99	76	18	44
CSLB-1-14	1 AWG	1 / 4"	11.7	9.1	58	35	18	18
CSLB-1-516	1 AWG	5 /16"	11.7	9.1	58	35	18	18
CSLB-1-38	1 AWG	3 / 8"	11.7	9.1	69	46	18	22
CSLB-1-12	1 AWG	1 / 2"	11.7	9.1	91	68	18	38
CSLB-1/0-14	1/0 AWG	1 / 4"	13	10	61	35	19	18
CSLB-1/0-516	1/0 AWG	5 /16"	13	10	61	35	19	18
CSLB-1/0-38	1/0 AWG	3 / 8"	13	10	72	46	19	22
CSLB-1/0-12	1/0 AWG	1 / 2"	13	10	94	68	19	38
CSLB-2/0-14	2/0 AWG	1 / 4"	14.2	11.2	62	35	19	18
CSLB-2/0-516	2/0 AWG	5 /16"	14.2	11.2	62	35	19	18
CSLB-2/0-38	2/0 AWG	3 / 8"	14.2	11.2	73	46	19	22
CSLB-2/0-12	2/0 AWG	1 / 2"	14.2	11.2	95	68	19	38
CSLB-3/0-14	3/0 AWG	1 / 4"	15.7	12.7	65	35	22	18
CSLB-3/0-516	3/0 AWG	5 /16"	15.7	12.7	65	35	22	18
CSLB-3/0-38	3/0 AWG	3 / 8"	15.7	12.7	76	46	22	22
CSLB-3/0-12	3/0 AWG	1 / 2"	15.7	12.7	98	68	22	38
CSLB-4/0-14	4/0 AWG	1 / 4"	17.4	13.9	68	35	25	18
CSLB-4/0-516	4/0 AWG	5 /16"	17.4	13.9	68	35	25	18
CSLB-4/0-38	4/0 AWG	3 / 8"	17.4	13.9	79	46	25	22
CSLB-4/0-12	4/0 AWG	1 / 2"	17.4	13.9	101	68	25	38
CSLB-250-516	250kcmil	5 /16"	19	15.1	71	35	28	18
CSLB-250-38	250kcmil	3 / 8"	19	15.1	82	46	28	22
CSLB-250-12	250kcmil	1 / 2"	19	15.1	104	68	28	38
CSLB-300-516	300kcmil	5 /16"	20.6	16.5	73	35	30	18
CSLB-300-38	300kcmil	3 / 8"	20.6	16.5	84	46	30	22
CSLB-300-12	300kcmil	1 / 2"	20.6	16.5	106	68	30	38
CSLB-350-38	350kcmil	3 / 8"	22	17.8	84	46	30	22
CSLB-350-12	350kcmil	1 / 2"	22	17.8	106	68	30	38
CSLB-400-38	400kcmil	3 / 8"	25	19.5	89	46	32	22
CSLB-400-12	400kcmil	1 / 2"	25	19.5	111	68	32	38
CSLB-500-38	500kcmil	3 / 8"	26	21.2	93	46	35	22
CSLB-500-12	500kcmil	1 / 2"	26	21.2	115	68	35	38
CSLB-600-38	600kcmil	3 / 8"	30	23.6	98	46	38	22
CSLB-600-12	600kcmil	1 / 2"	30	23.6	120	68	38	38
CSLB-700-38	700kcmil	3 /8"	31.7	25.4	110	47	46	22
CSLB-700-12	700kcmil	1 / 2"	31.7	25.4	131	68	46	38

CODE NO.	GAUGE AWG	Stud Size F	A mm	B mm	C mm	D mm	E mm	G mm
CSLB-750-38	750kcmil	3 / 8"	33	26.2	114	49	48	22
CSLB-750-12	750kcmil	1 / 2"	33	26.2	133	68	48	38
CSLB-750-58	750kcmil	5 / 8"	33	26.2	141	76	48	44
CSLB-800-38	800kcmil	3 / 8"	33.5	27	118	50	50	22
CSLB-800-12	800kcmil	1 / 2"	33.5	27	136	68	50	38
CSLB-800-58	800kcmil	5 / 8"	33.5	27	144	76	50	44
CSLB-1000-38	1000kcmil	3 / 8"	36.5	30.2	126	52	48	22
CSLB-1000-12	1000kcmil	1 / 2"	36.5	30.2	142	68	48	38
CSLB-1000-58	1000kcmil	5 / 8"	36.5	30.2	150	76	48	44

COPPER LUGS WITH 2 HOLE AND STANDARD BARREL - CSWB Series


CODE NO.	GAUGE Sq. mm	Stud Size F	A mm	B mm	C mm	D mm	E mm	G mm
CSWB-10-5	10	M5	6.5	4.5	51	35	13	18
CSWB-10-6	10	M6	6.5	4.5	51	35	13	18
CSWB-16-5	16	M5	7.5	5	54	35	16	18
CSWB-16-6	16	M6	7.5	5	54	35	16	18
CSWB-16-8	16	M8	7.5	5	54	35	16	18
CSWB-16-10	16	M10	7.5	5	65	46	16	22
CSWB-20-5	20	M5	8.6	6.2	57	35	17	18
CSWB-20-6	20	M6	8.6	6.2	57	35	17	18
CSWB-20-8	20	M8	8.6	6.2	57	35	17	18
CSWB-20-10	20	M10	8.6	6.2	68	46	17	22
CSWB-25-5	25	M5	9.5	7.3	57	35	18	18
CSWB-25-6	25	M6	9.5	7.3	57	35	18	18
CSWB-25-8	25	M8	9.5	7.3	57	35	18	18
CSWB-25-10	25	M10	9.5	7.3	68	46	18	22
CSWB-35-5	35	M5	10.5	7.8	58	35	18	18
CSWB-35-6	35	M6	10.5	7.8	58	35	18	18
CSWB-35-8	35	M8	10.5	7.8	58	35	18	18
CSWB-35-10	35	M10	10.5	7.8	69	46	18	22
CSWB-35-12	35	M12	10.5	7.8	99	76	18	44
CSWB-40-6	40	M6	11.7	9.1	58	35	18	18
CSWB-40-8	40	M8	11.7	9.1	58	35	18	18
CSWB-40-10	40	M10	11.7	9.1	69	46	18	22
CSWB-40-12	40	M12	11.7	9.1	91	68	18	38
CSWB-50-6	50	M6	13	10	61	35	19	18



CODE NO.	GAUGE Sq. mm	Stud Size F	A mm	B mm	C mm	D mm	E mm	G mm
CSWB-50-8	50	M8	13	10	61	35	19	18
CSWB-50-10	50	M10	13	10	72	46	19	22
CSWB-50-12	50	M12	13	10	94	68	19	38
CSWB-70-6	70	M6	14.2	11.2	62	35	19	18
CSWB-70-8	70	M8	14.2	11.2	62	35	19	18
CSWB-70-10	70	M10	14.2	11.2	73	46	19	22
CSWB-70-12	70	M12	14.2	11.2	95	68	19	38
CSWB-85-6	85	M6	15.7	12.7	65	35	22	18
CSWB-85-8	85	M8	15.7	12.7	65	35	22	18
CSWB-85-10	85	M10	15.7	12.7	76	46	22	22
CSWB-85-12	85	M12	15.7	12.7	98	68	22	38
CSWB-95-6	95	M6	17.4	13.9	68	35	25	18
CSWB-95-8	95	M8	17.4	13.9	68	35	25	18
CSWB-95-10	95	M10	17.4	13.9	79	46	25	22
CSWB-95-12	95	M12	17.4	13.9	101	68	25	38
CSWB-120-8	120	M8	19	15.1	71	35	28	18
CSWB-120-10	120	M10	19	15.1	82	46	28	22
CSWB-120-12	120	M12	19	15.1	104	68	28	38
CSWB-150-8	150	M8	20.6	16.5	73	35	30	18
CSWB-150-10	150	M10	20.6	16.5	84	46	30	22
CSWB-150-12	150	M12	20.6	16.5	106	68	30	38
CSWB-185-10	185	M10	22	17.8	84	46	30	22
CSWB-185-12	185	M12	22	17.8	106	68	30	38
CSWB-200-10	200	M10	25	19.5	89	46	32	22
CSWB-200-12	200	M12	25	19.5	111	68	32	38
CSWB-240-10	240	M10	26	21.2	93	46	35	22
CSWB-240-12	240	M12	26	21.2	115	68	35	38
CSWB-300-10	300	M10	30	23.6	98	46	38	22
CSWB-300-12	300	M12	30	23.6	120	68	38	38
CSWB-350-10	350	M10	31.7	25.4	110	47	46	22
CSWB-350-12	350	M12	31.7	25.4	131	68	46	38
CSWB-375-10	375	M10	33	26.2	114	49	48	22
CSWB-375-12	375	M12	33	26.2	133	68	48	38
CSWB-375-16	375	M16	33	26.2	141	76	48	44
CSWB-400-10	400	M10	33.5	27	118	50	50	22
CSWB-400-12	400	M12	33.5	27	136	68	50	38
CSWB-400-16	400	M16	33.5	27	144	76	50	44

CODE NO.	GAUGE Sq. mm	Stud Size F	A mm	B mm	C mm	D mm	E mm	G mm
CSWB-500-10	500	M10	36.5	30.2	126	52	48	22
CSWB-500-12	500	M12	36.5	30.2	142	68	48	38
CSWB-500-16	500	M16	36.5	30.2	150	76	48	44

COPPER LUGS WITH 2 HOLE AND LONG BARREL - CLLB Series




CODE NO.	GAUGE AWG	Stud Size F	A mm	B mm	C mm	D mm	E mm	G mm
CLLB-8-10	8 AWG	#10	6.5	4.5	59	35	21	18
CLLB-8-14	8 AWG	1 / 4"	6.5	4.5	59	35	21	18
CLLB-6-10	6 AWG	#10	7.5	5	66	35	28	18
CLLB-6-14	6 AWG	1 / 4"	7.5	5	66	35	28	18
CLLB-6-516	6 AWG	5 /16"	7.5	5	66	35	28	18
CLLB-6-38	6 AWG	3 / 8"	7.5	5	77	46	28	22
CLLB-4-10	4 AWG	#10	8.6	6.2	68	35	28	18
CLLB-4-14	4 AWG	1 / 4"	8.6	6.2	68	35	28	18
CLLB-4-516	4 AWG	5 /16"	8.6	6.2	68	35	28	18
CLLB-4-38	4 AWG	3 / 8"	8.6	6.2	79	46	28	22
CLLB-3-10	3 AWG	#10	9.5	7.3	67	35	28	18
CLLB-3-14	3 AWG	1 / 4"	9.5	7.3	67	35	28	18
CLLB-3-516	3 AWG	5 /16"	9.5	7.3	67	35	28	18
CLLB-3-38	3 AWG	3 / 8"	9.5	7.3	78	46	28	22
CLLB-2-10	2 AWG	#10	10.5	7.8	68	35	28	18
CLLB-2-14	2 AWG	1 / 4"	10.5	7.8	68	35	28	18
CLLB-2-516	2 AWG	5 /16"	10.5	7.8	68	35	28	18
CLLB-2-38	2 AWG	3 / 8"	10.5	7.8	79	46	28	22
CLLB-2-12	2 AWG	1 / 2"	10.5	7.8	109	76	28	44
CLLB-1-14	1 AWG	1 / 4"	11.7	9.1	75	35	35	18
CLLB-1-516	1 AWG	5 /16"	11.7	9.1	75	35	35	18
CLLB-1-38	1 AWG	3 / 8"	11.7	9.1	86	46	35	22
CLLB-1-12	1 AWG	1 / 2"	11.7	9.1	108	68	35	38
CLLB-1/0-14	1/0 AWG	1 / 4"	13	10	80	35	38	18
CLLB-1/0-516	1/0 AWG	5 /16"	13	10	80	35	38	18
CLLB-1/0-38	1/0 AWG	3 / 8"	13	10	91	46	38	22
CLLB-1/0-12	1/0 AWG	1 / 2"	13	10	113	68	38	38
CLLB-2/0-14	2/0 AWG	1 / 4"	14.2	11.2	81	35	38	18
CLLB-2/0-516	2/0 AWG	5 /16"	14.2	11.2	81	35	38	18
CLLB-2/0-38	2/0 AWG	3 / 8"	14.2	11.2	92	46	38	22

CODE NO.	GAUGE AWG	Stud Size F	A mm	B mm	C mm	D mm	E mm	G mm
CLLB-2/0-12	2/0 AWG	1 / 2"	14.2	11.2	114	68	38	38
CLLB-3/0-14	3/0 AWG	1 / 4"	15.7	12.7	81	35	38	18
CLLB-3/0-516	3/0 AWG	5 /16"	15.7	12.7	81	35	38	18
CLLB-3/0-38	3/0 AWG	3 / 8"	15.7	12.7	92	46	38	22
CLLB-3/0-12	3/0 AWG	1 / 2"	15.7	12.7	114	68	38	38
CLLB-4/0-14	4/0 AWG	1 / 4"	17.4	13.9	81	35	38	18
CLLB-4/0-516	4/0 AWG	5 /16"	17.4	13.9	81	35	38	18
CLLB-4/0-38	4/0 AWG	3 / 8"	17.4	13.9	92	46	38	22
CLLB-4/0-12	4/0 AWG	1 / 2"	17.4	13.9	114	68	38	38
CLLB-250-516	250kcmil	5 /16"	19	15.1	85	35	42	18
CLLB-250-38	250kcmil	3 / 8"	19	15.1	96	46	42	22
CLLB-250-12	250kcmil	1 / 2"	19	15.1	118	68	42	38
CLLB-300-516	300kcmil	5 /16"	20.6	16.5	93	35	50	18
CLLB-300-38	300kcmil	3 / 8"	20.6	16.5	104	46	50	22
CLLB-300-12	300kcmil	1 / 2"	20.6	16.5	130	68	50	38
CLLB-350-38	350kcmil	3 / 8"	22	17.8	104	46	50	22
CLLB-350-12	350kcmil	1 / 2"	22	17.8	130	68	50	38
CLLB-400-38	400kcmil	3 / 8"	25	19.5	111	46	54	22
CLLB-400-12	400kcmil	1 / 2"	25	19.5	133	68	54	38
CLLB-500-38	500kcmil	3 / 8"	26	21.2	115	46	57	22
CLLB-500-12	500kcmil	1 / 2"	26	21.2	137	68	57	38
CLLB-600-38	600kcmil	3 / 8"	30	23.6	128	46	68	22
CLLB-600-12	600kcmil	1 / 2"	30	23.6	150	68	68	38
CLLB-700-38	700kcmil	3 /8"	31.7	25.4	132	47	68	22
CLLB-700-12	700kcmil	1 / 2"	31.7	25.4	153	68	68	38
CLLB-750-38	750kcmil	3 / 8"	33	26.2	134	49	68	22
CLLB-750-12	750kcmil	1 / 2"	33	26.2	153	68	68	38
CLLB-750-58	750kcmil	5 / 8"	33	26.2	134	76	68	44
CLLB-800-38	800kcmil	3 / 8"	33.5	27	138	50	70	22
CLLB-800-12	800kcmil	1 / 2"	33.5	27	156	68	70	38
CLLB-800-58	800kcmil	5 / 8"	33.5	27	164	76	70	44
CLLB-1000-38	1000kcmil	3 / 8"	36.5	30.2	153	52	75	22
CLLB-1000-12	1000kcmil	1 / 2"	36.5	30.2	169	68	75	38
CLLB-1000-58	1000kcmil	5 / 8"	36.5	30.2	177	76	75	44

COPPER LUGS WITH 2 HOLE AND LONG BARREL - CLWB Series

CODE NO.	GAUGE Sq. mm	Stud Size F	A mm	B mm	C mm	D mm	E mm	G mm
CLWB-10-5	10	M5	6.5	4.5	59	35	21	18
CLWB-10-6	10	M6	6.5	4.5	59	35	21	18
CLWB-16-5	16	M5	7.5	5	66	35	28	18
CLWB-16-6	16	M6	7.5	5	66	35	28	18
CLWB-16-8	16	M8	7.5	5	66	35	28	18
CLWB-16-10	16	M10	7.5	5	77	46	28	22
CLWB-20-5	20	M5	8.6	6.2	68	35	28	18
CLWB-20-6	20	M6	8.6	6.2	68	35	28	18
CLWB-20-8	20	M8	8.6	6.2	68	35	28	18
CLWB-20-10	20	M10	8.6	6.2	79	46	28	22
CLWB-25-5	25	M5	9.5	7.3	67	35	28	18
CLWB-25-6	25	M6	9.5	7.3	67	35	28	18
CLWB-25-8	25	M8	9.5	7.3	67	35	28	18
CLWB-25-10	25	M10	9.5	7.3	78	46	28	22
CLWB-35-5	35	M5	10.5	7.8	68	35	28	18
CLWB-35-6	35	M6	10.5	7.8	68	35	28	18
CLWB-35-8	35	M8	10.5	7.8	68	35	28	18
CLWB-35-10	35	M10	10.5	7.8	79	46	28	22
CLWB-35-12	35	M12	10.5	7.8	109	76	28	44
CLWB-40-6	40	M6	11.7	9.1	75	35	35	18
CLWB-40-8	40	M8	11.7	9.1	75	35	35	18
CLWB-40-10	40	M10	11.7	9.1	86	46	35	22
CLWB-40-12	40	M12	11.7	9.1	108	68	35	38
CLWB-50-6	50	M6	13	10	80	35	38	18
CLWB-50-8	50	M8	13	10	80	35	38	18
CLWB-50-10	50	M10	13	10	91	46	38	22
CLWB-50-12	50	M12	13	10	113	68	38	38
CLWB-70-6	70	M6	14.2	11.2	81	35	38	18
CLWB-70-8	70	M8	14.2	11.2	81	35	38	18
CLWB-70-10	70	M10	14.2	11.2	92	46	38	22
CLWB-70-12	70	M12	14.2	11.2	114	68	38	38
CLWB-85-6	85	M6	15.7	12.7	81	35	38	18
CLWB-85-8	85	M8	15.7	12.7	81	35	38	18
CLWB-85-10	85	M10	15.7	12.7	92	46	38	22
CLWB-85-12	85	M12	15.7	12.7	114	68	38	38



CODE NO.	GAUGE Sq. mm	Stud Size F	A mm	B mm	C mm	D mm	E mm	G mm
CLWB-95-6	95	M6	17.4	13.9	81	35	38	18
CLWB-95-8	95	M8	17.4	13.9	81	35	38	18
CLWB-95-10	95	M10	17.4	13.9	92	46	38	22
CLWB-95-12	95	M12	17.4	13.9	114	68	38	38
CLWB-120-8	120	M8	19	15.1	85	35	42	18
CLWB-120-10	120	M10	19	15.1	96	46	42	22
CLWB-120-12	120	M12	19	15.1	118	68	42	38
CLWB-150-8	150	M8	20.6	16.5	93	35	50	18
CLWB-150-10	150	M10	20.6	16.5	104	46	50	22
CLWB-150-12	150	M12	20.6	16.5	130	68	50	38
CLWB-185-10	185	M10	22	17.8	104	46	50	22
CLWB-185-12	185	M12	22	17.8	130	68	50	38
CLWB-200-10	200	M10	25	19.5	111	46	54	22
CLWB-200-12	200	M12	25	19.5	133	68	54	38
CLWB-240-10	240	M10	26	21.2	115	46	57	22
CLWB-240-12	240	M12	26	21.2	137	68	57	38
CLWB-300-10	300	M10	30	23.6	128	46	68	22
CLWB-300-12	300	M12	30	23.6	150	68	68	38
CLWB-350-10	350	M10	31.7	25.4	132	47	68	22
CLWB-350-12	350	M12	31.7	25.4	153	68	68	38
CLWB-375-10	375	M10	33	26.2	134	49	68	22
CLWB-375-12	375	M12	33	26.2	153	68	68	38
CLWB-175-16	375	M16	33	26.2	134	76	68	44
CLWB-400-10	400	M10	33.5	27	138	50	70	22
CLWB-400-12	400	M12	33.5	27	156	68	70	38
CLWB-400-16	400	M16	33.5	27	164	76	70	44
CLWB-500-10	500	M10	36.5	30.2	153	52	75	22
CLWB-500-12	500	M12	36.5	30.2	169	68	75	38
CLWB-500-16	500	M16	36.5	30.2	177	76	75	44