INSULATORS

We offer complete range of insulators, moulded out of high grade polyster reinforced resins (DMC and SMC).

The Standoff insulators are made from DMC material, and are offered in different variants :
(1) Conical Type,
(2) Octagonal Type,
(3) Full Cylindrical Type,
(4) Cylindrical Type,
(5) Full Hex Type
(6) Round-Hex Type.
(7) Drum Type (Taiwan model),

Finger type and grip type insulators are also offered – made from standard SMC material.



TOLERANCE CHART	
DM (mm)	**Tolerance**
1 – 15	0.25 mm
16 – 50	0.5 mm
51 – 100	1.0 mm
101 – 250	1.5 mm
250 & above	2.0 mm

Technical Specifications for DMC and SMC Material

	Units	Test Methods	SMC	DMC	EPOXY
PHYSICAL PROPERTIES					
Specific Gravity	-	ASTM D - 792	1.7	1.9	1.6 - 2.0
Glass Contents	%	N.A.	25	15	-
Water Absorption (24 hrs)	%	ASTM D - 570	0.2	0.15	0.04 - 0.1
MECHANICAL pROPERTIES					
Tensile Strength	kg/sq cm	ASTM D - 638	700	400	750 - 400
Flexural Strength	kg/sq cm	ASTM D - 790	1550	700	800
Compressive Strength	kg/sq cm	ASTM D - 695	1800	1500	1600
Impact Strength Izod	J/m	ASTM D - 265	600	250	10
ELECTRICAL PROPERTIES					
Tracking Index	volts	IEC 60112	1000	1000	+600
Di-electric strength	KV/mm	ASTM D - 149	12	12	18
Arc Resistance	secs	ASTM D - 495	+180	+180	+180
Flammability	Self Extinguishing				
Glow wire Ignition Test (over 3mm thick specimen)	°C	IEC 60695-2-13	960	960	746/930
Hot Wire Ignition Test	°C	ASTM D-3874	>120	>120	7-15
Working Temperature	°C	--	-40 to +135	-40 to +135	-40 to +135


13, Shah Industrial Estate, Deonar, Chembur, Mumbai 400088, India
Tel : +91 22 2555 5888 email : mail@akcelport.com Web : www.akcelport.com

INSULATORS

Octagonal Type

ITEM CODE	D1 mm	D2 mm	H mm	L mm	T mm
OCT20M4	15	18	20	M4	5
OCT25M6	18	21	25	M6	7
OCT30M6	22	28	30	M6	9
OCT30M8	22	28	30	M8	7
OCT30M10A	26	30	30	M10	9
OCT35M6	25	30	35	M6	9
OCT35M8	25	30	35	M8	9
OCT35M8A	34	38	35	M8	11
OCT35M10A	34	38	35	M10	11
OCT35M8B	29	30	35	M8	11
OCT35M10B	29	30	35	M10	11
OCT40M6A	25	30	40	M6	12
OCT40M8A	25	30	40	M8	12
OCT40M8B	30	34	40	M8	14
OCT40M8	35	39	40	M8	12
OCT40M10	35	39	40	M10	11
OCT45M8	33	38	45	M8	14
OCT45M10	33	38	45	M10	14
OCT45M8A	42	47	45	M8	14
OCT45M10A	42	47	45	M10	14
OCT50M10	33	40	50	M10	15
OCT50M12	33	40	50	M12	15
OCT55M10	44	52	55	M10	17
OCT55M12	44	52	55	M12	17
OCT60M10	42	50	60	M10	20
OCT60M12	42	50	60	M12	20
OCT65M10	34	40	65	M10	20
OCT65M12	34	40	65	M12	20
OCT70M10	39	47	70	M10	22
OCT70M12	39	47	70	M12	22
OCT75M10A	42	50	75	M10	22
OCT75M12A	42	50	75	M12	22
OCT75M10	52	62	75	M10	22
OCT75M12	52	62	75	M12	22
OCT80M10	30	41	80	M10	22
OCT100M12	46	61	100	M12	38






13, Shah Industrial Estate, Deonar, Chembur, Mumbai 400088, India
Tel : +91 22 2555 5888 email : mail@akcelport.com Web : www.akcelport.com


INSULATORS

Drum Type

ITEM CODE	D1 mm	D2 mm	H mm	T mm	L mm
D25M6A	17	21	25	M6	8
D25M8B	21	25	25	M8	8
D25M8	25	31	25	M8	8
D30M6	25	33	30	M6	9
D30M8	25	33	30	M8	8
D35M6	27	32	35	M6	9
D35M8	27	32	35	M8	9
D40M8	29	34	40	M8	12
D45M8	29	34	45	M8	14
D45M8A	32	38	45	M8	14
D50M10	35	39	50	M10	15
D50M12	35	39	50	M12	15
D51M8	29	32	51	M8	14
D55M10	35	42	55	M10	14
D60M10	38	45	60	M10	17
D60M12	38	45	60	M12	17
D64M10	34	40	64	M10	17
D64M12	34	40	64	M12	17
D65M10	35	39	65	M10	17
D65M12	35	39	65	M12	17
D76M10	39	47	76	M10	22
D76M12	39	47	76	M12	22








Conical Type

ITEM CODE	D1 mm	D2 mm	H mm	T mm	L mm
CONC25M6	25	21	25	M6	7
CONC30M6	30	21	20	M6	9
CONC30M8	33	26	30	M8	7
CONC35M6	30	22	35	M6	9
CONC35M8	30	22	35	M8	9
CONC40M8	40	33	40	M8	12
CONC40M10	40	33	40	M10	11
CONC50M10	50	41	50	M10	14
CONC50M12	50	41	50	M12	14
CONC60M10	50	40	60	M10	17
CONC60M12	50	40	60	M12	17
CONC60M10A	60	44	60	M10	17
CONC60M12A	60	44	60	M12	17






13, Shah Industrial Estate, Deonar, Chembur, Mumbai 400088, India
Tel : +91 22 2555 5888 email : mail@akcelport.com Web : www.akcelport.com

INSULATORS

CONC80M10	55	46	80	M10	22
CONC80M12	55	46	80	M12	22


Cylindrical Type with Round Centerband (CYLR Series)

CODE	L mm	D1 mm	D2 mm	D mm	A mm	B mm	S mm	INSERT T
CYLR30M10A	30	34	37.5	46	11	8	9	M10
CYLR35M8	35	35	44	48	13	10	11	M8
CYLR35M10	35	35	44	48	13	10	11	M10
CYLR35M10A	35	34	37.5	46	11	13	11	M10
CYLR40M8	40	35	41	46	13	15	12	M8
CYLR40M10	40	35	41	46	13	15	12	M10
CYLR40M10A	40	34	37.5	46	11	18	12	M10
CYLR45M10A	45	34	37.5	46	11	23	14	M10
CYLR50M10	50	34	42	48	13	25	15	M10
CYLR50M10A	50	34	37.5	46	11	28	15	M10
CYLR50M12	50	34	42	48	13	25	15	M12



Cylindrical Type with Chamfored Ends

ITEM CODE	D1 mm	D2 mm	H mm	T mm	L mm
CYLC25M6	22	25	25	M6	7
CYLC30M6	23	30	30	M6	9
CYLC30M8	23	30	30	M8	7
CYLC40M6	30	40	40	M6	12
CYLC40M8	30	40	40	M8	12
CYLC40M10	30	40	40	M10	11
CYLC50M10	40	50	50	M10	15
CYLC50M12	40	50	50	M12	15
CYLC60M10	40	50	60	M10	22
CYLC60M12	40	50	60	M12	22
CYLC60M10A	50	60	60	M10	22
CYLC60M12A	50	60	60	M12	22
CYLC80M10	50	60	80	M10	22
CYLC80M12	50	60	80	M12	22




13, Shah Industrial Estate, Deonar, Chembur, Mumbai 400088, India
Tel : +91 22 2555 5888 email : mail@akcelport.com Web : www.akcelport.com

INSULATORS

Full Round / Full Cylindrical Type

ITEM CODE	H mm	R mm	I mm	HB mm
ROU2522M6	25	22	M6	10
ROU2522M8	25	22	M8	10
ROU3026M6	30	26	M6	10
ROU3026M8	30	26	M8	10
ROU3030M6	30	30	M6	10
ROU3030M8	30	30	M8	12
ROU3030M10	30	30	M10	12
ROU4030M6	40	30	M6	15
ROU4030M8	40	30	M8	15
ROU4030M10	40	30	M10	15
ROU4040M8	40	40	M8	15
ROU4040M10	40	40	M10	15
ROU5030M6	50	30	M6	20
ROU5030M8	50	30	M8	20
ROU5030M10	50	30	M10	20
ROU5040M8	50	40	M8	20
ROU5040M10	50	40	M10	20
ROU5050M10	50	50	M10	20
ROU5050M12	50	50	M12	20
ROU6030M6	60	30	M6	20
ROU6030M8	60	30	M8	20
ROU6030M10	60	30	M10	20
ROU6050M10	60	50	M10	20
ROU6050M12	60	50	M12	20
ROU6060M10	60	60	M10	20
ROU6060M12	60	60	M12	20





Round Hex Type

ITEM CODE	A/F mm	H mm	Insert mm
20RH20M6	20	20	M6
20RH25M6	20	25	M6
30RH30M6	30	30	M6
30RH30M8	30	30	M8
30RH30M10	30	30	M10
30RH35M6	30	35	M6
30RH35M8	30	35	M8
30RH35M10	30	35	M10
30RH40M6	30	40	M6





13, Shah Industrial Estate, Deonar, Chembur, Mumbai 400088, India
Tel : +91 22 2555 5888 email : mail@akcelport.com Web : www.akcelport.com

INSULATORS

30RH40M8	30	40	M8
30RH40M10	30	40	M10
40RH30M10	40	30	M10
40RH35M10	40	35	M10
40RH40M10	40	40	M10
40RH40M12	40	40	M12
40RH45M10	40	45	M10
40RH45M12	40	45	M12
40RH50M10	40	50	M10
40RH50M12	40	50	M12
40RH55M10	40	55	M10
40RH55M12	40	55	M12
40RH60M10	40	60	M10
40RH60M12	40	60	M12
40RH65M10	40	65	M10
40RH65M12	40	65	M12
40RH70M10	40	70	M10
40RH70M12	40	70	M12
60RH40M12	60	40	M12
60RH50M12	60	50	M12
60RH50M16	60	50	M16
60RH60M12	60	60	M12
60RH60M16	60	60	M16
60RH70M12	60	70	M12
60RH70M16	60	70	M16
60RH80M12	60	80	M12
60RH80M16	60	80	M16








Full Hexagonal Type

ITEM CODE	A/F mm	H mm	Insert mm
20HH20M5	20	20	M5
20HH20M6	20	20	M6
20HH25M5	20	25	M5
20HH25M6	20	25	M6
20HH30M6	20	30	M6
20HH35M6	20	35	M6
20HH40M6	20	40	M6
20HH45M6	20	45	M6
20HH50M6	20	50	M6
25HH25M6	25	25	M6

INSULATORS

25HH25M8	25	25	M8
25HH30M6	25	30	M6
25HH30M8	25	30	M8
25HH35M6	25	35	M6
25HH35M8	25	35	M8
25HH40M6	25	40	M6
25HH40M8	25	40	M8
25HH45M6	25	45	M6
25HH45M8	25	45	M8
25HH50M6	25	50	M6
25HH50M8	25	50	M8
35HH30M8	35	30	M8
35HH30M10	35	30	M10
35HH35M8	35	35	M8
35HH35M10	35	35	M10
35HH40M8	35	40	M8
35HH40M10	35	40	M10
35HH45M8	35	45	M8
35HH45M10	35	45	M10
35HH50M8	35	50	M8
35HH50M10	35	50	M10
35HH55M8	35	55	M8
35HH55M10	35	55	M10
35HH60M8	35	60	M8
35HH60M10	35	60	M10
45HH40M10	45	40	M10
45HH40M12	45	40	M12
45HH45M10	45	45	M10
45HH45M12	45	45	M12
45HH50M10	45	50	M10
45HH50M12	45	50	M12
45HH55M10	45	55	M10
45HH55M12	45	55	M12
45HH60M10	45	60	M10
45HH60M12	45	60	M12
45HH70M10	45	70	M10
45HH70M12	45	70	M12
45HH80M10	45	80	M10
45HH80M12	45	80	M12
45HH90M10	45	90	M10
45HH90M12	45	90	M12







13, Shah Industrial Estate, Deonar, Chembur, Mumbai 400088, India
Tel : +91 22 2555 5888 email : mail@akcelport.com Web : www.akcelport.com

INSULATORS


SINGLE POLE BUSBAR INSULATORS




1P-100-211




1P-100-307




1P-125-311




1P-125-213




1P- 140-411



1P-125-406




1P-165-40




1P-155-313

INSULATORS


SINGLE POLE BUSBAR INSULATORS









1P140-311/000




1P160-411/000




1P100/306 - 211




1P126/406 - 311




1P-161-315/000




1P160-606/511



1P-124-215.5/311.5



1P-154-315/410




1P-140/411-606

13, Shah Industrial Estate, Deonar, Chembur, Mumbai 400088, India
Tel : +91 22 2555 5888 email : mail@akcelport.com Web : www.akcelport.com

INSULATORS

THREE POLE BUSBAR SUPPORTS





INSULATORS

THREE POLE BUSBAR SUPPORTS




3P-366-213/000
c.c. between phase=140mm







3P-370-211-213



3P-385-311/307
c.c. between phase=115mm




3P-371-143/000
c.c. between phase=139mm




CODE NO.	L	H	W	A	B	C
3P122-106/00	122	29	28	21	6.5	43
3P143-106/00	142	28	28	27	6.5	50

INSULATORS


THREE POLE BUSBAR SUPPORTS






3P-400 - 311-306

3P-535-315/000




3P-420/211-000




3P-360/211/000


INSULATORS


THREE POLE BUSBAR SUPPORTS



CODE NO.	A
3P270-306/211	6
3P270-307/211	7
3P270-308/211	8









CODE NO.	A	B	D	E
3P270-206/211	6	5	11	10
3P270-211/214	11	9	13.5	12.5


INSULATORS

THREE POLE BUSBAR SUPPORTS





CODE NO.	L	H	D
3P160-331/00-10	160	45	10
3P161-331/000-5	161	40	5
3P161-331/00-10	161	40	10




CODE NO.	A	B	T
3P210-331/000-4	31	54	4
3P210-331/000-9	31	54	9
3P210-341/000-9	41	39	9


INSULATORS

THREE POLE BUSBAR SUPPORTS











SIZE = 25 X 35 X 100
MCC OUTGOING CONNECTION
SUPPORT.3P.200A





SIZE = 20 X 45 X 230
MSB MAIN BUSBAR SUPPORT FOR
3P-50 X 10 mm BUSBAR)


INSULATORS


THREE POLE BUSBAR SUPPORTS















13, Shah Industrial Estate, Deonar, Chembur, Mumbai 400088, India
Tel : +91 22 2555 5888 email : mail@akcelport.com Web : www.akcelport.com


INSULATORS

THREE POLE BUSBAR SUPPORTS



INSULATORS

THREE POLE BUSBAR SUPPORTS




13, Shah Industrial Estate, Deonar, Chembur, Mumbai 400088, India
Tel : +91 22 2555 5888 email : mail@akcelport.com Web : www.akcelport.com

INSULATORS


THREE POLE BUSBAR SUPPORTS

3P/220-210/000




FRONT VIEW

3P/270-310/000




FRONT VIEW

3P/295-310/000




FRONT VIEW



BOTTOM VIEW

INSULATORS


FOUR POLE BUSBAR SUPPORTS



13, Shah Industrial Estate, Deonar, Chembur, Mumbai 400088, India
Tel : +91 22 2555 5888 email : mail@akcelport.com Web : www.akcelport.com

INSULATORS


FOUR POLE BUSBAR SUPPORTS



13, Shah Industrial Estate, Deonar, Chembur, Mumbai 400088, India
Tel : +91 22 2555 5888 email : mail@akcelport.com Web : www.akcelport.com

INSULATORS


FOUR POLE BUSBAR SUPPORTS



13, Shah Industrial Estate, Deonar, Chembur, Mumbai 400088, India
Tel : +91 22 2555 5888 email : mail@akcelport.com Web : www.akcelport.com


INSULATORS

FOUR POLE BUSBAR SUPPORTS



INSULATORS


FOUR POLE BUSBAR SUPPORTS



13, Shah Industrial Estate, Deonar, Chembur, Mumbai 400088, India
Tel : +91 22 2555 5888 email : mail@akcelport.com Web : www.akcelport.com


INSULATORS

FOUR POLE BUSBAR SUPPORTS



INSULATORS

FOUR POLE BUSBAR SUPPORTS




INSULATORS


FOUR POLE BUSBAR SUPPORTS









SIZE = 25 X 37 X 132
MCC OUTGOING CONNECTION
SUPPORT.4P.200A




SIZE = 18 X 45 X 170
MAIN BUSBAR SUPPORT
FOR DB (25 X 6 -4 BUSBAR)






SIZE = 30 X 45 X 215
MSB MAIN BUSBAR SUPPORT FOR
4P.31 X 9.5 mm BUSBAR)





SIZE = 20 X 45 X 216
MSB MAIN BUSBAR SUPPORT FOR
4P.31 X 10 mm BUSBAR)




SIZE = 20 X 45 X 310
MSB MAIN BUSBAR SUPPORT FOR
4P.50 X 10 mm BUSBAR)

13, Shah Industrial Estate, Deonar, Chembur, Mumbai 400088, India
Tel : +91 22 2555 5888 email : mail@akcelport.com Web : www.akcelport.com

INSULATORS


FOUR POLE BUSBAR SUPPORTS




13, Shah Industrial Estate, Deonar, Chembur, Mumbai 400088, India
Tel : +91 22 2555 5888 email : mail@akcelport.com Web : www.akcelport.com


INSULATORS

STEP INSULATORS






2AT 15




2 AT 25









4 AT 20



4 AT 30




4 AT 40




4 AT 50


13, Shah Industrial Estate, Deonar, Chembur, Mumbai 400088, India
Tel : +91 22 2555 5888 email : mail@akcelport.com Web : www.akcelport.com

INSULATORS







4 BT 30




4 BT 40



4 BT 50






5 AT 25


13, Shah Industrial Estate, Deonar, Chembur, Mumbai 400088, India
Tel : +91 22 2555 5888 email : mail@akcelport.com Web : www.akcelport.com


INSULATORS


GRIP TYPE INSULATORS

































13, Shah Industrial Estate, Deonar, Chembur, Mumbai 400088, India
Tel : +91 22 2555 5888 email : mail@akcelport.com Web : www.akcelport.com


INSULATORS

SUPPORT FOR VERTICAL BARS





BUSBAR DETAILS	CODE	L mm	Cd mm	A mm	F mm	Sd mm
10mm x 2 run	132GP - 210	132	100	10.8	9.6	12
12mm x 2 run	132GP - 212	132	100	13.7	11	12
6mm x 3 run	132GP - 306	132	100	7	5.4	12
10mm x 3 run	172GP - 310	172	140	11	9.4	12
12mm x 3 run	172GP - 312	172	140	13.2	11.4	12
10mm x 4 run	172GP - 410	172	140	11.2	9.6	12
6mm x 5 run	172GP - 506	172	140	7.4	5	12




BOTTOM VIEW OF 132 & 172 SERIES

13, Shah Industrial Estate, Deonar, Chembur, Mumbai 400088, India
Tel : +91 22 2555 5888 email : mail@akcelport.com Web : www.akcelport.com


INSULATORS

SUPPORT FOR VERTICAL BARS




1 WAY

GP SERIES								
PART NO.	BUSBAR	A max mm	C mm	F mm	G mm	H mm	L mm	H1 mm
GP - 106	6mm x 1R	7	20	-	38	30	47	12.5
GP - 110	10mm x 1R	11	20	-	38	30	47	12.5
GP - 206	6mm x 2R	7	25	5.5	38	30	52	12.5
GP - 210	10mm x 2R	11	30	9	38	30	67	12.5
GP - 306	6mm x 3R	8.5	30	5	38	30	61	12.5
GP - 406	6mm x 4R	8.5	50	5	38	30	80	12.5




2 WAY

GPS SERIES								
PART NO.	BUSBAR	A max mm	C mm	F mm	G mm	H mm	L mm	H1 mm
GPS - 210	10mm x 2R	11	19	9	31	26.5	56	12.5
GPS - 212	12mm x 2R	12	19	8	31	30	56	12.5
GPS - 405	5mm x 4R	5.1	19	4.7	31	26.5	56	12.5
GPS - 406	6mm x 4R	7	19	5	31	30	67	12.5




3 WAY


GPB SERIES								
PART NO.	BUSBAR	A max mm	C mm	F mm	G mm	H mm	L mm	H1 mm
GPB - 2498	6mm x 2R	6	-	6	26	31	55	8
GPB - 2499	10mm x 2R	10.3	-	9.9	26	31	64	8



4 WAY




BOTTOM SIDE
GP SERIES



BOTTOM SIDE
GPS SERIES

INSULATORS

INSULATORS FOR VERTICAL BARS




CODE NO.	DIMENSIONS (mm)							
	A	B	C	D	N	Z	Y	Y1
TPN-107/30	7	300	280	50	7	65	52.5	52.5
TPN-111/30	11	300	280	50	7	65	52.5	52.5
TPN-114/30	14	300	280	50	7	65	52.5	52.5
TPN-107/35	7	350	328	50	7	75	62.5	62.5
TPN-111/35	11	350	328	50	7	75	62.5	62.5
TPN-114/35	14	350	328	50	7	75	62.5	62.5
TPN-107/42	7	420	396	60	7	100	52.5	67.5
TPN-111/42	11	420	396	60	7	100	52.5	67.5
TPN-114/42	14	420	396	60	7	100	52.5	67.5
TPN-107/55	7	550	525	60	7	125	75.0	100
TPN-111/55	11	550	525	60	7	125	75.0	100
TPN-114/55	14	550	525	60	7	125	75.0	100
TPN-107/63	7	630	600	60	7	150	80.0	100
TPN-111/63	11	630	600	60	7	150	80.0	100
TPN-114/63	14	630	600	60	7	150	80.0	100

CODE NO.	DIMENSIONS (mm)								
	A	B	C	D	N	Z	Y	Y1	X
TPN-207/35	7	350	328	50	7	70	62	78	5.8
TPN-211/35	11	350	328	50	11	70	62	78	9
TPN-214/35	13.8	350	328	60	13.8	70	62	78	11.5
TPN-207/42	7	420	396	60	7	100	52.5	67.5	5.8
TPN-211/42	11	420	396	60	11	100	52.5	67.5	9
TPN-214/42	13.8	420	396	60	13.8	100	52.5	67.5	11.5
TPN-207/55	7	550	525	60	7	125	75	100	5.8
TPN-211/55	11	550	525	60	11	125	75	100	9
TPN-214/55	13.8	550	525	60	13.8	125	75	100	11.5
TPN-207/63	7	630	600	60	7	150	80	100	5.8
TPN-211/63	11	630	600	60	11	150	80	100	9
TPN-214/63	13.8	630	600	60	13.8	150	80	100	11.5

1. Mounting Hole ø8.5mm
2. Depth of slot 15mm

L SUPPORTS






CODE NO	Height in mm
L 50	50
L 60	60
L 85	85
L 100	100
L 125	125

INSULATORS

ADJUSTABLE BUSBAR SUPPORT









Part No.	Busbar	H* (mm)	A* (mm)	B (mm)	Std. Pkg. (Nos.)	Box Wt. (Kg.)
HB 10/50	6mm x 1run	46.5	6	20	25	3.750
	6mm x 2run	59.5	19	20	25	4.800
	10mm x 1run	50.5	10	20	25	4.000
	12mm x 1run	52.5	12	20	25	4.300
HB 12/50	6mm x 3run	86.0	31	29	25	6.900
	10mm x 2run	86.0	31	29	25	6.900
	12mm x 1run	67.0	12	29	25	5.400

* H & A dimensions are variables
* Mounting Hole - Ø8.5




Single Busbar Fixing Arrangement
C-C = Centre to Centre Phase distance in mm



Two Busbar Fixing Arrangement
C-C = Centre to Centre Phase distance in mm

INSULATORS

NEUTRAL BASE




INSULATORS


INSULATOR FOR HORIZONTAL BARS







SP-35




SP-200635


Terminal Supports (Material : DMC)














ELS 12 (M5)



NLS 12 (M5)




01EBS 25



01NLSPS 11 (M5)

INSULATORS


THREE PHASE CONNECTOR






2 WAY CONNECTOR


CODE	Overall Length L	Distance Between Holes Cd	No. Of Connectors	Bolt Size
TB2106	95	82	2	M6x22 mm





3 WAY CONNECTOR

CODE	Overall Length L	Distance Between Holes Cd	No. Of Connectors	Bolt Size
TB3106	125	111	3	M6x22 mm






4 WAY CONNECTOR

CODE	Overall Length L	Distance Between Holes Cd	No. Of Connectors	Bolt Size
TB4106	165	150	4	M6x22 mm
TB4108	165	150	4	M8x22 mm
TB4210	225	195	4	M10x22 mm


INSULATORS






THREE PHASE CONNECTOR – PREMIUM WITH RYB CAP

CODE NO
EC2106
EC2108






CODE NO
EC3106
EC3108







CODE NO
EC4106
EC4108















INSULATORS


Insulators for Vertical Busbars Finger Type Busbar Support



CODE NO	DESCRIPTION	A	B	C	D	E
FT106A	6mmx1run	7	50	22	14	10
FT110A	10mmx1run	11	50	22	14	10
FT112A	12mmx1run	13.7	50	22	14	10
FT106B	6mmx1run	7	60	32	14	10
FT110B	10mmx1run	11	60	32	14	10
FT112B	12mmx1run	13.7	60	32	14	10
FT106C	6mmx1run	7	70	40	20	16
FT110C	10mmx1run	11	70	40	20	16
FT112C	12mmx1run	13.7	70	40	20	16




CODE NO	DESCRIPTION	A	B	C	D	E	F
FT206A	6mmx2runs	7	60	32	14	10	5.8
FT210A	10mmx2runs	11	60	32	14	10	9
FT212A	12mmx2runs	13.7	60	32	14	10	11.9
FT206B	6mmx2runs	7	70	40	20	16	5.8
FT210B	10mmx2runs	11	70	40	20	16	9
FT210E	10mmx2runs	11.2	130	80	25	21	9.5
FT210C	10mmx2runs	11	80	50	14	10	9
FT212B	12mmx2runs	13.7	70	40	20	16	11.9
FT212D	12mmx2runs	13.7	100	50	20	16	11.9




CODE NO	DESCRIPTION	A	B	C	D	E	F
FT306A	6mmx3runs	7	70	32	14	10	5.8
FT310A	10mmx3runs	11	80	50	14	10	9
FT312A	12mmx3runs	13.7	90	50	15	11	11.9
FT306B	6mmx3runs	7	70	40	20	16	5.8
FT310B	10mmx3runs	11	100	50	20	16	9
FT310C	10mmx3runs	11	100	50	14	10	9
FT312B	12mmx3runs	13.7	100	50	20	16	11.9
FT312B1	12mmx3runs	13.7	130	50	25	21	12.5


13, Shah Industrial Estate, Deonar, Chembur, Mumbai 400088, India
Tel : +91 22 2555 5888 email : mail@akcelport.com Web : www.akcelport.com

INSULATORS



CODE NO	DESCRIPTION	A	B	C	D	E	F
FT406A	6mmx4runs	7.2	80	50	14	10	5.8
FT406B	6mmx4runs	7.2	100	50	20	16	5.8
FT410B	10mmx4runs	11.7	130	80	20	16	9
FT410C	10mmx4runs	11	100	50	20	16	9
FT412B	12mmx4runs	13.7	130	80	20	16	11.9





CODE NO	DESCRIPTION	A	B	C	D	E	F
FT506A	6mmx5runs	7	100	50	20	16	-
FT510A	10mmx5runs	11	160	55	25	20	9
FT512A	12mmx5runs	13	160	55	25	20	11
FT506B	6mmx6runs	11	100	50	20	16	-
FT510B	10mmx6runs	11	160	55/55	25	20	9
FT512B	12mmx6runs	13	160	55/55	25	20	11
FT506C	6mmx8runs	13.7	130	80	25	20	-

INSULATORS

DC CLIP



SIZES	ALL DIMENSION IN MM					
	L	W	T	T1	A	B
20x3	76	25	13.5	4.0	20.5	50
25x3	76	25	13.5	4.0	26.5	50
25x6	76	25	13.5	4.0	26.5	50
32x3	76	25	13.5	4.0	32.5	50
32x6	76	25	13.5	4.0	32.5	50
40x6 HD	95	25	17	5	40.5	70
50x6 HD	95	25	17	5	51	70

Note: Tolerance is "+" or "-" 0.5mm

