Java Short Project

Project - 3

Submitted By: Ramit Batra - 23

Akash Samal - 33

Code

```
import java.awt.*;
import java.awt.event.*;
import javax.swing.*;
class MyFrame extends JFrame {
  int Score = 0;
  public MyFrame() {
    setTitle("Google Form Project");
    setBounds(300, 90, 1130, 500);
    setDefaultCloseOperation(EXIT_ON_CLOSE);
    setResizable(false);
    JPanel cPanel = new JPanel();
    CardLayout crd;
    crd = new CardLayout(35, 150);
    cPanel.setLayout(crd);
    JPanel jPanel1 = new JPanel();
    JPanel jPanel2 = new JPanel();
    JPanel jPanel3 = new JPanel();
    JPanel jPanel4 = new JPanel();
    JLabel name = new JLabel("Name");
    name.setFont(new Font("Arial", Font.PLAIN, 20));
    ¡Panel1.add(name);
    JTextField tname = new JTextField("");
    tname.setFont(new Font("Arial", Font.PLAIN, 15));
    tname.setColumns(10);
    ¡Panel1.add(tname);
    JLabel enroll = new JLabel("Enrollment No");
    enroll.setFont(new Font("Arial", Font.PLAIN, 20));
```

```
enroll.setBounds(300, 20, 100, 100);
    ¡Panel1.add(enroll);
    JTextField tenroll = new JTextField();
    tenroll.setFont(new Font("Arial", Font.PLAIN, 15));
    tenroll.setColumns(10);
    ¡Panel1.add(tenroll);
    JButton nextbutton = new JButton("Next");
    jPanel1.add(nextbutton);
    cPanel.setAlignmentX(Component.LEFT ALIGNMENT);
    JLabel Q1 = new JLabel("Q1. Which city is the capital city of
India ?");
    Q1.setFont(new Font("Arial", Font.PLAIN, 20));
    ¡Panel2.add(Q1);
    JRadioButton Delhi = new JRadioButton("Delhi");
    Delhi.setFont(new Font("Arial", Font.PLAIN, 15));
    Delhi.setSelected(false);
    jPanel2.add(Delhi);
    JRadioButton Mumbai = new JRadioButton("Mumbai");
   Mumbai.setFont(new Font("Arial", Font.PLAIN, 15));
   Mumbai.setSelected(false);
    ¡Panel2.add(Mumbai);
    JRadioButton Kolkata = new JRadioButton("Kolkata");
    Kolkata.setFont(new Font("Arial", Font.PLAIN, 15));
    Kolkata.setSelected(false);
    ¡Panel2.add(Kolkata);
    JRadioButton Chandigarh = new JRadioButton("Chandigarh");
    Chandigarh.setFont(new Font("Arial", Font.PLAIN, 15));
```

```
Chandigarh.setSelected(false);
    ¡Panel2.add(Chandigarh);
    ButtonGroup gengp = new ButtonGroup();
    gengp.add(Delhi);
    gengp.add(Mumbai);
    gengp.add(Kolkata);
    gengp.add(Chandigarh);
    JLabel Q2 = new JLabel("Q2. Who is the current President of
India ?");
    Q2.setFont(new Font("Arial", Font.PLAIN, 20));
    ¡Panel2.add(Q2);
    JRadioButton RamNathKovind = new JRadioButton("Mr. Ram Nath
Kovind");
    RamNathKovind.setFont(new Font("Arial", Font.PLAIN, 15));
    RamNathKovind.setSelected(false);
    jPanel2.add(RamNathKovind);
    JRadioButton Kalam = new JRadioButton("Dr. APJ Abdul Kalam");
    Kalam.setFont(new Font("Arial", Font.PLAIN, 15));
    Kalam.setSelected(false);
    jPanel2.add(Kalam);
    JRadioButton Ppatil = new JRadioButton("Mrs Pratibha Patil");
    Ppatil.setFont(new Font("Arial", Font.PLAIN, 15));
    Ppatil.setSelected(false);
    ¡Panel2.add(Ppatil);
    JRadioButton Namo = new JRadioButton("Mr Narendra Modi");
    Namo.setFont(new Font("Arial", Font.PLAIN, 15));
    Namo.setSelected(false):
    ¡Panel2.add(Namo);
```

```
ButtonGroup geng = new ButtonGroup();
    geng.add(RamNathKovind);
    geng.add(Kalam);
    geng.add(Ppatil);
    geng.add(Namo);
    JButton Previous = new JButton("Previous");
    ¡Panel2.add(Previous);
    JButton nextbutton1 = new JButton("Next");
    ¡Panel2.add(nextbutton1);
    JLabel Q3 = new JLabel("Q3. When did India become a
Republic ?");
    Q3.setFont(new Font("Arial", Font.PLAIN, 20));
    ¡Panel3.add(Q3);
    JRadioButton year47 = new JRadioButton("1947");
    year47.setFont(new Font("Arial", Font.PLAIN, 15));
    year47.setSelected(false);
    ¡Panel3.add(year47);
    JRadioButton year50 = new JRadioButton("1950");
    year50.setFont(new Font("Arial", Font.PLAIN, 15));
    year50.setSelected(false);
    ¡Panel3.add(year50);
    JRadioButton year35 = new JRadioButton("1935");
    year35.setFont(new Font("Arial", Font.PLAIN, 15));
    year35.setSelected(false);
    ¡Panel3.add(year35);
    JRadioButton year49 = new JRadioButton("1949");
    year49.setFont(new Font("Arial", Font.PLAIN, 15));
    year49.setSelected(false);
```

```
¡Panel3.add(year49);
ButtonGroup gen = new ButtonGroup();
gen.add(year35);
gen.add(year49);
gen.add(year47);
gen.add(year50);
JButton Previous1 = new JButton("Previous");
jPanel3.add(Previous1);
JButton SUBMIT = new JButton("Submit");
jPanel3.add(SUBMIT);
JTextField result = new JTextField();
result.setFont(new Font("Arial", Font.PLAIN, 15));
result.setColumns(40);
result.setEditable(false);
¡Panel4.add(result);
cPanel.add(jPanel1, "1");
cPanel.add(jPanel2, "2");
cPanel.add(jPanel3, "3");
cPanel.add(jPanel4, "4");
nextbutton.addActionListener(
  new ActionListener() {
    public void actionPerformed(ActionEvent ae) {
      crd.show(cPanel, "2");
   }
 }
);
nextbutton1.addActionListener(
  new ActionListener() {
    public void actionPerformed(ActionEvent ae) {
      crd.show(cPanel, "3");
```

```
}
  }
);
Previous.addActionListener(
  new ActionListener() {
    public void actionPerformed(ActionEvent ae) {
      crd.show(cPanel, "1");
   }
 }
);
Previous1.addActionListener(
  new ActionListener() {
    public void actionPerformed(ActionEvent ae) {
      crd.show(cPanel, "2");
   }
 }
);
SUBMIT.addActionListener(
  new ActionListener() {
    public void actionPerformed(ActionEvent ae) {
      String namedata = tname.getText();
      String Enrolldata = tenroll.getText();
      if (year50.isSelected() == true) Score++;
      if (RamNathKovind.isSelected() == true) Score++;
      if (Delhi.isSelected() == true) Score++;
      String Final =
        "The marks of " +
        namedata +
        " with " +
        Enrolldata +
        " are " +
        Score +
        " out of 3";
      result.setText(Final);
      crd.show(cPanel, "4");
   }
 }
);
getContentPane().add(cPanel);
```

```
}

public class Proj {

public static void main(String[] args) throws Exception {
    MyFrame f = new MyFrame();
    f.setVisible(true);
  }
}
```

Outputs







