

OSSP SKILL

Shaik Sabiya thabassum(252003030502)

1. To Apply Single Quotes, Preserve Literal Content, Ignore Variable Expansion, Store Quoted Strings, Validate Parsing Results, Test Edge Cases.

To Apply Double Quotes, Preserve Spaces, Allow Variable Expansion, Parse Nested Tokens, Validate Outputs, Test Quoted Commands

(a) Quotes Code:

```
GNU nano 8.7.1          singlequote.c *
#include <stdio.h>
#include <string.h>

int main() {
    char input[100];

    printf("Enter text: ");
    fgets(input, sizeof(input), stdin);

    input[strcspn(input, "\n")] = '\0';

    if (input[0] == '\0') {
        printf("Single quoted string detected\n");
        printf("Content: %s\n", input);
    } else {
        printf("No single quotes detected\n");
    }

    return 0;
}
```

OUTPUTSCREENSHOT:

```
chandrika_battina@DESKTOP-US3G0PF:~$ nano singlequote.c
chandrika_battina@DESKTOP-US3G0PF:~$ gcc singlequote.c -o singlequote
chandrika_battina@DESKTOP-US3G0PF:~$ ./singlequote
Enter text: 'hello guyss'
Single quoted string detected
Content: 'hello guyss'
chandrika_battina@DESKTOP-US3G0PF:~$ ~$ |
```