VİTSAN

VİTSAN

world standard in inspection

TÜRKAK
Muayene
TS EN ISO/IEC 17020
AB-0066-M

Report No VG-4205/26 30.10.2026

CERTIFICATE OF INSPECTION

Applicant : KUZENLER KİMYA PAZARLAMA TİCARET SANAYİ A.Ş.
Subject : Transfered by 3 Tanker Trucks to shore tanks No.25&26
B/L Quantity : 78.380 Mtons 97.402 Litre @ 20°C
Custom Declaration No : 26411400AN00013328 - 27.10.2026
Product : ETHYL ALCOHOL
Customs Tariff Statistical Code : 2207.20.00.10.09
At Installation : İZGİNDEPOLAMA Installation-YARIMCA / TURKIYE
Date : 27 - 28.10.2026
Name of Inspector : Eray KOCABEY - Inspector / Chemical Engineer

---

Cleanliness

: Shore tanks No.25&26 found empty, clean and ready for storage of Ethyl Alcohol.

Quantity :

	Mtons	Litre@20°C
Received according measurements of shore tank no.25	52.240	64.959
Received according measurements of shore tank no.26	25.950	32.268
Total Received Quantity	**78.190**	**97.227**

Times :

Transfer Commenced From truck to Tanks No.25&26	27th October 2026 at 20:04 hrs.
Transfer Completed From truck to Tanks No.25&26	27th October 2026 at 22:45 hrs.

Remarks

	Tanker Truck Plate No	Nett kg
1	83 AB 601 - 88 AA 756	26.120
2	91 AG 143 - 95 AC 817	26.120
3	94 AV 494 - 94 AV 495	26.080
	Total	**78.320**

Samples drawn will be kept at your disposal for the usual period.

VİTSAN
GÖZETİM MÜMESSİLLİK ve TİCARET A.Ş.
İlyas GÜL
Dilovası Branch Manager
Geophysical Engineer

Enclosures : Certificate of Analysis
: Certificate of Quantity

Form No.VG-0236/00-01/18

Aplicant	**Kuzenler Kimya Pazarlama Ticaret Sanayi A.Ş.**		
Product	**Denatured Ethyl Alcohol**		
Sample Origin	Shore Tanks Comp.25&26	Installation	İzgindepolama
		Place	Yarımca
Sampling Date	28.10.2026	Date tested	28.10.2026
Sampled By	Vitsan Inspector	Date Report	30.10.2026
Sampling method	TS 900-1 EN ISO 3170/ASTM E300	Lab.Rep.No	VL-2309/26
Custom Declaration No	26411400AN00013328 - 27.10.2026	Report No	VG-4205/26

CERTIFICATE OF ANALYSIS

This is to certify that at the request of aplicant,we have tested above mentioned sample in Dilovası Vitsan Laboratory. The following analyses results have been obtained.

Test	**Method**	**Unit**	**Specification**	**Result**
Density@20°C in air.	ASTM D 4052:2022	g/ml	-	0.8042
Alcohol Content*	OIML Table	%v/v	Min.96.0	96.5
Color and/or Clarity*	EC 625/2003	-	Colorless and limpid	Colorless and limpid
Permanganate Clearing Time *	EC 625/2003	minute	Min.18	26
Aldehydes, as Acetaldehyde	2870/2000R	g/hl p.a.	Max.0.5	<0.1
Higher Alcohols, as 2 methylpropan-1-ol	2870/2000R	g/hl p.a.	Max.0.5	<0.1
Total Acidity, as Acetic acid*	EC 625/2003	g/hl p.a.	Max.1.5	0.42
Esters, as Ethyl Acetate	2870/2000R	g/hl p.a.	Max.1.3	<0.1
Volatile Nitrogen Bases, as N*	EC 625/2003	g/hl p.a.	Max.0.1	<0.01
Methanol	2870/2000R	g/hl p.a.	Max.30	<5
Furfural*	EC 625/2003	-	Absent	Absent
Denaturant Content (Bitrex)	VL-TA-T 032	g/hl p.a.	Min.0.72	0.84
Denaturant Content (TBA)	VL-TA-T 029	g/hl p.a.	Min.70.2	91.7
Odour*	Organoleptic	-		**
Chloride Content*	Ion Chromatography	mg/kg	Max.1	<0.1
Water Miscibility	ASTM D 1722	-	passes	passes
Dry Residue*	EC 625/2003	g/hl p.a.	max.1.5	0.7
C14 Content*	EC 625/2003***	cBq/Gc	-	0.27***

p.a. : 100% vol. Ethanol

* Not listed in our scope of accreditation.

** : There is a non characteristic odor has been detected outside the raw material.

*** : According to C14 Content test result sample is found to be of agricultural origin

Specification According to TS 1810/EC 625-2003

Ayla ÜNAL GÜVEN
Laboratory Manager
Chemical Engineer

VİTSAN **International Commodity Inspectors**
Gözetim Mümessillik ve Ticaret A.Ş.
Ömer Avni Mah.İnebolu Sok. Derya Han No:3
Kat 2 34427 Kabataş, Beyoğlu - Istanbul
Tel : +9 0212 249 20 77 Pbx
Fax : +9 0 212 243 02 70 -293 38 92
www.vitsan.com
info@vitsan.com
VİTSAN

	Thermometer	Meter/ UTI-MMC
Vitsan	☑	☑
Installation	☐	☐
Serial No.	☐ VGC 027	☐ VGC 011
Calibration Date	12.12.2022	23.12.2022

CERTIFICATE OF QUANTITY (Ethyl Alcohol)
Miktar Sertifikası

☐Loading/Yükleme ☑Discharging/Tahliye

Product/ Cinsi : DENATURED ETHYL ALCOHOL
Vessel/Gemi :
Load.port/Yükleme limanı :
Disch.Port/Tahliye limanı : IZGIN DEPO-YARIMCA
B/L Quantity/Konşimento miktarı : 78,380 m.tons
Kantar miktarı : 78,320 m.tons
Shore Figure/Sahil miktarı : 78,190 m.tons

BY TRUCK TO FROM SHORE TANK
T-25-26 TRANSFERING.
T.COMMENCED 27.10.2026-20:04 HRS.
T.COMPLETED 27.10.2026-22:45HRS.

Date/Tarih	28.10.2026
Densty at 20 °C	0,8053(VAC)
C/F per 1°C	OIML Table
Difference/Fark	-0,242
B/L- Shore	-0,190 mt
B/L- Ship	

Tank No.		~~Ull~~.Sound. mm.	Observed Volume m^3	V.C.F. OIML Table	Product Volume at 20 °C	Temperature °C	Density at 20 °C	Weight mtons	Delivered Quantity
T-25	BEFORE	EMPTY						0,000	52,240
	AFTER	5107	64,681	1,0043	64,959	16,0	0,8042	52,240	
			64,681		64,959			52,240	
T-26	BEFORE	EMPTY						0,000	25,950
	AFTER	2530	32,130	1,0043	32,268	16,0	0,8042	25,950	
			32,130		32,268			25,950	
	BEFORE								
	AFTER								
	BEFORE								
	AFTER								
	BEFORE								
	AFTER							TOTAL	78,190
			96,811		97,227				
SHORE LINE	BEFORE	EMPTY							
	AFTER	EMPTY							

INSTALLATION

İZGİN DEPOLAMA
SAN. ve TİC. LTD. ŞTİ.
Körfez / KOCAELİ
464 023 8624
Körfez Ticaret Sicil Mersis No 0484023882400001

VİTSAN INSPECTOR 41 23 INSPECTION