

Arian
Methanol Co.

BCCO Bakhtar Commercial Company
TECHNICAL DATA SHEET

Truck Plate No: 96AD549/550
Loading Date: 18.10.2026







Product Data Sheet: Methanol

* Typical Property Values

Resin Properties	Unit	Typical Values	Condition	Test Methods
Purity	Wt%	99.98	>99.85	IMPCA
Water	w/w%	0.011	<0.1	ASTM E-1064
Ethanol	Wt%	<0.001	≤0.005	IMPCA
Acetone	Wt%	<0.0005	≤0.003	IMPCA
Specific gravity	-	0.7928	≤0.7928	ASTM D-4052
Permanganate time Test	min	>60	>60	ASTM D-1363
Nonvolatile matter	mg/l	<5	≤8	ASTM D-1353
Color	Pt-Co	<5	≤5	ASTM D-1209
Total Iron	Mg/kg	0.04	≤0.1	ASTM E-394
Chloride as C1	Mg/kg	0.02	-	ASTM D-512
Appearance	-	C.F.S.M	≤0.003	IMPCA
Acidity as CH3COOH	w/w%	0.0014	≤0.003	ASTM D-1613
Carbonizable	-	<30	≤30	ASTM E-346
Sulphur	NIL	NIL	≤0.5	ASTM E-5623
TMA	µg/Kg	<40	≤40	ASTM E-346
Odor	-	Passes	-	ASTM E-1296
Alkalinity as NH3	%W/W	0	= 0	ASTM D-1614
Distillation	°C	≤ 1	760 mmHg	ASTM D-1078


Head Quarter: No. 40, Shahid Fallahzdeh (Hamila) Blvd., Pounak Sq., Tehran, Iran. Postal Code: 1469643852
Tel.: +982149239000 +982149239990 Fax: +982149239870-2 Website: www.bakhtargroup.com
Site: 2nd Phase, Pars Special Economic Energy Zone (PSEEZ), Bandar Assaluyeh, Iran.
Telefax: +98773725191-2


Bakhtar Group

Arian
Methanol Co.

BCCO Bakhtar Commercial Company
TECHNICAL DATA SHEET

Truck Plate No: 93AV247-248
Loading Date: 18.10.2026







Product Data Sheet: Methanol

* Typical Property Values

Resin Properties	Unit	Typical Values	Condition	Test Methods
Purity	Wt%	99.98	>99.85	IMPCA
Water	w/w%	0.011	<0.1	ASTM E-1064
Ethanol	Wt%	<0.001	≤0.005	IMPCA
Acetone	Wt%	<0.0005	≤0.003	IMPCA
Specific gravity	-	0.7928	≤0.7928	ASTM D-4052
Permanganate time Test	min	>60	>60	ASTM D-1363
Nonvolatile matter	mg/l	<5	≤8	ASTM D-1353
Color	Pt-Co	<5	≤5	ASTM D-1209
Total Iron	Mg/kg	0.04	≤0.1	ASTM E-394
Chloride as C1	Mg/kg	0.02	-	ASTM D-512
Appearance	-	C.F.S.M	≤0.003	IMPCA
Acidity as CH3COOH	w/w%	0.0014	≤0.003	ASTM D-1613
Carbonizable	-	<30	≤30	ASTM E-346
Sulphur	NIL	NIL	≤0.5	ASTM E-5623
TMA	µg/Kg	<40	≤40	ASTM E-346
Odor	-	Passes	-	ASTM E-1296
Alkalinity as NH3	%W/W	0	= 0	ASTM D-1614
Distillation	°C	≤ 1	760 mmHg	ASTM D-1078


Head Quarter: No. 40, Shahid Fallahzdeh (Hamila) Blvd., Pounak Sq., Tehran, Iran. Postal Code: 1469643852
Tel.: +982149239000 +982149239990 Fax: +982149239870-2 Website: www.bakhtargroup.com
Site: 2nd Phase, Pars Special Economic Energy Zone (PSEEZ), Bandar Assaluyeh, Iran.
Telefax: +98773725191-2


Bakhtar Group

Arian
Methanol Co.

BCCO Bakhtar Commercial Company
TECHNICAL DATA SHEET

Truck Plate No: 96AC819-92AW892
Loading Date: 18.10.2026







Product Data Sheet: Methanol

* Typical Property Values

Resin Properties	Unit	Typical Values	Condition	Test Methods
Purity	Wt%	99.98	>99.85	IMPCA
Water	w/w%	0.011	<0.1	ASTM E-1064
Ethanol	Wt%	<0.001	≤0.005	IMPCA
Acetone	Wt%	<0.0005	≤0.003	IMPCA
Specific gravity	-	0.7928	≤0.7928	ASTM D-4052
Permanganate time Test	min	>60	>60	ASTM D-1363
Nonvolatile matter	mg/l	<5	≤8	ASTM D-1353
Color	Pt-Co	<5	≤5	ASTM D-1209
Total Iron	Mg/kg	0.04	≤0.1	ASTM E-394
Chloride as C1	Mg/kg	0.02	-	ASTM D-512
Appearance	-	C.F.S.M	≤0.003	IMPCA
Acidity as CH3COOH	w/w%	0.0014	≤0.003	ASTM D-1613
Carbonizable	-	<30	≤30	ASTM E-346
Sulphur	NIL	NIL	≤0.5	ASTM E-5623
TMA	µg/Kg	<40	≤40	ASTM E-346
Odor	-	Passes	-	ASTM E-1296
Alkalinity as NH3	%W/W	0	= 0	ASTM D-1614
Distillation	°C	≤ 1	760 mmHg	ASTM D-1078


Head Quarter: No. 40, Shahid Fallahzdeh (Hamila) Blvd., Pounak Sq., Tehran, Iran. Postal Code: 1469643852
Tel.: +982149239000 +982149239990 Fax: +982149239870-2 Website: www.bakhtargroup.com
Site: 2nd Phase, Pars Special Economic Energy Zone (PSEEZ), Bandar Assaluyeh, Iran.
Telefax: +98773725191-2


Bakhtar Group

Arian
Methanol Co.

BCCO Bakhtar Commercial Company
TECHNICAL DATA SHEET

Truck Plate No: 91AN111/112
Loading Date: 18.10.2026







Product Data Sheet: Methanol

* Typical Property Values

Resin Properties	Unit	Typical Values	Condition	Test Methods
Purity	Wt%	99.98	>99.85	IMPCA
Water	w/w%	0.011	<0.1	ASTM E-1064
Ethanol	Wt%	<0.001	≤0.005	IMPCA
Acetone	Wt%	<0.0005	≤0.003	IMPCA
Specific gravity	-	0.7928	≤0.7928	ASTM D-4052
Permanganate time Test	min	>60	>60	ASTM D-1363
Nonvolatile matter	mg/l	<5	≤8	ASTM D-1353
Color	Pt-Co	<5	≤5	ASTM D-1209
Total Iron	Mg/kg	0.04	≤0.1	ASTM E-394
Chloride as C1	Mg/kg	0.02	-	ASTM D-512
Appearance	-	C.F.S.M	≤0.003	IMPCA
Acidity as CH3COOH	w/w%	0.0014	≤0.003	ASTM D-1613
Carbonizable	-	<30	≤30	ASTM E-346
Sulphur	NIL	NIL	≤0.5	ASTM E-5623
TMA	µg/Kg	<40	≤40	ASTM E-346
Odor	-	Passes	-	ASTM E-1296
Alkalinity as NH3	%W/W	0	= 0	ASTM D-1614
Distillation	°C	≤ 1	760 mmHg	ASTM D-1078


Head Quarter: No. 40, Shahid Fallahzdeh (Hamila) Blvd., Pounak Sq., Tehran, Iran. Postal Code: 1469643852
Tel.: +982149239000 +982149239990 Fax: +982149239870-2 Website: www.bakhtargroup.com
Site: 2nd Phase, Pars Special Economic Energy Zone (PSEEZ), Bandar Assaluyeh, Iran.
Telefax: +98773725191-2


Bakhtar Group

Arian
Methanol Co.

BCCO Bakhtar Commercial Company
TECHNICAL DATA SHEET

Truck Plate No: 96AE973/974
Loading Date: 18.10.2026







Product Data Sheet: Methanol

* Typical Property Values

Resin Properties	Unit	Typical Values	Condition	Test Methods
Purity	Wt%	99.98	>99.85	IMPCA
Water	w/w%	0.011	<0.1	ASTM E-1064
Ethanol	Wt%	<0.001	≤0.005	IMPCA
Acetone	Wt%	<0.0005	≤0.003	IMPCA
Specific gravity	-	0.7928	≤0.7928	ASTM D-4052
Permanganate time Test	min	>60	>60	ASTM D-1363
Nonvolatile matter	mg/l	<5	≤8	ASTM D-1353
Color	Pt-Co	<5	≤5	ASTM D-1209
Total Iron	Mg/kg	0.04	≤0.1	ASTM E-394
Chloride as C1	Mg/kg	0.02	-	ASTM D-512
Appearance	-	C.F.S.M	≤0.003	IMPCA
Acidity as CH3COOH	w/w%	0.0014	≤0.003	ASTM D-1613
Carbonizable	-	<30	≤30	ASTM E-346
Sulphur	NIL	NIL	≤0.5	ASTM E-5623
TMA	µg/Kg	<40	≤40	ASTM E-346
Odor	-	Passes	-	ASTM E-1296
Alkalinity as NH3	%W/W	0	= 0	ASTM D-1614
Distillation	°C	≤ 1	760 mmHg	ASTM D-1078


Head Quarter: No. 40, Shahid Fallahzdeh (Hamila) Blvd., Pounak Sq., Tehran, Iran. Postal Code: 1469643852
Tel.: +982149239000 +982149239990 Fax: +982149239870-2 Website: www.bakhtargroup.com
Site: 2nd Phase, Pars Special Economic Energy Zone (PSEEZ), Bandar Assaluyeh, Iran.
Telefax: +98773725191-2


Bakhtar Group

Arian
Methanol Co.

BCCO Bakhtar Commercial Company
TECHNICAL DATA SHEET

Truck Plate No: 93AC789-94AC454
Loading Date: 21.10.2026







Product Data Sheet: Methanol

* Typical Property Values

Resin Properties	Unit	Typical Values	Condition	Test Methods
Purity	Wt%	99.98	>99.85	IMPCA
Water	w/w%	0.011	<0.1	ASTM E-1064
Ethanol	Wt%	<0.001	≤0.005	IMPCA
Acetone	Wt%	<0.0005	≤0.003	IMPCA
Specific gravity	-	0.7928	≤0.7928	ASTM D-4052
Permanganate time Test	min	>60	>60	ASTM D-1363
Nonvolatile matter	mg/l	<5	≤8	ASTM D-1353
Color	Pt-Co	<5	≤5	ASTM D-1209
Total Iron	Mg/kg	0.04	≤0.1	ASTM E-394
Chloride as C1	Mg/kg	0.02	-	ASTM D-512
Appearance	-	C.F.S.M	≤0.003	IMPCA
Acidity as CH3COOH	w/w%	0.0014	≤0.003	ASTM D-1613
Carbonizable	-	<30	≤30	ASTM E-346
Sulphur	NIL	NIL	≤0.5	ASTM E-5623
TMA	µg/Kg	<40	≤40	ASTM E-346
Odor	-	Passes	-	ASTM E-1296
Alkalinity as NH3	%W/W	0	= 0	ASTM D-1614
Distillation	°C	≤ 1	760 mmHg	ASTM D-1078


Head Quarter: No. 40, Shahid Fallahzdeh (Hamila) Blvd., Pounak Sq., Tehran, Iran. Postal Code: 1469643852
Tel.: +982149239000 +982149239990 Fax: +982149239870-2 Website: www.bakhtargroup.com
Site: 2nd Phase, Pars Special Economic Energy Zone (PSEEZ), Bandar Assaluyeh, Iran.
Telefax: +98773725191-2


Bakhtar Group

Arian
Methanol Co.

BCCO Bakhtar Commercial Company
TECHNICAL DATA SHEET

Truck Plate No: 42AB595-90AV521
Loading Date: 21.10.2026







Product Data Sheet: Methanol

* Typical Property Values

Resin Properties	Unit	Typical Values	Condition	Test Methods
Purity	Wt%	99.98	>99.85	IMPCA
Water	w/w%	0.011	<0.1	ASTM E-1064
Ethanol	Wt%	<0.001	≤0.005	IMPCA
Acetone	Wt%	<0.0005	≤0.003	IMPCA
Specific gravity	-	0.7928	≤0.7928	ASTM D-4052
Permanganate time Test	min	>60	>60	ASTM D-1363
Nonvolatile matter	mg/l	<5	≤8	ASTM D-1353
Color	Pt-Co	<5	≤5	ASTM D-1209
Total Iron	Mg/kg	0.04	≤0.1	ASTM E-394
Chloride as C1	Mg/kg	0.02	-	ASTM D-512
Appearance	-	C.F.S.M	≤0.003	IMPCA
Acidity as CH3COOH	w/w%	0.0014	≤0.003	ASTM D-1613
Carbonizable	-	<30	≤30	ASTM E-346
Sulphur	NIL	NIL	≤0.5	ASTM E-5623
TMA	µg/Kg	<40	≤40	ASTM E-346
Odor	-	Passes	-	ASTM E-1296
Alkalinity as NH3	%W/W	0	= 0	ASTM D-1614
Distillation	°C	≤ 1	760 mmHg	ASTM D-1078


Head Quarter: No. 40, Shahid Fallahzdeh (Hamila) Blvd., Pounak Sq., Tehran, Iran. Postal Code: 1469643852
Tel.: +982149239000 +982149239990 Fax: +982149239870-2 Website: www.bakhtargroup.com
Site: 2nd Phase, Pars Special Economic Energy Zone (PSEEZ), Bandar Assaluyeh, Iran.
Telefax: +98773725191-2


Bakhtar Group

Arian
Methanol Co.

BCCO Bakhtar Commercial Company
TECHNICAL DATA SHEET

Truck Plate No: 38AA243-38AA244
Loading Date: 21.10.2026







Product Data Sheet: Methanol

* Typical Property Values

Resin Properties	Unit	Typical Values	Condition	Test Methods
Purity	Wt%	99.98	>99.85	IMPCA
Water	w/w%	0.011	<0.1	ASTM E-1064
Ethanol	Wt%	<0.001	≤0.005	IMPCA
Acetone	Wt%	<0.0005	≤0.003	IMPCA
Specific gravity	-	0.7928	≤0.7928	ASTM D-4052
Permanganate time Test	min	>60	>60	ASTM D-1363
Nonvolatile matter	mg/l	<5	≤8	ASTM D-1353
Color	Pt-Co	<5	≤5	ASTM D-1209
Total Iron	Mg/kg	0.04	≤0.1	ASTM E-394
Chloride as C1	Mg/kg	0.02	-	ASTM D-512
Appearance	-	C.F.S.M	≤0.003	IMPCA
Acidity as CH3COOH	w/w%	0.0014	≤0.003	ASTM D-1613
Carbonizable	-	<30	≤30	ASTM E-346
Sulphur	NIL	NIL	≤0.5	ASTM E-5623
TMA	µg/Kg	<40	≤40	ASTM E-346
Odor	-	Passes	-	ASTM E-1296
Alkalinity as NH3	%W/W	0	= 0	ASTM D-1614
Distillation	°C	≤ 1	760 mmHg	ASTM D-1078


Head Quarter: No. 40, Shahid Fallahzdeh (Hamila) Blvd., Pounak Sq., Tehran, Iran. Postal Code: 1469643852
Tel.: +982149239000 +982149239990 Fax: +982149239870-2 Website: www.bakhtargroup.com
Site: 2nd Phase, Pars Special Economic Energy Zone (PSEEZ), Bandar Assaluyeh, Iran.
Telefax: +98773725191-2


Bakhtar Group

Arian
Methanol Co.

BCCO Bakhtar Commercial Company
TECHNICAL DATA SHEET

Truck Plate No: 99AL160-91AD888
Loading Date: 21.10.2026







Product Data Sheet: Methanol

* Typical Property Values

Resin Properties	Unit	Typical Values	Condition	Test Methods
Purity	Wt%	99.98	>99.85	IMPCA
Water	w/w%	0.011	<0.1	ASTM E-1064
Ethanol	Wt%	<0.001	≤0.005	IMPCA
Acetone	Wt%	<0.0005	≤0.003	IMPCA
Specific gravity	-	0.7928	≤0.7928	ASTM D-4052
Permanganate time Test	min	>60	>60	ASTM D-1363
Nonvolatile matter	mg/l	<5	≤8	ASTM D-1353
Color	Pt-Co	<5	≤5	ASTM D-1209
Total Iron	Mg/kg	0.04	≤0.1	ASTM E-394
Chloride as C1	Mg/kg	0.02	-	ASTM D-512
Appearance	-	C.F.S.M	≤0.003	IMPCA
Acidity as CH3COOH	w/w%	0.0014	≤0.003	ASTM D-1613
Carbonizable	-	<30	≤30	ASTM E-346
Sulphur	NIL	NIL	≤0.5	ASTM E-5623
TMA	µg/Kg	<40	≤40	ASTM E-346
Odor	-	Passes	-	ASTM E-1296
Alkalinity as NH3	%W/W	0	= 0	ASTM D-1614
Distillation	°C	≤ 1	760 mmHg	ASTM D-1078


Head Quarter: No. 40, Shahid Fallahzdeh (Hamila) Blvd., Pounak Sq., Tehran, Iran. Postal Code: 1469643852
Tel.: +982149239000 +982149239990 Fax: +982149239870-2 Website: www.bakhtargroup.com
Site: 2nd Phase, Pars Special Economic Energy Zone (PSEEZ), Bandar Assaluyeh, Iran.
Telefax: +98773725191-2


Bakhtar Group

Arian
Methanol Co.

BCCO Bakhtar Commercial Company
TECHNICAL DATA SHEET

Truck Plate No: 94AE845-94AE846
Loading Date: 21.10.2026







Product Data Sheet: Methanol

* Typical Property Values

Resin Properties	Unit	Typical Values	Condition	Test Methods
Purity	Wt%	99.98	>99.85	IMPCA
Water	w/w%	0.011	<0.1	ASTM E-1064
Ethanol	Wt%	<0.001	≤0.005	IMPCA
Acetone	Wt%	<0.0005	≤0.003	IMPCA
Specific gravity	-	0.7928	≤0.7928	ASTM D-4052
Permanganate time Test	min	>60	>60	ASTM D-1363
Nonvolatile matter	mg/l	<5	≤8	ASTM D-1353
Color	Pt-Co	<5	≤5	ASTM D-1209
Total Iron	Mg/kg	0.04	≤0.1	ASTM E-394
Chloride as C1	Mg/kg	0.02	-	ASTM D-512
Appearance	-	C.F.S.M	≤0.003	IMPCA
Acidity as CH3COOH	w/w%	0.0014	≤0.003	ASTM D-1613
Carbonizable	-	<30	≤30	ASTM E-346
Sulphur	NIL	NIL	≤0.5	ASTM E-5623
TMA	µg/Kg	<40	≤40	ASTM E-346
Odor	-	Passes	-	ASTM E-1296
Alkalinity as NH3	%W/W	0	= 0	ASTM D-1614
Distillation	°C	≤ 1	760 mmHg	ASTM D-1078


Head Quarter: No. 40, Shahid Fallahzdeh (Hamila) Blvd., Pounak Sq., Tehran, Iran. Postal Code: 1469643852
Tel.: +982149239000 +982149239990 Fax: +982149239870-2 Website: www.bakhtargroup.com
Site: 2nd Phase, Pars Special Economic Energy Zone (PSEEZ), Bandar Assaluyeh, Iran.
Telefax: +98773725191-2


Bakhtar Group

Arian
Methanol Co.

BCCO Bakhtar Commercial Company
TECHNICAL DATA SHEET

Truck Plate No: 14AA555-93AC752
Loading Date: 20.10.2026







Product Data Sheet: Methanol

* Typical Property Values

Resin Properties	Unit	Typical Values	Condition	Test Methods
Purity	Wt%	99.98	>99.85	IMPCA
Water	w/w%	0.011	<0.1	ASTM E-1064
Ethanol	Wt%	<0.001	≤0.005	IMPCA
Acetone	Wt%	<0.0005	≤0.003	IMPCA
Specific gravity	-	0.7928	≤0.7928	ASTM D-4052
Permanganate time Test	min	>60	>60	ASTM D-1363
Nonvolatile matter	mg/l	<5	≤8	ASTM D-1353
Color	Pt-Co	<5	≤5	ASTM D-1209
Total Iron	Mg/kg	0.04	≤0.1	ASTM E-394
Chloride as C1	Mg/kg	0.02	-	ASTM D-512
Appearance	-	C.F.S.M	≤0.003	IMPCA
Acidity as CH3COOH	w/w%	0.0014	≤0.003	ASTM D-1613
Carbonizable	-	<30	≤30	ASTM E-346
Sulphur	NIL	NIL	≤0.5	ASTM E-5623
TMA	µg/Kg	<40	≤40	ASTM E-346
Odor	-	Passes	-	ASTM E-1296
Alkalinity as NH3	%W/W	0	= 0	ASTM D-1614
Distillation	°C	≤ 1	760 mmHg	ASTM D-1078


Head Quarter: No. 40, Shahid Fallahzdeh (Hamila) Blvd., Pounak Sq., Tehran, Iran. Postal Code: 1469643852
Tel.: +982149239000 +982149239990 Fax: +982149239870-2 Website: www.bakhtargroup.com
Site: 2nd Phase, Pars Special Economic Energy Zone (PSEEZ), Bandar Assaluyeh, Iran.
Telefax: +98773725191-2


Bakhtar Group

Arian
Methanol Co.

BCCO Bakhtar Commercial Company
TECHNICAL DATA SHEET

Truck Plate No:93AC790-95AR305
Loading Date: 20.10.2026







Product Data Sheet: Methanol

* Typical Property Values

Resin Properties	Unit	Typical Values	Condition	Test Methods
Purity	Wt%	99.98	>99.85	IMPCA
Water	w/w%	0.011	<0.1	ASTM E-1064
Ethanol	Wt%	<0.001	≤0.005	IMPCA
Acetone	Wt%	<0.0005	≤0.003	IMPCA
Specific gravity	-	0.7928	≤0.7928	ASTM D-4052
Permanganate time Test	min	>60	>60	ASTM D-1363
Nonvolatile matter	mg/l	<5	≤8	ASTM D-1353
Color	Pt-Co	<5	≤5	ASTM D-1209
Total Iron	Mg/kg	0.04	≤0.1	ASTM E-394
Chloride as C1	Mg/kg	0.02	-	ASTM D-512
Appearance	-	C.F.S.M	≤0.003	IMPCA
Acidity as CH3COOH	w/w%	0.0014	≤0.003	ASTM D-1613
Carbonizable	-	<30	≤30	ASTM E-346
Sulphur	NIL	NIL	≤0.5	ASTM E-5623
TMA	µg/Kg	<40	≤40	ASTM E-346
Odor	-	Passes	-	ASTM E-1296
Alkalinity as NH3	%W/W	0	= 0	ASTM D-1614
Distillation	°C	≤ 1	760 mmHg	ASTM D-1078


Head Quarter: No. 40, Shahid Fallahzdeh (Hamila) Blvd., Pounak Sq., Tehran, Iran. Postal Code: 1469643852
Tel.: +982149239000 +982149239990 Fax: +982149239870-2 Website: www.bakhtargroup.com
Site: 2nd Phase, Pars Special Economic Energy Zone (PSEEZ), Bandar Assaluyeh, Iran.
Telefax: +98773725191-2


Bakhtar Group

Arian
Methanol Co.

BCCO Bakhtar Commercial Company
TECHNICAL DATA SHEET

Truck Plate No: 993AL989-93AW730
Loading Date: 20.10.2026







Product Data Sheet: Methanol

* Typical Property Values

Resin Properties	Unit	Typical Values	Condition	Test Methods
Purity	Wt%	99.98	>99.85	IMPCA
Water	w/w%	0.011	<0.1	ASTM E-1064
Ethanol	Wt%	<0.001	≤0.005	IMPCA
Acetone	Wt%	<0.0005	≤0.003	IMPCA
Specific gravity	-	0.7928	≤0.7928	ASTM D-4052
Permanganate time Test	min	>60	>60	ASTM D-1363
Nonvolatile matter	mg/l	<5	≤8	ASTM D-1353
Color	Pt-Co	<5	≤5	ASTM D-1209
Total Iron	Mg/kg	0.04	≤0.1	ASTM E-394
Chloride as C1	Mg/kg	0.02	-	ASTM D-512
Appearance	-	C.F.S.M	≤0.003	IMPCA
Acidity as CH3COOH	w/w%	0.0014	≤0.003	ASTM D-1613
Carbonizable	-	<30	≤30	ASTM E-346
Sulphur	NIL	NIL	≤0.5	ASTM E-5623
TMA	µg/Kg	<40	≤40	ASTM E-346
Odor	-	Passes	-	ASTM E-1296
Alkalinity as NH3	%W/W	0	= 0	ASTM D-1614
Distillation	°C	≤ 1	760 mmHg	ASTM D-1078


Head Quarter: No. 40, Shahid Fallahzdeh (Hamila) Blvd., Pounak Sq., Tehran, Iran. Postal Code: 1469643852
Tel.: +982149239000 +982149239990 Fax: +982149239870-2 Website: www.bakhtargroup.com
Site: 2nd Phase, Pars Special Economic Energy Zone (PSEEZ), Bandar Assaluyeh, Iran.
Telefax: +98773725191-2


Bakhtar Group

Arian
Methanol Co.

BCCO Bakhtar Commercial Company
TECHNICAL DATA SHEET

Truck Plate No: 97AU937-71AA394
Loading Date: 20.10.2026







Product Data Sheet: Methanol

* Typical Property Values

Resin Properties	Unit	Typical Values	Condition	Test Methods
Purity	Wt%	99.98	>99.85	IMPCA
Water	w/w%	0.011	<0.1	ASTM E-1064
Ethanol	Wt%	<0.001	≤0.005	IMPCA
Acetone	Wt%	<0.0005	≤0.003	IMPCA
Specific gravity	-	0.7928	≤0.7928	ASTM D-4052
Permanganate time Test	min	>60	>60	ASTM D-1363
Nonvolatile matter	mg/l	<5	≤8	ASTM D-1353
Color	Pt-Co	<5	≤5	ASTM D-1209
Total Iron	Mg/kg	0.04	≤0.1	ASTM E-394
Chloride as C1	Mg/kg	0.02	-	ASTM D-512
Appearance	-	C.F.S.M	≤0.003	IMPCA
Acidity as CH3COOH	w/w%	0.0014	≤0.003	ASTM D-1613
Carbonizable	-	<30	≤30	ASTM E-346
Sulphur	NIL	NIL	≤0.5	ASTM E-5623
TMA	µg/Kg	<40	≤40	ASTM E-346
Odor	-	Passes	-	ASTM E-1296
Alkalinity as NH3	%W/W	0	= 0	ASTM D-1614
Distillation	°C	≤ 1	760 mmHg	ASTM D-1078


Head Quarter: No. 40, Shahid Fallahzdeh (Hamila) Blvd., Pounak Sq., Tehran, Iran. Postal Code: 1469643852
Tel.: +982149239000 +982149239990 Fax: +982149239870-2 Website: www.bakhtargroup.com
Site: 2nd Phase, Pars Special Economic Energy Zone (PSEEZ), Bandar Assaluyeh, Iran.
Telefax: +98773725191-2


Bakhtar Group

Arian
Methanol Co.

BCCO Bakhtar Commercial Company
TECHNICAL DATA SHEET

Truck Plate No: 94AX481-94AX482
Loading Date: 20.10.2026







Product Data Sheet: Methanol

* Typical Property Values

Resin Properties	Unit	Typical Values	Condition	Test Methods
Purity	Wt%	99.98	>99.85	IMPCA
Water	w/w%	0.011	<0.1	ASTM E-1064
Ethanol	Wt%	<0.001	≤0.005	IMPCA
Acetone	Wt%	<0.0005	≤0.003	IMPCA
Specific gravity	-	0.7928	≤0.7928	ASTM D-4052
Permanganate time Test	min	>60	>60	ASTM D-1363
Nonvolatile matter	mg/l	<5	≤8	ASTM D-1353
Color	Pt-Co	<5	≤5	ASTM D-1209
Total Iron	Mg/kg	0.04	≤0.1	ASTM E-394
Chloride as C1	Mg/kg	0.02	-	ASTM D-512
Appearance	-	C.F.S.M	≤0.003	IMPCA
Acidity as CH3COOH	w/w%	0.0014	≤0.003	ASTM D-1613
Carbonizable	-	<30	≤30	ASTM E-346
Sulphur	NIL	NIL	≤0.5	ASTM E-5623
TMA	µg/Kg	<40	≤40	ASTM E-346
Odor	-	Passes	-	ASTM E-1296
Alkalinity as NH3	%W/W	0	= 0	ASTM D-1614
Distillation	°C	≤ 1	760 mmHg	ASTM D-1078

Head Quarter: No. 40, Shahid Fallahzdeh (Hamila) Blvd., Pounak Sq., Tehran, Iran. Postal Code: 1469643852
Tel.: +982149239000 +982149239990 Fax: +982149239870-2 Website: www.bakhtargroup.com
Site: 2nd Phase, Pars Special Economic Energy Zone (PSEEZ), Bandar Assaluyeh, Iran.
Telefax: +98773725191-2

Bakhtar Group