

/home/ajc/Projet\_AJC  
/AJC\_projet\_belib/plotting  
\_data/src/libs/plotter.h

```
graph BT; A["/home/ajc/Projet_AJC  
/AJC_projet_belib/plotting  
_data/src/main_stations_fav.c"] --> B["/home/ajc/Projet_AJC  
/AJC_projet_belib/plotting  
_data/src/libs/plotter.h"]; C["/home/ajc/Projet_AJC  
/AJC_projet_belib/plotting  
_data/src/main_stations_live.c"] --> B;
```

The diagram illustrates a file dependency structure. At the top is a gray box representing a header file: `/home/ajc/Projet_AJC/AJC_projet_belib/plotting_data/src/libs/plotter.h`. Below it are two white boxes representing source files. The left box is `/home/ajc/Projet_AJC/AJC_projet_belib/plotting_data/src/main_stations_fav.c` and the right box is `/home/ajc/Projet_AJC/AJC_projet_belib/plotting_data/src/main_stations_live.c`. Blue arrows point from each source file box up to the header file box, indicating that both source files include the header file.

/home/ajc/Projet\_AJC  
/AJC\_projet\_belib/plotting  
\_data/src/main\_stations\_fav.c

/home/ajc/Projet\_AJC  
/AJC\_projet\_belib/plotting  
\_data/src/main\_stations\_live.c