Reflection Analysis

Input Parameters

Generel

Data file:	*26-2-3 SWL Berm 2%.experiment - 130% (4).txt*
Sample frequency:	*128 Hz (Downsampled to 64 Hz)*
Water depth at Gauge 1:	*0.365 m (seabed slope 1:200)*
Length scale (Prototype/Model):	*1*
Skipped lines	*Header: 5 Start: 1000 End: 0*

Bandpass filtering

Freq. lower bound:	*0.219 Hz*
Freq. upper bound:	*4.375 Hz*

	Gauge 1	Gauge 2	Gauge 3
Channel number:	*2*	*3*	*4*
Calibration function:	*1.0*X*	*1.0*X*	*1.0*X*
X-coordinate:	*0.0 m*	*0.3 m*	*0.7 m*

Freq. Domain Analysis

Overlap of subseries:	*20%*
Cosine taper width:	*20%*
Data No. in FFT block:	*4096*
Number of FFT blocks:	*37*

Time Domain Analysis

Output timeseries at x-coordinate:	*0.3333 m*
Min. points between downcrossings:	*44*
Hilbert filter length:	*2048*

Frequency Domain Analysis

Overall amplitude reflection coefficient: *39.8%*

	Incident	**Reflected**
Sig. wave height H_{m0} (m):	*0.1575*	*0.06263*
Peak wave period T_P (s):	*2.286*	*2.286*
Energy wave period $T_{-1,0}$ (s):	*1.92*	*1.954*
Mean wave period $T_{0,1}$ (s):	*1.628*	*1.287*
Mean wave period $T_{0,2}$ (s):	*1.452*	*1.015*
Spectral width (Broadness):	*0.8322*	*0.8575*
Spectral width (Narrowness):	*0.5072*	*0.7795*

Time Domain Analysis

Overall amplitude reflection coefficient: *39.8%*

	Incident	**Reflected**
Number of waves:	1040	1128
Mean wave height H_m (m):	*0.1059*	*0.04421*
Mean wave period T_m (s):	*1.829*	*1.686*
Sig. wave height H_s (m):	*0.1625*	*0.06836*
$T_{H_{1/3}}$ (s):	*2.096*	*2.073*
H_{max} (m):	*0.2534*	*0.1055*
T_{Hmax} (s):	*2.393*	*1.187*
$H_{1/10}$ (m):	*0.194*	*0.08269*
$H_{1/50}$ (m):	*0.2143*	*0.09405*
$H_{1/100}$ (m)	*0.221*	*0.09747*
$H_{1/250}$ (m):	*0.2301*	*0.1021*
$H_{0.1\%}$ (m):	*0.2522*	*0.1052*
$H_{1\%}$ (m):	*0.2116*	*0.09303*
$H_{2\%}$ (m):	*0.2052*	*0.08969*
$H_{10\%}$ (m)	*0.1788*	*0.0736*
Groupiness factor GF:	*1.079*	*1.076*
Skewness b1:	*0.9314*	*-0.01363*
Kurtosis b2:	*3.537*	*3.059*

Department of Civil Engineering

Aalborg University

Project title	
Drawn by	
Date	*11. mrt 2026*
Remarks	
Page	*1 of 10*

Reflection Analysis

Input Parameters

Generel

Data file:	*26-3-2 SWL Berm 2%.experiment - 100% (4).txt*
Sample frequency:	*128 Hz (Downsampled to 64 Hz)*
Water depth at Gauge 1:	*0.365 m (seabed slope 1:200)*
Length scale (Prototype/Model):	*1*
Skipped lines	*Header: 5 Start: 1000 End: 0*

Bandpass filtering

Freq. lower bound:	*0.242 Hz*
Freq. upper bound:	*4.844 Hz*

	Gauge 1	*Gauge 2*	*Gauge 3*
Channel number:	*2*	*3*	*4*
Calibration function:	*1.0*X*	*1.0*X*	*1.0*X*
X-coordinate:	*0.0 m*	*0.3 m*	*0.7 m*

Freq. Domain Analysis

Overlap of subseries:	*20%*
Cosine taper width:	*20%*
Data No. in FFT block:	*4096*
Number of FFT blocks:	*32*

Time Domain Analysis

Output timeseries at x-coordinate:	*0.3333 m*
Min. points between downcrossings:	*40*
Hilbert filter length:	*2048*

Frequency Domain Analysis

Overall amplitude reflection coefficient: *32.9%*

	Incident	**Reflected**
Sig. wave height H_{m0} (m):	*0.1237*	*0.04066*
Peak wave period T_P (s):	*1.882*	*2*
Energy wave period $T_{-1,0}$ (s):	*1.766*	*1.702*
Mean wave period $T_{0,1}$ (s):	*1.577*	*1.214*
Mean wave period $T_{0,2}$ (s):	*1.455*	*1.001*
Spectral width (Broadness):	*0.7728*	*0.8337*
Spectral width (Narrowness):	*0.4177*	*0.6858*

Time Domain Analysis

Overall amplitude reflection coefficient: *32.7%*

	Incident	**Reflected**
Number of waves:	1009	1178
Mean wave height H_m (m):	*0.07875*	*0.02605*
Mean wave period T_m (s):	*1.647*	*1.412*
Sig. wave height H_s (m):	*0.1236*	*0.04361*
$T_{H_{1/3}}$ (s):	*1.892*	*1.796*
H_{max} (m):	*0.2184*	*0.0825*
T_{Hmax} (s):	*2.117*	*2.036*
$H_{1/10}$ (m):	*0.1557*	*0.05887*
$H_{1/50}$ (m):	*0.1878*	*0.07366*
$H_{1/100}$ (m)	*0.1997*	*0.07735*
$H_{1/250}$ (m):	*0.2116*	*0.08021*
$H_{0.1\%}$ (m):	*0.2183*	*0.08216*
$H_{1\%}$ (m):	*0.1851*	*0.07358*
$H_{2\%}$ (m):	*0.1719*	*0.06686*
$H_{10\%}$ (m)	*0.1345*	*0.04818*
Groupiness factor GF:	*1.102*	*1.325*
Skewness b1:	*0.7296*	*0.2922*
Kurtosis b2:	*3.478*	*4.239*

Reflection Analysis

Input Parameters

Generel

Data file:	*26-3-2 SWL Berm 2%.experiment - 110% (4).txt*
Sample frequency:	*128 Hz (Downsampled to 64 Hz)*
Water depth at Gauge 1:	*0.365 m (seabed slope 1:200)*
Length scale (Prototype/Model):	*1*
Skipped lines	*Header: 5 Start: 1000 End: 0*

Bandpass filtering

Freq. lower bound:	*0.242 Hz*
Freq. upper bound:	*4.844 Hz*

	Gauge 1	*Gauge 2*	*Gauge 3*
Channel number:	*2*	*3*	*4*
Calibration function:	*1.0*X*	*1.0*X*	*1.0*X*
X-coordinate:	*0.0 m*	*0.3 m*	*0.7 m*

Freq. Domain Analysis

Overlap of subseries:	*20%*
Cosine taper width:	*20%*
Data No. in FFT block:	*4096*
Number of FFT blocks:	*34*

Time Domain Analysis

Output timeseries at x-coordinate:	*0.3333 m*
Min. points between downcrossings:	*40*
Hilbert filter length:	*2048*

Frequency Domain Analysis

Overall amplitude reflection coefficient: *35.2%*

	Incident	**Reflected**
Sig. wave height H_{m0} (m):	*0.1345*	*0.04738*
Peak wave period T_P (s):	*2.065*	*2.065*
Energy wave period $T_{-1,0}$ (s):	*1.819*	*1.759*
Mean wave period $T_{0,1}$ (s):	*1.599*	*1.222*
Mean wave period $T_{0,2}$ (s):	*1.457*	*0.9942*
Spectral width (Broadness):	*0.8047*	*0.8445*
Spectral width (Narrowness):	*0.4523*	*0.7148*

Time Domain Analysis

Overall amplitude reflection coefficient: *35.3%*

	Incident	**Reflected**
Number of waves:	1035	1217
Mean wave height H_m (m):	*0.08763*	*0.03167*
Mean wave period T_m (s):	*1.729*	*1.471*
Sig. wave height H_s (m):	*0.1368*	*0.05179*
$T_{H_{1/3}}$ (s):	*1.969*	*1.854*
H_{max} (m):	*0.2297*	*0.0937*
T_{Hmax} (s):	*1.601*	*1.219*
$H_{1/10}$ (m):	*0.1679*	*0.06639*
$H_{1/50}$ (m):	*0.1917*	*0.07961*
$H_{1/100}$ (m)	*0.1986*	*0.08306*
$H_{1/250}$ (m):	*0.2054*	*0.08847*
$H_{0.1\%}$ (m):	*0.2286*	*0.09268*
$H_{1\%}$ (m):	*0.1932*	*0.07773*
$H_{2\%}$ (m):	*0.1806*	*0.07499*
$H_{10\%}$ (m)	*0.1473*	*0.05593*
Groupiness factor GF:	*1.094*	*1.214*
Skewness b1:	*0.8106*	*0.2118*
Kurtosis b2:	*3.498*	*3.664*

Reflection Analysis

Input Parameters

Generel

Data file:	*26-3-2 SWL Berm 2%.experiment - 120% (4).txt*
Sample frequency:	*128 Hz (Downsampled to 64 Hz)*
Water depth at Gauge 1:	*0.365 m (seabed slope 1:200)*
Length scale (Prototype/Model):	*1*
Skipped lines	*Header: 5 Start: 1000 End: 0*

Bandpass filtering

Freq. lower bound:	*0.227 Hz*
Freq. upper bound:	*4.531 Hz*

	Gauge 1	*Gauge 2*	*Gauge 3*
Channel number:	*2*	*3*	*4*
Calibration function:	*1.0*X*	*1.0*X*	*1.0*X*
X-coordinate:	*0.0 m*	*0.3 m*	*0.7 m*

Freq. Domain Analysis

Overlap of subseries:	*20%*
Cosine taper width:	*20%*
Data No. in FFT block:	*4096*
Number of FFT blocks:	*35*

Time Domain Analysis

Output timeseries at x-coordinate:	*0.3333 m*
Min. points between downcrossings:	*42*
Hilbert filter length:	*2048*

Frequency Domain Analysis

Overall amplitude reflection coefficient: *37.9%*

	Incident	**Reflected**
Sig. wave height H_{m0} (m):	*0.1466*	*0.05555*
Peak wave period T_P (s):	*2.207*	*2.286*
Energy wave period $T_{-1,0}$ (s):	*1.893*	*1.894*
Mean wave period $T_{0,1}$ (s):	*1.634*	*1.273*
Mean wave period $T_{0,2}$ (s):	*1.471*	*1.016*
Spectral width (Broadness):	*0.8267*	*0.855*
Spectral width (Narrowness):	*0.4841*	*0.7558*

Time Domain Analysis

Overall amplitude reflection coefficient: *38%*

	Incident	**Reflected**
Number of waves:	1035	1157
Mean wave height H_m (m):	*0.09642*	*0.03779*
Mean wave period T_m (s):	*1.785*	*1.597*
Sig. wave height H_s (m):	*0.1494*	*0.06092*
$T_{H_{1/3}}$ (s):	*2.065*	*2.03*
H_{max} (m):	*0.2358*	*0.1086*
T_{Hmax} (s):	*1.812*	*2.188*
$H_{1/10}$ (m):	*0.1819*	*0.07466*
$H_{1/50}$ (m):	*0.2003*	*0.08807*
$H_{1/100}$ (m)	*0.2071*	*0.09428*
$H_{1/250}$ (m):	*0.2169*	*0.1007*
$H_{0.1\%}$ (m):	*0.235*	*0.108*
$H_{1\%}$ (m):	*0.1974*	*0.08903*
$H_{2\%}$ (m):	*0.1919*	*0.08021*
$H_{10\%}$ (m)	*0.1621*	*0.06569*
Groupiness factor GF:	*1.059*	*1.159*
Skewness b1:	*0.8257*	*0.09301*
Kurtosis b2:	*3.396*	*3.385*

Reflection Analysis

Input Parameters

Generel

Data file:	*26-3-2 SWL Berm 2%.experiment - 140% (4).txt*
Sample frequency:	*128 Hz (Downsampled to 64 Hz)*
Water depth at Gauge 1:	*0.365 m (seabed slope 1:200)*
Length scale (Prototype/Model):	*1*
Skipped lines	*Header: 5 Start: 1000 End: 0*

Bandpass filtering

Freq. lower bound:	*0.219 Hz*
Freq. upper bound:	*4.375 Hz*

	Gauge 1	Gauge 2	Gauge 3
Channel number:	*2*	*3*	*4*
Calibration function:	*1.0*X*	*1.0*X*	*1.0*X*
X-coordinate:	*0.0 m*	*0.3 m*	*0.7 m*

Freq. Domain Analysis

Overlap of subseries:	*20%*
Cosine taper width:	*20%*
Data No. in FFT block:	*4096*
Number of FFT blocks:	*38*

Time Domain Analysis

Output timeseries at x-coordinate:	*0.3333 m*
Min. points between downcrossings:	*44*
Hilbert filter length:	*2048*

Frequency Domain Analysis

Overall amplitude reflection coefficient: *41.2%*

	Incident	**Reflected**
Sig. wave height H_{m0} (m):	*0.1639*	*0.06748*
Peak wave period T_P (s):	*2.286*	*2.56*
Energy wave period $T_{-1,0}$ (s):	*1.951*	*1.995*
Mean wave period $T_{0,1}$ (s):	*1.628*	*1.279*
Mean wave period $T_{0,2}$ (s):	*1.437*	*0.998*
Spectral width (Broadness):	*0.8461*	*0.8602*
Spectral width (Narrowness):	*0.5331*	*0.8013*

Time Domain Analysis

Overall amplitude reflection coefficient: *41.5%*

	Incident	**Reflected**
Number of waves:	1049	1181
Mean wave height H_m (m):	*0.1118*	*0.0476*
Mean wave period T_m (s):	*1.874*	*1.665*
Sig. wave height H_s (m):	*0.1699*	*0.07234*
$T_{H_{1/3}}$ (s):	*2.187*	*2.1*
H_{max} (m):	*0.2524*	*0.1156*
T_{Hmax} (s):	*1.777*	*1.853*
$H_{1/10}$ (m):	*0.2006*	*0.08678*
$H_{1/50}$ (m):	*0.2279*	*0.1007*
$H_{1/100}$ (m)	*0.2351*	*0.1049*
$H_{1/250}$ (m):	*0.2425*	*0.1098*
$H_{0.1\%}$ (m):	*0.252*	*0.1149*
$H_{1\%}$ (m):	*0.2263*	*0.09881*
$H_{2\%}$ (m):	*0.2146*	*0.09429*
$H_{10\%}$ (m)	*0.1805*	*0.07657*
Groupiness factor GF:	*1.061*	*1.03*
Skewness b1:	*0.9557*	*-0.09145*
Kurtosis b2:	*3.497*	*2.966*

Reflection Analysis

Input Parameters

Generel

Data file:	*26-3-2 SWL Berm 2%.experiment - 150% (4).txt*
Sample frequency:	*128 Hz (Downsampled to 64 Hz)*
Water depth at Gauge 1:	*0.365 m (seabed slope 1:200)*
Length scale (Prototype/Model):	*1*
Skipped lines	*Header: 5 Start: 1000 End: 0*

Bandpass filtering

Freq. lower bound:	*0.203 Hz*
Freq. upper bound:	*4.063 Hz*

	Gauge 1	*Gauge 2*	*Gauge 3*
Channel number:	*2*	*3*	*4*
Calibration function:	*1.0*X*	*1.0*X*	*1.0*X*
X-coordinate:	*0.0 m*	*0.3 m*	*0.7 m*

Freq. Domain Analysis

Overlap of subseries:	*20%*
Cosine taper width:	*20%*
Data No. in FFT block:	*2048*
Number of FFT blocks:	*8*

Time Domain Analysis

Output timeseries at x-coordinate:	*0.3333 m*
Min. points between downcrossings:	*47*
Hilbert filter length:	*1024*

Frequency Domain Analysis

Overall amplitude reflection coefficient: *43.4%*

	Incident	**Reflected**
Sig. wave height H_{m0} (m):	*0.1732*	*0.07511*
Peak wave period T_P (s):	*2.462*	*2.462*
Energy wave period $T_{-1,0}$ (s):	*1.908*	*1.975*
Mean wave period $T_{0,1}$ (s):	*1.545*	*1.197*
Mean wave period $T_{0,2}$ (s):	*1.352*	*0.9359*
Spectral width (Broadness):	*0.8402*	*0.8388*
Spectral width (Narrowness):	*0.5525*	*0.7973*

Time Domain Analysis

Overall amplitude reflection coefficient: *43.1%*

	Incident	**Reflected**
Number of waves:	124	146
Mean wave height H_m (m):	*0.1226*	*0.05315*
Mean wave period T_m (s):	*1.86*	*1.579*
Sig. wave height H_s (m):	*0.1749*	*0.07507*
$T_{H_{1/3}}$ (s):	*2.21*	*2.057*
H_{max} (m):	*0.2193*	*0.1109*
T_{Hmax} (s):	*2.097*	*1.663*
$H_{1/10}$ (m):	*0.197*	*0.08937*
$H_{1/50}$ (m):	*0.2146*	*0.1034*
$H_{1/100}$ (m)	*0.2181*	*0.1076*
$H_{1/250}$ (m):	*0.2193*	*0.1109*
$H_{0.1\%}$ (m):	*Not enough data*	*Not enough data*
$H_{1\%}$ (m):	*0.2178*	*0.1061*
$H_{2\%}$ (m):	*0.2106*	*0.09877*
$H_{10\%}$ (m)	*0.186*	*0.08091*
Groupiness factor GF:	*1.007*	*0.9202*
Skewness b1:	*0.9905*	*-0.1184*
Kurtosis b2:	*3.373*	*2.707*

Reflection Analysis

Input Parameters

Generel

Data file:	*26-3-2 SWL Berm 2%.experiment - 60% (4).txt*
Sample frequency:	*128 Hz (Downsampled to 64 Hz)*
Water depth at Gauge 1:	*0.365 m (seabed slope 1:200)*
Length scale (Prototype/Model):	*1*
Skipped lines	*Header: 5 Start: 1000 End: 0*

Bandpass filtering

Freq. lower bound:	*0.328 Hz*
Freq. upper bound:	*6.563 Hz*

Freq. Domain Analysis

Overlap of subseries:	*20%*
Cosine taper width:	*20%*
Data No. in FFT block:	*4096*
Number of FFT blocks:	*25*

Time Domain Analysis

Output timeseries at x-coordinate:	*0.3333 m*
Min. points between downcrossings:	*29*
Hilbert filter length:	*2048*

	Gauge 1	*Gauge 2*	*Gauge 3*
Channel number:	*2*	*3*	*4*
Calibration function:	*1.0*X*	*1.0*X*	*1.0*X*
X-coordinate:	*0.0 m*	*0.3 m*	*0.7 m*

Frequency Domain Analysis

Overall amplitude reflection coefficient: *20.3%*

	Incident	**Reflected**
Sig. wave height H_{m0} (m):	*0.0824*	*0.01674*
Peak wave period T_P (s):	*1.524*	*1.6*
Energy wave period $T_{-1,0}$ (s):	*1.442*	*1.225*
Mean wave period $T_{0,1}$ (s):	*1.365*	*0.9461*
Mean wave period $T_{0,2}$ (s):	*1.315*	*0.8297*
Spectral width (Broadness):	*0.6096*	*0.7597*
Spectral width (Narrowness):	*0.2792*	*0.5479*

Time Domain Analysis

Overall amplitude reflection coefficient: *20.3%*

	Incident	**Reflected**
Number of waves:	969	1382
Mean wave height H_m (m):	*0.05171*	*0.01022*
Mean wave period T_m (s):	*1.353*	*0.9489*
Sig. wave height H_s (m):	*0.08002*	*0.01636*
$T_{H_{1/3}}$ (s):	*1.483*	*1.149*
H_{max} (m):	*0.1303*	*0.03661*
T_{Hmax} (s):	*1.55*	*0.8185*
$H_{1/10}$ (m):	*0.09794*	*0.02107*
$H_{1/50}$ (m):	*0.1163*	*0.02616*
$H_{1/100}$ (m)	*0.1223*	*0.02788*
$H_{1/250}$ (m):	*0.128*	*0.03072*
$H_{0.1\%}$ (m):	*Not enough data*	*0.03486*
$H_{1\%}$ (m):	*0.1158*	*0.02516*
$H_{2\%}$ (m):	*0.1067*	*0.0233*
$H_{10\%}$ (m)	*0.08485*	*0.01778*
Groupiness factor GF:	*0.9814*	*1.219*
Skewness b1:	*0.3319*	*0.1073*
Kurtosis b2:	*2.96*	*3.747*

Reflection Analysis

Input Parameters

Generel

Data file:	*26-3-2 SWL Berm 2%.experiment - 80% (4).txt*
Sample frequency:	*128 Hz (Downsampled to 64 Hz)*
Water depth at Gauge 1:	*0.365 m (seabed slope 1:200)*
Length scale (Prototype/Model):	*1*
Skipped lines	*Header: 5 Start: 1000 End: 0*

Bandpass filtering

Freq. lower bound:	*0.281 Hz*
Freq. upper bound:	*5.625 Hz*

Freq. Domain Analysis

Overlap of subseries:	*20%*
Cosine taper width:	*20%*
Data No. in FFT block:	*4096*
Number of FFT blocks:	*28*

Time Domain Analysis

Output timeseries at x-coordinate:	*0.3333 m*
Min. points between downcrossings:	*34*
Hilbert filter length:	*2048*

	Gauge 1	*Gauge 2*	*Gauge 3*
Channel number:	*2*	*3*	*4*
Calibration function:	*1.0*X*	*1.0*X*	*1.0*X*
X-coordinate:	*0.0 m*	*0.3 m*	*0.7 m*

Frequency Domain Analysis

Overall amplitude reflection coefficient: *26.8%*

	Incident	**Reflected**
Sig. wave height H_{m0} (m):	*0.1071*	*0.02867*
Peak wave period T_P (s):	*1.778*	*1.778*
Energy wave period $T_{-1,0}$ (s):	*1.632*	*1.482*
Mean wave period $T_{0,1}$ (s):	*1.507*	*1.088*
Mean wave period $T_{0,2}$ (s):	*1.422*	*0.9206*
Spectral width (Broadness):	*0.7147*	*0.8026*
Spectral width (Narrowness):	*0.3507*	*0.6292*

Time Domain Analysis

Overall amplitude reflection coefficient: *26.7%*

	Incident	**Reflected**
Number of waves:	987	1328
Mean wave height H_m (m):	*0.06699*	*0.0174*
Mean wave period T_m (s):	*1.505*	*1.12*
Sig. wave height H_s (m):	*0.1047*	*0.02853*
$T_{H_{1/3}}$ (s):	*1.695*	*1.438*
H_{max} (m):	*0.1776*	*0.07692*
T_{Hmax} (s):	*1.58*	*2.014*
$H_{1/10}$ (m):	*0.1306*	*0.03911*
$H_{1/50}$ (m):	*0.1584*	*0.05254*
$H_{1/100}$ (m)	*0.1657*	*0.06067*
$H_{1/250}$ (m):	*0.1719*	*0.07086*
$H_{0.1\%}$ (m):	*Not enough data*	*0.07678*
$H_{1\%}$ (m):	*0.1587*	*0.04886*
$H_{2\%}$ (m):	*0.1477*	*0.04217*
$H_{10\%}$ (m)	*0.1122*	*0.03141*
Groupiness factor GF:	*1.053*	*1.384*
Skewness b1:	*0.5357*	*0.3481*
Kurtosis b2:	*3.198*	*4.604*

Reflection Analysis

Input Parameters

Generel

Data file:	*26-3-2-final SWL Berm 2%.experiment - 150%.(4).txt*
Sample frequency:	*128 Hz (Downsampled to 64 Hz)*
Water depth:	*0.365 m*
Length scale (Prototype/Model):	*1*
Skipped lines	*Header: 5 Start: 1000 End: 0*

Bandpass filtering

Freq. lower bound:	*0.211 Hz*
Freq. upper bound:	*4.219 Hz*

Freq. Domain Analysis

Overlap of subseries:	*20%*
Cosine taper width:	*20%*
Data No. in FFT block:	*4096*
Number of FFT blocks:	*39*

Time Domain Analysis

Output timeseries at x-coordinate:	*0.3333 m*
Min. points between downcrossings:	*46*
Hilbert filter length:	*2048*

	Gauge 1	*Gauge 2*	*Gauge 3*
Channel number:	*2*	*3*	*4*
Calibration function:	*1.0*X*	*1.0*X*	*1.0*X*
X-coordinate:	*0.0 m*	*0.3 m*	*0.7 m*

Frequency Domain Analysis

Overall amplitude reflection coefficient: *41.9%*

	Incident	**Reflected**
Sig. wave height H_{m0} (m):	*0.1715*	*0.07195*
Peak wave period T_P (s):	*2.37*	*2.56*
Energy wave period $T_{-1,0}$ (s):	*1.975*	*2.082*
Mean wave period $T_{0,1}$ (s):	*1.625*	*1.314*
Mean wave period $T_{0,2}$ (s):	*1.429*	*1.016*
Spectral width (Broadness):	*0.8418*	*0.8623*
Spectral width (Narrowness):	*0.5415*	*0.8201*

Time Domain Analysis

Overall amplitude reflection coefficient: *42.1%*

	Incident	**Reflected**
Number of waves:	1040	1158
Mean wave height H_m (m):	*0.1198*	*0.05113*
Mean wave period T_m (s):	*1.935*	*1.738*
Sig. wave height H_s (m):	*0.1784*	*0.07655*
$T_{H_{1/3}}$ (s):	*2.218*	*2.2*
H_{max} (m):	*0.26*	*0.1267*
T_{Hmax} (s):	*1.758*	*1.257*
$H_{1/10}$ (m):	*0.2042*	*0.09306*
$H_{1/50}$ (m):	*0.2269*	*0.1079*
$H_{1/100}$ (m)	*0.2358*	*0.1128*
$H_{1/250}$ (m):	*0.2455*	*0.1188*
$H_{0.1\%}$ (m):	*0.2596*	*0.1256*
$H_{1\%}$ (m):	*0.2252*	*0.1053*
$H_{2\%}$ (m):	*0.2161*	*0.1019*
$H_{10\%}$ (m)	*0.1884*	*0.08156*
Groupiness factor GF:	*1.064*	*1.015*
Skewness b1:	*1.01*	*-0.1198*
Kurtosis b2:	*3.537*	*2.918*

Reflection Analysis

Input Parameters

Generel

Data file:	*26-3-3 SWL Berm 2%.experiment - 160% (4).txt*
Sample frequency:	*128 Hz (Downsampled to 64 Hz)*
Water depth:	*0.365 m*
Length scale (Prototype/Model):	*1*
Skipped lines	*Header: 5 Start: 1000 End: 0*

Bandpass filtering

Freq. lower bound:	*0.195 Hz*
Freq. upper bound:	*3.906 Hz*

Freq. Domain Analysis

Overlap of subseries:	*20%*
Cosine taper width:	*20%*
Data No. in FFT block:	*4096*
Number of FFT blocks:	*40*

Time Domain Analysis

Output timeseries at x-coordinate:	*0.3333 m*
Min. points between downcrossings:	*49*
Hilbert filter length:	*2048*

	Gauge 1	*Gauge 2*	*Gauge 3*
Channel number:	*2*	*3*	*4*
Calibration function:	*1.0*X*	*1.0*X*	*1.0*X*
X-coordinate:	*0.0 m*	*0.3 m*	*0.7 m*

Frequency Domain Analysis

Overall amplitude reflection coefficient: *42.9%*

	Incident	**Reflected**
Sig. wave height H_{m0} (m):	*0.1665*	*0.07147*
Peak wave period T_P (s):	*2.56*	*2.56*
Energy wave period $T_{-1,0}$ (s):	*1.993*	*2.116*
Mean wave period $T_{0,1}$ (s):	*1.627*	*1.328*
Mean wave period $T_{0,2}$ (s):	*1.427*	*1.025*
Spectral width (Broadness):	*0.8383*	*0.8563*
Spectral width (Narrowness):	*0.5481*	*0.824*

Time Domain Analysis

Overall amplitude reflection coefficient: *43.1%*

	Incident	**Reflected**
Number of waves:	1029	1171
Mean wave height H_m (m):	*0.1199*	*0.05161*
Mean wave period T_m (s):	*2.018*	*1.775*
Sig. wave height H_s (m):	*0.1745*	*0.07475*
$T_{H_{1/3}}$ (s):	*2.289*	*2.205*
H_{max} (m):	*0.2655*	*0.1161*
T_{Hmax} (s):	*1.652*	*1.897*
$H_{1/10}$ (m):	*0.2008*	*0.08905*
$H_{1/50}$ (m):	*0.2263*	*0.1048*
$H_{1/100}$ (m)	*0.2369*	*0.1105*
$H_{1/250}$ (m):	*0.2525*	*0.1149*
$H_{0.1\%}$ (m):	*0.2654*	*0.116*
$H_{1\%}$ (m):	*0.2201*	*0.1042*
$H_{2\%}$ (m):	*0.2129*	*0.09625*
$H_{10\%}$ (m)	*0.1824*	*0.0791*
Groupiness factor GF:	*1.057*	*0.9789*
Skewness b1:	*1.027*	*-0.1957*
Kurtosis b2:	*3.529*	*2.824*