Reflection Analysis

Input Parameters

Generel

Data file:	*26-02-25 SWL Berm 4%.experiment - 160% (4 tests)*
Sample frequency:	*128 Hz (Downsampled to 64 Hz)*
Water depth at Gauge 1:	*0.365 m (seabed slope 1:200)*
Length scale (Prototype/Model):	*1*
Skipped lines	*Header: 5 Start: 1000 End: 0*

Bandpass filtering

Freq. lower bound:	*0.281 Hz*
Freq. upper bound:	*5.625 Hz*

Freq. Domain Analysis

Overlap of subseries:	*20%*
Cosine taper width:	*20%*
Data No. in FFT block:	*4096*
Number of FFT blocks:	*29*

Time Domain Analysis

Output timeseries at x-coordinate:	*0.3333 m*
Min. points between downcrossings:	*34*
Hilbert filter length:	*2048*

	Gauge 1	*Gauge 2*	*Gauge 3*
Channel number:	*2*	*3*	*4*
Calibration function:	*1.0*X*	*1.0*X*	*1.0*X*
X-coordinate:	*0.0 m*	*0.3 m*	*0.7 m*

Frequency Domain Analysis

Overall amplitude reflection coefficient: *31.9%*

	Incident	**Reflected**
Sig. wave height H_{m0} (m):	*0.156*	*0.04975*
Peak wave period T_P (s):	*1.778*	*2.065*
Energy wave period $T_{-1,0}$ (s):	*1.615*	*1.441*
Mean wave period $T_{0,1}$ (s):	*1.442*	*0.9902*
Mean wave period $T_{0,2}$ (s):	*1.325*	*0.8241*
Spectral width (Broadness):	*0.8106*	*0.8222*
Spectral width (Narrowness):	*0.4296*	*0.6659*

Time Domain Analysis

Overall amplitude reflection coefficient: *32%*

	Incident	**Reflected**
Number of waves:	991	1386
Mean wave height H_m (m):	*0.1032*	*0.03204*
Mean wave period T_m (s):	*1.524*	*1.09*
Sig. wave height H_s (m):	*0.152*	*0.04974*
$T_{H_{1/3}}$ (s):	*1.735*	*1.399*
H_{max} (m):	*0.2606*	*0.09326*
T_{Hmax} (s):	*1.542*	*2.23*
$H_{1/10}$ (m):	*0.1771*	*0.06377*
$H_{1/50}$ (m):	*0.2041*	*0.07724*
$H_{1/100}$ (m)	*0.217*	*0.082*
$H_{1/250}$ (m):	*0.2322*	*0.08572*
$H_{0.1\%}$ (m):	*Not enough data*	*0.09032*
$H_{1\%}$ (m):	*0.197*	*0.07815*
$H_{2\%}$ (m):	*0.1864*	*0.06875*
$H_{10\%}$ (m)	*0.1598*	*0.05397*
Groupiness factor GF:	*0.9142*	*1.113*
Skewness b1:	*0.6518*	*0.2429*
Kurtosis b2:	*2.863*	*3.445*

Department of Civil Engineering

Aalborg University

Project title	
Drawn by	
Date	*11. mrt 2026*
Remarks	
Page	*1 of 12*

Reflection Analysis

Input Parameters

Generel

Data file:	*26-2-24 SWL Berm 4%.experiment - 100% (4) .txt*
Sample frequency:	*128 Hz (Downsampled to 64 Hz)*
Water depth at Gauge 1:	*0.365 m (seabed slope 1:200)*
Length scale (Prototype/Model):	*1*
Skipped lines	*Header: 5 Start: 1000 End: 0*

Bandpass filtering

Freq. lower bound:	*0.352 Hz*
Freq. upper bound:	*7.031 Hz*

	Gauge 1	Gauge 2	Gauge 3
Channel number:	*2*	*3*	*4*
Calibration function:	*1.0*X*	*1.0*X*	*1.0*X*
X-coordinate:	*0.0 m*	*0.3 m*	*0.7 m*

Freq. Domain Analysis

Overlap of subseries:	*20%*
Cosine taper width:	*20%*
Data No. in FFT block:	*4096*
Number of FFT blocks:	*23*

Time Domain Analysis

Output timeseries at x-coordinate:	*0.3333 m*
Min. points between downcrossings:	*27*
Hilbert filter length:	*2048*

Frequency Domain Analysis

Overall amplitude reflection coefficient: *24.3%*

	Incident	**Reflected**
Sig. wave height H_{m0} (m):	*0.126*	*0.03063*
Peak wave period T_P (s):	*1.422*	*1.561*
Energy wave period $T_{-1,0}$ (s):	*1.341*	*1.045*
Mean wave period $T_{0,1}$ (s):	*1.257*	*0.8019*
Mean wave period $T_{0,2}$ (s):	*1.198*	*0.7108*
Spectral width (Broadness):	*0.7096*	*0.7616*
Spectral width (Narrowness):	*0.3174*	*0.5223*

Time Domain Analysis

Overall amplitude reflection coefficient: *24.4%*

	Incident	**Reflected**
Number of waves:	965	1454
Mean wave height H_m (m):	*0.08113*	*0.0193*
Mean wave period T_m (s):	*1.267*	*0.8416*
Sig. wave height H_s (m):	*0.1237*	*0.03037*
$T_{H_{1/3}}$ (s):	*1.38*	*0.994*
H_{max} (m):	*0.1967*	*0.05702*
T_{Hmax} (s):	*1.68*	*0.8568*
$H_{1/10}$ (m):	*0.1495*	*0.03915*
$H_{1/50}$ (m):	*0.1731*	*0.04816*
$H_{1/100}$ (m)	*0.1803*	*0.05094*
$H_{1/250}$ (m):	*0.1894*	*0.05411*
$H_{0.1\%}$ (m):	*Not enough data*	*0.05654*
$H_{1\%}$ (m):	*0.1688*	*0.04766*
$H_{2\%}$ (m):	*0.1626*	*0.04461*
$H_{10\%}$ (m)	*0.1317*	*0.03254*
Groupiness factor GF:	*0.9532*	*1.2*
Skewness b1:	*0.3803*	*0.1366*
Kurtosis b2:	*2.92*	*3.649*

Reflection Analysis

Input Parameters

Generel

Data file:	*26-2-24 SWL Berm 4%.experiment - 110% (4) .txt*
Sample frequency:	*128 Hz (Downsampled to 64 Hz)*
Water depth at Gauge 1:	*0.365 m (seabed slope 1:200)*
Length scale (Prototype/Model):	*1*
Skipped lines	*Header: 5 Start: 1000 End: 0*

Bandpass filtering

Freq. lower bound:	*0.344 Hz*
Freq. upper bound:	*6.875 Hz*

	Gauge 1	Gauge 2	Gauge 3
Channel number:	*2*	*3*	*4*
Calibration function:	*1.0*X*	*1.0*X*	*1.0*X*
X-coordinate:	*0.0 m*	*0.3 m*	*0.7 m*

Freq. Domain Analysis

Overlap of subseries:	*20%*
Cosine taper width:	*20%*
Data No. in FFT block:	*4096*
Number of FFT blocks:	*25*

Time Domain Analysis

Output timeseries at x-coordinate:	*0.3333 m*
Min. points between downcrossings:	*28*
Hilbert filter length:	*2048*

Frequency Domain Analysis

Overall amplitude reflection coefficient: *25.6%*

	Incident	**Reflected**
Sig. wave height H_{m0} (m):	*0.1362*	*0.03483*
Peak wave period T_P (s):	*1.455*	*1.778*
Energy wave period $T_{-1,0}$ (s):	*1.393*	*1.078*
Mean wave period $T_{0,1}$ (s):	*1.295*	*0.8049*
Mean wave period $T_{0,2}$ (s):	*1.226*	*0.7073*
Spectral width (Broadness):	*0.7466*	*0.7682*
Spectral width (Narrowness):	*0.342*	*0.5433*

Time Domain Analysis

Overall amplitude reflection coefficient: *25.6%*

	Incident	**Reflected**
Number of waves:	993	1531
Mean wave height H_m (m):	*0.08908*	*0.02219*
Mean wave period T_m (s):	*1.32*	*0.8566*
Sig. wave height H_s (m):	*0.1352*	*0.03509*
$T_{H_{1/3}}$ (s):	*1.453*	*1.025*
H_{max} (m):	*0.2028*	*0.07174*
T_{Hmax} (s):	*1.475*	*0.5877*
$H_{1/10}$ (m):	*0.1638*	*0.04497*
$H_{1/50}$ (m):	*0.1886*	*0.05464*
$H_{1/100}$ (m)	*0.1956*	*0.05834*
$H_{1/250}$ (m):	*0.2005*	*0.06327*
$H_{0.1\%}$ (m):	*Not enough data*	*0.06847*
$H_{1\%}$ (m):	*0.1888*	*0.05299*
$H_{2\%}$ (m):	*0.1782*	*0.04944*
$H_{10\%}$ (m)	*0.1434*	*0.03779*
Groupiness factor GF:	*0.9491*	*1.165*
Skewness b1:	*0.4618*	*0.09474*
Kurtosis b2:	*2.936*	*3.533*

Reflection Analysis

Input Parameters

Generel

Data file:	*26-2-24 SWL Berm 4%.experiment - 60% (4).txt*
Sample frequency:	*128 Hz (Downsampled to 64 Hz)*
Water depth at Gauge 1:	*0.365 m (seabed slope 1:200)*
Length scale (Prototype/Model):	*1*
Skipped lines	*Header: 5 Start: 1000 End: 0*

Bandpass filtering

Freq. lower bound:	*0.469 Hz*
Freq. upper bound:	*9.375 Hz*

	Gauge 1	Gauge 2	Gauge 3
Channel number:	*2*	*3*	*4*
Calibration function:	*1.0*X*	*1.0*X*	*1.0*X*
X-coordinate:	*0.0 m*	*0.3 m*	*0.7 m*

Freq. Domain Analysis

Overlap of subseries:	*20%*
Cosine taper width:	*20%*
Data No. in FFT block:	*4096*
Number of FFT blocks:	*22*

Time Domain Analysis

Output timeseries at x-coordinate:	*0.3333 m*
Min. points between downcrossings:	*20*
Hilbert filter length:	*2048*

Frequency Domain Analysis

Overall amplitude reflection coefficient: *18%*

	Incident	**Reflected**
Sig. wave height H_{m0} (m):	*0.07031*	*0.01267*
Peak wave period T_P (s):	*1.067*	*1.067*
Energy wave period $T_{-1,0}$ (s):	*1.054*	*0.8158*
Mean wave period $T_{0,1}$ (s):	*1.022*	*0.6842*
Mean wave period $T_{0,2}$ (s):	*1.001*	*0.6284*
Spectral width (Broadness):	*0.4924*	*0.6867*
Spectral width (Narrowness):	*0.2025*	*0.4307*

Time Domain Analysis

Overall amplitude reflection coefficient: *18.1%*

	Incident	**Reflected**
Number of waves:	1149	1712
Mean wave height H_m (m):	*0.04354*	*0.007663*
Mean wave period T_m (s):	*1.023*	*0.6866*
Sig. wave height H_s (m):	*0.06902*	*0.01254*
$T_{H_{1/3}}$ (s):	*1.047*	*0.7745*
H_{max} (m):	*0.1344*	*0.03384*
T_{Hmax} (s):	*1.063*	*0.4898*
$H_{1/10}$ (m):	*0.08767*	*0.01628*
$H_{1/50}$ (m):	*0.1075*	*0.02057*
$H_{1/100}$ (m)	*0.1135*	*0.02221*
$H_{1/250}$ (m):	*0.1225*	*0.02516*
$H_{0.1\%}$ (m):	*0.1327*	*0.02782*
$H_{1\%}$ (m):	*0.1047*	*0.01967*
$H_{2\%}$ (m):	*0.09791*	*0.0181*
$H_{10\%}$ (m)	*0.07412*	*0.01341*
Groupiness factor GF:	*1.021*	*1.234*
Skewness b1:	*0.02445*	*0.06493*
Kurtosis b2:	*3.105*	*3.764*

Reflection Analysis

Input Parameters

Generel

Data file:	*26-2-24 SWL Berm 4%.experiment - 80% (4).txt*
Sample frequency:	*128 Hz (Downsampled to 64 Hz)*
Water depth at Gauge 1:	*0.365 m (seabed slope 1:200)*
Length scale (Prototype/Model):	*1*
Skipped lines	*Header: 5 Start: 1000 End: 0*

Bandpass filtering

Freq. lower bound:	*0.406 Hz*
Freq. upper bound:	*8.125 Hz*

	Gauge 1	Gauge 2	Gauge 3
Channel number:	*2*	*3*	*4*
Calibration function:	*1.0*X*	*1.0*X*	*1.0*X*
X-coordinate:	*0.0 m*	*0.3 m*	*0.7 m*

Freq. Domain Analysis

Overlap of subseries:	*20%*
Cosine taper width:	*20%*
Data No. in FFT block:	*4096*
Number of FFT blocks:	*24*

Time Domain Analysis

Output timeseries at x-coordinate:	*0.3333 m*
Min. points between downcrossings:	*24*
Hilbert filter length:	*2048*

Frequency Domain Analysis

Overall amplitude reflection coefficient: *22.9%*

	Incident	**Reflected**
Sig. wave height H_{m0} (m):	*0.1008*	*0.02312*
Peak wave period T_P (s):	*1.231*	*1.231*
Energy wave period $T_{-1,0}$ (s):	*1.208*	*0.8985*
Mean wave period $T_{0,1}$ (s):	*1.154*	*0.7272*
Mean wave period $T_{0,2}$ (s):	*1.117*	*0.6624*
Spectral width (Broadness):	*0.63*	*0.7097*
Spectral width (Narrowness):	*0.2596*	*0.4528*

Time Domain Analysis

Overall amplitude reflection coefficient: *23%*

	Incident	**Reflected**
Number of waves:	1075	1659
Mean wave height H_m (m):	*0.06503*	*0.01432*
Mean wave period T_m (s):	*1.155*	*0.7483*
Sig. wave height H_s (m):	*0.1*	*0.02321*
$T_{H_{1/3}}$ (s):	*1.216*	*0.8416*
H_{max} (m):	*0.1781*	*0.04897*
T_{Hmax} (s):	*1.191*	*0.6537*
$H_{1/10}$ (m):	*0.1226*	*0.03101*
$H_{1/50}$ (m):	*0.145*	*0.03988*
$H_{1/100}$ (m)	*0.1537*	*0.04279*
$H_{1/250}$ (m):	*0.1621*	*0.0455*
$H_{0.1\%}$ (m):	*0.1769*	*0.04795*
$H_{1\%}$ (m):	*0.1445*	*0.0399*
$H_{2\%}$ (m):	*0.1318*	*0.0351*
$H_{10\%}$ (m)	*0.1063*	*0.02507*
Groupiness factor GF:	*0.9465*	*1.326*
Skewness b1:	*0.1608*	*0.2969*
Kurtosis b2:	*2.921*	*4.154*

Reflection Analysis

Input Parameters

Generel

Data file:	*26-2-25 SWL Berm 4%.experiment - 120% (4).txt*
Sample frequency:	*128 Hz (Downsampled to 64 Hz)*
Water depth at Gauge 1:	*0.365 m (seabed slope 1:200)*
Length scale (Prototype/Model):	*1*
Skipped lines	*Header: 5 Start: 1000 End: 0*

Bandpass filtering

Freq. lower bound:	*0.328 Hz*
Freq. upper bound:	*6.563 Hz*

	Gauge 1	Gauge 2	Gauge 3
Channel number:	*2*	*3*	*4*
Calibration function:	*1.0*X*	*1.0*X*	*1.0*X*
X-coordinate:	*0.0 m*	*0.3 m*	*0.7 m*

Freq. Domain Analysis

Overlap of subseries:	*20%*
Cosine taper width:	*20%*
Data No. in FFT block:	*4096*
Number of FFT blocks:	*25*

Time Domain Analysis

Output timeseries at x-coordinate:	*0.3333 m*
Min. points between downcrossings:	*29*
Hilbert filter length:	*2048*

Frequency Domain Analysis

Overall amplitude reflection coefficient: *27.5%*

	Incident	**Reflected**
Sig. wave height H_{m0} (m):	*0.1404*	*0.03856*
Peak wave period T_P (s):	*1.6*	*1.882*
Energy wave period $T_{-1,0}$ (s):	*1.444*	*1.134*
Mean wave period $T_{0,1}$ (s):	*1.327*	*0.8228*
Mean wave period $T_{0,2}$ (s):	*1.243*	*0.7145*
Spectral width (Broadness):	*0.784*	*0.7851*
Spectral width (Narrowness):	*0.3738*	*0.571*

Time Domain Analysis

Overall amplitude reflection coefficient: *27.5%*

	Incident	**Reflected**
Number of waves:	968	1481
Mean wave height H_m (m):	*0.09258*	*0.02479*
Mean wave period T_m (s):	*1.375*	*0.8989*
Sig. wave height H_s (m):	*0.1382*	*0.03864*
$T_{H_{1/3}}$ (s):	*1.517*	*1.083*
H_{max} (m):	*0.2178*	*0.07803*
T_{Hmax} (s):	*1.658*	*0.562*
$H_{1/10}$ (m):	*0.1641*	*0.04889*
$H_{1/50}$ (m):	*0.1878*	*0.05954*
$H_{1/100}$ (m)	*0.1951*	*0.06397*
$H_{1/250}$ (m):	*0.2037*	*0.07007*
$H_{0.1\%}$ (m):	*Not enough data*	*0.0777*
$H_{1\%}$ (m):	*0.1861*	*0.05785*
$H_{2\%}$ (m):	*0.1748*	*0.05296*
$H_{10\%}$ (m)	*0.1491*	*0.04213*
Groupiness factor GF:	*0.9139*	*1.161*
Skewness b1:	*0.5213*	*0.1623*
Kurtosis b2:	*2.851*	*3.57*

Reflection Analysis

Input Parameters

Generel

Data file:	*26-2-25 SWL Berm 4%.experiment - 130% (4) .txt*
Sample frequency:	*128 Hz (Downsampled to 64 Hz)*
Water depth at Gauge 1:	*0.365 m (seabed slope 1:200)*
Length scale (Prototype/Model):	*1*
Skipped lines	*Header: 5 Start: 1000 End: 0*

Bandpass filtering

Freq. lower bound:	*0.320 Hz*
Freq. upper bound:	*6.406 Hz*

	Gauge 1	Gauge 2	Gauge 3
Channel number:	*2*	*3*	*4*
Calibration function:	*1.0*X*	*1.0*X*	*1.0*X*
X-coordinate:	*0.0 m*	*0.3 m*	*0.7 m*

Freq. Domain Analysis

Overlap of subseries:	*20%*
Cosine taper width:	*20%*
Data No. in FFT block:	*4096*
Number of FFT blocks:	*27*

Time Domain Analysis

Output timeseries at x-coordinate:	*0.3333 m*
Min. points between downcrossings:	*30*
Hilbert filter length:	*2048*

Frequency Domain Analysis

Overall amplitude reflection coefficient: *28.3%*

	Incident	**Reflected**
Sig. wave height H_{m0} (m):	*0.1433*	*0.04049*
Peak wave period T_P (s):	*1.641*	*1.829*
Energy wave period $T_{-1,0}$ (s):	*1.491*	*1.198*
Mean wave period $T_{0,1}$ (s):	*1.36*	*0.8527*
Mean wave period $T_{0,2}$ (s):	*1.267*	*0.7333*
Spectral width (Broadness):	*0.7954*	*0.7933*
Spectral width (Narrowness):	*0.3909*	*0.5934*

Time Domain Analysis

Overall amplitude reflection coefficient: *28.3%*

	Incident	**Reflected**
Number of waves:	1008	1527
Mean wave height H_m (m):	*0.09279*	*0.02597*
Mean wave period T_m (s):	*1.392*	*0.919*
Sig. wave height H_s (m):	*0.1401*	*0.04033*
$T_{H_{1/3}}$ (s):	*1.562*	*1.115*
H_{max} (m):	*0.2078*	*0.07373*
T_{Hmax} (s):	*1.499*	*0.956*
$H_{1/10}$ (m):	*0.1656*	*0.05035*
$H_{1/50}$ (m):	*0.1885*	*0.06145*
$H_{1/100}$ (m)	*0.1964*	*0.06521*
$H_{1/250}$ (m):	*0.2019*	*0.06872*
$H_{0.1\%}$ (m):	*0.2077*	*0.07195*
$H_{1\%}$ (m):	*0.1888*	*0.06096*
$H_{2\%}$ (m):	*0.1768*	*0.05467*
$H_{10\%}$ (m)	*0.1479*	*0.04348*
Groupiness factor GF:	*0.913*	*1.132*
Skewness b1:	*0.5621*	*0.1916*
Kurtosis b2:	*2.845*	*3.504*

Department of Civil Engineering

Aalborg University

Project title	
Drawn by	
Date	*11. mrt 2026*
Remarks	
Page	*7 of 12*

Reflection Analysis

Input Parameters

Generel

Data file:	*26-2-25 SWL Berm 4%.experiment - 140% (4).txt*
Sample frequency:	*128 Hz (Downsampled to 64 Hz)*
Water depth at Gauge 1:	*0.365 m (seabed slope 1:200)*
Length scale (Prototype/Model):	*1*
Skipped lines	*Header: 5 Start: 1000 End: 0*

Bandpass filtering

Freq. lower bound:	*0.289 Hz*
Freq. upper bound:	*5.781 Hz*

	Gauge 1	Gauge 2	Gauge 3
Channel number:	*2*	*3*	*4*
Calibration function:	*1.0*X*	*1.0*X*	*1.0*X*
X-coordinate:	*0.0 m*	*0.3 m*	*0.7 m*

Freq. Domain Analysis

Overlap of subseries:	*20%*
Cosine taper width:	*20%*
Data No. in FFT block:	*4096*
Number of FFT blocks:	*28*

Time Domain Analysis

Output timeseries at x-coordinate:	*0.3333 m*
Min. points between downcrossings:	*33*
Hilbert filter length:	*2048*

Frequency Domain Analysis

Overall amplitude reflection coefficient: *28.8%*

	Incident	**Reflected**
Sig. wave height H_{m0} (m):	*0.1434*	*0.04126*
Peak wave period T_P (s):	*1.73*	*1.882*
Energy wave period $T_{-1,0}$ (s):	*1.534*	*1.319*
Mean wave period $T_{0,1}$ (s):	*1.39*	*0.9171*
Mean wave period $T_{0,2}$ (s):	*1.292*	*0.777*
Spectral width (Broadness):	*0.7868*	*0.8012*
Spectral width (Narrowness):	*0.3979*	*0.6269*

Time Domain Analysis

Overall amplitude reflection coefficient: *28.8%*

	Incident	**Reflected**
Number of waves:	1013	1441
Mean wave height H_m (m):	*0.0935*	*0.02663*
Mean wave period T_m (s):	*1.439*	*1.011*
Sig. wave height H_s (m):	*0.14*	*0.04119*
$T_{H_{1/3}}$ (s):	*1.614*	*1.247*
H_{max} (m):	*0.2132*	*0.07682*
T_{Hmax} (s):	*1.491*	*1.402*
$H_{1/10}$ (m):	*0.1662*	*0.0523*
$H_{1/50}$ (m):	*0.1877*	*0.06587*
$H_{1/100}$ (m)	*0.1954*	*0.07071*
$H_{1/250}$ (m):	*0.2066*	*0.07504*
$H_{0.1\%}$ (m):	*0.2132*	*0.07656*
$H_{1\%}$ (m):	*0.1848*	*0.06512*
$H_{2\%}$ (m):	*0.1766*	*0.05787*
$H_{10\%}$ (m)	*0.1519*	*0.04367*
Groupiness factor GF:	*0.9242*	*1.143*
Skewness b1:	*0.5924*	*0.2661*
Kurtosis b2:	*2.876*	*3.501*

Reflection Analysis

Input Parameters

Generel

Data file:	*26-2-25 SWL Berm 4%.experiment - 150% (4) .txt*
Sample frequency:	*128 Hz (Downsampled to 64 Hz)*
Water depth at Gauge 1:	*0.365 m (seabed slope 1:200)*
Length scale (Prototype/Model):	*1*
Skipped lines	*Header: 5 Start: 1000 End: 0*

Bandpass filtering

Freq. lower bound:	*0.289 Hz*
Freq. upper bound:	*5.781 Hz*

	Gauge 1	Gauge 2	Gauge 3
Channel number:	*2*	*3*	*4*
Calibration function:	*1.0*X*	*1.0*X*	*1.0*X*
X-coordinate:	*0.0 m*	*0.3 m*	*0.7 m*

Freq. Domain Analysis

Overlap of subseries:	*20%*
Cosine taper width:	*20%*
Data No. in FFT block:	*4096*
Number of FFT blocks:	*28*

Time Domain Analysis

Output timeseries at x-coordinate:	*0.3333 m*
Min. points between downcrossings:	*33*
Hilbert filter length:	*2048*

Frequency Domain Analysis

Overall amplitude reflection coefficient: *30.6%*

	Incident	**Reflected**
Sig. wave height H_{m0} (m):	*0.1488*	*0.04548*
Peak wave period T_P (s):	*1.73*	*1.882*
Energy wave period $T_{-1,0}$ (s):	*1.576*	*1.404*
Mean wave period $T_{0,1}$ (s):	*1.418*	*0.9693*
Mean wave period $T_{0,2}$ (s):	*1.311*	*0.8089*
Spectral width (Broadness):	*0.8015*	*0.8212*
Spectral width (Narrowness):	*0.4126*	*0.66*

Time Domain Analysis

Overall amplitude reflection coefficient: *30.6%*

	Incident	**Reflected**
Number of waves:	974	1370
Mean wave height H_m (m):	*0.09757*	*0.02928*
Mean wave period T_m (s):	*1.488*	*1.058*
Sig. wave height H_s (m):	*0.1453*	*0.04541*
$T_{H_{1/3}}$ (s):	*1.679*	*1.337*
H_{max} (m):	*0.2416*	*0.094*
T_{Hmax} (s):	*1.681*	*1.327*
$H_{1/10}$ (m):	*0.1716*	*0.05809*
$H_{1/50}$ (m):	*0.192*	*0.072*
$H_{1/100}$ (m)	*0.202*	*0.07664*
$H_{1/250}$ (m):	*0.22*	*0.08152*
$H_{0.1\%}$ (m):	*Not enough data*	*0.08893*
$H_{1\%}$ (m):	*0.1866*	*0.07087*
$H_{2\%}$ (m):	*0.1793*	*0.06421*
$H_{10\%}$ (m)	*0.1564*	*0.04854*
Groupiness factor GF:	*0.9243*	*1.126*
Skewness b1:	*0.6295*	*0.263*
Kurtosis b2:	*2.881*	*3.497*

Reflection Analysis

Input Parameters

Generel

Data file:	*26-2-25 SWL Berm 4%.experiment - 170% (4)*.txt
Sample frequency:	*128 Hz (Downsampled to 64 Hz)*
Water depth at Gauge 1:	*0.365 m (seabed slope 1:200)*
Length scale (Prototype/Model):	*1*
Skipped lines	*Header: 5 Start: 1000 End: 0*

Bandpass filtering

Freq. lower bound:	*0.273 Hz*
Freq. upper bound:	*5.469 Hz*

	Gauge 1	*Gauge 2*	*Gauge 3*
Channel number:	*2*	*3*	*4*
Calibration function:	*1.0*X*	*1.0*X*	*1.0*X*
X-coordinate:	*0.0 m*	*0.3 m*	*0.7 m*

Freq. Domain Analysis

Overlap of subseries:	*20%*
Cosine taper width:	*20%*
Data No. in FFT block:	*4096*
Number of FFT blocks:	*30*

Time Domain Analysis

Output timeseries at x-coordinate:	*0.3333 m*
Min. points between downcrossings:	*35*
Hilbert filter length:	*2048*

Frequency Domain Analysis

Overall amplitude reflection coefficient: *33.9%*

	Incident	**Reflected**
Sig. wave height H_{m0} (m):	*0.1605*	*0.05436*
Peak wave period T_P (s):	*1.829*	*2.133*
Energy wave period $T_{-1,0}$ (s):	*1.656*	*1.498*
Mean wave period $T_{0,1}$ (s):	*1.46*	*1.009*
Mean wave period $T_{0,2}$ (s):	*1.33*	*0.8331*
Spectral width (Broadness):	*0.824*	*0.8266*
Spectral width (Narrowness):	*0.4519*	*0.6834*

Time Domain Analysis

Overall amplitude reflection coefficient: *33.9%*

	Incident	**Reflected**
Number of waves:	1017	1409
Mean wave height H_m (m):	*0.1074*	*0.03545*
Mean wave period T_m (s):	*1.556*	*1.123*
Sig. wave height H_s (m):	*0.1576*	*0.055*
$T_{H_{1/3}}$ (s):	*1.796*	*1.437*
H_{max} (m):	*0.2215*	*0.09325*
T_{Hmax} (s):	*2.055*	*1.225*
$H_{1/10}$ (m):	*0.1821*	*0.06962*
$H_{1/50}$ (m):	*0.2021*	*0.08223*
$H_{1/100}$ (m)	*0.2098*	*0.08633*
$H_{1/250}$ (m):	*0.2184*	*0.0893*
$H_{0.1\%}$ (m):	*0.2215*	*0.09165*
$H_{1\%}$ (m):	*0.1996*	*0.08059*
$H_{2\%}$ (m):	*0.1924*	*0.07536*
$H_{10\%}$ (m)	*0.168*	*0.05944*
Groupiness factor GF:	*0.9005*	*1.071*
Skewness b1:	*0.6736*	*0.2209*
Kurtosis b2:	*2.841*	*3.311*

Reflection Analysis

Input Parameters

Generel

Data file:	*26-2-25 SWL Berm 4%.experiment - 180% (4) .txt*
Sample frequency:	*128 Hz (Downsampled to 64 Hz)*
Water depth at Gauge 1:	*0.365 m (seabed slope 1:200)*
Length scale (Prototype/Model):	*1*
Skipped lines	*Header: 5 Start: 1000 End: 0*

Bandpass filtering

Freq. lower bound:	*0.273 Hz*
Freq. upper bound:	*5.469 Hz*

	Gauge 1	Gauge 2	Gauge 3
Channel number:	*2*	*3*	*4*
Calibration function:	*1.0*X*	*1.0*X*	*1.0*X*
X-coordinate:	*0.0 m*	*0.3 m*	*0.7 m*

Freq. Domain Analysis

Overlap of subseries:	*20%*
Cosine taper width:	*20%*
Data No. in FFT block:	*4096*
Number of FFT blocks:	*29*

Time Domain Analysis

Output timeseries at x-coordinate:	*0.3333 m*
Min. points between downcrossings:	*35*
Hilbert filter length:	*2048*

Frequency Domain Analysis

Overall amplitude reflection coefficient: *33.7%*

	Incident	**Reflected**
Sig. wave height H_{m0} (m):	*0.1609*	*0.05422*
Peak wave period T_P (s):	*1.829*	*2.133*
Energy wave period $T_{-1,0}$ (s):	*1.656*	*1.499*
Mean wave period $T_{0,1}$ (s):	*1.46*	*1.008*
Mean wave period $T_{0,2}$ (s):	*1.331*	*0.8313*
Spectral width (Broadness):	*0.8241*	*0.8269*
Spectral width (Narrowness):	*0.4514*	*0.6852*

Time Domain Analysis

Overall amplitude reflection coefficient: *33.9%*

	Incident	**Reflected**
Number of waves:	973	1339
Mean wave height H_m (m):	*0.108*	*0.03554*
Mean wave period T_m (s):	*1.561*	*1.134*
Sig. wave height H_s (m):	*0.1582*	*0.0554*
$T_{H_{1/3}}$ (s):	*1.79*	*1.478*
H_{max} (m):	*0.2262*	*0.09753*
T_{Hmax} (s):	*2.05*	*1.222*
$H_{1/10}$ (m):	*0.1827*	*0.07033*
$H_{1/50}$ (m):	*0.2045*	*0.08374*
$H_{1/100}$ (m)	*0.2132*	*0.08698*
$H_{1/250}$ (m):	*0.2237*	*0.09073*
$H_{0.1\%}$ (m):	*Not enough data*	*0.09564*
$H_{1\%}$ (m):	*0.2021*	*0.083*
$H_{2\%}$ (m):	*0.1928*	*0.07834*
$H_{10\%}$ (m)	*0.1676*	*0.06047*
Groupiness factor GF:	*0.897*	*1.066*
Skewness b1:	*0.6754*	*0.2063*
Kurtosis b2:	*2.834*	*3.289*

Reflection Analysis

Input Parameters

Generel

Data file:	*26-3-11 Emerged Berm 4% - Test 2.experiment.txt*
Sample frequency:	*128 Hz (Downsampled to 64 Hz)*
Water depth:	*0.365 m*
Length scale (Prototype/Model):	*1*
Skipped lines	*Header: 5 Start: 1000 End: 0*

Bandpass filtering

Freq. lower bound:	*0.469 Hz*
Freq. upper bound:	*9.375 Hz*

Freq. Domain Analysis

Overlap (%) of timeseries:	*20%*
Cosine taper width:	*20%*
Data No. in FFT block:	*4096*
Number of FFT blocks:	*19*

Time Domain Analysis

Output timeseries at x-coordinate:	*0.3333 m*
Min. points between downcrossings:	*20*
Hilbert filter length:	*2048*

	Gauge 1	*Gauge 2*	*Gauge 3*
Channel number:	*2*	*3*	*4*
Calibration function:	*1.0*X*	*1.0*X*	*1.0*X*
X-coordinate:	*0.0 m*	*0.3 m*	*0.7 m*

Frequency Domain Analysis

Overall amplitude reflection coefficient: *28.8%*

	Incident	**Reflected**
Sig. wave height H_{m0} (m):	*0.07232*	*0.02083*
Peak wave period T_P (s):	*1.067*	*1.123*
Energy wave period $T_{-1,0}$ (s):	*1.054*	*0.971*
Mean wave period $T_{0,1}$ (s):	*1.021*	*0.8502*
Mean wave period $T_{0,2}$ (s):	*0.9996*	*0.7784*
Spectral width (Broadness):	*0.5055*	*0.7411*
Spectral width (Narrowness):	*0.2063*	*0.4391*

Time Domain Analysis

Overall amplitude reflection coefficient: *28.9%*

	Incident	**Reflected**
Number of waves:	1006	1163
Mean wave height H_m (m):	*0.04493*	*0.01343*
Mean wave period T_m (s):	*1.001*	*0.866*
Sig. wave height H_s (m):	*0.07164*	*0.0205*
$T_{H_{1/3}}$ (s):	*1.049*	*0.9937*
H_{max} (m):	*0.1317*	*0.03905*
T_{Hmax} (s):	*1.051*	*0.7932*
$H_{1/10}$ (m):	*0.08835*	*0.02449*
$H_{1/50}$ (m):	*0.104*	*0.02896*
$H_{1/100}$ (m)	*0.1102*	*0.03083*
$H_{1/250}$ (m):	*0.12*	*0.0333*
$H_{0.1\%}$ (m):	*0.1317*	*0.0382*
$H_{1\%}$ (m):	*0.1011*	*0.02836*
$H_{2\%}$ (m):	*0.09642*	*0.02598*
$H_{10\%}$ (m)	*0.07698*	*0.02196*
Groupiness factor GF:	*0.9605*	*0.9457*
Skewness b1:	*0.03341*	*0.08365*
Kurtosis b2:	*2.921*	*2.824*