

The graph displays the daily count of COVID-19 cases in the United States from June 1, 2020, to September 1, 2020. The y-axis represents the number of cases, ranging from 0 to 100,000. The x-axis represents time, with labels for June, July, August, and September. The data shows a significant surge in cases starting in early June, reaching a peak of approximately 100,000 cases in mid-June. Following this peak, the number of cases declines sharply, stabilizing around 20,000 cases by late June. A second, smaller peak occurs in late July, reaching approximately 30,000 cases. After this second peak, the number of cases remains relatively low, fluctuating between 10,000 and 20,000 cases through September.

Date	Number of Cases (Approximate)
June 1, 2020	20,000
June 15, 2020	100,000
June 30, 2020	20,000
July 15, 2020	30,000
August 1, 2020	15,000
September 1, 2020	10,000

The graph displays the daily count of COVID-19 cases in the Netherlands from June 1, 2020, to September 1, 2020. The data is represented by a blue line on a grid. The y-axis has major ticks at 0, 20,000, 40,000, 60,000, 80,000, and 100,000. The x-axis is labeled 'Time' and has major ticks for the months of June, July, August, and September. The line starts at approximately 15,000 cases in early June, rises to a peak of about 65,000 in early July, then drops sharply to around 10,000 by mid-July. It then fluctuates between 20,000 and 40,000 cases through August, with a notable dip to about 10,000 in late August. In early September, there is a sharp rise to about 60,000 cases, followed by a decline to approximately 20,000 by the end of the period.

The graph displays the daily count of COVID-19 cases in the United States from June 1, 2020, to September 1, 2020. The y-axis is labeled 'Cases' and ranges from 0 to 1,000,000 in increments of 200,000. The x-axis is labeled 'Time' and includes major ticks for June, July, August, and September. The data shows a significant peak in early June, followed by a decline and then a period of relative stability with minor fluctuations between 100,000 and 200,000 cases through September.




Time	Cases
2020-06-01	100,000
2020-06-05	200,000
2020-06-10	1,000,000
2020-06-15	800,000
2020-06-20	400,000
2020-06-25	200,000
2020-07-01	100,000
2020-07-10	150,000
2020-07-20	100,000
2020-08-01	150,000
2020-08-15	100,000
2020-08-30	200,000
2020-09-01	150,000




The graph displays the daily count of COVID-19 cases in the United States from June 1, 2020, to September 1, 2020. The y-axis represents the number of cases, ranging from 0 to 1,000,000 in increments of 200,000. The x-axis represents time, with labels for June, July, August, and September. The data shows a sharp increase in cases starting in mid-June, peaking at approximately 1,000,000 cases in late June/early July. Following this peak, there is a period of fluctuation with a secondary peak around mid-July, followed by a general decline. A smaller peak occurs in early August, after which the case count continues to decrease, reaching its lowest point in early September before a slight uptick.




Date	Approximate Number of Cases
June 1, 2020	150,000
June 15, 2020	900,000
June 25, 2020	1,000,000
July 1, 2020	950,000
July 15, 2020	700,000
July 25, 2020	500,000
August 1, 2020	400,000
August 10, 2020	500,000
August 20, 2020	300,000
August 30, 2020	200,000
September 1, 2020	250,000




The line graph illustrates the daily count of COVID-19 cases in the United States from June 1, 2020, to September 1, 2020. The y-axis represents the number of cases, ranging from 0 to 100,000 in increments of 20,000. The x-axis represents time, with labels for June, July, August, and September. The data shows a significant peak in early June, reaching nearly 100,000 cases. This is followed by a sharp decline to around 20,000 cases by mid-June. The case count then fluctuates between 20,000 and 40,000 through July. In August, the cases remain relatively stable, hovering around 20,000. By September, the case count has decreased to its lowest point in the period shown, around 10,000 cases.




Date	Number of Cases (Approximate)
June 1, 2020	25,000
June 10, 2020	95,000
June 20, 2020	30,000
June 30, 2020	20,000
July 10, 2020	35,000
July 20, 2020	30,000
August 1, 2020	20,000
August 15, 2020	15,000
September 1, 2020	10,000





























Station 07DD001









Station 07EA004






Station 07EA005















The graph displays the daily count of COVID-19 cases in the United States from June 1, 2020, to September 1, 2020. The y-axis, labeled 'Cases', ranges from 0 to 100,000 in increments of 20,000. The x-axis, labeled 'Time', shows the months of June, July, August, and September. The data shows a rapid rise in cases in early June, peaking at nearly 100,000. This is followed by a period of decline and fluctuation, with cases generally staying between 20,000 and 40,000 through July. A notable spike occurs in late August, reaching another peak of approximately 100,000 cases, before settling back into a lower range for the remainder of the period shown.




Time (Approximate Date)	Cases (Approximate)
June 1	70,000
June 10	95,000
June 20	100,000
June 30	40,000
July 10	25,000
July 20	35,000
July 30	40,000
August 10	20,000
August 20	100,000
August 30	20,000
September 1	15,000




The graph displays the daily number of COVID-19 cases in the United States from June 1, 2020, to September 1, 2020. The y-axis is labeled 'Cases' and ranges from 0 to 1,000,000 in increments of 200,000. The x-axis is labeled 'Time' and shows the months of June, July, August, and September. The data shows a steady increase in cases throughout June, peaking at approximately 800,000 cases in early July. Following this peak, there is a period of relative stability with minor fluctuations, followed by a sharp decline in late July and early August. A second, smaller peak occurs in early August, reaching about 400,000 cases. This is followed by a period of low case counts, with a final sharp increase in late August, peaking at approximately 400,000 cases in early September, before declining again.




Time	Cases
2020-06-01	200,000
2020-06-15	800,000
2020-07-01	1,000,000
2020-07-15	600,000
2020-08-01	400,000
2020-08-15	100,000
2020-09-01	400,000



















Station 08ED001









Station 08ED002









Station 08EE004



























































Station 08KA005









Station 08KA007









Station 08KA009














Station 08LC002









Station 08LC003









Station 08LC018
































































Station 08NE049









Station 08NF001






Station 08NG002












Station 08NK016








Station 08NL007









Station 08NL038


































Station 10GC001





Station 10HA004





Station 10HB005





Normal Q-Q Plot





xvar\$une_ratio

3.0
2.5
2.0
1.5
1.0
0.5
0.0

xvar\$temp_change

4

6

8

10

12

14

