

Salton index

V. Batagelj

Salton index

networks

airports

# Salton cosine index in network analysis

Vladimir Batageli

IMFM Ljubljana, IAM & FAMNIT UP Koper, FMF UL Ljubljana

**INSNA Sunbelt 2025** 

June 23-29, 2025, Paris, France



### Outline

#### Salton index

#### V. Batagelj

Salton index

Eurovisio 2022

Multiway

networks

Europear airports

References

Reference

1 Salton index

- 2 Eurovision 2022
- 3 Multiway networks
- 4 European airports
- 5 References



Vladimir Batagelj: vladimir.batagelj@fmf.uni-lj.si Current version of slides (June 28, 2025 at 03:44): slides PDF

https://github.com/bavla/ibm3m



## Inner product

Salton index

V. Batagelj

Salton index

Eurovision

Multiway networks

European

References

References

The *inner product* of vectors  $x, y \in \mathbb{R}^n$  is defined as

$$\langle x, y \rangle = \sum_{i=1}^{n} x_i \cdot y_i$$

The following four properties hold for all  $x, y, z \in \mathbb{R}^n$  and  $\alpha \in \mathbb{R}$ :

- 1  $\langle x, x \rangle \ge 0$  and  $\langle x, x \rangle = 0$  if and only if x = 0,
- $2 \langle x, y + z \rangle = \langle x, y \rangle + \langle x, z \rangle,$
- $3 \langle \mathbf{X}, \alpha \mathbf{y} \rangle = \alpha \langle \mathbf{X}, \mathbf{y} \rangle,$
- 4  $\langle x, y \rangle = \langle y, x \rangle$ .

An inner product  $\langle .,. \rangle$  induces the *norm* of x

$$||x|| = \sqrt{\langle x, x \rangle}$$



# Cauchy-Schwarz inequality and Salton index

Salton index

V. Batagelj

#### Salton index

networks

Cauchy-Schwarz inequality

$$|\langle x,y\rangle| \leq ||x|| \cdot ||y||$$

Salton or cosine index

$$S(x,y) = \frac{\langle x,y \rangle}{\|x\| \cdot \|y\|} \in [-1,1]$$

The Salton index has the following properties

- 1  $S(x, y) \in [-1, 1]$
- 2 S(x, y) = S(y, x)
- 3 S(x,x) = 1
- 4  $x, y \in (\mathbb{R}_0^+)^n \Rightarrow S(x, y) \in [0, 1]$
- 5  $S(\alpha x, \beta y) = S(x, y), \quad \alpha, \beta > 0$
- 6  $S(\alpha x, x) = 1, \quad \alpha > 0$



### Salton index

Salton index

V. Batagelj

Salton index

Eurovision

Multiway networks

European

References

D (

Property 5 says that the value of the Salton index doesn't depend on the size of vectors but on their "shape". It is very useful when analyzing data with units of different "sizes" – for example, trade between world countries.

The Salton index is a measure of similarity.

It is usually transformed into a dissimilarity *d* using the transformation

$$d(x,y)=\frac{1-S(x,y)}{2}$$

or the angular distance  $\theta$  wp

$$\theta(x,y) = \frac{\arccos(S(x,y))}{\pi}$$





## Matrix based (dis)similarities

Salton index

V. Batagelj

Salton index

networks

Let  $\mathbf{W} = [w[u, v]]$  be a matrix describing (one/two-mode) (weighted) network  $\mathcal{N}$ . For clustering units (nodes) we need a dissimilarity matrix **D**. For two-mode networks, we can get it from the Salton matrix  $\mathbf{S} = [s[u, v]]$  where

$$s[u,v] = S(w[u,\cdot],w[v,\cdot])$$

If the matrix **W** is one-mode we have a problem

$$w[u,\cdot] = [w[u,1],\ldots,w[u,i],\ldots,w[u,u],\ldots,w[u,v],\ldots,w[u,k]]$$

$$w[v,\cdot] = [w[v,1],\ldots,w[v,i],\ldots,w[v,u],\ldots,w[v,v],\ldots,w[v,k]]$$

In traditional (dis)similarities, comparing w[u, i] and w[v, i] we are comparing how u relates to i with how v relates to i. The problem arises for i = u and i = v. We would need to compare w[u, u]with w[v, v] and w[u, v] with w[v, u]. This leads to *corrected* (dis)similarities. <ロ > < 同 > < 同 > < 巨 > < 巨 > □ ■ の Q (~)



### Corrected Salton index

Salton index

V. Batagelj

#### Salton index

Eurovis 2022

Multiway networks

Europear

References

References

*Corrected Salton index* of the link  $(u, v) \in \mathcal{L}$ 

$$S'(u,v) = \frac{\langle w[u,\cdot], w[v,\cdot] \rangle + (w[u,u] - w[u,v]) \cdot (w[v,v] - w[v,u])}{\|w[u,\cdot]\| \cdot \|w[v,\cdot]\|}$$

It also has the usual Salton index properties 1-6.



## Projections of two-mode networks

Salton index

V. Batagelj

Salton index

2022

Multiway networks

European airports

References

References

Let  $\mathcal{N}=((\mathcal{U},\mathcal{V}),\mathcal{L},w)$  be a weighted two-mode network with a matrix  $\mathbf{W}=[w[u,v]]$ . A usual approach to its analysis is to *project* it to the set  $\mathcal{U}$  or to the set  $\mathcal{V}$  and analyze the so obtained ordinary (one-mode) weighted network.

The projection to the set  $\mathcal{U}$  is determined by the matrix  $\mathbf{C} = [c[u, t]] = \mathbf{W}\mathbf{W}^T$ ; and to the set  $\mathcal{V}$  by the matrix  $\mathbf{W}^T\mathbf{W}$ .

$$\mathcal{N}_C = (\mathcal{U}, \mathcal{L}_C, c)$$
, where  $\mathcal{L}_C = \{(u, t) : c[u, t] \neq 0\}$  and for  $(u, t) \in \mathcal{L}_C : c(u, t) = c[u, t]$ .

$$c[u,t] = \sum_{v \in \mathcal{V}} w[u,v] \cdot w^T[v,t] = \sum_{v \in \mathcal{V}} w[u,v] \cdot w[t,v] = \langle w[u,\cdot], w[t,\cdot] \rangle$$

from which we can get the corresponding Salton matrix

$$s[u,v] = \frac{c[u,v]}{\sqrt{c[u,u] \cdot c[v,v]}}$$



### Eurovision 2022 data

Salton index

V. Batagelj

Salton index


#### Eurovision

2022 Multiway

Europear

References

Reference





## Corrected Salton 1-neighbors

Salton index

V. Batagelj

Salton index

#### Eurovision


2022 Multiwa

networks

Europea airports

References

References





## Corrected Salton 2-neighbors

Salton index

V. Batagelj

Salton index

### Eurovision


2022 Multiway

networks

European airports

References

References





### Corrected Salton dendrogram

#### Salton index

V. Batagelj

Salton index

### Eurovision

2022 Multiway


networks

an porto

T TOTOT OTTOO

References

#### Eurovision 2022 / Salton / Ward



Dcs hclust (\*, "ward.D")





## Matrix network display

0.5

#### Salton index

V. Batagelj

Salton index

### Eurovision


2022 Multiway

networks

European

Reference

Reference:





## Multiway networks

#### Salton index

#### V. Batagelj

Salton index

Eurovision

Multiway

### networks

European airports

References

References

A weighted multiway network  $\mathcal{N}=(\mathcal{V},\mathcal{L},w)$  is based on nodes from k finite sets (ways or dimensions)  $\mathcal{V}=(\mathcal{V}_1,\mathcal{V}_2,\ldots,\mathcal{V}_k)$ , the set of links  $\mathcal{L}$ , and the weight  $w:\mathcal{L}\to\mathbb{R}$ . The incidence function  $I:\mathcal{L}\to\mathcal{V}_1\times\mathcal{V}_2\times\cdots\times\mathcal{V}_k$  assigns to each link  $e\in\mathcal{L}$  a k-tuple of its nodes  $I(e)=(e(1),e(2),\ldots,e(i),\ldots,e(k))$ ,  $e(i)\in\mathcal{V}_i$ . If for  $i\neq j,\,\mathcal{V}_i=\mathcal{V}_j$ , we say that  $\mathcal{V}_i$  and  $\mathcal{V}_j$  are of the same mode.

In a general multiway network, different additional data can be known for nodes and/or links  $\mathcal{N}=(\mathcal{V},\mathcal{L},\mathcal{P},\mathcal{W})$ , where  $\mathcal{P}$  is a set of node properties  $p:\mathcal{V}_i\to\mathcal{S}_p$ , and  $\mathcal{W}$  is a set of link weights  $w:\mathcal{L}\to\mathcal{S}_w$ .



### **MWnets**

#### Salton index

#### V. Batagelj

Salton index

E.....

Multiway

### networks

European

References

Reference

To support the analysis of multi-way networks, I started developing an R package Mwnets. It is available at GitHub/Bavla

### https://github.com/bavla/ibm3m

> source("https://raw.githubusercontent.com/bavla/ibm3m/master/
multiway/MWnets.R")

Multiway network data sets

https://github.com/bavla/ibm3m/tree/master/data

For user-friendly inspection of a JSON file, you can use the Firefox browser or application JSON in Chrome.



# Projection to a selected way

Salton index

V. Batagelj

Salton index

Multiway

networks

Because of the reordering option, we can assume that we selected the way  $\mathcal{V}_1$ . A projection to a selected way is a generalization of the projection of two-mode networks. The projection creates an ordinary weighted network  $(\mathcal{V}_1, \mathcal{A}, p)$ ,  $\mathcal{A} \subseteq \mathcal{V}_1 \times \mathcal{V}_1$  and  $p : \mathcal{A} \to \mathbb{R}$ . Let  $u, t \in \mathcal{V}_1$  then

$$p(u,t) = \sum_{(v_2,\ldots,v_k)\in\mathcal{V}_2\times\cdots\times\mathcal{V}_k} w(u,v_2,\ldots,v_k)\cdot w(t,v_2,\ldots,v_k)$$

Note that the projection network is symmetric p(u, t) = p(t, u) and considering that the right side in the definition of p(u, t) is a inner (scalar) product we get  $p(u,t) \leq \sqrt{p(u,u) \cdot p(t,t)}$  – Cauchy-Schwarz inequality. From it it follows  $p(u, u) = p(t, t) = 0 \Rightarrow p(u, t) = 0.$ 

$$p(u,t) = \sum_{(v_2,\ldots,v_k):((u,v_2,\ldots,v_k)\in\mathcal{L}\land(t,v_2,\ldots,v_k)\in\mathcal{L})} w(u,v_2,\ldots,v_k)\cdot w(t,v_2,\ldots,v_k)$$



# Salton index for multiway networks

Salton index

V. Batagelj

Salton index

Eurovision

Multiway

Furonear

airports

References

References

 $p(u,u)\geq 0.$ 

$$(\exists z \in \{z : (u,z) \in \mathcal{L}\} : w(u,z) \neq 0) \rightarrow p(u,u) > 0.$$

This network can be analyzed using traditional methods for analyzing weighted networks. Sometimes it is more appropriate to apply projection(s) to a normalized version of the original multi-way network.

From the projection p we can get the corresponding measure of similarity – Salton index S(u,t) Batagelj and Cerinšek (2013)

$$S(u,t) = \frac{p(u,t)}{\sqrt{p(u,u) \cdot p(t,t)}}$$

that can be used for clustering the set  $V_1$ . In the case p(u, u) = p(t, t) = 0 we set S(u, t) = 1.



# European airports and flight companies dataset

#### Salton index

V. Batagelj

Salton index

Eurovis 2022

Multiway

networks

European airports

Reference

References

The European airports and flight companies dataset was collected by A. Cardillo and his collaborators for the paper

A. Cardillo, J. Gómez-Gardeñes, M. Zanin, M. Romance, D. Papo, F. del Pozo, S. Boccaletti: Emergence of Network Features from Multiplexity, Scientific Reports 3, 1344 (2013).

It is an example of a multiway network. It contains 450 airports making two ways  $\mathtt{airA}$  (departure airports) and  $\mathtt{airB}$  (arrival airports), the third way is  $\mathtt{line}$  (37 flight companies). There are 7176 links (from, to, line)  $\in \mathcal{L}$  telling that there is a flight provided by the company line from the airport from to the airport to. Each link has the weight w=1.

The multiway network AirEu2013 represented in JSON format and an R package MWnets for analysis of multiway networks are available at GitHub/Bavla.



# European airports and flight companies dataset

#### Salton index

V. Batagelj

Salton inde

Eurovisi

Multiway networks

European airports

References

References

```
List of 6
 $ format: chr "MWnets"
  ..$ network: chr "AirEu2013"
  ..$ title : chr "Air Transportation Multiplex"
               : chr "Cardillo A. et al. Emergence of network features from multiplexit
               : chr "http://complex.unizar.es/~atnmultiplex/"
        :List of 3
  ..$ airA: chr "first airport"
  ..$ airB: chr "second airport"
  ..$ line: chr "airline"
 $ nodes :List of 3
  ..$ airA:'data.frame':
                                    450 obs. of 7 variables:
                  : chr [1:450] "LCLK" "EDDF" "EDDK" "EGNX"
                 : num [1:450] 33.63 8.57 7.14 -1.33 -3.41 ...
: num [1:450] 34.9 50 50.9 52.8 50.7 ...
  .. ..$ lon
  .. ..$ lat
                : chr [1:450] "LCA" "FRA" "CCN" "EMA" ...
: chr [1:450] "Larnaca International Airport" "Frankfurt Airport" "Co
  .. ..$ iata
  .... $ region : chr [1:450] "Larnaka" "Hessen" "Nordrhein-Westfalen" "England" ...
  ....$ country: chr [1:450] "CY" "DE" "DE" "GB" ...
  ..$ airB:'data.frame':
                                     450 obs. of 2 variables:
  ....$ ID : chr [1:450] "LCLK" "EDDF" "EDDK" "EGNX" ...
  .... $ long: chr [1:450] "Larnaca International Airport" "Frankfurt Airport" "Coloc
  ..$ line:'data.frame':
                                     37 obs. of 1 variable:
  ....$ ID: chr [1:37] "Lufthansa" "Ryanair" "Easyjet" "British A" ...
 $ links 'data frame': 7176 obs. of 4 variables:
.$ airA: int [1:7176] 1 1 2 2 2 2 2 2 2 2 2
.$ airB: int [1:7176] 2 38 1 7 8 10 14 15 17 18 ...
.$ line: int [1:7176] 1 1 1 1 1 1 1 1 1 ...
.$ w : int [1:7176] 1 1 1 1 1 1 1 1 1 1 ...
 S data : List of
  ..$ Eu:'data.frame': 40 obs. of 6 variables:
                    : chr [1:40] "AT" "BA" "BE" "BG" ...
  .. ..$ alpha2
  .. ..$ alpha3
                    : chr [1:40] "AUT" "BIH" "BEL" "BGR" ...
  .. ..$ Ccode
                    : int [1:40] 40 70 56 100 756 196 203 276 208 233 ...
  ....$ long : chr [1:40] "Austria" "Bosnia and Herzegovina" "Belgium" "Bulgaria
  ....$ region : chr [1:40] "Europe" "Europe" "Europe" "Europe" ...
  .... $ subregion: chr [1:40] "Western Europe" "Southern Europe" "Western Europe" "F
                                                         <ロ> <問> √∃> √∃> = うへ()
```



## **3D** layout of AirEu2013

Airports dendrogram, 3D layout

#### Salton index

V. Batagelj

Salton index

\_ ..


NA. Itinua

networks

# European airports

nelerence:

References



The green links in the bottom right corner are provided by Ryan air – it is mostly linking airports that are not linked by other companies.



## Acknowledgments

Salton index

V. Batagelj

Salton index

Eurovision

Multiway

networks European

airports

Reference

References

The computational work reported in this presentation was performed in R using the packages igraph, netsWeight, and MwNets. The code and data are available at <a href="https://github.com/bavla">https://github.com/bavla</a>.

This work is partly supported by the Slovenian Research Agency ARIS (research program P1-0294 and research project J5-4596), and prepared within the framework of the COST action CA21163 (HiTEc).



### References I

#### Salton index

V. Batagelj

Salton index

Furovision

Multiway

networks

European airports

References

References

Batagelj, V. (2016). Network visualization based on JSON and D3.js (slides). Second European Conference on Social Networks. June 14-17, 2016, Paris. https:

//github.com/bavla/netsJSON/blob/master/doc/netVis.pdf.

Batagelj, V, Cerinšek, M (2013) On bibliographic networks. Scientometrics 96.3: 845-864.

Batagelj, V. Cores in multiway networks. Soc. Netw. Anal. Min. 14, 122 (2024). Springer.

x3dom - instant 3D the HTML way! (2023) https://www.x3dom.org/