



Case Study No.: 2

Title: Develop the webpage for an online shopping website with using HTML, CSS and HTML5 tags and calculate the bill using Customer Name, Mobile number, Invoice Number, Product Name, Quality (in Kgs), Rate per Kg(Rs), Discount(%), GST(%), Packing Charges(Rs), Payment Mode (Cash/Card/UPI).

Software/Tools Required: HTML5 , CSS3 , JavaScript , Visual Studio Code , Google Chrome

index.html:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>FreshMart - Smart Billing</title>
  <link rel="stylesheet" href="style.css">
  <link
href="https://fonts.googleapis.com/css2?family=Roboto+Mono:wght@400;500;700&display=swap" rel="stylesheet">
  <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.5.2/css/all.min.css">
</head>
<body>
<div class="container">
  <header>
    <div class="logo">
      <h1>
        <i class="fa-solid fa-cart-shopping"></i>
        FreshMart
      </h1>
      <p>Fresh Fruits • Vegetables • Grocery</p>
    </div>
    <div class="title">
      <h2>
        <i class="fa-solid fa-receipt"></i>
        Smart Billing
      </h2>
    </div>
  </header>
  <hr>
  <main>
```



```
<section class="left-panel">
  <h2>
    🍎 Product Details
  </h2>
  <form id="billingForm">
    <div class="input-group">
      <label>
        <i class="fa-solid fa-user"></i>
        Customer Name
      </label>
      <input
        type="text"
        id="customerName"
        placeholder="Enter customer name">
    </div>
    <div class="input-group">
      <label>
        <i class="fa-solid fa-mobile-screen-button"></i>
        Mobile Number
      </label>
      <input
        type="tel"
        id="mobile"
        maxlength="10"
        placeholder="10 digit mobile number">
    </div>
    <div class="input-group">
      <label>
        <i class="fa-solid fa-cart-shopping"></i>
        Product Name
      </label>
      <select id="product">
        <option value="">Select Product</option>
        <option value="Apple"
          data-rate="250">
          Apple
        </option>
        <option value="Banana"
          data-rate="80">
          Banana
        </option>
        <option value="Mango"
          data-rate="180">
          Mango
      </select>
    </div>
  </form>
</section>
```



```
</option>
</select>
</div>
<div class="input-group">
  <label>
    <i class="fa-solid fa-weight-hanging"></i>
    Quantity (Kg)
  </label>
  <input
    type="number"
    id="quantity"
    min="1"
    placeholder="Enter quantity">
</div>
<div class="input-group">
  <label>
    <i class="fa-solid fa-sack-dollar"></i>
    Rate / Kg
  </label>
  <input
    type="number"
    id="rate"
    readonly>
</div>
<div class="input-group">
  <label>
    <i class="fa-solid fa-star"></i>
    Membership
  </label>
  <select id="member">
    <option value="No">No</option>
    <option value="Yes">Yes</option>
  </select>
</div>
<div class="input-group">
  <label>
    <i class="fa-solid fa-credit-card"></i>
    Payment Mode
  </label>
  <select id="payment">
    <option>Cash</option>
    <option>Card</option>
    <option>UPI</option>
  </select>
```



SYMBIOSIS INSTITUTE OF TECHNOLOGY, NAGPUR

Symbiosis International (Deemed University)

(Established under section 3 of the UGC Act, 1956)

Re-accredited by NAAC with 'A++' grade | Awarded Category – I by UGC

Founder: Prof. Dr. S. B. Mujumdar, M. Sc., Ph. D. (Awarded Padma Bhushan and Padma Shri by President of India)

Case Study -2

```
</div>
<div class="button-group">
  <button
    type="button"
    id="calculateBtn">
    Calculate Bill
  </button>
  <button
    type="reset"
    id="resetBtn">
    Reset
  </button>
</div>
</form>
</section>
<section class="right-panel">
  <h2>
    <i class="fa-solid fa-file-invoice"></i>
    Invoice Summary
  </h2>
  <div class="invoice">
    <p>
      Invoice #
      <span id="invoiceNo">
        INV-1001
      </span>
    </p>
    <p>
      Date
      <span id="currentDate"></span>
    </p>
    <p>
      Customer
      <span id="outCustomer">-</span>
    </p>
    <p>
      Product
      <span id="outProduct">-</span>
    </p>
    <hr>
    <p>
      Quantity
      <span id="outQty">0 Kg</span>
    </p>
```



```
<p>
  Rate
  <span id="outRate">₹0</span>
</p>
<hr>
<p>
  Subtotal
  <span id="subtotal">₹0</span>
</p>
<p>
  Discount
  <span id="discount">₹0</span>
</p>
<p>
  GST (5%)
  <span id="gst">₹0</span>
</p>
<p>
  Packing
  <span id="packing">₹50</span>
</p>
<hr>
<h3>
  TOTAL
  <span id="total">
    ₹0
  </span>
</h3>
</div>
</section>
</main>
</div>
<script src="script.js"></script>
</body>
</html>
```

script.html:

```
const invoiceNo = document.getElementById("invoiceNo");
const currentDate = document.getElementById("currentDate");
const customerName = document.getElementById("customerName");
const mobile = document.getElementById("mobile");
const product = document.getElementById("product");
const quantity = document.getElementById("quantity");
const rate = document.getElementById("rate");
const member = document.getElementById("member");
```



```
const payment = document.getElementById("payment");
const calculateBtn = document.getElementById("calculateBtn");
const resetBtn = document.getElementById("resetBtn");
const outCustomer = document.getElementById("outCustomer");
const outProduct = document.getElementById("outProduct");
const outQty = document.getElementById("outQty");
const outRate = document.getElementById("outRate");
const subtotal = document.getElementById("subtotal");
const discount = document.getElementById("discount");
const gst = document.getElementById("gst");
const packing = document.getElementById("packing");
const total = document.getElementById("total");
invoiceNo.textContent =
    "INV-" + Math.floor(1000 + Math.random() * 9000);
const today = new Date();
currentDate.textContent =
    today.toLocaleDateString("en-GB", {
        day: "numeric",
        month: "long",
        year: "numeric"
    });
product.addEventListener("change", () => {
    const selected =
        product.options[product.selectedIndex];
    const price =
        selected.getAttribute("data-rate");
    rate.value = price ? price : "";
});
calculateBtn.addEventListener("click", () => {
    if (customerName.value.trim() === "") {
        alert("Enter Customer Name");
        customerName.focus();
        return;
    }
    if (! /^[0-9]{10}$/.test(mobile.value)) {
        alert("Enter Valid Mobile Number");
        mobile.focus();
        return;
    }
    if (product.value === "") {
        alert("Select Product");
        return;
    }
    if (quantity.value === "" || quantity.value <= 0) {
```



```
    alert("Enter Quantity");
    quantity.focus();
    return;
}
const qty = Number(quantity.value);
const price = Number(rate.value);
const sub = qty * price;
let discountAmount = 0;
if (member.value === "Yes") {
    discountAmount = sub * 0.10;
}
const afterDiscount =
    sub - discountAmount;
const gstAmount =
    afterDiscount * 0.05;
const packingCharge = 50;
const finalTotal =
    afterDiscount + gstAmount + packingCharge;
outCustomer.textContent =
    customerName.value;
outProduct.textContent =
    product.value;
outQty.textContent =
    qty + " Kg";
outRate.textContent =
    "₹" + price.toFixed(2);
subtotal.textContent =
    "₹" + sub.toFixed(2);
discount.textContent =
    "₹" + discountAmount.toFixed(2);
gst.textContent =
    "₹" + gstAmount.toFixed(2);
packing.textContent =
    "₹" + packingCharge.toFixed(2);
total.textContent =
    "₹" + finalTotal.toFixed(2);
});
resetBtn.addEventListener("click", () => {
    rate.value = "";
    outCustomer.textContent = "-";
    outProduct.textContent = "-";
    outQty.textContent = "0 Kg";
    outRate.textContent = "₹0";
    subtotal.textContent = "₹0";
```



```
discount.textContent = "₹0";
gst.textContent = "₹0";
packing.textContent = "₹50";
total.textContent = "₹0";
invoiceNo.textContent =
  "INV-" + Math.floor(1000 + Math.random() * 9000);
currentDate.textContent =
  new Date().toLocaleDateString("en-GB", {
    day: "numeric",
    month: "long",
    year: "numeric"
  });
});
Style.css :
*{
  margin:0;
  padding:0;
  box-sizing:border-box;
  font-family:'Roboto Mono', monospace;
}
body{
  margin: 0;
  padding: 40px 20px;
  font-family: 'Roboto Mono', monospace;
  background: url("images/background.jpg") no-repeat center center fixed;
  background-size: cover;
  display: flex;
  justify-content: center;
  align-items: center;
  min-height: 100vh;
  color: white;
}
.container{
  width: 1200px;
  max-width: 100%;
  background: rgba(0, 0, 0, 0.65);
  backdrop-filter: blur(12px);
  -webkit-backdrop-filter: blur(12px);
  border: 1px solid rgba(255,255,255,0.2);
  border-radius: 15px;
  padding: 35px;
  box-shadow: 0 10px 30px rgba(0,0,0,0.5);
}
header{
```



SYMBIOSIS INSTITUTE OF TECHNOLOGY, NAGPUR

Symbiosis International (Deemed University)

(Established under section 3 of the UGC Act, 1956)

Re-accredited by NAAC with 'A++' grade | Awarded Category – I by UGC

Founder: Prof. Dr. S. B. Mujumdar, M. Sc., Ph. D. (Awarded Padma Bhushan and Padma Shri by President of India)

Case Study -2

```
display:flex;
justify-content:space-between;
align-items:flex-start;
margin-bottom:25px;
}
.logo h1 {
font-size:32px;
margin-bottom:12px;
color:#ffffff;
}
.logo p {
font-size:18px;
color:#dddddd;
font-weight:500;
}
.title h2 {
font-size:30px;
color:#ffffff;
}
hr {
border:none;
border-top:2px solid #8a8a8a;
margin:25px 0;
}
main {
display:grid;
grid-template-columns:1fr 1fr;
gap:70px;
}
.left-panel h2,
.right-panel h2 {
margin-bottom:25px;
font-size:28px;
}
#billingForm,
.invoice {
background: rgba(255,255,255,0.05);
border: 1px solid rgba(255,255,255,0.2);
border-radius: 12px;
padding: 30px;
backdrop-filter: blur(8px);
}
.input-group {
margin-bottom:22px;
```



SYMBIOSIS INSTITUTE OF TECHNOLOGY, NAGPUR

Symbiosis International (Deemed University)

(Established under section 3 of the UGC Act, 1956)

Re-accredited by NAAC with 'A++' grade | Awarded Category – I by UGC

Founder: Prof. Dr. S. B. Mujumdar, M. Sc., Ph. D. (Awarded Padma Bhushan and Padma Shri by President of India)

Case Study -2

```
}  
.input-group label {  
  display: block;  
  font-size: 20px;  
  margin-bottom: 8px;  
  font-weight: bold;  
}  
.input-group label i {  
  width: 28px;  
}  
.input-group input,  
.input-group select {  
  width: 100%;  
  padding: 13px;  
  font-size: 18px;  
  color: rgb(0, 0, 0);  
  background: rgba(255, 255, 255, 0.08);  
  border: 1px solid rgba(255, 255, 255, 0.25);  
  border-radius: 8px;  
  outline: none;  
  transition: .3s;  
}  
.input-group input: focus,  
.input-group select: focus {  
  border-color: #4CAF50;  
  box-shadow: 0 0 12px rgba(76, 175, 80, .4);  
}  
.button-group {  
  margin-top: 35px;  
  display: flex;  
  gap: 18px;  
}  
.button-group button {  
  flex: 1;  
  padding: 15px;  
  font-size: 18px;  
  color: white;  
  background: #4CAF50;  
  border: none;  
  border-radius: 8px;  
  cursor: pointer;  
  transition: .3s;  
}  
.button-group button: hover {
```



SYMBIOSIS INSTITUTE OF TECHNOLOGY, NAGPUR

Symbiosis International (Deemed University)

(Established under section 3 of the UGC Act, 1956)

Re-accredited by NAAC with 'A++' grade | Awarded Category – I by UGC

Founder: Prof. Dr. S. B. Mujumdar, M. Sc., Ph. D. (Awarded Padma Bhushan and Padma Shri by President of India)

Case Study -2

```
transform:translateY(-3px);
background:#2E7D32;
box-shadow:0 8px 20px rgba(76,175,80,.4);
}
#billingForm:hover,
.invoice:hover{
  transform:translateY(-5px);
  transition:.3s;
  box-shadow:0 10px 25px rgba(0,0,0,.4);
}
.invoice{
  border:2px solid #d9d9d9;
  padding:30px;
}
.invoice p{
  display:flex;
  justify-content:space-between;
  margin:18px 0;
  font-size:20px;
}
.invoice h3{
  display:flex;
  justify-content:space-between;
  margin-top:25px;
  font-size:30px;
  color:#FFD54F;
}
.invoice hr{
  margin:20px 0;
  border-top:1px dashed #999;
}
footer{
  margin-top:45px;
  text-align:center;
  font-size:22px;
  font-weight:bold;
}
::placeholder{
  color:#b8b8b8;
}
::-webkit-scrollbar{
  width:10px;
}
::-webkit-scrollbar-track{
```



SYMBIOSIS INSTITUTE OF TECHNOLOGY, NAGPUR

Symbiosis International (Deemed University)

(Established under section 3 of the UGC Act, 1956)

Re-accredited by NAAC with 'A++' grade | Awarded Category – I by UGC

Founder: Prof. Dr. S. B. Mujumdar, M. Sc., Ph. D. (Awarded Padma Bhushan and Padma Shri by President of India)


Case Study -2

```
background:#222;
}
::-webkit-scrollbar-thumb{
  background:#555;
}
::-webkit-scrollbar-thumb:hover{
  background:#777;
}
@media(max-width:900px){
  header{
    flex-direction:column;
    gap:20px;
  }
  main{
    grid-template-columns:1fr;
  }
  .button-group{
    flex-direction:column;
  }
  .logo h1{
    font-size:28px;
  }
  .title h2{
    font-size:26px;
  }
  .left-panel h2,
  .right-panel h2{
    font-size:24px;
  }
  .invoice p{
    font-size:18px;
  }
  .invoice h3{
    font-size:26px;
  }
}
@media(max-width:600px){
  body{
    padding:20px 10px;
  }
  #billingForm,
  .invoice{
    padding:20px;
  }
}
```



```
.input-group label{
  font-size:18px;
}
.input-group input,
.input-group select{
  font-size:16px;
}
footer{
  font-size:18px;
}
}
```

Output :



Result: The FreshMart Smart Billing System was successfully developed with a responsive user interface that accurately calculates the bill, applies discounts, GST, and packing charges, and generates a printable invoice.

Conclusion: The experiment demonstrated the use of HTML, CSS, and JavaScript to create an interactive and user-friendly e-commerce billing application with real-time calculations and form validation.