



THE DINING EXPERIENCE APP

FULL PRODUCT REQUIREMENTS DOCUMENT

Phase 1 Core Platform • Phase 2 Elite Meetups

Engineering source of truth for diner, restaurant, marketing, agency, finance and admin products

Document status

Version 1.5 | Internal Draft | August 2026

Owner: Product | Audience: Engineering, Design, QA, Data, Finance, Operations and Restaurant Success

VERSION 1.7 • 6 AUGUST 2026

CONFIDENTIAL — INTERNAL CONSUMPTION ONLY

DOCUMENT CONTROL

1. Purpose, Audience and Decision Language

This PRD defines what Elite should build in Phase 1 and Phase 2, how each module should behave, which user roles can perform which actions, how money and entitlements move, what events must be instrumented, and what conditions must be satisfied before launch. It is intended to be implementation-ready enough for engineering estimation and solution design while preserving explicitly open commercial, legal and algorithmic decisions. Version 1.7 makes two product rules explicit: a restaurant may charge the diner a restaurant-defined membership fee for its Restaurant Membership, and Elite diner levels are assigned from the diner's cumulative confirmed Earned Tokens only, regardless of whether those Earned Tokens are later spent or expire.

Field	Definition
Product	Elite — consumer dining, restaurant growth and community platform
Document owner	Product
Primary audience	Engineering, Design, QA, Data, Finance, Operations, Restaurant Success and Trust & Safety
Version	1.5 — Phase 1 and Phase 2 engineering PRD
Status	Internal draft; confirmed decisions may be estimated, open decisions require closure before release
Source baseline	Elite App Product Document v2.2, Platform Strategy & Commercial Framework, product decisions captured through August 2026, and August 2026 migration/compliance review, and August 2026 home discovery/curation update.

Decision language

Tag	Meaning
CONFIRMED	Management direction already provided and safe for product planning.
RECOMMENDED	A proposed implementation approach; Product may adjust before sprint commitment.
OPEN	A material decision that must be resolved before development, contracting, finance setup or launch.

Confirmed decisions incorporated in this PRD

- Identity includes mobile number, name, gender and date of birth, with appropriate consent and privacy controls.
- Restaurant loyalty uses 1 point = ₹1. Each restaurant can configure its own expiry policy and terms; if no outlet-specific expiry is configured, points expire 365 days after issuance.
- Elite Membership costs ₹199/month and includes 3 member Amplifies each month. Each Amplify is priced/stated at ₹49, for ₹147 of monthly Amplify value.
- The Amplify prompt appears immediately after a diner publishes an eligible experience.
- Restaurants may amplify eligible positive experiences through paid batches starting at ₹50,000 + GST.
- Restaurant partner accounts require a Marketing Workspace; agencies require a multi-outlet portal, Master Central Balance, outlet allocations, milestone rewards and ROI reporting.
- Phase 2 supports both public meetups accessible to all eligible users and private meetups for a host's own community.
- Meetup hosts must be active Elite Members with a fully completed and verified profile. Participant-facing pricing must disclose total joining price and the amount redeemable at the restaurant; host earnings are not separately itemised to participants.
- Version 1.3 added legacy-data migration and rollback, child/age controls, consent and data-rights operations, report-abuse protection, intermediary/UGC moderation, non-Bridge visit verification, bill mismatch handling and meetup safety gates.
- Version 1.4 added diner-created public/private Curations V1, verified Google restaurant import, a 15-restaurant cap and Verified Visited badges.
- Version 1.5 adds verified Token earning bound to unique visits, paid Token packs, separate Token lots/expiry, contextual top-ups, closed-loop restrictions, anti-pay-to-win safeguards and engagement experiments.
- A restaurant may make its Restaurant Membership free or charge the diner a restaurant-defined membership fee. The fee, billing term, renewal, benefits, taxes and cancellation/refund terms must be shown before payment; no paid membership is activated without explicit diner confirmation and successful payment.
- Elite levels use Lifetime Earned Tokens: the cumulative confirmed Tokens earned from qualifying activity. Spending or expiry does not reduce level progress. Purchased, Pack Bonus and Promotional Tokens never count toward levels; reversals remove the associated earned progress.

CONTENTS

Part I — Product strategy, goals, users and phase plan

Part II — Phase 1: core diner, restaurant, membership and marketing platform

Part III — Phase 2: public/private meetups and quote marketplace

Part IV — Shared platform services, data, security and finance controls

Part V — Success metrics, rollout, QA and open decisions

Appendices — state models, notification matrix and event taxonomy

PART I — PRODUCT STRATEGY & PHASE PLAN

2. Product Vision

Vision

Make every dining decision more informed, every restaurant visit more effortless, and every honest diner contribution more meaningful.

Elite is the live, experience-led layer for dining. Diners discover restaurants through recent experiences and real-time context, use smart utilities during the visit, contribute back to a trusted community, receive personalised value, and build an ongoing relationship with restaurants and other diners.

Problems to solve

- Static star ratings preserve historical reputation but do not reliably represent the current experience.
- Thoughtful diner contributions are quickly buried and do not create lasting status, reach or influence for the contributor.
- Listing marketplaces can reward paid visibility over recency, relevance and trust.
- Restaurant discounts are often blanket subsidies rather than tools for first visit, repeat visit, recovery, higher spend or low-demand periods.
- Restaurants and their marketing agencies lack a closed-loop system connecting campaigns to verified visits, payments, reservations, loyalty and repeat behaviour.
- People who want to dine around a community or interest still coordinate fragmented venue discovery, participant collection and payment outside the dining platform.

The Elite closed loop

1. Discover through recent experiences, curations, people, events and context.
2. Validate through Live Menu, Live Vibe, deals, availability, reservations and current sentiment.
3. Visit, reserve, order, pay or self-checkout through Elite-supported flows.
4. Share a verified or complete experience and receive visible contribution impact.
5. Build status through helpfulness, following, Tokens, membership and Amplify.
6. Return through restaurant loyalty, personalised offers, recovery and lifecycle communication.
7. In Phase 2, create or join dining meetups and let restaurants compete to host relevant groups.

3. Goals and Non-goals

In scope	Out of scope / deferred
Create a trusted, recent and experience-led restaurant discovery system.	A generic paid listing marketplace where organic rank is directly purchased.
Make high-intent dining actions measurable: menu view, reservation, visit, payment, experience, loyalty redemption and meetup attendance.	Unrestricted access to raw diner personal data by restaurants or agencies.
Give diner contributors status and incremental reach without corrupting organic trust signals.	Allowing Amplify or ad spend to change the Experience Score.

In scope	Out of scope / deferred
Give restaurants and agencies controlled ad products with financial, approval and ROI visibility.	A cash-withdrawable, transferable or restaurant-payment wallet. Elite Tokens are closed-loop digital credits usable only for approved Elite in-app products, subject to legal/payment approval.
Use deals and outlet loyalty to drive incremental first visits and repeat relationships.	An open social network unrelated to dining, restaurants or hosted dining communities.
Build a Phase 2 community transaction layer for paid public and private meetups.	Guaranteed revenue attribution where Elite does not control the necessary visit or payment signals.
Home discovery hierarchy with a story-style Curators to Follow rail, labelled restaurant event ads, a dedicated Curations entry/page and diner-created public/private Curations V1.	Collaborative or non-restaurant wishlists, arbitrary map pins and public discovery of private curations.

4. Users, Roles and Permissions

Role	Primary need	Core permissions
Diner	Choose better, use dining utilities, save money and contribute	Discover, reserve, pay, share experiences, react, follow, earn/buy/spend Elite Tokens, create/manage public or private restaurant curations and join meetups.
Elite Member	Build status, reach and community influence	Member badge, long-form experiences, 24-hour edits, 3 monthly Amplifies; Phase 2 meetup hosting.
Meetup Host — Phase 2	Create trusted public or private dining gatherings	Active Elite Member with a complete verified profile; can create meetups, invite/approve participants, request quotes, select venue, manage seats, communicate, check-in and receive eligible host earnings.
Restaurant Outlet Admin	Control outlet operations and external access	Manage outlet profile, approve staff/agency access, approve campaigns and meetups, view financial and performance reporting.
Restaurant Marketing Admin	Run outlet marketing products	Create Amplify/event campaigns, recharge or use allocated budget, see campaign and ROI reports subject to permissions.
Marketing Contributor	Prepare campaigns without unrestricted spend	Create drafts, upload assets, view approved reporting; spend/publish only if granted.
Agency Admin	Manage multi-outlet marketing relationships and funds	Request outlet linkage, manage agency users, recharge Master Central Balance, allocate funds and view consolidated reporting.
Agency Campaign Manager	Operate assigned outlet campaigns	Create/manage campaigns within outlet and spending permissions.
Restaurant Operations User	Operate menu, vibe, reservations and meetup delivery	Update live signals, respond to bookings/quotes and complete event operations.

Role	Primary need	Core permissions
Elite Admin	Govern platform rules	Moderation, partner entitlement, pricing, campaign approval, rewards, disputes, settlements, score audit and permissions.
Finance / Reconciliation	Protect financial correctness	View immutable ledgers, invoices, GST, payouts, refunds, reward credits and reconciliation exceptions.

5. Phase Plan and Engineering Sequence

Phase interpretation

Phase 1 is the complete core Elite platform and monetisation stack. Phase 2 adds member-created public/private meetups and the associated venue quote, participant payment, settlement and safety systems. Phase 1 is broken into increments so engineering can sequence dependencies without treating each increment as a separate commercial launch.

Release increment	Scope	Exit condition
Phase 1A — Trust & Discovery	Identity, profile, home, search, diner-created public/private Curations V1, Google restaurant import, restaurant profiles, experiences, verification, helpfulness, following and score clarity.	Diners can discover, create and manage restaurant curations, understand and contribute; all trust and curation events are instrumented.
Phase 1B — Dining Utility & Value	Live Menu, Live Vibe, normal reservations, self-checkout, receipts, flat/tiered deals, outlet loyalty, verified Token earning, Token lots and the paid Token Store.	A diner can move from consideration to verified dining action, earn/buy/redeem closed-loop in-app value and reconcile every Token movement.
Phase 1C — Membership & Amplify	₹199 subscription, badge, long-form, 24-hour edit, monthly credits, post-publish Amplify, restaurant paid Amplification and campaign disclosures.	Member and restaurant distribution products run without changing organic score/rank.
Phase 1D — Restaurant Marketing & Agency	Outlet Marketing Workspace, events, agency linkage/approval, Master Central Balance, allocations, campaigns, milestones/rewards and Ecosystem Partner ROI.	Multi-outlet marketers can fund, approve, launch and reconcile campaigns safely.
Phase 1E — Retention, Elara & Governance	Lifecycle triggers, win-back/recovery, Elara actions, admin controls, deeper attribution and operational dashboards.	The platform can drive repeat behaviour and govern all core systems.
Phase 2A — Meetup MVP	Member host eligibility, public/private meetup, fixed venue/price, restaurant confirmation, seats, payment, check-in, cancellation, settlement and safety.	A paid meetup can complete end-to-end with accurate participant and restaurant settlement.
Phase 2B — Quote Marketplace	Intent broadcast to eligible restaurants, multi-quote comparison, package negotiation, host earnings, advanced reputation and automation.	Hosts can source and contract venues through Elite without offline spreadsheets or payment collection.

PART II — PHASE 1 CORE PLATFORM PHASE 1

6. Phase 1 Scope Summary

In scope	Out of scope / deferred
Diner identity, profile, discovery, restaurant intelligence and public/private Curations V1.	Member-created meetups and participant payment pools.
Experience creation, verification, score, helpfulness and social graph.	Restaurant quote marketplace for hosts.
Deals, restaurant loyalty, verified Elite Token earning, paid Token packs, Token-funded in-app purchases and value display at checkout/wallet.	Cash withdrawal, peer-to-peer transfer, restaurant-bill payment with Elite Tokens or conversion into restaurant loyalty points.
₹199 membership and member Amplify flow immediately after publishing.	Public/private meetup discovery and invitation systems.
Restaurant positive-experience amplification from ₹50,000 + GST per batch.	Advanced meetup trust, moderation and attendee reputation.
Restaurant and agency marketing workspaces, balances, rewards and ROI.	
Restaurant event publishing and paid amplification.	
Core reservations, self-checkout, receipt, lifecycle and Elara actions.	

7. Identity, Consent and Profile

User story

As a diner, I need create a lightweight but trustworthy Elite identity and control how my details are used, so that I can receive personalised dining value without losing privacy.

ID	Functional requirement	Acceptance criteria
P1-ID-001	Support mobile-number account creation and login using OTP or approved OTP-less flow.	A unique user record is created/linked; duplicate mobile identities are handled; failed verification is rate-limited.
P1-ID-002	Collect full name, gender and date of birth as identity fields.	Fields are stored with consent metadata; DOB validation rejects impossible/future values; gender supports configured values and Prefer not to say.
P1-ID-003	Allow progressive profile completion rather than blocking all discovery.	User can browse before completing optional details; gated benefits clearly explain why data is requested.
P1-ID-004	Capture dining preferences including dietary preference, allergies, cuisines, localities and occasions.	Preferences can be added/edited and are available to recommendation services with consent.

ID	Functional requirement	Acceptance criteria
P1-ID-005	Maintain user verification, trust, membership, level and moderation state.	Server-side entitlements are derived from active state; suspended or expired users cannot access restricted actions.
P1-ID-006	Provide profile privacy controls for DOB/gender visibility, follower visibility and meetup profile exposure.	Private fields never appear publicly unless the user explicitly enables a supported visibility option.
P1-ID-007	Maintain separate age states: unknown, self-declared, age-verified adult, verified minor and parent-consented minor.	DOB alone does not unlock age-restricted actions. Age state, verification provider/reference, jurisdiction and verification timestamp are auditable without exposing raw identity documents to product users.
P1-ID-008	Obtain verifiable parental consent before optional processing of personal data for a user identified as a child, subject to applicable law and exemptions.	Parent is verified as an identifiable adult; consent scope, child account, notice version, timestamp, expiry/revocation and evidence reference are stored. Withdrawal disables dependent processing across services.
P1-ID-009	Suppress behavioural monitoring, profiling and targeted advertising for verified or reasonably suspected minors.	Minor accounts receive contextual or explicitly requested discovery only; no behavioural ad audience, lookalike audience, remarketing, campaign targeting or minor-derived marketing profile is created.
P1-ID-010	Require verified legal-age eligibility for alcohol-led events, brewery/alcohol promotions and age-restricted meetups.	Self-declared DOB is insufficient. The rule uses a jurisdiction-configured threshold and an approved age-assurance/KYC signal; failed or unavailable verification blocks join/purchase and does not reveal sensitive document data to hosts/restaurants.
P1-ID-011	Provide a consent and data-rights centre for access, correction, erasure, withdrawal and grievance requests.	Requests are identity-verified, stateful, SLA-tracked and propagated to processors/services. The user can see status and outcome; legal holds and mandatory retention are separately recorded rather than silently denying deletion.

Profile surface	Minimum content
Header	Photo/avatar, name, member/verified badge, Elite level, Lifetime Earned Token progress, follow action and contribution stats.
Stats	Experiences, verified experiences, helpful reactions received, restaurants visited, followers/following and hosted meetups after Phase 2.
Preferences	Diet, cuisine, locality, occasion, allergies and notification choices.
Balances	Spendable Elite Token balance and restaurant-specific loyalty balances; Lifetime Earned Tokens/level progress are shown separately and are not a spendable balance. Money-equivalent values must be labelled precisely.

Profile surface	Minimum content
History	Experiences, saved restaurants, reservations, receipts, redemptions and Phase 2 meetups subject to privacy.

7A. Age, Minors, Consent Lifecycle and Data Rights

Product and compliance rule / Date of birth is an identity input, not sufficient proof for restricted actions. The platform must support verifiable parental consent, suppression of child behavioural targeting, age assurance for restricted events, consent withdrawal across processors, and operational access/correction/erasure/grievance requests. Legal owns the effective-date and exemption matrix; requirements are designed ahead of phased DPDP commencement.

7A.1 Age and eligibility states

Age state	Meaning	Allowed behaviour
Unknown	No reliable DOB/age evidence.	General non-restricted browsing; no age-restricted join/purchase.
Self-declared	DOB supplied but not independently verified.	Profile personalisation subject to consent; cannot unlock alcohol/age-restricted action.
Verified adult	Approved provider confirms threshold for the relevant jurisdiction.	May access restricted action subject to event terms and other eligibility.
Verified minor	Approved signal indicates user is under 18 or below configured threshold.	No behavioural monitoring/targeted ads; restricted actions blocked; parental-consent rules apply.
Parent-consented minor	Parent/guardian adult identity and scoped consent verified.	Only consented, child-safe processing; still no prohibited tracking/targeted ads or adult-only access.

7A.2 Consent and rights requirements

ID	Functional requirement	Acceptance criteria
P1-PRV-001	Consent service stores purpose, data categories, notice/policy version, language, actor, timestamp, source and withdrawal state.	Every consent-dependent service can prove the active consent used for processing and rejects stale/withdrawn purposes.
P1-PRV-002	Withdrawal propagates through identity, recommendations, marketing audiences, Clyro/processors, analytics and exports.	Propagation is queued immediately, retried, observable and completed within configured SLA; downstream acknowledgement is retained.
P1-PRV-003	Support access/DSAR export of processed data and processors/recipients where applicable.	Identity verification precedes export; export is encrypted/time-limited and excludes other users' data, security secrets and legally exempt information.

ID	Functional requirement	Acceptance criteria
P1-PRV-004	Support correction/completion of profile and identity data with re-verification where required.	Corrections update canonical data and dependent projections; historical financial/audit records are not rewritten without trace.
P1-PRV-005	Support erasure/account closure with legal-hold and mandatory-retention exceptions.	Public profile/UGC handling, financial retention, registration retention and processor deletion are separately actioned and reported to the user.
P1-PRV-006	Publish accessible contact details for privacy/data questions and grievance escalation.	Current contact appears in app/web and in rights-request responses; ownership and SLA are configured and monitored.
P1-PRV-007	Minimise raw identity/age-document storage.	Preferred implementation stores provider assertion, threshold result and reference, not full document images. Exceptional storage requires encrypted restricted vault, expiry and explicit purpose.
P1-PRV-008	Maintain a policy-configurable per-entity retention/deletion schedule.	Scheduled jobs, legal holds, deletion receipts, processor propagation and retention exceptions are testable and auditable.

7A.3 Retention baseline

Entity / data class	Product baseline	Deletion / exception rule
Account registration identifiers	While account is active plus 180 days after cancellation/withdrawal.	Longer only for legal hold or another applicable requirement.
Profile, preferences and optional personalisation data	Until purpose ends, consent is withdrawn or erasure is approved.	Delete or irreversibly de-identify; stop processor use first.
Age/KYC evidence	Retain provider assertion and reference only; raw evidence should not be stored by Elite by default.	If exceptionally stored, purge within 30 days after verification unless law/provider contract requires otherwise.
Consent and rights-request evidence	For active processing and the legal-approved evidence period after closure.	Schedule is configurable; record must prove notice/consent/withdrawal without retaining unnecessary source data.
Published UGC	While published.	On deletion/removal, remove from public surfaces immediately; preserve removed/disabled evidence for 180 days where intermediary rules require, then erase unless legal hold.
Marketing behavioural events	Adult granular events: 180-day product baseline, then aggregate/pseudonymise.	No child behavioural-targeting profile or ad audience is retained.
Meetup participation and safety records	365 days after completion/cancellation.	Open disputes, safety cases and financial/legal records follow their longer approved schedule.
Financial, invoice, payout and tax records	Finance/legal statutory schedule.	Not erased on account deletion where retention is legally required; access is restricted and purpose-limited.

Entity / data class	Product baseline	Deletion / exception rule
Regulatory baseline — August 2026 / The DPDP Act prohibits detrimental child processing, child tracking/behavioural monitoring and targeted advertising directed at children, and requires verifiable parental consent subject to notified exemptions. Final DPDP Rules 2025 use phased commencement and prescribe verifiable-consent mechanics. The policy engine must remain configurable and Legal must confirm the effective obligation at each launch date.		

8. Home, Search, Curations and Discovery

User story

As a diner, I need see relevant restaurants and recent experiences without a paid-listing doom scroll, so that I can make a confident dining decision faster.

ID	Functional requirement	Acceptance criteria
P1-DIS-001	Provide home modules for personalised recommendations, recent experiences, curations, deals, live signals, followed people and restaurant events.	Each module has a distinct source, empty state, analytics event and server-configurable ordering.
P1-DIS-002	Support restaurant, dish/cuisine, locality, occasion and curation search.	Search returns relevant entities, tolerates common spelling variance and logs query, result and downstream action.
P1-DIS-003	Show Elite-created, public diner-created and rules/algorithm-generated curations with title, description, cover image and ordered restaurant list.	Only public curations may enter discovery; private curations remain owner-only. Removed, invalid or out-of-date restaurant references are not shown.
P1-DIS-004	Rank organic content using relevance, recency, trust, distance/context, experience quality and availability signals.	Paid campaigns are labelled and cannot directly overwrite organic score or organic rank.
P1-DIS-005	Avoid over-concentration of a few outlets or contributors.	Feed applies frequency caps and diversity rules configurable by surface.
P1-DIS-006	Expose reason-for-recommendation copy where useful.	Examples include Near you, Strongly recommended by diners, You follow this curator, or New-diner deal; reason is generated from valid signals.
P1-DIS-007	Use a server-configurable Phase 1 home hierarchy: header/location and search; Curators to Follow story rail; quick decision chips; personalised recommendation; fresh experiences; personalised value; live signals; restaurant events; Explore Curations; followed-people activity; continue-your-journey prompts; contextual membership card.	The Curator rail renders immediately below search and above the remaining discovery modules. Every module supports eligibility rules, loading/empty states, analytics and remote ordering without requiring an app release.

ID	Functional requirement	Acceptance criteria
P1-DIS-008	Provide a horizontally side-swipable story-style Curators to Follow rail using circular profile tiles.	Each eligible tile shows curator image, display name, verification/member state where applicable, follow state and optional recent-activity ring. Swiping is smooth and accessible; blocked, private, suspended or ineligible profiles are excluded.
P1-DIS-009	Open the curator public profile when a diner selects a curator tile.	The profile exposes only public fields and includes bio, badges, follower/following counts, experience count, recent experiences, recommended restaurants and public curations. Phase 2 public meetups may appear; private meetup activity never appears.
P1-DIS-010	Rank curator recommendations using relevance and contribution quality while preserving diversity.	The service can use city/locality, cuisine and occasion affinity, visit overlap, helpfulness, recency, trusted status and social proximity. Frequency caps prevent the same curator or creator cluster from dominating the rail; the reason/source is logged.
P1-DIS-011	Allow restaurant event advertising inventory to be inserted within the curator story rail.	Event inventory is visually distinguishable from people, carries a visible Event/Promoted Event label, opens the event detail page, follows campaign eligibility and age gates, and defaults to no more than one paid event after every 5-7 eligible curator tiles unless remotely configured.
P1-DIS-012	Apply disclosure, frequency, trust and age controls before rendering an event ad in the story rail.	An event ad cannot impersonate a curator, cannot be shown after campaign expiry or event cancellation, is suppressed for ineligible/minor/unverified-age users where applicable, and respects per-user, per-session, outlet and campaign frequency caps.
P1-DIS-013	Provide an Explore Curations section on home with a View All action that opens the dedicated Curations page.	Home cards show cover image, title, short description/tagline, restaurant count and creator/provenance where applicable. The module supports editorial, personalised and context-led ordering and records card and View All actions.
P1-DIS-014	Provide a Curations page and curation-detail experience for official and public diner-created curations.	The page supports Featured, For You, occasion, experience, Created by Diners and people-you-follow groupings; curation detail shows hero, title, description, creator, updated date, ordered restaurant list, verified-visit badges, live/value signals, save and share actions.

ID	Functional requirement	Acceptance criteria
P1-DIS-015	Store and display curation provenance and sponsorship truthfully.	Every curation is identified as Elite-created, diner-created, rules/algorithm-generated or sponsored. Any sponsored curation or restaurant insertion is labelled and cannot silently overwrite organic ordering.
P1-DIS-016	Keep private or restricted social activity out of public discovery surfaces.	Private curations, private meetups, private invitations, restricted profile fields and blocked relationships never appear in the curator rail, Curations page, home modules, public profiles or recommendations.

8.1 Default Phase 1 Home Hierarchy

- Location, notifications, profile and universal search.
- Curators to Follow story rail with circular profiles and eligible event advertisements.
- Quick decision chips and one personalised hero recommendation.
- Fresh Experiences Near You.
- Value for You: deals, loyalty and expiring value.
- What's Live Around You: Live Vibe, Live Menu and availability.
- Restaurant events happening nearby or at relevant times.
- Explore Curations with a View All route to the full Curations page.
- From People You Follow and Continue Your Dining Journey.
- Contextual Elite Membership prompt rather than a permanent dominant banner.

8.2 Curators to Follow Story Rail

The story rail is a social-discovery surface, not a generic advertisement strip. It appears directly below search. Curator tiles are circular, horizontally side-swipable and open the selected curator's public profile.

Recommendation must balance relevance, contribution quality, freshness and diversity. Paid curator placement is not supported unless a separately defined and clearly disclosed product is approved later.

- Tile content: profile image, display name, curator/member badge where eligible, follow state and optional recent-activity ring.
- Curator profile: public bio, badges, follower/following counts, experiences, recommended restaurants, public curations and Phase 2 public meetups only.
- Privacy: blocked users, suspended accounts, minors/restricted profiles and all private-meetup activity are excluded.
- Empty state: fall back to high-quality city curators or remove the module; never fill the rail with irrelevant profiles.

8.3 Restaurant Event Ads in the Story Rail

Restaurant event campaigns may use the story rail as a paid placement. The event tile can use event artwork cropped for the circular treatment, but it must remain visibly different from a person profile and must carry Event or Promoted Event disclosure. Selecting it opens the event detail page defined in Section 22.

- Default inventory rule: one promoted event after every 5-7 eligible curator tiles; the server may lower ad density but may not exceed the approved cap without product approval.
- Do not render cancelled, expired, sold-out-without-waitlist or age-ineligible events.
- Apply user, session, campaign and outlet frequency caps and log the placement source for ROI attribution.

- Organic curator recommendation and profile ranking cannot be purchased through the event-ad product.

8.4 Explore Curations and Dedicated Curations Page

Home must contain a visually distinct Explore Curations module that gives diners a direct route into occasion-led, social and editorial restaurant discovery. Official Elite Curations remain a featured layer, while public diner-created and personalised curations are available from V1. The module includes a View All action to the Curations page.

- Home card: 16:9 cover, title, short description, restaurant count, creator/provenance and save action where space permits.
- Curations page groupings: Featured, For You, By Occasion, By Experience, Strongly Recommended by Diners, Created by Diners and From People You Follow.
- Curation detail: hero, description, creator, last updated date, ordered restaurants, verified-visit badges where the creator has a qualifying verified visit, recent experiences, live signals, deals/loyalty, save and share.
- Sponsored curations or sponsored restaurant insertions must be explicitly labelled and must not silently modify the organic ordering logic.

8.5 Diner-created Curations V1

Curations are diner-owned restaurant wishlists. Every diner can create multiple curations for personal planning or public discovery, such as Best Cocktail Spots in Town, Best Breakfast Cafes or Places for a College Reunion.

- Required content: title, description and cover image. A curation can contain a maximum of 15 unique restaurants.
- Visibility: Public curations can appear in search, the Curations page, creator profiles, home recommendations and sharing flows. Private curations are accessible only to the owner and are never indexed, recommended or shown on a public profile.
- Restaurant coverage: Diners can add Elite Ecosystem restaurants, Non-Ecosystem restaurants and restaurants not yet on Elite.
- External restaurant import: A restaurant not present on Elite can be imported only through a verifiable Google restaurant entity. The system must retain the Google place identifier, restaurant name, address/location, eligible dining place type and source-verification timestamp, and must reject random landmarks, homes or non-dining locations.
- Verified visit: Each restaurant entry shows a Verified Visited badge only when the curation owner has a qualifying verified visit for that exact Elite outlet or matched external restaurant. The curation may also show a summary count such as 6 of 10 personally visited; unverified entries must not inherit the badge.
- Management: The owner can add, remove and reorder restaurants, edit title/description/cover, switch visibility and archive or delete a curation. V1 does not include collaborative editing, non-restaurant places or paid manipulation of restaurant ordering.

ID	Functional requirement	Acceptance criteria
P1-CUR-001	Allow every authenticated diner to create and maintain multiple curations.	A diner can create more than one curation; each has an independent ID, owner, visibility, content, restaurant order, timestamps and moderation state.
P1-CUR-002	Require title, description and cover image before a curation can be published, and enforce a maximum of 15 unique restaurants.	Drafts may be incomplete. Publish is blocked until required fields and at least one restaurant are present. Adding a 16th unique restaurant is rejected server-side and explained in the UI.
P1-CUR-003	Support Public and Private visibility.	Public curations can be discovered and shared. Private curations are owner-only, excluded from

ID	Functional requirement	Acceptance criteria
		search/indexes/recommendations/public profiles and protected by server-side authorisation, not only client hiding.
P1-CUR-004	Allow restaurants to be added from Elite inventory regardless of Ecosystem/Non-Ecosystem status.	Search results identify the correct outlet and location; the same outlet cannot be added twice to one curation.
P1-CUR-005	Allow import of a restaurant not present on Elite only through a verifiable Google restaurant entity.	Import requires a valid Google place identifier, allowed restaurant/cafe/bar or approved dining type, name, address and coordinates. Non-dining place types, unverifiable free-text entries and duplicate entities are rejected or routed to merge review.
P1-CUR-006	Create or match an Elite restaurant reference for an accepted Google import while preserving source provenance.	The imported record stores external source, source ID, source payload/version or hash, last verification time and duplicate/merge relationship. A later partner onboarding can claim/merge the entity without breaking existing curation links.
P1-CUR-007	Show a Verified Visited badge on a restaurant item when the curation owner has a qualifying verified visit.	Badge state is computed from Visit Verification Evidence for the same owner and matched outlet/place, includes verification timestamp/method internally, updates after reversal and never implies that unbadged entries were visited.
P1-CUR-008	Allow the owner to add, remove and reorder restaurant items and edit curation metadata.	Reordering is persisted transactionally with stable item IDs; concurrent edits resolve without duplicate positions or lost restaurants; public pages update after successful save.
P1-CUR-009	Expose public diner-created curations on eligible discovery and creator-profile surfaces.	Public ranking uses relevance, recency, saves, creator trust and quality; private curations and blocked/suspended owners are excluded. Visibility changes propagate to indexes within the defined SLA.
P1-CUR-010	Moderate and report public curation titles, descriptions, covers and restaurant membership without enabling restaurant suppression abuse.	Public curation UGC follows the report-class, SLA and appeal rules in Sections 12A-12B; a restaurant disagreement alone cannot silently remove the curation or verified-visit badge.

9. Restaurant Profile

ID	Functional requirement	Acceptance criteria
P1-RST-001	Display identity, location, imagery, category, cost, current Experience Score label and confidence context.	User can understand what the restaurant is, where it is and how recent diner sentiment is calculated.
P1-RST-002	Expose Live Menu, Live Vibe, reservation, directions, call, share, save/follow and payment actions when eligible.	Unavailable actions show reason and fallback rather than a broken control.

ID	Functional requirement	Acceptance criteria
P1-RST-003	Show recent experiences with verification labels, helpfulness and date.	Experiences comply with moderation and surface rules; promoted content is clearly labelled.
P1-RST-004	Show eligible deals, loyalty balance and restaurant events without misleading stacking.	Eligibility and expiry are evaluated server-side and reflected in the CTA.
P1-RST-005	Show total diners served or other approved credibility metrics only when sourced reliably.	Metric includes definition/period where required and is hidden when data confidence is insufficient.
P1-RST-006	Support listed, Non-Ecosystem and Ecosystem entitlement differences.	Features are hidden or disabled based on entitlement; client cannot bypass server-side checks.

10. Live Menu, Live Vibe and Reservations

Live Menu

ID	Functional requirement	Acceptance criteria
P1-LIVE-001	Display restaurant menu outside the venue with category, item, price, availability and dietary information.	Last-updated time is visible where needed; stale/unavailable data has a clear fallback.
P1-LIVE-002	Receive availability updates from Bridge or restaurant controls.	Updates are idempotent and auditable; item status propagates within defined SLA.
P1-LIVE-003	Allow diner to report incorrect menu/availability.	Report creates a traceable issue without directly mutating menu data.

Live Vibe

ID	Functional requirement	Acceptance criteria
P1-VIBE-001	Support configured statuses such as Seats Available, Filling Fast and Running Hot.	Status includes source, timestamp and expiry; expired status is never presented as current.
P1-VIBE-002	Allow restaurant/Bridge operational update and optionally model-assisted suggestion.	Manual confirmation and audit history are retained; unsupported automation is not shown as fact.

Reservations

ID	Functional requirement	Acceptance criteria
P1-RES-001	Support normal reservations with date, time, party size, contact and restaurant confirmation.	User receives confirmation/status; restaurant can accept, reject or propose permitted changes.
P1-RES-002	Support sections where configured.	Available sections and any price/advance differences are shown before confirmation.

ID	Functional requirement	Acceptance criteria
P1-RES-003	Support guaranteed/sectional paid reservations for entitled restaurants.	Advance, cancellation deadline and refund terms are accepted before payment; settlement and refund are auditable.
P1-RES-004	Implement 30-minute table hold default as a configurable restaurant rule.	Reminder and late-state handling use the configured policy.
P1-RES-005	Capture table mismatch dispute through scan or post-seating prompt.	Customer response, restaurant response and dispute resolution are recorded.

11. In-Restaurant, Payment and Post-Visit Journey

ID	Functional requirement	Acceptance criteria
P1-PAY-001	Support eligible self-checkout with itemised bill, discounts/loyalty selection, payment and digital receipt.	Amounts reconcile with restaurant bill; payment is idempotent; receipt is retrievable.
P1-PAY-002	Show convenience fee, taxes, discount, loyalty value and payable amount before payment.	No hidden amount is introduced after user confirmation except explicitly handled bill change.
P1-PAY-003	Provide failed, pending, reversed, refunded and disputed payment states.	User and restaurant see a consistent state sourced from server reconciliation.
P1-PAY-004	Trigger post-visit experience prompt after verified payment, reservation/check-in or approved visit signal.	Duplicate prompts are suppressed and attribution to visit is maintained.
P1-PAY-005	Store itemised receipt as dining memory where data is available.	Receipt is privacy-protected and can link to experience creation and reorder/revisit context.
P1-PAY-006	Support auditable visit verification for Bridge and Non-Ecosystem/non-POS restaurants.	Eligible methods include reconciled Elite/Bridge payment, reservation plus restaurant check-in, one-time table QR/OTP tied to outlet/session, or approved receipt/payment match. Every verification stores method, confidence, evidence reference, actor and timestamp.
P1-PAY-007	Treat geofence, dwell time or diner self-declaration as corroborating signals only.	Geofence-only or self-declared visits never receive Verified status. These signals may trigger a verification request or lower-confidence visit indication but cannot independently increase score weight.
P1-PAY-008	Provide restaurant-side fallback verification without Bridge integration.	Authorised outlet staff can validate a reservation/check-in, table OTP or bill/receipt reference. Manual staff verification is rate-limited, auditable, reversible and excluded when staff identity or outlet linkage is invalid.

ID	Functional requirement	Acceptance criteria
P1-PAY-009	Implement self-checkout bill versioning and reconciliation before payment capture.	Bill version/amount is locked for confirmation. A pre-payment change requires fresh user confirmation; an authorisation-stage mismatch voids/restarts safely; duplicate bill/payment is rejected.
P1-PAY-010	Route post-capture bill mismatches into a reconciliation exception flow.	Receipt and visit verification remain Pending until resolved. The flow supports rounding tolerance, refund, additional collection or restaurant adjustment with audit, user notification and finance ownership; no silent amount change is permitted.

11A. Verified Visit and Bill Reconciliation

Verification principle / Verified means Elite can audit a non-self-declared signal connecting the diner, outlet and visit window. Verification strength may vary, but geofence, dwell or a diner claim alone never creates a verified experience.

Method	Eligible restaurant / result	Required evidence / notes
Reconciled Elite/Bridge payment	Bridge/Ecosystem and supported others — Verified strong	Successful provider payment linked to outlet, bill and diner; reversed/refunded status updates verification.
Elite payment to mapped merchant without POS itemisation	Non-Bridge / Non-Ecosystem — Verified strong	Merchant/outlet mapping, successful payment and visit window; no item claims inferred.
Reservation plus restaurant check-in	Any onboarded outlet — Verified strong	Confirmed reservation, authorised check-in actor/QR and time-window match.
One-time table QR/OTP	Any onboarded outlet — Verified medium/strong	Code bound to outlet/session/table and consumed once; geofence/dwell may corroborate.
Receipt/bill reference match	Any supported outlet — Pending to Verified	Unique bill number/date/amount/outlet matched automatically or by authorised review.
Restaurant staff manual confirmation	Fallback — Verified lower confidence	Named authorised staff, reason and visit evidence; rate-limited and reversible.
Geofence/dwell only	Any — Visit indicated, not verified	May trigger prompt or request; excluded from verified weight until paired with stronger signal.
Diner self-declaration only	Any — Unverified	Can publish eligible non-verified experience; cannot claim visit-backed verification.

11A.1 Self-checkout mismatch handling

Stage	Mismatch behaviour	Required outcome
Before user confirmation	Restaurant bill changes.	Fetch new bill version, show delta and require fresh confirmation.
After confirmation, before authorisation/capture	Bill or payable amount changes.	Cancel/void stale attempt and restart with new idempotency key and visible amount.
After capture	Captured amount differs from final restaurant bill beyond configured tolerance.	Create reconciliation exception; receipt and visit verification remain Pending; block silent settlement.
Resolution	Restaurant adjustment, refund, additional payment or accepted rounding.	User and outlet are notified; finance/admin reason and correlated ledger entries close the case.
Timeout	No resolution within operational SLA.	Escalate to finance/support; preserve funds and evidence according to payment policy.

12. Experiences: Creation, Verification and Moderation

Experience versus review

An Elite Experience is a recent, contextual contribution connected to a dining visit or restaurant consideration. It is designed to help current decisions, not become a permanent lifetime star rating.

Experience level	Minimum content	Eligibility / use
Quick signal	Worth It / Not Worth It or approved sentiment input	Low-friction current sentiment; may have lower contribution weight.
Full experience	Sentiment + title + meaningful body	Eligible for Tokens, helpfulness, following and member Amplify subject to policy.
Verified experience	Full/approved content linked to eligible visit/payment/reservation signal	Receives verification label and may carry stronger trust/score treatment.

ID	Functional requirement	Acceptance criteria
P1-EXP-001	Composer supports sentiment, title, body, media, visit context and optional tags.	Required fields and character limits are server-configurable by user entitlement.
P1-EXP-002	Regular and member character limits can differ; members may publish long-form experiences.	Limit shown before typing; server rejects invalid payload; draft is preserved on recoverable errors.
P1-EXP-003	Link experience to visit verification method where available.	Verification cannot be self-declared; method and event ID are auditable.
P1-EXP-004	Allow author edits within entitlement window; membership includes 24-hour edit.	Edit history is stored; score/moderation consequences are recalculated safely.

ID	Functional requirement	Acceptance criteria
P1-EXP-005	Provide report, hide, delete and moderation states without allowing a report to automatically suppress legitimate negative experiences.	Normal reports remain visible pending review unless severity, independent-report threshold or verified legal/safety criteria require limitation. Restaurant-originated reports are a distinct lower-trust class and never by themselves remove score inputs or public visibility.
P1-EXP-006	After successful publication, immediately open the Amplify decision flow.	Prompt appears once per eligible publish, skip preserves organic publication, and later Amplify remains available from the post menu.
P1-EXP-007	Provide AI-assisted writing for eligible experience composers.	User can generate or improve a title/body from their own inputs, choose actions such as shorten, expand or improve clarity, review every change and explicitly publish; AI never auto-posts.
P1-EXP-008	Constrain AI assistance to the diner-provided facts and sentiment.	The assistant must not invent dishes, service events, visit verification, prices or claims; generated text can be edited and is covered by moderation and abuse controls.
P1-EXP-009	Record AI-assistance usage for analytics and policy audit without changing experience trust weight.	AI-assisted status does not by itself increase or decrease verification, score weight or organic ranking.
P1-EXP-010	Classify reports by source and reason: diner, author, restaurant/outlet, trusted reviewer/system, legal notice and court/government order.	Source class, evidence, reporter trust, relationship to content and reason code are stored. Restaurant complaints about sentiment/service criticism are routed as disputes, not automatic policy violations.
P1-EXP-011	Rate-limit and score report abuse across account, outlet, device/IP and campaign relationships.	Repeated invalid/duplicate reports can be throttled, challenged or suspended. Reporting abuse never changes the Experience Score and is visible to Trust Ops.
P1-EXP-012	Cap temporary distribution limits and provide automatic restoration when review misses the internal SLA and no high-risk/legal basis remains.	Standard review target is 72 hours and maximum general-grievance resolution follows the current policy/legal SLA. If unresolved at the cap, normal distribution restores automatically unless a documented legal hold or high-severity decision exists.
P1-EXP-013	Give the author notice, reason category and an in-product appeal path for limitation/removal.	Appeal is acknowledged, assigned to a different reviewer where practicable, resolved within configured SLA and records decision, reviewer, evidence and restoration outcome.

12A. UGC Reporting, Moderation and Grievance Operations

Honesty safeguard / A restaurant must not be able to bury criticism by reporting it. Reporting opens a case; it does not automatically determine visibility or Score eligibility. Legal/safety categories follow expedited rules, while restaurant disputes and ordinary criticism remain visible unless an independent policy basis is established.

12A.1 Report classes and initial action

Report class	Default trust / action	Automatic visibility effect
Diner/user report	Normal trust; rate-limited and deduplicated.	None unless severe reason or independent threshold is met.
Restaurant/outlet report	Conflict-of-interest / lower-trust class; treated as dispute unless objective policy evidence exists.	None by itself; cannot remove negative score input merely because outlet disagrees.
Author self-report/delete	Authenticated owner action.	Author can delete own content subject to evidence preservation; edit/delete audit remains.
Automated safety signal	Risk score only; human review for consequential action except narrowly approved urgent classes.	May limit distribution only at configured high-confidence/severity threshold.
Trusted reviewer / Trust Ops	Elevated operational trust with audit.	Can limit/remove according to role and reason; maker-checker for high-impact cases.
Legal notice / defamation claim	Route to Legal/Grievance Officer; verify sender, URLs, basis and requested remedy.	No automatic takedown solely because a restaurant alleges defamation; action follows policy/law.
Court / authorised government actual knowledge	Highest-priority statutory workflow.	Remove/disable within current statutory SLA and preserve evidence/audit.

12A.2 Moderation operations and SLA

Case type	Initial action	Resolution target / cap
Private intimate imagery / impersonation	Immediate priority queue and temporary block where prima facie criteria are met.	Current statutory removal SLA: 2 hours.
Court / authorised government order or intimation	Legal validation, targeted URL/entity action, evidence hold.	Current statutory action SLA: 3 hours from valid actual knowledge.
Specified prohibited-content removal complaint	Expedited Trust/Legal review.	Current statutory resolution SLA: 36 hours.
General grievance	Acknowledge, classify, assign owner.	Acknowledge within 24 hours; current statutory resolution SLA: 7 days.
Standard content-policy report	Content normally remains published; high-risk may be limited.	Internal target 72 hours. If unresolved at cap and no high-risk/legal basis, restore full distribution.
Restaurant-originated experience dispute	No automatic limitation; request evidence and review conflict-of-interest.	Internal target 72 hours; escalation cannot pause Score indefinitely.

Case type	Initial action	Resolution target / cap
Author appeal	Different reviewer where practicable; preserve original evidence.	Acknowledge within 24 hours; internal target 7 days or faster statutory requirement.

12A.3 Functional and operational requirements

ID	Functional requirement	Acceptance criteria
P1-MOD-001	Use automated pre/post-publish checks for prioritisation, with human review for consequential removal, legal disputes and appeals except approved urgent classes.	Model/rule version, signal and reviewer decision are auditable; automated tool cannot silently rewrite sentiment or Score.
P1-MOD-002	Maintain case owner, severity, source class, evidence, SLA deadline, visibility state, score impact, legal hold and appeal state.	No case can remain unowned or indefinitely distribution-limited; breached SLA alerts escalation owner.
P1-MOD-003	Publish Grievance Officer/contact mechanism prominently and accept URL/entity-specific complaints.	Complaint receives case ID, 24-hour acknowledgement where applicable and status/outcome communication.
P1-MOD-004	Preserve removed/disabled UGC and associated records for the required evidence period.	Public access is disabled while evidence is access-restricted, immutable and automatically purged after retention unless legal hold.
P1-MOD-005	Separate policy removal, author deletion, legal takedown, restaurant dispute and temporary limitation in analytics and Score recalculation.	Every Score exclusion can be traced to a reasoned event and restored if decision reverses.
P1-MOD-006	Provide reviewer quality and abuse dashboards.	Metrics include false-positive reversal, report source, restaurant-report rejection rate, SLA breach, appeal outcome and repeated reporter abuse.

13. Elite Experience Score

User story

As a diner, I need see recent experience direction with enough context to understand confidence, so that I do not mistake a small or stale sample for a reliable verdict.

Input dimension	Product purpose
Recency	Prioritise current restaurant performance; the primary recent window is configurable.
Verification	Distinguish visit-backed signals from unverified content.
Diner trust	Weight credible contributors without making the mechanism exploitable.
Sentiment / recommendation	Reflect Worth It, Mixed or Not Recommended direction.
Volume and confidence	Avoid extreme labels from tiny samples.

Input dimension	Product purpose
Partner entitlement	Apply approved verified-weightage rules for Ecosystem Partners without hiding legitimate content.
Anomaly controls	Detect brigading, repeated devices, coordinated activity and sudden unexplained shifts.

ID	Functional requirement	Acceptance criteria
P1-SCORE-001	Calculate score/label server-side from versioned configuration and eligible inputs.	Every displayed score can be reproduced from stored inputs and algorithm version.
P1-SCORE-002	Expose a diner-friendly label and supporting percentage/sample context.	Examples: 87% said Worth It; sample period and confidence rules are applied consistently.
P1-SCORE-003	Do not let member or restaurant Amplify change the score input weight.	Campaign delivery flags are excluded from score computation.
P1-SCORE-004	Support recalculation after moderation, verification changes or experience edits.	Recalculation is idempotent and audit logged.
P1-SCORE-005	Provide admin anomaly and calibration dashboard.	Admins can see distribution, confidence, partner/non-partner impact and suspicious shifts without directly editing individual outcomes without audit.

14. Helpfulness, Following and Contribution Impact

ID	Functional requirement	Acceptance criteria
P1-SOC-001	Allow one helpful reaction per eligible user per experience, with toggle/remove.	Duplicate reactions are blocked and counts update consistently.
P1-SOC-002	Show authors when milestones of diners found an experience helpful.	Milestone notifications are deduplicated and respect user settings.
P1-SOC-003	Allow users to follow/unfollow contributors and restaurants.	Following influences eligible feed modules without exposing private identity fields.
P1-SOC-004	Show creator analytics for impressions, helpful reactions, profile visits, followers and Amplify incrementality.	Organic and paid/amplified delivery are separated.
P1-SOC-005	Implement abuse controls for reaction farms, self-reaction and coordinated engagement.	Suspicious activity is excluded or held for review and is visible to admins.
P1-SOC-006	Provide a public curator profile used by story-rail and social discovery entry points.	The profile shows public bio, badges, follower/following counts, experience count, recent experiences, recommended restaurants, public curations and permitted creator analytics; private fields and private meetup activity are never exposed.

ID	Functional requirement	Acceptance criteria
P1-SOC-007	Support follow/unfollow from the curator profile and reflect follow state throughout discovery.	The action is idempotent, updates the rail/feed state, respects blocks and privacy, and emits a server-confirmed social event.

15. Experience Amplify

Product rule

Amplify buys or uses an entitlement for additional labelled distribution. It does not change the Experience Score, verification state, trust weight or organic ranking.

15.1 Immediate post-publish flow

1. Experience is published successfully and receives an experience ID.
2. Eligibility service checks content status, author status, verification/policy rules and existing active Amplify.
3. The app asks: “Would you like to Amplify your experience?” with a short explanation of additional reach.
4. Member sees remaining monthly credits and can use one. Non-member sees membership proposition or other approved purchase path.
5. User confirms; backend atomically reserves/consumes entitlement and creates campaign.
6. Experience receives Amplified by Member label on paid-distribution impressions.
7. On completion, user receives incremental reach and engagement results separated from organic performance.

ID	Functional requirement	Acceptance criteria
P1-AMP-001	Show post-publish Amplify prompt immediately after eligible experience creation.	Prompt never blocks publication; skip closes flow; display and response events are logged.
P1-AMP-002	Issue 3 Amplify credits per active monthly membership cycle.	Credits are created once per successful billing cycle, show expiry, are non-transferable and cannot create negative balance.
P1-AMP-003	Consume one credit atomically when campaign is confirmed.	Double tap/retry cannot consume multiple credits; failed campaign creation restores reservation.
P1-AMP-004	Support frequency caps, relevant-audience targeting, delivery duration/budget and inventory controls.	Same diner is not overexposed; campaign stops at configured completion rule.
P1-AMP-005	Display member campaign analytics with incremental impressions and outcomes.	Organic and Amplify numbers are separately attributable and explained.
P1-AMP-006	Pause/stop amplified content on moderation, deletion, policy breach or admin action.	Remaining delivery handling follows policy; audit record and user status are retained.
P1-AMP-007	Support one-off diner Amplify purchase at ₹49 or 490 Elite Tokens when an approved purchase path is available.	Checkout shows the selected payment method; Token balance must be at least 490; cash and Token debits are idempotent and never both charged for one campaign.

15.2 Restaurant positive-experience amplification

ID	Functional requirement	Acceptance criteria
P1-RAMP-001	Allow eligible restaurants/marketing users to create an amplification batch starting at ₹50,000 + GST.	Price floor, GST, batch definition and eligible entitlements are enforced server-side and invoiceable.
P1-RAMP-002	Only approved positive experiences that mention the outlet and meet campaign policy may be selected.	Selection records content ID, eligibility basis, verification and author/commercial disclosure state.
P1-RAMP-003	Label delivery as Promoted by Restaurant or approved equivalent.	Label appears on every paid impression and does not imply author initiated the promotion.
P1-RAMP-004	Do not allow the restaurant to edit diner-authored content.	Restaurant can select or exclude; content changes remain author/moderator-controlled.
P1-RAMP-005	Provide campaign delivery, engagement and qualified downstream actions.	Report distinguishes attributed from non-attributed outcomes and follows partner entitlement.
P1-RAMP-006	Require campaign approval, adequate balance and content moderation before launch.	No campaign can enter Active without all gates and a reserved amount.

16. Deals and Discounts Engine

User story

As a diner, I need see a relevant benefit based on my relationship with the restaurant, so that the offer helps me try, return or spend with clarity rather than feeling like a blanket coupon.

TIER DISCOUNT DEFINITION

A Tier Discount is an immediate transaction benefit whose percentage or fixed value changes at configured spend thresholds. It creates no wallet balance and does not itself create Restaurant Membership. A tier may be open to all eligible diners or restricted to restaurant members. At checkout, a diner may use an eligible Tier Discount or redeem Restaurant Loyalty Points, but not both. The restaurant may still award new points on the net paid amount if its versioned loyalty rule allows.

Deal type	Primary objective	Examples
New diner	Acquire first visit	20% first visit; ₹500 off above ₹2,500; first reservation benefit.
Tiered spend — Ecosystem	Increase bill value	10% at ₹1,000; 15% at ₹2,000; 20% at ₹3,500.
Return visit	Increase frequency	Return within 21 days; weekday revisit benefit.
Win-back	Reactivate slipping diner	Offer after defined inactivity while diner remains active elsewhere.
Occasion	Drive relevant moments	Birthday, anniversary, date night, brunch, corporate lunch.
Time/inventory	Shift demand	Weekday lunch, early evening, low-demand section, live-vibe trigger.

Deal type	Primary objective	Examples
Recovery	Repair poor experience	Wallet credit, fixed return benefit, loyalty or complimentary item.
Reservation-linked	Increase booking/show-up	Benefit after completed or prepaid reservation.

ID	Functional requirement	Acceptance criteria
P1-DEAL-001	Create rules using first/repeat status, visit count, last visit, spend, time, outlet, section, minimum bill, cap, payment/reservation, segment and usage limit.	Eligibility engine returns deterministic reason and records rule version used.
P1-DEAL-002	Support flat deals for Non-Ecosystem Partners and tiered/richer rules for Ecosystem Partners.	Entitlement is enforced at creation and redemption.
P1-DEAL-003	Display eligibility reason, minimum spend, maximum benefit, validity and exclusions before use.	User sees no materially different rule at checkout.
P1-DEAL-004	Prevent duplicate or abusive redemption.	Redemption reservation is atomic and tied to user/visit/payment.
P1-DEAL-005	Support control-group assignment for incrementality measurement where configured.	Control diners do not see/redeem the campaign and are excluded from operational errors.
P1-DEAL-006	Track funding source and liability: restaurant, Elite, shared or recovery budget.	Settlement/reconciliation can explain every rupee of benefit.
P1-DEAL-007	Allow a Tier Discount to be open to all eligible diners or restricted to an active Restaurant Membership plan.	Eligibility response identifies the required membership plan; non-members see the join/purchase path and cannot force redemption.
P1-DEAL-008	Keep discount redemption separate from loyalty-point redemption while allowing configurable point earning on the net paid amount.	One transaction cannot consume a Tier Discount and loyalty points together; any points issued use the post-discount eligible amount and stored rule version.

17. Restaurant Loyalty and Restaurant Membership

USER STORY

As a diner, I need to understand whether I am receiving an immediate discount, earning restaurant-specific value, joining a restaurant relationship or spending Elite platform currency, so that benefits, prices, balances and expiry are never confused.

17.1 Product Definitions and Non-Interchangeability

Product	Definition	Owner / funding	Value timing	Core restriction
Tier Discount	Immediate discount that changes by spend threshold or eligibility rule.	Restaurant, Elite or shared campaign budget.	Applied to the current eligible bill.	No stored balance; cannot be combined with loyalty-point redemption.
Restaurant Loyalty Points	Outlet-specific stored value earned under the restaurant membership and loyalty terms. 1	Restaurant liability.	Earned after qualifying activity and redeemed later through Elite.	Usable only for that restaurant; terms and expiry can differ by restaurant.

Product	Definition	Owner / funding	Value timing	Core restriction
	point = ₹1.			
Restaurant Membership	The diner's ongoing relationship and entitlement with one restaurant. Every loyalty programme is represented by a Restaurant Membership plan. The restaurant may offer it free (₹0) or charge the diner a restaurant-defined membership fee.	Defined by the restaurant. Any diner-paid membership fee is collected through Elite on behalf of the restaurant and settled under approved commercial terms.	Active for the configured term after terms acceptance and, for a paid plan, successful diner payment; unlocks loyalty earning plus configured benefits.	Restaurant-specific; not the same as Elite Membership, loyalty balance or Tokens. A paid fee is never charged or renewed without the disclosed plan flow.
Elite Tokens	Elite's closed-loop digital currency. 10 Tokens = ₹1 of in-app value.	Earned from qualifying Elite activity or purchased by the diner.	Burned on eligible Elite digital products such as Amplify.	Not valid for restaurant bills, restaurant membership fees or loyalty redemption in V1.
Elite Membership	₹199/month platform subscription for Elite-wide creator and community entitlements.	Elite.	Active by billing cycle.	Does not make the diner a member of every restaurant and does not replace restaurant loyalty/membership.

NON-NEGOTIABLE RELATIONSHIP / Restaurant Loyalty is delivered through Restaurant Membership. If a restaurant gives loyalty points to a diner, it is making that diner a member of that restaurant under the applicable plan terms. The restaurant can choose a free membership (₹0) or charge the diner a membership fee. For a free plan, membership activates after the diner accepts the terms. For a paid plan, the diner must explicitly choose the plan and complete payment before membership, paid benefits or paid-plan loyalty earning activates. Loyalty Points are the balance; Restaurant Membership is the restaurant-specific status, contract and entitlement that governs how the balance is earned and used.

17.2 Restaurant Loyalty Points

Confirmed loyalty rule

Value: 1 restaurant loyalty point = ₹1. Each restaurant can define its own loyalty terms and expiry policy. If the outlet does not configure a custom expiry, each issuance lot expires 365 days after issuance. Points remain restaurant-specific and redeemable only through Elite.

ID	Functional requirement	Acceptance criteria
P1-LOY-001	Maintain a separate loyalty ledger per diner and outlet.	Every issue, redemption, expiry, reversal and adjustment is immutable and reconcilable.
P1-LOY-002	Issue points based on entitled restaurant rules and visit/payment source.	Non-Ecosystem and Ecosystem eligibility rules are applied from partner state.
P1-LOY-003	Allow each restaurant to configure outlet-specific loyalty expiry and terms; apply a 365-day expiry when no custom expiry is configured.	The policy version and expiry timestamp are stored per issuance lot and shown to the user; a later policy change does not silently alter already-issued lots unless an approved migration explicitly does so.

ID	Functional requirement	Acceptance criteria
P1-LOY-004	Display points and rupee value consistently because 1 point = ₹1.	Wallet and checkout show both; no alternate conversion is silently applied.
P1-LOY-005	Show restaurant-specific loyalty terms before earning and redemption.	The diner can view the applicable expiry, earning, redemption, exclusions and other outlet terms; terms are versioned and auditable.
P1-LOY-006	At checkout allow either eligible restaurant discount or restaurant loyalty redemption, not both.	User must choose; backend rejects stacking even if client is manipulated.
P1-LOY-007	Notify user before material points expire.	Notification window follows the issuance-lot expiry; duplicate warnings are suppressed.
P1-LOY-008	Provide outlet liability and redemption reconciliation.	Restaurant and finance can reconcile outstanding, redeemed, expired and reversed value by policy version and issuance lot.
P1-LOY-009	Bind every loyalty ledger to an active Restaurant Membership enrollment and accepted plan terms.	Points cannot become spendable without an enrollment ID, plan version and terms-acceptance record; legacy balances are migrated under the compatibility rules.
P1-LOY-010	Allow restaurants to define whether points are earned on the net paid amount after a Tier Discount.	The issuance calculation uses the configured eligible amount, never the pre-discount amount unless the rule explicitly and visibly states otherwise.

17.3 Restaurant Membership Model

PHASE 1 MEMBERSHIP MODEL / Each outlet can publish one active Restaurant Membership plan in V1. The restaurant may set the plan price to ₹0 or charge the diner a positive INR membership fee. A paid plan can be fixed-term or recurring according to its configured billing model. Elite collects the disclosed fee through the approved payment flow and settles it to the restaurant under the commercial agreement. The underlying data model must support future plan tiers without requiring a destructive migration.

Area	Phase 1 product rule
Plan ownership	The membership belongs to one restaurant/outlet and never carries benefits to another outlet unless a future group plan is explicitly introduced.
Free plan	Price is ₹0. After the diner accepts the current terms, the first qualifying enrollment or point issuance activates Restaurant Membership and the loyalty ledger.
Paid plan	The restaurant sets and charges the diner the membership fee, currency, billing model (fixed-term or recurring), term, renewal mode, joining benefit and plan terms. The diner must see the restaurant name, payable fee, taxes, renewal/cancellation terms and benefits before confirming. Payment must succeed before paid entitlements or paid-plan loyalty earning activate.
Loyalty link	Giving restaurant loyalty points creates or uses the diner's active Restaurant Membership relationship. A free plan can activate after terms acceptance; a paid plan requires explicit purchase and successful payment. Loyalty Points remain a separate rupee-value ledger.
Benefits	Configurable benefits may include point earn rate, joining points, member-only Tier Discounts, priority reservation access, event benefits or other approved outlet entitlements.
Expiry / cancellation	When a paid membership expires or is cancelled, paid-only

	benefits and new paid-plan earning stop. Existing loyalty lots remain redeemable until their own expiry unless a more favourable restaurant rule applies.
Terms changes	Price, duration, renewal, earn/redeem rules and benefits are versioned. Existing members remain on accepted terms until the next renewal or an explicitly accepted migration.
Payment method	A paid Restaurant Membership fee is charged by the restaurant to the diner and collected in INR through Elite in V1. The payment screen must identify the restaurant membership being purchased. Elite Tokens and Restaurant Loyalty Points cannot pay the membership fee.
Restaurant terms	Each restaurant may set a different membership fee, billing period, renewal mode, loyalty earning/redemption, expiry, benefits, cancellation and refund terms. These must be displayed before join/purchase and remain retrievable later.

17.4 Restaurant Membership Functional Requirements

ID	Functional requirement	Acceptance criteria
P1-RMEM-001	Allow an entitled restaurant to configure one active V1 membership plan with name, description, diner membership fee (₹0 or positive INR), billing model, duration, renewal mode, benefits and versioned terms.	The restaurant controls the diner-facing membership fee. Incomplete or unpublished plans cannot enroll or charge diners; historical plan versions and prices remain auditable.
P1-RMEM-002	Require explicit diner acceptance of restaurant-specific membership and loyalty terms before activation.	Enrollment stores user, outlet, plan/version, acceptance timestamp, source surface and consent evidence.
P1-RMEM-003	Activate a free plan after explicit terms acceptance and activate a paid restaurant plan only after the diner explicitly confirms the disclosed restaurant membership fee and payment succeeds.	No paid membership, auto-renewal, fee, joining benefit or paid-plan loyalty earning is created from a loyalty event alone. Retries and provider callbacks are idempotent.
P1-RMEM-004	Create and maintain one canonical diner-outlet membership relationship linked to the loyalty ledger.	A diner cannot hold duplicate active enrollment records for the same outlet/plan; loyalty issuance references the canonical enrollment.
P1-RMEM-005	Support configurable member benefits and server-side entitlement checks.	Tier Discounts, earn rates, reservation/event access and other benefits cannot be unlocked by client manipulation or an expired enrollment.
P1-RMEM-006	Support paid membership renewal, grace, cancellation, expiry, refund and failed-payment states.	Entitlements change according to state; communication, invoice/receipt and settlement records remain consistent.
P1-RMEM-007	Preserve existing loyalty-point lots when paid membership ends.	Paid-only benefits stop, but already-earned points remain visible and redeemable until their stored lot expiry; no silent forfeiture occurs.
P1-RMEM-008	Show a clear value stack before purchase and at checkout.	UI separately labels current Tier Discount, Restaurant Membership status and diner-paid fee, Loyalty Points and Elite Tokens; the join screen identifies the restaurant charging the fee and values are never added into one ambiguous balance.
P1-RMEM-009	Provide restaurant and finance reconciliation for membership fees, taxes, refunds, settlements and benefits issued.	Every membership payment and benefit grant has correlation IDs and can be reconciled without altering loyalty or Token ledgers.

ID	Functional requirement	Acceptance criteria
P1-RMEM-010	Support restaurant-specific terms and policy changes without rewriting prior commitments.	New terms apply only to new joins/renewals or accepted migrations; diners can retrieve the terms version governing each enrollment and loyalty lot.
P1-RMEM-011	Present the restaurant membership fee as a diner-paid charge for membership in the named restaurant.	Before payment the user sees restaurant/outlet name, plan name, fee, taxes, total payable, term, recurring or fixed-term status, renewal date/logic, benefits, cancellation/refund terms and the fact that Elite is collecting through the platform. No pre-ticked consent or silent charge is permitted.
P1-RMEM-012	Prevent paid Restaurant Membership from being inferred or auto-created merely because the restaurant offers loyalty points.	A diner becomes a paid restaurant member only after explicit opt-in and confirmed payment. If the restaurant requires paid membership for loyalty, the earning remains pending/not eligible until purchase; no negative balance or undisclosed fee is created.

18. Elite Tokens, Paid Token Store, Earned-Token Levels and Elite Membership

18.1 Token economy role and separation

Elite Tokens are a closed-loop, spendable in-app currency. They convert verified dining and useful contribution into future Elite utility, while paid Token packs let diners top up the same wallet. Elite level progression is related to Tokens but uses a separate, non-spendable Lifetime Earned Tokens counter: only confirmed Earned Tokens from qualifying activity count toward levels. Purchased, Pack Bonus and Promotional Tokens do not count. Spending or expiry reduces the spendable wallet but never reduces Lifetime Earned Tokens or the diner's level; valid reversals remove the reversed earned amount. Trust remains a separate credibility and safety signal.

NON-NEGOTIABLE PRODUCT RULE / Tokens may buy distribution and approved digital utility, but cannot buy visit verification, Experience Score weight, Helpful reactions, Trust, Curator status or organic restaurant/content ranking. Elite level progress is earned only through confirmed Earned Tokens from qualifying activities. Purchased, Pack Bonus and Promotional Tokens add spendable value but add zero level progress.

Value system	Conversion / price	Purpose and restriction
Tier Discounts	No stored conversion	Immediate restaurant bill benefit. It is not a wallet, loyalty balance or membership.

Restaurant Membership	₹0 or restaurant-configured diner membership fee	Outlet-specific status and entitlement that governs loyalty and other benefits. The restaurant may charge the diner; it is not Elite Membership.
Restaurant Loyalty Points	1 point = ₹1	Outlet-specific repeat-value balance under the Restaurant Membership terms. Redeemable only through Elite at that restaurant.
Elite Tokens	10 Tokens = ₹1 of in-app value	Elite digital products such as Amplify. Non-cash, non-transferable, not valid against restaurant bills or Restaurant Membership fees.
Elite Membership	₹199/month	Elite-wide subscription: badge, 3 Amplifies/cycle, creator tools and Phase 2 meetup-host eligibility.
Elite Level Progress	Lifetime confirmed Earned Tokens	Non-spendable cumulative progression counter used to assign the diner's Elite level. Spending or expiry does not reduce it; purchased, bonus and promotional Tokens are excluded; valid reversals reduce it.
Elite Trust	No monetary value	Separate credibility, quality and safety signal. It is not the same as level and cannot be bought or increased merely by purchasing or spending Tokens.

18.2 Token earning model

Permanent Token rewards must be tied to independently verifiable dining or useful contribution. Passive actions such as login, app open, follow, Helpful vote, search, view or save earn no permanent Tokens. They may be used only in explicitly funded, time-bound missions.

Activity	Tokens	Qualification and anti-abuse rule	Default cap
Complete profile	50	One-time reward after required profile fields and mobile verification are complete. Identity/age verification incentives must not coerce optional consent.	Once
Verified restaurant visit	25	One reward per unique verified_visit_id generated by an approved payment, reservation/check-in, table QR/OTP or other verification method. No restaurant-wise 30-day restriction.	Total monthly cap applies; velocity review is configurable
Pay through Elite	1 per ₹10 paid	Calculated on net eligible amount actually paid after discounts/loyalty. Reversed proportionately on refund. No reward on Token purchases.	300/transaction; 1,500/month

Activity	Tokens	Qualification and anti-abuse rule	Default cap
Verified full experience	50	Title/body and quality checks; exactly one rewarded experience per unique verified_visit_id. Repeat verified visits to the same restaurant qualify independently. Delete/repost or multiple posts from one visit do not re-earn.	15/month default; configurable by trust tier
Non-verified full experience	10	Title/body, moderation and originality checks. Lower reward because no qualifying visit evidence is attached.	3/month
Qualifying curation	20	First publish with title, description, cover and at least 5 unique restaurants. Reordering, visibility changes, copies or delete/repost do not re-earn.	4/month
Curation quality milestone	25	First 10 saves from unique eligible diners on a public curation after fraud filtering.	Once per curation
Helpful milestones	10 + 20	10 Tokens at 5 eligible Helpful reactions; additional 20 at 20. Excludes self, suspicious devices and coordinated engagement.	200/month across content
Successful referral	100	Referred diner is new and completes first qualifying verified visit or Elite payment after attribution and fraud checks.	3/month
Verified restaurant-event attendance	20	Eligible event check-in is confirmed and event is not cancelled/refunded.	4/month
Paid meetup attendance - Phase 2	25	Meetup completed; attendance confirmed; transaction is not refunded.	4/month
Successful meetup host - Phase 2	50	Meetup completes with host attendance and no unresolved major dispute.	4/month
Reward source		Default monthly source cap	
Elite payment rewards		1,500 Tokens	
Experiences and curation		400 Tokens	
Referrals		300 Tokens	
Events and meetups		200 Tokens	
Helpful-content milestones		200 Tokens	
Standard total earned Tokens		2,000 Tokens/month; purchased and pack-bonus Tokens are excluded	

Caps are fraud/economics controls, not a penalty on genuine restaurant variety. A diner visiting five Elite restaurants and publishing five qualifying verified experiences earns all five rewards. Multiple independently verified repeat visits to the same outlet also qualify. Only duplicate rewards from the same verified_visit_id are blocked.

LEVEL PROGRESSION RULE / Diner levels are assigned from Lifetime Earned Tokens: the cumulative total of confirmed Earned Token credits from qualifying activities, less valid reversals. Spending Earned Tokens, allowing them to expire or using them for Amplify does not reduce level progress. Purchased Tokens, Pack Bonus Tokens, Promotional/support grants and membership Amplify entitlements contribute 0. Pending rewards count only after confirmation. Level thresholds and names are versioned; Trust remains separate.

18.3 Token lots, states, expiry and spend order

Balance / lot type	Source	Availability and default expiry
Purchased Tokens	Base Tokens paid for in a successful pack purchase	Available only after provider confirmation. No expiry while the account remains active unless final legal/platform terms require otherwise.
Pack Bonus Tokens	Bonus bundled with a paid pack	Available after the same successful purchase; expires 180 days after issuance.
Earned Tokens	Qualifying platform activities	Pending until source verification/moderation/reversal window passes; expires 365 days after issuance.
Promotional Tokens	Campaign, support or recovery grant	Availability and expiry are defined by the campaign/grant rule and shown before acceptance/use.
Pending Tokens	Unconfirmed payment, visit, content, referral, event or fraud review	Not spendable until confirmed; can become Available or Reversed.

Minimum ledger states: Pending → Available → Reserved → Spent; or Reversed / Expired. Every lot records source, issued_at, available_at, expiry_at, rule_version and correlation IDs.

- Spend the eligible lot with the earliest expiry first.
- Within equivalent expiry, consume Promotional/Bonus Tokens, then Earned Tokens, and Purchased Tokens last.
- A Token purchase creates only Purchased and, where applicable, Pack Bonus Token lots. It adds 0 to Lifetime Earned Tokens, Elite level progress and Trust.
- Pending Tokens cannot be spent; balances cannot become negative; every burn reserves and commits atomically.
- Tokens cannot be withdrawn as cash, transferred between diners, sold, used for restaurant bills or converted into restaurant loyalty points.

18.4 Paid Token Store and launch packs

Pack	Price	Base Tokens	Bonus Tokens	Total Tokens	Pack message
Quick Top-up	₹49	490	0	490	Exactly 1 Amplify
Starter	₹100	1,000	0	1,000	Simple top-up
Value	₹250	2,500	500	3,000	20% extra
Popular	₹500	5,000	1,500	6,500	30% extra
Power	₹1,000	10,000	4,000	14,000	40% extra

The Store must show base and bonus Tokens separately. Pack definitions, labels, display order, eligibility, purchase limit, schedule and experiment cohort are remotely configurable; historical purchases retain the terms active at purchase time.

Purchase surfaces and return behaviour

- Wallet: show total available, Purchased, Earned, Bonus/Promotional, Pending and expiring-soon balances, with Buy Tokens and complete ledger history.

- Contextual top-up: when a diner lacks Tokens for an in-app product, show the shortfall and relevant packs without losing the interrupted flow.
- Post-experience Amplify: after publish, consume an unused membership Amplify first by default, otherwise offer available Tokens, then the Token Store. The diner can see and choose the funding source.
- After successful purchase, credit the Token lots, issue a receipt and return to the exact interrupted product confirmation. No republish or duplicate campaign is required.
- Phase 1 does not support part-cash/part-Token payment for one digital product.

18.5 Token burn catalogue

In-app product	Phase	Token price / rule
Experience Amplify	Phase 1	490 Tokens. Requires full balance and explicit confirmation; creates one campaign exactly once.
Premium AI assistance beyond included quota	Phase 1 optional	50-100 Tokens, remotely configurable. Core AI-assisted experience support defined in Section 12 must not be silently removed or paywalled.
AI curation-cover generation	Phase 1 optional	Illustrative 50 Tokens; final generation cost and free quota are configurable.
Profile theme / icon	Phase 1 optional	Illustrative 200-500 Tokens; purely cosmetic and never affects trust or reach.
Meetup promotion / advanced host tools	Phase 2	OPEN and remotely configurable after safety, inventory and marketplace economics are approved.

18.6 Engagement hypothesis, feedback loop and experiment

PRODUCT HYPOTHESIS

Paid Tokens do not create engagement by themselves. They reduce friction inside a rewarding loop: Dine → earn → share → Amplify → receive measurable reach/helpfulness/follows → return to create again. The purchased wallet is the mechanism; recognition, progress and repeat contribution are the intended outcome.

Outcome to measure	Desired direction	Guardrail
Experiences published per eligible diner	Increase after first Token earn/purchase and burn	Low-effort, copied or moderated content must not increase.
30-day creator retention	Token users who burn should return and publish more than matched non-users	Use matched cohort or controlled experiment; do not claim causation from raw purchaser cohorts.
Time to next meaningful contribution	Decrease after Amplify result is delivered	No notification spam or artificial streak pressure.
Helpful reactions, profile opens and follows received	Increase through qualified incremental reach	Paid impressions and organic outcomes are reported separately.
Second Token-pack purchase within 90 days	Increase only where first purchase led to useful product use	Unused balance, refund, support and chargeback rates remain controlled.
Membership conversion/renewal	Membership remains the preferred recurring-creator product	Token packs must not materially cannibalise ₹199 membership.
Organic feed health	Stable or better organic engagement	Paid-content share, repetition, hide/report and creator/outlet concentration stay within caps.

Initial experiment cohorts

- Cohort A - earned Tokens only.
- Cohort B - earned Tokens plus ₹49 contextual top-up.
- Cohort C - full Token Store and contextual top-up.

- Cohort D - full Token Store plus post-Amplify incremental analytics and creator feedback.

The primary experiment question is: do diners who purchase and use Tokens return to create another meaningful contribution more often than comparable diners who do not? Amplify completion must show organic versus incremental impressions, Helpful reactions, profile/restaurant actions and followers so the user can see the outcome bought.

18.7 Token functional requirements

ID	Functional requirement	Acceptance criteria
P1-TOK-001	Maintain Elite Token lots and ledger separately from restaurant loyalty, money, Lifetime Earned Token level progress and Trust.	UI/APIs consistently apply 10 Tokens = ₹1 of in-app value and never confuse spendable Token balance, restaurant loyalty, Lifetime Earned Tokens, level or Trust.
P1-TOK-002	Support versioned earning rules, source caps, total caps, holds, reversals and trust-tier configuration.	Duplicate event processing is idempotent; configured caps are server-side; fraud checks may hold a reward without changing the source visit/content state.
P1-TOK-003	Reward a verified full experience once per unique verified_visit_id, not once per restaurant per period.	Five independently verified visits can earn five experience rewards, including repeat visits to one outlet; multiple posts/delete-repost for one visit earn once.
P1-TOK-004	Assign the diner's 10-level Elite status from the cumulative Lifetime Earned Tokens counter only.	Only confirmed Earned Token credits increase the counter; spending or expiry does not reduce it; Purchased, Pack Bonus and Promotional Tokens are excluded; valid reversals reduce it. Thresholds and rule versions are auditable, and Trust remains separate.
P1-TOK-005	Support permitted Token burns at 10 Tokens = ₹1.	Every product has a server-side price, explicit confirmation and reversal policy; a ₹49 Amplify requires and consumes exactly 490 Tokens.
P1-TOK-006	Provide Wallet and contextual Token Store surfaces.	User sees balance composition, shortfall, packs and terms; successful contextual purchase returns to the interrupted action.
P1-TOK-007	Configure Token packs remotely with price, base, bonus, expiry, eligibility, schedule, limits and display metadata.	Editing/pausing a pack needs no app release and does not rewrite historical purchase terms.
P1-TOK-008	Credit base and bonus Token lots separately after confirmed payment.	Failed/pending/abandoned payment credits nothing; provider retries cannot duplicate either lot.
P1-TOK-009	Make Token purchase and crediting idempotent and reconcilable.	One successful provider charge maps to one purchase, one base lot and at most one bonus lot with shared correlation IDs.
P1-TOK-010	Generate a purchase receipt and immutable history.	Receipt shows pack, price, base/bonus Tokens, applicable taxes, payment reference, timestamp and terms/expiry.
P1-TOK-011	Enforce lot expiry and automatic spend order.	Earliest-expiring eligible lot is used first; Purchased Tokens are protected last; every burn records consumed lot quantities.

ID	Functional requirement	Acceptance criteria
P1-TOK-012	Prevent spending Pending, frozen, expired or insufficient Tokens.	Backend rejects forced client calls; balances never become negative and reservation/commit is atomic.
P1-TOK-013	Handle product activation failure after Token reservation/burn.	Exact consumed lots are automatically restored when the in-app product is not created/activated; retry cannot create duplicate value.
P1-TOK-014	Handle payment reversal, refund and chargeback states.	Unused purchased/related bonus lots can be reversed by policy; partially used cases enter support/finance review and never silently create an unexplained negative balance.
P1-TOK-015	Do not increase Lifetime Earned Tokens, Elite level progress or Trust from Token purchases, pack bonuses, promotional grants or Token burns.	No purchase, payment callback, bonus credit, promotional adjustment or burn fires a level-progress event. Only a confirmed Earned Token reward can do so.
P1-TOK-016	Keep membership Amplify entitlements separate from Tokens.	Three monthly credits are not converted to 1,470 Tokens, do not transfer/roll over and are distinguishable in selection and ledger.
P1-TOK-017	Enforce closed-loop restrictions.	No cash withdrawal, P2P transfer, resale, restaurant-bill payment or conversion to restaurant loyalty is exposed through UI/API/admin.
P1-TOK-018	Provide fraud and admin controls.	Elite can hold rewards, freeze purchase/spend, reverse a specific entry, grant promotional lots, require verification and inspect the complete audit trail.
P1-TOK-019	Instrument purchase, balance, burn, creator-return and experiment events.	Events reconcile to backend ledger/payment records and support matched/control analysis of engagement and membership cannibalisation.
P1-TOK-020	Clearly disclose paid/earned value and product outcome.	Pack UI separates base/bonus; burn confirmation shows cost/balance-after; Amplify reporting separates organic and incremental delivery.
P1-TOK-021	Maintain a durable Lifetime Earned Tokens projection and versioned level assignment independently of the spendable Token balance.	The projection equals confirmed Earned Token credits less valid reversals; it is reproducible from the immutable ledger, survives Token spending/expiry, exposes current level and progress to next level, and recalculates idempotently when a reward is reversed.

18.8 Elite Membership — ₹199/month

Benefit	Phase 1 behaviour
Verified member badge	Shown on profile and eligible contributions while subscription is active.

Benefit	Phase 1 behaviour
3 Experience Amplifies/month	Each priced/stated at ₹49; ₹147 total monthly Amplify value, credited per successful billing cycle.
24-hour edit window	Member can edit eligible experiences for 24 hours after publish.
Long-form experiences	Higher character limit and richer composer entitlement.
Advanced creator analytics	Incremental Amplify reach, helpfulness, followers and profile actions.
Meetup hosting	Entitlement becomes active in Phase 2 only for an active member with full profile completion, identity verification and required trust controls.

ID	Functional requirement	Acceptance criteria
P1-MEM-001	Support recurring monthly subscription at ₹199 using approved payment provider.	Successful, failed, pending, cancelled, refunded and grace states are handled.
P1-MEM-002	Activate/deactivate entitlements server-side based on subscription state.	Expired/cancelled account cannot create new member-only actions; historical content remains correctly labelled.
P1-MEM-003	Issue monthly Amplify credits once per paid cycle.	Renewal retries cannot duplicate credits; credit expiry and use are visible.
P1-MEM-004	Expose benefit usage and renewal/cancellation controls.	User can see remaining credits, next billing date and cancellation effect.
P1-MEM-005	Record purchase source including post-publish Amplify prompt.	Attribution supports conversion and retention analysis.

19. Elara — Diner Concierge

ID	Functional requirement	Acceptance criteria
P1-ELA-001	Accept natural-language dining intent and return only restaurants/actions grounded in Elite data.	Response includes valid entity IDs; unavailable or unsupported information is not invented.
P1-ELA-002	Use preferences, live signals, weather/context where approved, deals, availability and recent experiences.	Recommendation reason is traceable to available signals and privacy consent.
P1-ELA-003	Deep-link to restaurant profile, Live Menu, reservation, deal or Phase 2 meetup action.	Action opens correct outlet and flow; wrong-outlet/hallucinated links are monitored.
P1-ELA-004	Support transactional assistance without pretending a task is complete until backend confirms.	Reservation/payment/quote status is sourced from transaction service.
P1-ELA-005	Log user corrections, unsupported requests and bad recommendations.	Data is available for quality review with PII minimisation.

20. Restaurant Partner Product

Workspace	Core capabilities
Outlet Operations	Profile, images, sections, Live Menu/Vibe, reservations, event delivery and operational users.
Experience & Reputation	Recent experiences, verified status, replies/recovery, score context and content reports.
Deals & Loyalty	Deal configuration within entitlement, loyalty rules, liability and redemption reporting.
Marketing	Amplification, restaurant events, budgets, approvals, campaign delivery and ROI.
Customer Activation	Segment activation via Elite/Clyro without raw data download.
Finance	Payments, invoices, GST, balances, rewards, refunds, settlement and reconciliation.

ID	Functional requirement	Acceptance criteria
P1-RP-001	Role-based navigation and server-side permissions by outlet and function.	A user sees and can invoke only explicitly allowed outlet actions.
P1-RP-002	Outlet Admin can invite, remove and permission restaurant users.	All changes are audited; last admin protection and secure recovery are supported.
P1-RP-003	Show partner status and available/locked capabilities without allowing self-upgrade.	Ecosystem entitlement changes only through authorised Elite Admin workflow.
P1-RP-004	Provide export/download only for approved operational or financial reports.	Raw diner PII is excluded unless a separately approved lawful workflow exists.

21. Restaurant Marketing Workspace

User story

As a restaurant marketing team, I need fund, create, approve and measure Elite campaigns inside the outlet account, so that we can use Amplify and event promotion without sharing the Outlet Admin's full operational access.

Role	Default access
Outlet Admin	Approve/revoke marketers and agencies, approve spend rules, view all outlet campaign and financial activity.
Restaurant Marketing Admin	Recharge/use permitted balance, create and launch approved campaign products, create/share/amplify events, view reporting.
Marketing Contributor	Create drafts, assets and copy; publish/spend only if permission is explicitly granted.

ID	Functional requirement	Acceptance criteria
P1-MKT-001	Provide dedicated Marketing section in restaurant account.	Operational users without marketing permission cannot access campaign or wallet actions.
P1-MKT-002	Support campaign types: positive Experience Amplification, restaurant event publishing/amplification, approved images/video/text/banners and future products.	Each type has schema, pricing, inventory, approval and reporting configuration.
P1-MKT-003	Support draft, submitted, approved, funded, scheduled, active, paused, completed, rejected, cancelled and refunded states.	Only valid state transitions occur; reason and actor are audited.
P1-MKT-004	Require content, dates, targeting, outlet, budget and disclosure before submission.	Validation prevents incomplete/invalid launch.
P1-MKT-005	Allow Outlet Admin-configured spending thresholds and approval requirements.	Spend above threshold remains pending; bypass is impossible client-side.
P1-MKT-006	Show campaign delivery and outcome dashboard.	Metrics include source, attribution window and partner capability.

22. Restaurant Events and Event Amplification

Phase 1 event rule

Restaurants can create events, publish them on Elite and pay to amplify them. An event is a restaurant-hosted activity and is separate from Phase 2 member-created Meetups.

22.1 Event content model

Field	Requirement
16:9 event banner	Required landscape asset for event detail hero and eligible wide discovery surfaces.
4:5 event image	Required portrait asset for feed cards, social-style surfaces and paid amplification.
Event title	Required; concise and unique enough to understand the event.
Event day	Display label such as Friday, Sunday or selected day(s), derived from schedule where applicable.
Event date	Required start date; recurring events generate occurrences from this date.
Recurring schedule	One-time, every day, every week on the same day, or selected days of the week. Every generated occurrence uses the initial event start time unless the series is edited.
Starts at	Required event start time; optional end time/duration may be configured.
About event	Required rich description with event purpose, inclusions and expected experience.

Field	Requirement
Menu tile/link	Optional linked menu, set menu, ticket page or approved CTA associated with the event.
Ambience images	Optional multi-image gallery from the restaurant/outlet to help users understand the venue.
Things to know	Structured and free-text details such as event language, children ticket policy (for example, tickets required above age 5), pet-friendly status, age restriction, dress code, seating and accessibility.
Organised by	Restaurant/outlet or approved organiser identity displayed on the event page.
Terms and conditions	Required event-specific terms, cancellation/refund rules, entry conditions and exclusions.

22.2 Creation, recurrence and publishing

ID	Functional requirement	Acceptance criteria
P1-EVT-001	Allow authorised restaurant marketers to create an outlet event using the complete event content model.	Required fields, media dimensions/file rules, event date, start time, organiser and terms validate before submission.
P1-EVT-002	Support one-time and recurring schedules: daily, weekly on the original weekday, or selected weekdays.	Occurrences are generated from the initial event and retain the same start time; editing a series requires choosing this occurrence or this and future occurrences where supported.
P1-EVT-003	Support Draft, Submitted, Approved, Published, Scheduled, Active, Completed, Cancelled and Rejected states.	Only authorised transitions occur; cancelled/expired occurrences no longer accept actions and remain available in history where required.
P1-EVT-004	Publish event organically on the restaurant profile and eligible discovery surfaces.	Only approved active occurrences appear; event card and detail page resolve to the correct occurrence.
P1-EVT-005	Render a dedicated event detail page with both creative formats, schedule, about, menu/CTA, ambience, things to know, organiser and terms.	All content is outlet-scoped, responsive and consistent with the event occurrence selected.
P1-EVT-006	Allow shareable deep links for the event and individual occurrence.	The link opens the correct event/occurrence and produces an approved share preview without exposing unpublished information.

22.3 Event promotion and exclusivity

ID	Functional requirement	Acceptance criteria
P1-EVT-007	Allow paid amplification of an approved event from the Restaurant Marketing Workspace or authorised Agency Portal.	Campaign is funded, labelled, targeted and reported separately from organic event views.

ID	Functional requirement	Acceptance criteria
P1-EVT-008	Support an approved paid event-exclusivity product.	When exclusivity is active for an event page/period, competing similar-event recommendations are suppressed according to the purchased entitlement.
P1-EVT-009	When no paid exclusivity is active, show similar events by other organisers below the event page.	Recommendations are relevance-based, clearly separate from the primary event, exclude cancelled/expired items and never replace primary event content.
P1-EVT-010	Prevent paid event promotion or exclusivity from changing the restaurant Experience Score or organic experience ranking.	Campaign/exclusivity flags are excluded from score computation and audited.

22.4 Event analytics

ID	Functional requirement	Acceptance criteria
P1-EVT-011	Track event impressions, detail views, share actions, saves, menu/CTA clicks, reservation/ticket actions and attributable visits/payments where available.	Organic and amplified performance are separated by occurrence and campaign.
P1-EVT-012	Track recurring-series and occurrence-level performance.	Restaurant can compare series totals and each date without double counting users/actions.
P1-EVT-013	Track similar-event recommendation impressions and clicks.	Reporting identifies the source event and destination event while respecting tenant/reporting permissions.
P1-EVT-014	Track exclusivity entitlement, spend, active period and suppressed-recommendation inventory.	Finance and marketing reports can reconcile the product purchased and delivery period.

23. Marketing Agency Portal

Agency onboarding rule

Elite Team must first onboard the outlet. An agency may request to connect the outlet, but access becomes active only after the Outlet Admin approves the relationship and selected permissions.

ID	Functional requirement	Acceptance criteria
P1-AGY-001	Create agency organisation with verified admin, legal/billing details and agency users.	Agency has unique tenant; users cannot access outlets until relationship approval.
P1-AGY-002	Allow agency to request linkage to an Elite-onboarded outlet.	Request identifies agency, outlet, requested permissions and users; duplicate requests are controlled.
P1-AGY-003	Require Outlet Admin approve/reject/revoke agency access.	Approval captures scope, spend permission and effective time; revocation is immediate.

ID	Functional requirement	Acceptance criteria
P1-AGY-004	Support outlet-specific roles and permissions for each agency user.	Agency Admin cannot silently grant access beyond approved outlet scope.
P1-AGY-005	Provide consolidated multi-outlet dashboard and filters.	Metrics aggregate only outlets the user can access and preserve outlet-level drilldown.
P1-AGY-006	Retain historical campaign/financial audit after relationship revocation.	Former agency loses live access but Elite/Outlet Admin/Finance retains records.

24. Marketing Balances, Recharges, Allocations and Rewards

Balance type	Purpose	Withdrawal rule
Agency Master Central Balance	Cash recharge pool controlled by agency for allocation to approved outlets.	Not user-withdrawable except approved refund process.
Outlet Marketing Balance	Cash allocated/recharged for campaigns at a specific outlet.	Used only for eligible outlet campaigns.
Promotional Credit	Reward or Elite-issued campaign value.	Non-withdrawable, separately tracked, may expire and may have product restrictions.
Reserved Balance	Amount held for submitted/active campaigns.	Cannot be reallocated until released, consumed or refunded.

ID	Functional requirement	Acceptance criteria
P1-WAL-001	Support agency Master Central Balance recharge with payment status, invoice and GST handling.	Only successful reconciled recharge becomes usable; duplicate callbacks are idempotent.
P1-WAL-002	Allow Agency Admin to allocate available Master Balance to approved outlet balances.	Allocation is atomic, cannot exceed available balance and creates immutable debit/credit entries.
P1-WAL-003	Allow reclaim of unspent cash allocation subject to role/policy; promotional credits may be non-reclaimable.	System validates available/unreserved amount and preserves source lineage.
P1-WAL-004	Reserve budget at campaign approval/launch and debit on defined billing event.	Concurrent campaigns cannot overspend; failed/cancelled delivery releases/refunds according to policy.
P1-WAL-005	Maintain immutable ledger for recharge, allocation, reclaim, reserve, debit, refund, reward, expiry and admin adjustment.	Every entry has ID, actor, source, destination, amount, tax treatment, related object and resulting balance.
P1-WAL-006	Support low-balance alerts and campaign blocking.	Campaign cannot launch without required usable balance unless approved credit line exists.

Spend milestone and reward example

Illustrative motivator

Spend ₹1,00,000 in eligible campaign value and receive ₹10,000 back as promotional campaign credit. Final threshold, qualifying window, caps and expiry are admin-configurable.

ID	Functional requirement	Acceptance criteria
P1-RWD-001	Configure milestone threshold, reward amount/percentage, eligible products, time window, partner type, cap and expiry.	Configuration is versioned and disclosed to participants before qualifying spend.
P1-RWD-002	Calculate progress using reconciled net eligible campaign spend.	GST, refunded/reversed spend, payment fees and spend funded by promotional credit are excluded unless explicitly configured.
P1-RWD-003	Show progress, amount remaining, period and expected reward.	Dashboard matches finance-calculated progress and handles reversals.
P1-RWD-004	Move reward through Achieved → Pending validation → Credited or Reversed.	No reward is usable before validation; all transitions are audited.
P1-RWD-005	Credit agency reward to Master Central Balance promotional bucket or restaurant reward to Outlet Promotional Credit.	Credit is non-withdrawable and retains expiry/restriction metadata.

25. Campaign ROI and Attribution

Metric group	Required reporting
Investment	Campaign spend excluding GST, promotional credit used, effective media value and spend by product/outlet.
Delivery	Impressions, unique reach, frequency, completion, status and surface breakdown.
Engagement	Experience opens, helpful reactions, event views, saves, shares and restaurant profile visits.
Intent	Live Menu views, directions, reservation starts/completions, deal opens and event entry actions.
Attributed dining — Ecosystem	Verified visits, Elite payments, attributed GMV, new/repeat diners and campaign conversion subject to attribution method.
Retention — Ecosystem	30/60/90-day repeat visits, loyalty activity, win-back and recovery outcomes for attributable cohorts.
Efficiency	Cost per profile visit, reservation, verified visit and attributed diner; ROAS = attributed GMV ÷ eligible campaign spend.

ID	Functional requirement	Acceptance criteria
P1-ROI-001	Define first-party event attribution windows and priority rules by campaign type.	A conversion maps deterministically or is labelled multi-touch/assist; method is documented.

ID	Functional requirement	Acceptance criteria
P1-ROI-002	Show closed-loop ROI only where Elite has sufficient signals and partner entitlement.	Non-Ecosystem reporting does not present unsupported GMV/ROAS claims.
P1-ROI-003	Separate organic, member Amplify, restaurant paid promotion and other paid sources.	No double counting of impressions or conversions across source categories.
P1-ROI-004	Allow outlet and agency consolidated reporting with permissions.	Agency sees only approved outlets; restaurant sees its own data; raw diner PII is absent.
P1-ROI-005	Support downloadable finance/campaign reports with report generation audit.	Exports use same metric definitions as dashboard and include date/source filters.

26. Phase 1 Admin, Governance and Entitlements

Admin domain	Required controls
Identity & trust	User verification, suspension, trust flags, consent audit and role recovery.
Restaurants	Onboarding state, Non-Ecosystem/Ecosystem entitlement, outlet users and agency relationships.
Experience & score	Moderation, reports, verification, score configuration, anomaly monitoring and recalculation.
Amplify & campaigns	Product pricing, eligibility, inventory, labels, approval, pause/stop, delivery and refund.
Deals & loyalty	Rule/funding review, caps, liability, expiry, abuse and reconciliation.
Membership & Tokens	Subscription state, credit issuance, benefit configuration, Token events and reversals.
Finance	Wallet ledger, GST/invoices, rewards, adjustments, refunds, reconciliation and exception queues.

ID	Functional requirement	Acceptance criteria
P1-ADM-001	Use role-based admin access with maker-checker for sensitive finance/entitlement actions.	No single unauthorised role can adjust balance, partner entitlement or settlement without required approval.
P1-ADM-002	Audit every material admin action.	Audit includes before/after, actor, reason, timestamp and related object.
P1-ADM-003	Provide configurable feature flags and phased rollout by city, platform, user cohort, restaurant and partner type.	Rollback can disable feature without data loss.
P1-ADM-004	Provide dispute and exception queues with SLA status.	Payment, campaign, loyalty, content and reservation exceptions have ownership and resolution trail.

PART III — PHASE 2 ELITE MEETUPS PHASE 2

27. Phase 2 Product Vision and Scope

Meetup vision

Elite Members can turn dining intent into a trusted gathering: create a public meetup discoverable by all eligible users or a private meetup for their own community, secure a restaurant, collect participant payments through Elite and complete settlement after the event.

In scope	Out of scope / deferred
Public meetups visible and accessible to all eligible Elite users.	Unmoderated off-platform money collection presented as Elite payment.
Private meetups accessible only by invitation/link/code/approved participant list.	Misleading participant pricing or failure to disclose how much of the joining amount is redeemable at the restaurant.
Host-defined capacity, minimum attendance, joining amount and clearly disclosed restaurant-redeemable value.	Public exposure of private meetup details or attendee personal contact information.
Fixed restaurant selection and restaurant confirmation in MVP.	Guaranteed escrow terminology or fund custody before legal/payment architecture is approved.
Restaurant quote request and multi-quote comparison in Phase 2B.	Non-dining events without a restaurant/venue relationship in the initial release.
Participant payment, funds holding, refund and split settlement using approved payment architecture.	
Check-in, participant communication, cancellation, safety and reputation.	

28. Host Eligibility and Verification

ID	Functional requirement	Acceptance criteria
P2-HOST-001	Restrict meetup creation to active Elite Members.	Non-member sees join/upgrade flow; active subscription and host eligibility are checked server-side.
P2-HOST-002	Require full profile completion and verification: verified mobile, name, DOB, gender, profile photo and approved identity verification for hosts.	Host cannot publish until every mandatory profile and verification field is complete; sensitive data remains private.
P2-HOST-003	Apply trust/level, moderation and prior-hosting controls.	Suspended/high-risk host cannot create; new hosts can have capacity/price limits.
P2-HOST-004	Support manual approval for first meetup or high-risk/high-value meetups.	Status and reviewer decision are recorded before publication/payment collection.
P2-HOST-005	Prevent host payout until event completion and required dispute window.	Payout state is controlled by settlement service, not client or host.

29. Meetup Creation and Visibility

User story

As a Elite Member, I need create either a public dining meetup or a private gathering for my community, so that I can organise a founders dinner, book club or college reunion with clear seats, price and venue.

Visibility	Who can discover	Who can join
Public	All eligible users through Meetups tab, home, locality, interests, restaurant profile, host profile and Elara.	Any eligible user until capacity, subject to optional host approval.
Private	Only users with invite link/code, direct invitation or approved participant list.	Invited/authorised users; it is excluded from public search, recommendations and public activity.

ID	Functional requirement	Acceptance criteria
P2-MC-001	Create meetup with title, description, category, date/time, duration, city/locality, visibility and host introduction.	Draft validates date, category and visibility; private details do not leak to public APIs.
P2-MC-002	Set minimum and maximum attendees, total slots, host-seat treatment, waitlist and join deadline.	Available seats update atomically; overbooking is prevented.
P2-MC-003	Set participant joining amount, restaurant-redeemable amount, internal host earning, Elite fee/taxes where applicable and refund policy.	Before publish and payment, participant sees total joining amount and restaurant-redeemable amount. Internal host earning remains available to authorised host, finance and admin views but is not separately itemised to participants.
P2-MC-004	For private meetup, generate revocable invite link/code and support direct invitations/approved list.	Unauthorised user cannot open protected details or join; host can revoke invite mechanism.
P2-MC-005	For public meetup, support optional automatic join or host approval.	Pending applicants do not consume paid seat unless policy reserves it; decisions are notified.
P2-MC-006	Save draft and preview the participant-facing page.	Host can resume draft; preview reflects visibility and pricing disclosures.

Suggested categories	Examples
Professional	Founder dinner, industry networking, business lunch.
Community	College reunion, alumni gathering, city newcomers, neighbourhood group.
Interest	Book club, food tasting, hobby dinner, creator meetup.
Social	Singles, women-only brunch, birthday table, sports screening.
Curated dining	Chef menu, brewery trail, premium section or themed meal.

30. Venue Selection and Restaurant Confirmation

ID	Functional requirement	Acceptance criteria
P2-VEN-001	MVP: host selects an Elite restaurant and submits date, time, capacity, package/requirements and commercial terms request.	Meetup remains not bookable until restaurant confirms required fields.
P2-VEN-002	Restaurant can accept, reject or propose revised capacity/package/price/section/terms.	Host sees structured changes and must accept before final confirmation.
P2-VEN-003	Store confirmed section/table, minimum guarantee, package, inclusions, taxes, cancellation and operational contact.	Participant page reflects accepted terms; later changes trigger consent/refund rules.
P2-VEN-004	Use statuses: Draft, Restaurant Requested, Changes Proposed, Restaurant Confirmed, Open for Joining, Minimum Reached, Sold Out, Completed, Cancelled.	State machine blocks joining before confirmed and financial actions in invalid states.
P2-VEN-005	Allow restaurant to designate meetup operational owner.	Owner receives updates and can access only the assigned outlet/meetup.

31. Restaurant Quote Marketplace — Phase 2B

User story

As a meetup host, I need send one structured intent to suitable Elite restaurants and compare quotes, so that I can choose a venue without separately calling multiple restaurants.

ID	Functional requirement	Acceptance criteria
P2-QT-001	Host creates request with date/time, people, locality, budget/person, cuisine, food/beverage, section, AV, decor, duration and host-earning expectation where relevant.	Required fields are validated and request can target approved restaurants or a rules-based shortlist.
P2-QT-002	Eligible restaurants receive request and can respond with availability, per-person/fixed quote, menu, inclusions/exclusions, taxes, advance, cancellation and quote expiry.	Quote is immutable after submission except versioned revision; expiry is enforced.
P2-QT-003	Host compares quotes in a standardised view.	Comparison includes effective participant cost, package, section, minimum guarantee, expiry and restaurant reliability.
P2-QT-004	Host selects a quote and accepts terms; non-selected restaurants are notified.	Selected quote becomes confirmed venue contract object and drives participant pricing.
P2-QT-005	Support host/restaurant questions without exposing private personal contact by default.	Conversation is in-platform and moderated/audited where necessary.

ID	Functional requirement	Acceptance criteria
P2-QT-006	Track response rate, time to first quote, quote-to-selection and restaurant fulfilment.	Metrics are available to Product and eligible restaurant dashboards.

32. Meetup Discovery, Invitation and Joining

ID	Functional requirement	Acceptance criteria
P2-JOIN-001	Public meetup cards show title, host, verification, restaurant, date/time, category, price, seats remaining and minimum status.	No private meetup is returned by public endpoint or index.
P2-JOIN-002	Meetup detail shows host history, venue/package, attendee visibility policy, total joining amount, restaurant-redeemable amount, applicable fees/terms, refund/cancellation and community guidelines.	User accepts terms before payment/application; host earning is not separately itemised in participant-facing copy.
P2-JOIN-003	Support one or multiple seat purchase subject to host rules.	Inventory is reserved atomically during payment and released on timeout/failure.
P2-JOIN-004	Support private invitation acceptance and prevent link leakage from granting unrestricted access when additional verification is configured.	Invite token is scoped, expirable/revocable and optionally tied to mobile/email/user.
P2-JOIN-005	Support waitlist and promotion when seats release.	Promotion has expiry; next eligible user is notified; no double allocation.
P2-JOIN-006	Provide participant pass and QR/check-in token after confirmed payment.	Token is unique, secure, revocable and not reusable after check-in.

33. Meetup Payments, Funds Holding and Settlement

Legal/finance dependency

The final implementation must use an approved payment architecture for marketplace collections, split settlements, refunds, host payouts, restaurant payouts, GST/TDS and any regulated fund-holding requirement. Product copy must not promise escrow unless legally accurate.

Amount component	Recipient / treatment
Restaurant package amount	Settled to restaurant after completion subject to agreed advance/settlement structure.
Host earning	Settled to host after completion and dispute window, with internal calculation, authorised reporting and applicable tax treatment.
Elite platform fee	Retained by Elite with applicable tax invoice.
Payment/tax charges	Allocated according to disclosed terms and provider/legal setup.

Amount component	Recipient / treatment
Refundable deposit, if any	Held/released only through approved architecture and stated conditions.

ID	Functional requirement	Acceptance criteria
P2-PAY-001	Collect the participant total using a versioned pricing snapshot.	Participant-facing checkout shows total joining amount, restaurant-redeemable amount and any separately required applicable fee/term; the complete internal recipient breakdown remains available only to authorised finance/admin/host views and cannot be altered silently.
P2-PAY-002	Reserve seat during payment and confirm only after payment success.	Retries are idempotent; pending/reversed states reconcile correctly.
P2-PAY-003	Track collection by meetup, participant, component and recipient.	Finance can reconcile gross collection, tax, refunds, restaurant payable, host payable and Elite revenue.
P2-PAY-004	Do not release host payout before event completion, attendance/restaurant confirmation and dispute window.	Payout state transition requires server-side completion and no blocking dispute.
P2-PAY-005	Support minimum-attendance deadline.	If unmet, system cancels/refunds or executes an explicitly accepted revised plan.
P2-PAY-006	Support full/partial refund, cancellation fee, participant transfer and admin adjustment according to policy.	Refund source and component allocation are deterministic and audited.
P2-PAY-007	Generate participant receipt and recipient settlement statements.	Documents match ledger and tax treatment.

34. Host Earnings and Participant Value Disclosure

Model	Behaviour
No host earning	Participant joining amount contains no organiser earning for host.
Fixed per participant	Internal fixed ₹ earning per paid participant; participant sees total joining amount and restaurant-redeemable amount.
Fixed meetup fee	Internal fixed organiser earning funded from collections or restaurant.
Percentage earning	Internal percentage and calculation base, subject to product limits.
Restaurant-funded incentive	Visible to host, restaurant and authorised internal roles; participant-facing page still states the restaurant-redeemable value accurately.

ID	Functional requirement	Acceptance criteria
P2-EARN-001	Host chooses an allowed earning model within limits.	System calculates internal earning and participant-facing redeemable value; unsupported formulas are blocked.

ID	Functional requirement	Acceptance criteria
P2-EARN-002	Display total joining amount and restaurant-redeemable amount to participant before payment.	Example: for a ₹450 meetup with ₹300 redeemable, both values are clear. Host earning is not separately itemised; later value changes require refund/re-consent.
P2-EARN-003	Apply host eligibility, payout KYC/tax and earnings caps.	Ineligible host cannot receive payout; payable remains held/excepted until resolved.
P2-EARN-004	Provide host earnings dashboard with pending, available, paid, reversed and tax amounts.	Dashboard is visible only to the host and authorised finance/admin roles and reconciles to the settlement ledger.

35. Meetup Communication, Check-in and Event Operations

ID	Functional requirement	Acceptance criteria
P2-OPS-001	Provide host broadcast updates to confirmed/pending/waitlisted participants with channel controls.	No participant-to-participant phone number exposure; messages are logged.
P2-OPS-002	Send reminders, venue changes, minimum reached, sold out, join deadline and cancellation notifications.	Critical changes require acknowledgement where terms materially change.
P2-OPS-003	Support QR or attendee-list check-in by restaurant/host with anti-reuse control.	Attendance timestamp and checker are recorded; manual correction requires reason.
P2-OPS-004	Allow restaurant to confirm event delivered and raise variance/dispute.	Settlement remains pending until completion or admin resolution.
P2-OPS-005	Collect dietary/allergy requirements with consent and share only necessary event-level information with restaurant.	Sensitive details are access-limited and retained according to policy.

36. Cancellations, Safety, Reputation and Moderation

Cancellation actor	Required outcome domains
Participant	Deadline-based refund, partial/no refund, transfer option and seat release.
Host	Participant refund, restaurant cost recovery where agreed, host reliability impact and possible restriction.
Restaurant	Participant refund/alternative venue, restaurant reliability impact and compensation policy.
Elite / force majeure	Clear status, refund/credit rules and communications.

ID	Functional requirement	Acceptance criteria
P2-SAFE-001	Provide report/block/emergency support entry points and meetup community guidelines.	Reports create case with severity and protect reporter privacy.

ID	Functional requirement	Acceptance criteria
P2-SAFE-002	Support women-only, age-restricted or approval-based meetup eligibility where lawful and appropriate.	Eligibility is declared, validated and moderated; no unsupported discriminatory rule is enabled.
P2-SAFE-003	Allow host to privately flag no-show, misconduct or disruption.	Flags are not public accusations; they feed trust review with appeal controls.
P2-SAFE-004	After completion, participants rate host organisation and restaurant fulfilment.	Only confirmed participants can rate; duplicate/retaliatory abuse controls apply.
P2-SAFE-005	Maintain host reliability metrics: completion, cancellation, attendance, dispute and participant satisfaction.	Public display uses approved summary; internal trust signal has audit and correction path.
P2-SAFE-006	Private meetup details and attendee list remain excluded from public discovery and public host activity.	Access tests confirm no leakage through search, feed, profile, share preview or analytics endpoint.
P2-SAFE-007	Apply participant verification tiers based on meetup risk, not only host KYC.	All paid participants have verified mobile/account. Higher-risk categories can require enhanced identity, age and selfie/liveness assurance using an approved provider; hosts/restaurants receive only eligibility status, not raw documents.
P2-SAFE-008	Use non-self-declared age verification for age-restricted or alcohol-related meetups.	Jurisdiction-configured age threshold is checked before join/payment. Underage or unverifiable users cannot join; the event/meetup must declare alcohol/age restriction and cannot override platform gating.
P2-SAFE-009	Provide a concrete active-meetup incident and emergency escalation model.	Meetup page exposes emergency/report entry, venue address and designated restaurant contact. P0 cases alert Trust & Safety on-call and suspend new joins; case includes owner, timestamp, participant safety actions, evidence and follow-up.
P2-SAFE-010	Gate singles, women-only and other elevated-risk public categories behind category-specific launch controls.	Category cannot launch until enhanced participant verification, host checks, venue confirmation, contact masking, incident drill, on-call coverage and legal approval are complete. General/private community meetups may launch separately under lower-risk gates.
P2-SAFE-011	Record the approved liability, waiver and insurance stance before enabling paid public meetups.	Terms shown before join identify platform/host/restaurant responsibilities. Product configuration references the approved policy version; launch is blocked while insurance/indemnity/incident ownership remains OPEN.

36A. Meetup Physical Safety and Restricted-Category Gates

Launch rule / Public meetups are a physical-world marketplace. Host membership/KYC alone is insufficient. Participant verification, venue ownership, emergency escalation, age assurance and legal/insurance position must be explicit. Singles, women-only and other elevated-risk categories remain disabled until category-specific gates pass.

36A.1 Verification tiers

Tier	Applies to	Minimum checks
Tier 0 — private known community	Invite-only reunion/alumni/company community.	Verified mobile/account, host verified/member, scoped invite, restaurant confirmed, report/block and exact access control.
Tier 1 — general public interest meetup	Book club, founder dinner, hobby/community event.	Tier 0 plus participant profile completion, payment identity, host approval option and contact masking.
Tier 2 — elevated-risk category	Singles, women-only, alcohol-led, late-night or other policy-defined category.	Enhanced identity/liveness, age threshold where applicable, approved venue/on-site contact, stronger moderation, attendance visibility controls and active on-call coverage.
Tier 3 — prohibited/unlaunchable	Category or setup failing legal/safety policy.	Cannot publish, accept payment or be manually overridden without designated senior approval and policy change.

36A.2 Incident escalation model

Severity	Examples	Product / operations response
P0 — immediate danger	Violence, credible threat, missing/vulnerable participant, medical emergency.	Show emergency guidance, alert Trust & Safety on-call and venue contact, suspend new joins, preserve evidence, assign incident commander and follow emergency SOP.
P1 — serious safety misconduct	Harassment, stalking, intoxication risk, non-consensual contact.	Urgent case, participant separation/support, account/meetup restriction, venue coordination and same-day review.
P2 — conduct/terms issue	Disruption, misleading event, repeated no-show, minor conflict.	Standard case, evidence collection, trust/reliability impact and appeal.
P3 — service issue	Package mismatch, delayed start, seating issue.	Restaurant/host operations and settlement-dispute workflow.

36A.3 Category launch acceptance criteria

- Enhanced participant verification and age-assurance provider passes failure, privacy and retry tests.
- Venue has a named on-site contact, confirmed section/table and active-event contact path.
- Participant contact information is masked; block/report works before, during and after the meetup.
- Trust & Safety on-call owner, P0/P1 runbook and venue escalation drill are completed.

- Terms, waiver, host/restaurant/platform responsibility and insurance/indemnity stance receive Legal approval.
- Pilot is limited to approved hosts, selected restaurants, capped capacity and monitored operating hours.
- The category has an independent feature flag and can be paused without disabling lower-risk/private meetups.

37. Phase 2 Host and Restaurant Dashboards

Host dashboard	Restaurant dashboard
Meetup status, venue requests and quotes	Incoming requests, quote creation/revision and expiry
Seats, paid participants, approvals and waitlist	Confirmed capacity, package, section and attendee count
Collections, restaurant allocation, host earnings, Elite fees and refunds	Restaurant payable, advance, settlement status and disputes
Broadcast updates, participant questions and check-in	Operational contact, dietary summary and check-in
Past meetup performance and host reliability	Past group fulfilment and conversion/reporting

38. Phase 2 Admin and Finance Controls

ID	Functional requirement	Acceptance criteria
P2-ADM-001	Review host eligibility, first-meetup approval and high-risk meetup flags.	Decision includes reason, conditions and audit.
P2-ADM-002	Manage meetup, quote, participant, payment, refund, payout and incident states.	Sensitive transitions require appropriate role/maker-checker.
P2-ADM-003	Provide settlement exception queue for unmet minimum, restaurant variance, host dispute, failed payout and tax/KYC issue.	Each exception has owner, SLA, notes and resolution.
P2-ADM-004	Allow content/safety moderation and emergency suspension of meetup/host.	Suspension stops new joins/payment and triggers defined participant communications.
P2-ADM-005	Provide marketplace metrics without exposing private attendee data.	Aggregates and pseudonymous drilldowns obey access policy.

PART IV — SHARED PLATFORM SERVICES

39. Entitlement Matrix

Capability	Diner	Elite Member	Non-Ecosystem	Ecosystem	Agency
Organic discovery/profile	Use	Use	Present	Present	View approved outlet
Full experience	Create	Create long-form	Receive	Receive	No authoring as diner
Create Curations V1	Multiple public/private	Multiple public/private	N/A	N/A	N/A
Member Amplify	No / upgrade	3 credits/month	N/A	N/A	N/A
Restaurant Experience Amplification	N/A	N/A	No / policy	Yes; batch from ₹50k + GST	Operate if outlet-approved
Restaurant events — Phase 1	View/share	View/share	Create/publish if configured	Create/publish/amplify	Operate if outlet-approved
Flat deal	Redeem	Redeem	Create	Create	Operate if approved
Tiered deal	Redeem	Redeem	No	Create	Operate if approved
Restaurant loyalty	Earn/redeem under active outlet membership	Earn/redeem under active outlet membership	Elite-visit rules; configurable plan	Across payment modes; richer plan benefits	Operate/report if outlet-approved
Marketing Workspace	No	No	Configured	Full entitlement	Via approved linkage
Closed-loop ROI	No	No	Limited delivery/engagement	Yes where signals exist	For approved Ecosystem outlets
Create meetup — Phase 2	No	Yes subject to host eligibility	Venue response	Venue response/quotes	No, unless acting as host personally
Join public/private meetup	Yes if eligible	Yes	N/A	N/A	N/A
Restaurant Membership	Join free or purchase paid plan	Join free or purchase paid plan	Create one V1 plan if entitled	Create one V1 plan with richer benefits	Operate/report if outlet-approved

40. Core Data Model

Entity	Important fields / relationships
User	Identity, mobile, name, gender, DOB, consent, preferences, Trust, Elite Membership, Restaurant Memberships, current level, Lifetime Earned Tokens, privacy and status.
Restaurant / Outlet	Partner state, profile, sections, live signals, reservation/deal/loyalty/marketing/meetup entitlements.

Entity	Important fields / relationships
Outlet User / Role	User, outlet, role, permissions, inviter/approver, status and audit.
Agency / Agency User	Organisation, legal/billing, users, roles and status.
Agency–Outlet Relationship	Agency, outlet, requested/approved permissions, approver, dates, revocation and reason.
Visit	User, outlet, time, verification method, party, spend, payment/reservation and source.
Experience	Author, outlet, sentiment, title/body/media, verification, moderation, edit history and score eligibility.
Experience Score Snapshot	Outlet, window, inputs, algorithm version, confidence, label and audit.
Amplify Credit	Owner, source cycle/purchase, issued, expiry, reserved/used/reversed status.
Campaign	Owner type, outlet, product type, selected content/event, budget, dates, targeting, label, state and delivery.
Restaurant Event	Outlet, organiser, title, about, 16:9 banner, 4:5 image, menu/CTA, ambience, things-to-know, terms, recurrence rule, start date/time, status and moderation.
Event Occurrence	Parent event, occurrence date/start time, overrides, publication state, capacity/action links and cancellation/completion state.
Event Exclusivity Entitlement	Event/occurrence, purchaser, product/package, scope, start/end, suppressed recommendation surfaces, spend and state.
Marketing Wallet / Ledger Entry	Owner/account, cash/promo/reserved buckets, transaction type, amount, tax/source/destination, related object and balance.
Reward Milestone	Rule version, participant, period, progress, achieved/validated/credited/reversed and expiry.
Deal / Redemption	Objective, rules, funding, cap, validity, user eligibility, reservation and final redemption.
Loyalty Policy / Lot / Ledger	Outlet-specific terms and policy version; user, issue lot, expiry (custom or 365-day default), redeem, reversal, value and liability.
Token Lot / Ledger / Level	User, lot type (purchased/bonus/earned/promo), source, integer amount, pending/available/reserved/spent/reversed/expired, issued/available/expiry, rule version, consumed lots, cap/hold/fraud state; plus Lifetime Earned Tokens confirmed/reversed totals, current level, next threshold and level-rule version. Only earned lots feed the level projection.
Reservation	User, outlet, section, date/time, party, status, payment/advance and dispute.
Meetup — Phase 2	Host, public/private, content, capacity, price components, venue, minimum, policy and status.
Meetup Invite / Participant	Meetup, invite token/list, user, application, seat count, payment, waitlist and attendance.
Meetup Quote	Request, restaurant, package, price, terms, expiry, version and selection.

Entity	Important fields / relationships
Meetup Settlement	Collections, participant refunds, restaurant payable, host payable, Elite fee, tax, payout and dispute.
Age & Eligibility Assertion	User, threshold/jurisdiction, state, provider/reference, verified_at, expiry, parent-consent link and restricted-action eligibility.
Consent Record	User/parent actor, child if applicable, purpose, data categories, notice version/language, channel, given_at, withdrawn_at and processor propagation.
Data Rights Request	Requester, request type, identity verification, scope, status, owner, SLA, processors, export/deletion receipts, legal holds and outcome.
Visit Verification Evidence	Diner, outlet, method, confidence, source event, reservation/payment/bill/table reference, actor, timestamp, reversal and audit.
Bill Reconciliation Case	Bill/version, payment, expected/captured/final amount, tolerance, status, owner, refund/additional charge/adjustment and resolution.
UGC Report / Moderation Case	Content, reporter/source class, relationship, reason, evidence, severity, SLA, visibility, score impact, reviewer, appeal and legal hold.
Migration Batch / Provenance	Entity type, source system/version, batch, source ID, target ID, hash/count reconciliation, status, errors, cutover flag and rollback reference.
Home Module Configuration	Surface, module type, city/segment eligibility, order, feature flag, inventory cap, experiment, start/end and fallback state.
Curator Recommendation / Story Rail Delivery	Viewer, curator, reason/source, relevance score, rank, activity ring, follow state, impression/click/swipe, frequency counters and exclusion reason.
Curation	Owner diner, title, description, cover media, visibility Public/Private, status, public slug, creator/provenance, sponsorship disclosure, restaurant_count (max 15), last_updated, save/share counts and moderation state.
Curation Restaurant Item / External Restaurant Reference	Curation, stable item ID, ordered position, Elite outlet ID or external source reference, Google place ID, name/address/coordinates/allowed dining type, source verification timestamp/hash, duplicate/merge state, owner verified-visit evidence link and badge state.
Story Rail Event Placement	Campaign/event occurrence, placement label, sequence position, eligibility/age gate, frequency cap, impression/click, attribution and expiry/cancellation state.
Token Pack / Purchase	Pack version, price, base/bonus Tokens, bonus expiry, eligibility/schedule/limit, purchase source, provider/payment/reference, taxes/receipt, state, reversal/chargeback and interrupted product return context.
Restaurant Membership Plan	Outlet, plan name, diner membership fee, currency, billing model (free/fixed-term/recurring), duration, renewal mode, free/paid flag, joining benefit, benefit rules, loyalty policy reference, terms version, merchant/settlement owner,

Entity	Important fields / relationships
	publish/status and effective dates.
Restaurant Membership Enrollment	User, outlet, plan/version, free/paid, diner fee agreed/paid, taxes/total, status, joined/paid-through/grace/expiry/cancel dates, auto-renew, terms acceptance, payment/subscription/invoice references and benefit usage.

41. Core State Machines

Object	Minimum states
Experience	Draft → Published → Edited / Reported → Under Review → Active / Limited / Removed → Deleted.
Member Amplify	Eligible → Confirming → Credit Reserved → Scheduled/Active → Completed / Paused / Stopped / Refunded.
Restaurant Campaign	Draft → Submitted → Approved/Rejected → Funded → Scheduled → Active → Paused → Completed/Cancelled → Reconciled.
Restaurant Event	Draft → Submitted → Approved/Rejected → Scheduled/Published → Active → Completed/Cancelled/Archived.
Event Occurrence	Generated/Scheduled → Published → Active → Completed; or Cancelled/Skipped/Rescheduled with audit.
Event Exclusivity	Configured → Pending Payment/Approval → Scheduled → Active → Completed/Cancelled/Refunded.
Agency linkage	Requested → Outlet Approved/Rejected → Active → Suspended/Revoked → Archived.
Wallet transaction	Initiated → Pending → Succeeded/Failed → Reversed/Refunded where applicable.
Reservation	Initiated → Pending Restaurant → Confirmed/Rejected → Checked In → Completed / Cancelled / No-show / Disputed.
Meetup	Draft → Host Review → Restaurant Requested → Confirmed → Open → Minimum Reached → Sold Out → In Progress → Completed → Settled; or Cancelled/Disputed.
Meetup participant	Invited/Applied → Approved → Payment Pending → Confirmed → Checked In → Completed; or Waitlisted/Cancelled/Refunded/No-show.
Meetup quote	Draft → Submitted → Revised → Accepted/Rejected/Expired/Withdrawn.
Age/parent consent	Unknown → Self-declared → Verification Pending → Verified Adult / Verified Minor → Parent Consent Pending → Parent Consented → Withdrawn/Expired.
Data rights request	Submitted → Identity Check → In Progress → Processor Propagation → Completed / Partially Fulfilled / Rejected with legal basis → Appealed/Closed.
Visit verification	Unverified → Evidence Pending → Verified (strength) → Reversed/Expired/Disputed.
Bill reconciliation	Matched → Mismatch Detected → Payment Held/Pending → Refund/Additional Collection/Adjustment → Reconciled → Escalated/Closed.

Object	Minimum states
UGC moderation case	Open → Triaged → Published / Distribution Limited / Temporarily Hidden → Removed/Restored → Appealed → Upheld/Reversed → Closed/Legal Hold.
Migration batch	Planned → Dry Run → Reconciled → Shadow/Dual Run → Canary → Cutover → Validated → Rolled Back / Completed.
Curation	Draft → Private / Public → Edited → Under Review / Limited → Restored / Removed → Archived / Deleted. Visibility change to Private removes public-index eligibility immediately.
Token purchase	Initiated → Payment Processing → Succeeded / Failed / Abandoned → Credited → Reversed / Refunded / Chargeback Review.
Token lot / burn	Pending → Available → Reserved → Spent; or Reversed / Expired / Frozen. Failed product activation restores the exact reserved/consumed lots.
Restaurant Membership Enrollment	Eligible → Terms Pending → Payment Pending (paid only) → Active Free / Active Paid → Grace → Renewed / Expired / Cancelled / Refunded; points remain under lot lifecycle.

42. Suggested Service Boundaries

Service / domain	Responsibilities
Identity & Entitlement	Account, profile, consent, Elite Membership, Restaurant Membership enrollment, roles, partner state and feature entitlement.
Discovery & Feed	Search, home modules, ranking, Curations V1 create/edit/public-private access, curation discovery, Google restaurant import/matching, verified-visit badges, frequency caps and paid/organic source labelling.
Experience & Trust	Composer, media, verification, moderation, helpfulness, following and score snapshots.
Restaurant Events	Event content, recurrence/occurrence generation, publishing, detail pages, sharing, similar-event recommendations and exclusivity entitlements.
Campaign & Ad Delivery	Amplify products, campaigns, inventory, targeting, delivery, attribution and reports.
Token Economy & Value Engine	Tier Discounts, diner-paid/free Restaurant Membership plans and benefits, restaurant-loyalty eligibility/redemption, Token earning rules/caps/lots/expiry, Lifetime Earned Token projection and level assignment, burn catalogue, Trust separation, Token Store catalogue and entitlement quotation.
Reservation & Visit	Reservations, sections, check-in, visit verification and table disputes.
Payments & Ledger	Consumer payments, Elite subscriptions, paid Restaurant Membership purchase/renewal/refund/settlement, Token-pack purchase/receipt/reversal, marketing balances, refunds, invoices, settlements and provider-to-ledger reconciliation.

Service / domain	Responsibilities
Restaurant & Agency	Outlet settings, users, agency links, marketing workspaces and approvals.
Meetups — Phase 2	Meetup, invite, participant, quote, attendance, host/restaurant operations and meetup settlement orchestration.
Notification	Event-driven push, WhatsApp, SMS, email and in-app communication with preferences/compliance.
Analytics	Event collection, attribution, metric definitions, dashboards and experiment/control groups.
Privacy, Consent & Data Rights	Consent/parental consent, age state, purpose enforcement, DSAR/correction/erasure, retention, legal hold and processor propagation.
Visit Verification & Reconciliation	Verification evidence, non-Bridge fallback, bill version lock, payment mismatch cases and verification reversal.
Moderation, Grievance & Legal Requests	Report classification, abuse controls, SLAs, content state, grievance officer workflows, legal takedown, evidence retention and appeals.
Migration & Compatibility	Legacy adapters, provenance, dual-write/read, reconciliation, score shadowing, cutover flags and rollback orchestration.

43. Analytics Event Taxonomy

Domain	Required events (minimum)
Discovery	home_viewed, module_impression, restaurant_impression, restaurant_opened, search_submitted, search_result_clicked, curator_story_rail_impression, curator_story_rail_swiped, curator_tile_impression, curator_tile_clicked, curator_profile_opened, curator_followed/unfollowed, event_story_ad_impression, event_story_ad_clicked, curation_module_impression, curation_card_clicked, curation_view_all_clicked, curation_created, curation_draft_saved, curation_published, curation_visibility_changed, curation_metadata_edited, curation_restaurant_added/removed/reordered, curation_external_import_started/succeeded/failed, curation_opened, curation_saved/shared, curation_restaurant_clicked, curation_verified_visit_badge_impression/clicked.
Experience	composer_opened, ai_assist_opened/action_applied/accepted, experience_publish_attempted/succeeded/failed, verification_attached, edit_saved, reported, helpful_toggled, author_followed.
Amplify	prompt_shown, prompt_skipped, membership_viewed/purchased, credit_selected, campaign_created, impression_delivered, campaign_completed.

Domain	Required events (minimum)
Deals/Loyalty/Restaurant Membership	deal_impression/opened/eligible/redeemed/failed, points_issued/redeemed/expired/reversed, stacking_choice, restaurant_membership_plan_viewed, restaurant_membership_join_started, terms_accepted, purchase_started/succeeded/failed, activated, renewed, grace_started, cancelled, expired, refunded, benefit_impression/used, membership_linked_points_pending/claimed, restaurant_membership_fee_disclosed, restaurant_membership_fee_confirmed, restaurant_membership_charge_succeeded/failed, restaurant_membership_seller_shown
Reservation/Payment	reservation_started/confirmed/cancelled/checked_in, checkout_started, payment_succeeded/failed/reversed/refunded, receipt_viewed.
Restaurant Events	event_draft_created, event_submitted/approved/rejected, occurrence_generated/published/changed/cancelled/completed, event_impression/detail_view/share/cta_clicked, similar_event_impression/click, exclusivity_started/ended.
Marketing/Agency	link_requested/approved/revoked, recharge_started/succeeded, allocation_created/reclaimed, campaign_submitted/approved/launched/completed, reward_achieved/credited.
Meetups — Phase 2	meetup_draft_created/published, invite_sent/accepted, join_started/paid, waitlist_joined/promoted, quote_requested/submitted/accepted, checked_in, completed, refund/payout.
Privacy / age	age_state_changed, age_verification_started/succeeded/failed, parent_consent_requested/granted/withdrawn, consent_withdrawal_started/propagated, data_rights_requested/completed.
Verification / reconciliation	visit_verification_created/reversed, table_otp_consumed, bill_version_changed, bill_mismatch_detected/resolved, reconciliation_sla_breached.
Moderation / grievance	report_submitted/rate_limited, case_triaged, distribution_limited/restored, content_removed, grievance_acknowledged/resolved, appeal_submitted/upheld/reversed, legal_order_received/actioned.
Migration	migration_dry_run_started/completed, entity_reconciled/failed, score_shadow_diff, canary_started/rolled_back, cutover_completed, balance_mismatch_detected.
Token Economy	token_reward_pending/confirmed/held/reversed/expired, token_store_viewed, token_pack_impression/selected, token_purchase_started/succeeded/failed/abandoned/reversed, token_lots_credited, token_shortfall_shown, token_burn_quoted/reserved/committed/restored/failed, token_balance_viewed, token_expiry_notice_opened, creator_returned_after_burn, token_experiment_exposed, lifetime_earned_tokens_incremented/decremented, level_progress_viewed, elite_level_changed, level_recalculation_completed/failed

Event contract

Every event must include event_id, user/actor_id or anonymous/session ID, timestamp, app/platform version, city, source surface, entity IDs, entitlement state and experiment IDs where relevant. Financial and trust events must be server generated or server confirmed.

44. Notification and Lifecycle Matrix

Trigger	Recipient	Minimum communication
Membership billing	Member	Purchase, renewal, failed payment, cancellation, next billing and monthly Amplify refill.
Experience	Author	Published, moderation status, helpful milestone, reply/recovery and Amplify result.
Restaurant event	Diner/Restaurant Marketer	Submission/approval, publication, occurrence reminder/change/cancellation, campaign result and exclusivity status.
Curation	Diner/Author	Publish success/failure, visibility change, moderation/report outcome, import/merge issue and optional save milestone; private curation content is never included in unauthorised notifications.
Loyalty	Diner	Points earned, sufficient balance, upcoming expiry, redemption and reversal.
Reservation	Diner/Restaurant	Request, confirmation, reminder, changes, check-in, cancellation deadline and dispute.
Campaign	Marketer/Admin	Submitted, approval/rejection, low balance, launch, pause, completion and reward progress.
Agency link	Agency/Outlet Admin	Request, approval, permission change and revocation.
Meetup — Phase 2	Host/Participant/Restaurant	Invitation/application, venue/quote, minimum reached, seats, reminder, change, cancellation, check-in, refund and settlement.
Privacy / rights	User / Parent	Consent request/withdrawal, parent approval, age verification result, access/correction/erasure request acknowledgement, status, completion and legal-retention exception.
Moderation / grievance	Reporter / Author / Restaurant / Legal Ops	Case acknowledgement, visibility action, reason category, SLA update, resolution, appeal and restoration/removal outcome.

Trigger	Recipient	Minimum communication
Verification / reconciliation	Diner / Restaurant / Finance	Verification pending/succeeded/reversed, bill changed, mismatch detected, refund/additional amount/adjustment and final receipt status.
Elite Token wallet / purchase	Diner	Reward pending/available/reversed, Lifetime Earned Token progress and level-up, purchase success/failure/receipt, bonus and expiry, low/insufficient balance, burn confirmation, restoration and fraud/review restriction where disclosure is permitted.
Restaurant Membership	Diner / Restaurant	Plan join/purchase, restaurant-charged fee and term, terms accepted, activation, joining benefit, renewal amount/date, payment failure, grace, cancellation, expiry, refund and material benefit/price/terms change.

PART V — DELIVERY, METRICS & QUALITY

45. Non-Functional Requirements

Domain	Requirement
Availability	Core discovery should degrade gracefully; payment, ledger and settlement actions must never be acknowledged without durable server state.
Performance	Target p95 APIs and screen load budgets must be defined per surface; feeds paginate and media is optimised.
Idempotency	Payment, subscription, Token reward/purchase/credit/burn/restoration, loyalty, wallet, reward, refund, campaign reservation and settlement operations require idempotency keys.
Consistency	Financial balances and seat inventory require strong transactional consistency; feeds/analytics may use eventual consistency.
Security	RBAC, tenant isolation, encryption in transit/at rest, secure secrets, rate limits, device/session controls and OWASP testing.
Privacy	Consent, parent consent, purpose limitation, data minimisation, age/child restrictions, withdrawal propagation, data rights, per-entity retention/deletion, legal holds, pseudonymous marketing reports and no raw diner PII leakage.
Audit	Immutable audit for entitlement, moderation, score configuration, Token pack/purchase/lot/burn, balance, payout, refund, agency access and admin actions.
Accessibility	Key consumer and restaurant journeys support screen readers, contrast, scalable text, focus order and non-colour status cues.
Observability	Structured logs, traces, metrics, alerting and business reconciliation dashboards with correlation IDs.
Abuse prevention	Controls for fake visits, duplicate verified-visit rewards, review brigading, report suppression abuse, reaction farms, deal/loyalty/Token farming, payment-refund cycling, campaign misuse, meetup scams and chargebacks.
Data isolation	Agency users access only explicitly approved outlets; private meetups and private curations are not indexed, publicly returned or exposed through analytics payloads to unauthorised actors.
Backward compatibility	Every schema/API/event change defines legacy reader/writer behaviour, provenance, migration batch, dual-run/cutover and rollback. Financial/identity state is never destructively rolled back.
Policy configurability	Regulatory SLAs, age thresholds, retention periods, report actions and restricted categories are server-side policy configuration with versioned audit, not hard-coded client constants.

46. Success Metrics

North Star

Monthly Verified Dining Relationships: unique diner–restaurant pairs completing at least one verified high-intent action in the month. Companion: 30/60/90-day Repeat Relationship Rate.

Product area	Primary outcome metric	Key guardrail
Discovery	% sessions reaching meaningful restaurant consideration/action	Outlet/contributor concentration and irrelevant-result rate.
Experiences	Useful verified experiences per 100 verified visits	Report/removal and low-effort rate.
Restaurant events	Event detail-to-action conversion; attributable reservation/ticket/visit actions by occurrence	Cancelled/stale event rate, misleading information and paid/organic reporting accuracy.
Amplify — member	Incremental qualified reach and engagement per credit; membership conversion/renewal	Feed paid-content share, repetition and report rate.
Amplify — restaurant	Qualified profile/reservation/visit outcomes per batch and repeat purchase	Clear disclosure and no score/organic rank impact.
Elite Membership	Monthly members using at least one meaningful benefit; M1/M3 renewal	Cancellation after unused credits and payment failure.
Deals	Incremental visit/revenue lift versus control	Discount cost, contribution and abuse.
Loyalty	Loyalty-influenced repeat rate within the restaurant-configured expiry window or 365-day default	Liability, expiry complaints and redemption failures.
Marketing/Agency	Time to first campaign, repeat spend, balance utilisation and Ecosystem ROAS	Ledger mismatch, unauthorised spend and privacy incidents.
Reservations/Payment	Honoured reservation rate and eligible visits paid through Elite	No-show, failure, refund and dispute rate.
Meetups — Phase 2	Successfully completed paid attendee seats; repeat host/attendee rate	Cancellation, refund, safety incident and settlement accuracy.
Curator story rail	Curator-profile open rate, follow conversion and downstream experience/restaurant actions per qualified rail viewer.	Curator/cluster concentration, irrelevant recommendation rate, event-ad density, fatigue, hide/report and age-gate failure rate.
Curations	Curation creation completion, monthly active curation creators, public curation discovery/save rate, verified-visit coverage and restaurant consideration/reservation/payment actions generated.	Private-curation leakage, invalid/non-restaurant import rate, duplicate external entities, stale membership, false verified-visit badges, sponsored-disclosure defects and creator/outlet concentration.
Token economy	Verified earn-to-burn conversion; Lifetime Earned Token progression and level distribution; Token purchasers/users returning to another meaningful contribution within 30 days; repeat pack purchase within 90 days.	Ledger/projection mismatch, duplicate credit, chargeback/refund, unused balance, paid/bonus Tokens incorrectly affecting levels, level decrease after legitimate spend/expiry, pay-to-win perception, low-quality contribution,

Product area	Primary outcome metric	Key guardrail
		organic-feed health and membership cannibalisation.
Restaurant Membership	Active restaurant members, free-to-paid and direct paid-plan conversion, diner-paid membership revenue, 30/90-day repeat rate, paid renewal and incremental spend/visit lift versus comparable non-members.	Undisclosed or accidental charge, unexpected renewal/refund complaints, points loss/lock, fee/settlement or liability mismatch, low benefit usage and coercive paywall rate.

Target-setting process

1. Instrument the complete funnel and measure a minimum four-week baseline by city, platform, partner type and new/repeat cohort.
2. For every primary metric define Minimum, Target and Stretch thresholds with an explicit review period.
3. Use relative uplift for mature flows and launch gates for new products such as Amplify, Agency Wallet and Meetups.
4. Require at least one trust, financial or quality guardrail for every growth metric.
5. Review weekly for funnel/defects, monthly for cohort outcomes and quarterly for phase investment decisions.

47. Migration and Backward Compatibility

Highest-priority upgrade rule / The Phase 1 release is an upgrade to an operating platform, not a greenfield launch. Legacy experiences, users, balances, loyalty lots, reservations, payments and restaurant Scores must have explicit provenance, reconciliation, dual-run/cutover and rollback behaviour. Financial or identity data is never “rolled back” by destructive deletion; forward-compatible corrections are used.

47.1 Migration principles

- Preserve stable source and target IDs or maintain a permanent mapping table; every migrated record has source_system, source_schema_version, migration_batch_id and migrated_at.
- Do not invent verification. A legacy experience is retro-verified only when deterministic historical evidence links it to an eligible payment, reservation/check-in, table verification or approved bill record.
- No diner loses restaurant loyalty, Elite Tokens, paid entitlement, reservation value or payment/refund state because of migration.
- No public restaurant Score/label switches to the new model until shadow calculations, data-quality checks, restaurant-level diff review and rollback rehearsal pass.
- Use dual-run/canary rather than a single big-bang cutover for Score, experiences, identity and financial projections.
- All migration scripts are idempotent, resumable, dry-run capable and produce per-entity and aggregate reconciliation reports.

47.2 Entity migration rules

Entity	Mapping rule	Acceptance / compatibility rule
Legacy experiences (10K+)	Add provenance=legacy_v1, original ID/date/sentiment/content, source verification status and migration batch. Map only supported fields; preserve original text/media references.	No retro-verification without deterministic evidence. Old content outside the active recency window is naturally excluded; legacy content inside the window is unverified/neutral or shadow-only according to approved Score policy.
Experience verification	Join historical payment/reservation/Bridge/check-in evidence where identifiers and time windows match.	Retro-verified flag records evidence method and migration rule version; failed/ambiguous joins remain legacy_unverified.
Experience Score	Calculate old and new Score side by side from versioned snapshots.	Every public switch creates an audited recalculation event. No unexplained label swing; outlet diff and input set are reproducible.
Users / identity	Deduplicate by canonical mobile/user mapping; preserve follows, saved entities, trust, membership and moderation state.	Unknown legacy consent is not silently expanded to new optional purposes. Required notice/re-consent is triggered before new personalisation/marketing.
Restaurant loyalty lots	Preserve points, rupee value, outlet, issuance, original expiry/terms and redemption history. Create synthetic lot only when lot granularity is absent.	Per-user/outlet balance is exactly equal before/after. Migration never shortens a communicated expiry; missing expiry follows approved transition policy and user notice.
Elite Token balance / lots	Carry exact integer spendable balance and source ledger. Where historical lot type/expiry is known, preserve it and reconstruct Lifetime Earned Tokens only from records proven to be Earned. Where only aggregate balance exists, create an explicit legacy_token_opening lot with source hash and approved non-shortening transition/expiry policy; do not count unclassified opening value toward levels.	Aggregate and user-level balance equality; no fractional conversion, shortened communicated value, double issue/burn or accidental reclassification as Purchased/Earned Tokens. Lifetime Earned Token migration is separately reconciled and excludes purchased, bonus, promotional and unknown-source value.
Membership / Amplify credits	Preserve billing state, cycle, renewal/cancel state, used/available credits and campaign links.	No duplicate credit grant at cutover; entitlement remains usable through retry/rollback.
Reservations	Preserve booking ID, venue/section, status, terms, deposits, payment/reference and communication history.	In-flight reservations remain on legacy owner until completion or are migrated under lock; diner/restaurant sees one canonical booking.
Payments/refunds/receipts	Do not rewrite provider ledger. Create target references and reconciliation projections.	Captured/refunded/pending totals match provider and finance; unresolved cases remain visible and owned.
Restaurant/agency marketing balances	Opening entries reflect cash, allocated, reserved and promotional balances with source correlation.	No negative/unexplained balance; campaign reservations and rewards reconcile before spend is enabled.
Restaurant Membership	For each existing outlet loyalty program create a legacy free Restaurant Membership plan. Enroll every diner	No diner loses points or redemption rights. Existing balances stay tied to original lots/expiry; no paid fee,

Entity	Mapping rule	Acceptance / compatibility rule
	with a non-zero legacy balance or documented loyalty history using legacy_membership provenance and the governing legacy terms.	purchase, auto-renewal or paid-plan status is inferred without explicit diner consent and confirmed payment.

47.3 Cutover strategy

Stage	Behaviour	Exit condition
0 — inventory and freeze policy	Catalogue source schemas, owners, counts, IDs, quality gaps and mutable/in-flight objects.	Signed source inventory, backup/snapshot and rollback access.
1 — dry run	Migrate to isolated target, generate reconciliation and Score diffs without user impact.	Zero unexplained financial mismatch; known data exceptions classified.
2 — dual write / change capture	Legacy remains source of truth while new writes are mirrored or replayed with idempotency.	Lag and failure queue within threshold; replay tested.
3 — shadow read / Score dual run	New profile/experience/Score projections are calculated but not public.	Minimum 14-day shadow period and approved outlet diff distribution.
4 — canary	Selected internal users/outlets read new service behind feature flag.	No critical regression, balance discrepancy, visibility leak or threshold breach.
5 — public cutover	Switch read path by cohort/city; retain legacy adapter and instant UI/Score rollback flag.	Monitoring stable through agreed observation window.
6 — validation and decommission	Close reconciliation, archive mappings and keep legal/audit evidence.	Product, Data, Finance and Trust sign-off; rollback window expired.

47.4 Score cutover and rollback

Control	Recommended default	Required action
Shadow comparison	At least 14 days covering weekday/weekend and active restaurants.	Compare label, percentage, sample, confidence and partner/non-partner distribution.
Pre-cutover threshold	Block launch if more than 10% of active outlets move by >1 label band or more than 2% move by 2+ bands without explained input/policy cause.	Data/Product audit outliers and adjust mapping/configuration; threshold is server-configurable.
High-volume/manual audit	Review top GMV/profile-view outlets and every two-band shift.	Attach audit note and approver to recalculation batch.
Post-cutover rollback trigger	Immediate rollback for balance/identity mismatch, inability to reproduce Score, or configured unexpected label-shift threshold.	Switch public read/Score display back by feature flag; preserve new writes for forward reconciliation.
Rollback scope	Score/read UI can roll back; financial ledgers and migrated identity are not destructively reverted.	Use compatibility adapter and forward-fix; all rollback events are audited and communicated internally.

47.5 Migration functional requirements

ID	Functional requirement	Acceptance criteria
P1-MIG-001	Every migrated record carries explicit provenance and source-to-target mapping.	Legacy experience/API response exposes internal provenance; support/admin can trace any target record to source and batch.
P1-MIG-002	Migration jobs are idempotent, resumable and safe under retry.	Re-running a batch creates no duplicate user, experience, balance lot, reservation or ledger entry.
P1-MIG-003	Reconcile balances and counts at user/outlet/entity and aggregate levels.	Zero unexplained diner balance loss; mismatches block cutover and generate owner/action.
P1-MIG-004	Run old/new Experience Score in parallel with versioned snapshots.	No restaurant public Score swings without an audited recalculation event containing old/new values, inputs, algorithm versions and approver.
P1-MIG-005	Provide read/write compatibility and feature-flagged rollback during the cutover window.	Public Score/read path can return to legacy within the operational objective while new events remain durable and replayable.
P1-MIG-006	Protect in-flight reservations, payments, refunds and campaigns from dual ownership.	Each object has one authoritative writer; duplicate charge/refund/seat/campaign spend is impossible in failover tests.
P1-MIG-007	Notify users only when migration changes visible terms or requires consent/action.	No noisy generic migration notification; points expiry/terms, consent renewal or reservation changes receive clear specific notice.

48. Rollout and Launch Gates

Gate	Phase 1 requirement	Phase 2 additional requirement
Functional	Happy path, failure states, permissions and notifications pass QA.	Public/private access, venue, participant, payment, cancellation and check-in all pass.
Financial	Payment/ledger/reward reconciliation matches provider and finance reports.	Restaurant/host/Elite split, refunds, payout and tax statements reconcile.
Trust	Moderation, disclosure, report-abuse protection, grievance SLA, privacy/age controls and abuse operations are live.	Host and participant verification tiers, incident response, age gating, restricted-category flags and private-meetup non-leakage tested.
Instrumentation	All funnel and outcome events validated in staging/production.	Seat, quote, attendance, settlement and safety events validated.
Operations	Support/admin SOP and owner are assigned.	Meetup incident, venue failure and payout exception SOP are rehearsed.

Gate	Phase 1 requirement	Phase 2 additional requirement
Legal/compliance	Terms, privacy, DPDP consent/rights/minor design, intermediary grievance/takedown operations, campaign invoicing and loyalty/payment treatment approved.	Marketplace collection, host payout, restaurant settlement, event liability, waiver and insurance/indemnity stance approved.
Pilot	Controlled city/cohort and rollback plan.	Verified hosts and selected restaurants before public scale.
Migration / compatibility	Dry run, dual-run, financial balance equality, legacy provenance, score shadow thresholds, canary and rollback rehearsal pass.	Phase 2 schema additions preserve Phase 1 event/payment/identity data and can be feature-flagged without destructive rollback.
Restricted meetup categories	N/A	Singles/women-only/alcohol-led or policy-defined elevated-risk categories remain OFF until category-specific verification, on-call, venue, legal and incident-drill gates pass.
Token economy / Store	Pack, receipt, tax/terms, payment-to-lot reconciliation, expiry/spend order, duplicate callback, failed-product restoration, fraud/freeze, closed-loop restrictions and experiment instrumentation pass. No unresolved balance mismatch.	Meetup Token products remain feature-flagged until marketplace pricing, safety and promotional-inventory rules are approved.

49. Product Definition of Done

- User eligibility, role and entitlement are enforced server-side, not only hidden in the interface.
- All states, timeouts, retries, partial failures and offline/recovery paths are defined.
- Financial actions are idempotent, auditable and reconcilable; no negative or unexplained balance is possible.
- Privacy and data access are verified with role/tenant tests, including private meetup non-discovery.
- Analytics events and metric definitions are validated against backend records.
- Moderation, report-source classification, anti-suppression controls, grievance SLAs, evidence retention and appeal/exception controls exist for user-generated or promoted content.
- Accessibility and responsive behaviour pass agreed QA for supported devices.
- Operational runbook, grievance/privacy/safety ownership, migration plan, rollout flags, dual-run/cutover and rollback rehearsal are complete.
- Acceptance criteria in this PRD pass in staging, and critical paths pass production smoke tests.

50. Dependencies and Integration Risks

Dependency	Impact / requirement
Bridge OS	Live Menu/Vibe, payments, visit verification, restaurant operations, repeat/recovery and richer ROI.
Payment provider / marketplace settlement	Subscriptions, reservations, marketing recharges, meetup collections, refunds and split payouts.
Clyro / communications	Consent-led restaurant activation, lifecycle messaging and campaign/meetup notifications where used.
Identity/KYC provider	Host and payout verification; risk rules and failure handling.

Dependency	Impact / requirement
Tax/invoicing	GST invoices for campaigns/subscriptions, restaurant/host settlement documentation and TDS treatment if applicable.
Moderation & Trust Ops	Experiences, promoted content, host/meetup incidents and appeals.
Data platform	Attribution, control groups, score calibration, cohort retention and ROI.
Legal terms	Membership, loyalty expiry, Amplify disclosure, agency authority, meetup cancellation and fund handling.
Legacy data stores / score pipeline	Source inventory, stable IDs, export/change capture, reconciliation hashes, score shadow run, dual-read/write adapters and rollback access.
Privacy / DPDP operations	Consent/parent verification, data rights, retention jobs, processor deletion acknowledgements, grievance contact and legal-hold handling.
Age assurance / KYC provider	Threshold verification without broad raw-document exposure; parent-adult verification, liveness/fraud controls, jurisdiction and failure handling.
24x7 / event-window Trust & Safety operations	Active-meetup P0/P1 ownership, content/grievance SLA coverage, legal requests, evidence preservation and appeal review.
Google Places / restaurant entity verification	Required for adding restaurants not yet on Elite: valid place IDs, allowed dining place types, address/coordinates, API quota/failure handling, source attribution, refresh, duplicate matching and later merge into an onboarded Elite outlet.

51. Open Decisions Before Final Engineering Commitment

Decision	Phase	Why it blocks / affects build
Experience Score formula, sample confidence and partner weighting	P1	Determines score service, migration and UI states.
Member Amplify delivery unit: duration, qualified impressions, reach target or hybrid	P1	Determines inventory, credit value, completion and reporting.
Restaurant ₹50,000 batch definition: number of experiences, duration, surfaces and media value	P1	Needed for campaign schema, pricing and sales fulfilment.
Eligibility of non-verified experiences for member Amplify	P1	Trust and moderation scope.
Final membership cancellation/grace/refund rules and credit expiry	P1	Subscription and entitlement lifecycle.
Deal funding models, full stacking matrix and redemption caps	P1	Checkout, settlement and restaurant liability.
Restaurant loyalty policy guardrails: minimum/maximum custom expiry and permitted terms	P1	Configuration validation, user fairness and liability.

Decision	Phase	Why it blocks / affects build
Event amplification packages and paid exclusivity pricing, duration and inventory rules	P1	Campaign schema, recommendation suppression and billing.
Final Token cap thresholds, optional burn catalogue and exact 10 level names/Lifetime Earned Token thresholds	P1	Core defaults and pack prices are defined in Section 18; final economy tuning, earned-token level thresholds and optional-product prices remain server-configurable and require Finance/Product approval.
Promotional reward expiry and qualifying period for Spend ₹1,00,000 / Get ₹10,000	P1	Reward engine and accounting treatment.
Campaign attribution window and multi-touch rule	P1	ROI calculation and reporting claims.
Meetup platform fee, host earning limits, redeemable-value rules and minimum/maximum price	P2	Pricing, risk and checkout.
Approved payment/fund-holding and split-settlement architecture	P2	Core legal/financial dependency.
Participant/host/restaurant cancellation and refund schedule	P2	Payment, inventory and trust flows.
Host KYC, tax/TDS and payout thresholds	P2	Host eligibility and settlement.
Private invite security model and attendee visibility options	P2	Privacy and access-control implementation.
Meetup safety escalation and emergency operating model	P2	Launch gate and liability.
Migration score-diff thresholds, shadow-run duration and cutover/rollback owner	P1	Public Score cannot change safely without agreed thresholds, audit and rollback authority.
Legacy experience treatment inside the active recency window and neutral trust-weight value	P1	Determines whether recent pre-cutover content enters new Score as unverified, retro-verified or shadow-only.
DPDP effective-date/exemption matrix, parental-consent provider and final retention schedule	P1	Controls child account availability, targeting suppression, data rights and deletion jobs.
Moderation staffing model, trusted-review roles and SLA coverage	P1	Product states and statutory/internal timelines require an accountable operating model.
Verification confidence hierarchy and fallback staff-verification limits	P1	Affects verified labels, Score weighting, fraud exposure and non-Bridge partner coverage.
Meetup liability, waiver, insurance/indemnity stance and emergency on-call owner	P2	Blocks paid public/elevated-risk meetup categories and incident-response implementation.
Participant enhanced-verification method for singles/women-only/elevated-risk categories	P2	Host KYC alone does not control participant safety; privacy and eligibility method must be approved.

Decision	Phase	Why it blocks / affects build
Token Store legal/payment-channel treatment, taxes, refund/chargeback terms and Purchased Token expiry wording	P1	Blocks production pack sale, receipt/terms, accounting and support workflow even though the product is closed-loop and non-transferable.

APPENDIX A — ENGINEERING BACKLOG BY RELEASE

A1. Phase 1A — Trust & Discovery

- Identity/account/profile/consent
- Home modules, search, official/public diner-created Curations V1, private owner-only curations and curation discovery
- Restaurant profile and entitlement states
- Experience composer, verification, moderation and edits
- Experience Score service/snapshots
- Helpfulness, following and creator profile analytics
- Analytics foundation and feature flags
 - Age/minor state, parental consent, consent centre and data-rights workflows
 - UGC report classes, anti-suppression abuse controls, grievance SLA and appeals
 - Legacy data inventory, migration dry run, Score shadow pipeline and provenance model
 - Curators to Follow story rail, public curator profile and follow-state integration
 - Restaurant event-ad placement in the story rail with disclosure, age gating and frequency caps
 - Explore Curations home module, dedicated Curations page, diner creation/editor, 15-restaurant cap, Google restaurant import, verified-visit badges and provenance/sponsorship rules

A2. Phase 1B — Dining Utility & Value

- Live Menu/Vibe integrations and stale states
- Normal/sectional/guaranteed reservation foundations
- Self-checkout, payment state and receipt
- Deal rule/eligibility/redemption engine
- Restaurant loyalty ledger, outlet-specific terms, 365-day default expiry and checkout choice
 - Restaurant Membership plan configuration, free/paid enrollment, terms acceptance, member entitlements, renewal/cancellation and payment/settlement reconciliation
- Elite Token earning rules, unique verified-visit reward binding, lots/expiry/spend order, Lifetime Earned Token projection and Earned-Token level framework
 - Paid Token Store launch packs, provider payment/receipt, base and bonus lots, contextual top-up and return to interrupted product
 - Token reward/purchase/burn/restoration reconciliation, fraud controls and closed-loop restrictions
 - Token economy analytics, experiment cohorts, creator-return measurement and membership-cannibalisation guardrail
 - Non-Bridge visit verification matrix and self-checkout bill mismatch/reconciliation flow

A3. Phase 1C — Membership & Amplify

- ₹199 subscription lifecycle
- Member entitlements, badge, edit and long-form
- Monthly Amplify credit ledger
- Immediate post-publish prompt with member-credit, Token balance and contextual Token Store funding choices
- Member ad delivery and creator analytics
- Restaurant Experience Amplification batches and disclosure
- Campaign moderation, inventory and billing

A4. Phase 1D — Marketing & Agency

- Restaurant Marketing Workspace and roles
- Restaurant event schema/assets, recurrence/occurrences, organic publishing, similar events, paid amplification and exclusivity
- Agency tenant/users and outlet approval
- Master Central Balance and outlet allocations
- Immutable marketing ledger and campaign reservation
- Spend milestones/reward credits
- Campaign approval and consolidated dashboard
- Ecosystem Partner ROI and attribution

A5. Phase 1E — Retention & Governance

- Elara grounded recommendations/actions
- Lifecycle notifications and preferences
- Win-back, recovery and consent-led activation
- Admin moderation, finance and entitlement consoles
- Anomaly, fraud and score calibration dashboards
- Operational SOPs and reconciliation alerts
 - Privacy retention/deletion jobs, processor withdrawal propagation and legal-hold controls
 - Migration canary/cutover, balance reconciliation and rollback rehearsal

A6. Phase 2A — Meetup MVP

- Host entitlement/KYC/trust
- Public/private creation and invites
- Fixed restaurant request/confirmation
- Capacity, waitlist and participant join
- Participant payment and seat reservation
- Check-in and event completion
- Cancellation/refunds and split settlement
- Host/restaurant ratings and safety reporting
 - Participant verification tiers, age assurance, active-meetup incident escalation and restricted-category feature flags
 - Liability/waiver/insurance configuration and safety pilot gates

A7. Phase 2B — Quote Marketplace

- Structured venue intent

- Restaurant targeting and quote responses
- Quote revision/expiry/comparison/selection
- In-platform host–restaurant Q&A
- Advanced host earnings and commercial options
- Restaurant reliability and marketplace analytics
- Elara-assisted meetup and quote creation

APPENDIX B — CRITICAL ACCEPTANCE SCENARIOS

B1. Member Amplify

1. Active member publishes an eligible full experience; prompt displays with 3/3 credits; confirm consumes exactly one and creates one campaign.
2. Network retry after confirm does not consume a second credit or create duplicate campaign.
3. Non-member publishes; prompt offers membership; after successful purchase, entitlement and credits appear without republishing.
4. Experience is reported and limited while campaign is active; delivery pauses and audit/user state are correct.
5. Campaign results separate organic impressions from Amplify impressions and do not alter score inputs.

B2. AI-assisted experience and Token purchase

1. Diner opens AI assistance, provides factual notes and sentiment, accepts a suggested title/body and can edit before explicitly publishing; no auto-post occurs.
2. AI suggestion attempts to introduce a dish or claim not present in diner inputs; unsupported content is not added or is blocked by guardrails.
3. Diner with 489 Tokens cannot buy a ₹49 Amplify with Tokens and sees the 490-Token requirement.
4. Diner with 490 Tokens confirms one Amplify; exactly 490 Tokens are burned and exactly one campaign is created even after a retry.
5. Diner completes five independently verified restaurant visits and publishes five qualifying full experiences; all five rewards are issued, even if some visits are at the same outlet, because each uses a different `verified_visit_id`.
6. Diner publishes or delete/reposts multiple experiences against one `verified_visit_id`; exactly one 50-Token reward is ever confirmed.
7. Diner buys the ₹250 pack; one successful provider charge creates exactly 2,500 Purchased Tokens and 500 Bonus Tokens with separate lots, correct expiry and one receipt.
8. Duplicate/reordered provider callbacks for the same Token purchase do not duplicate the purchase, base lot, bonus lot or receipt.
9. Payment succeeds but Token crediting is delayed; the purchase remains reconcilable, no spend is allowed until durable credit, and retry credits once.
10. Diner contextually buys Tokens from the Amplify shortfall sheet and returns to the same experience confirmation without republishing or creating a duplicate campaign.
11. Token burn succeeds but Amplify activation fails; the exact consumed/reserved lots are restored automatically and the user receives a failure/restoration notification.
12. User holds expiring Bonus, Earned and non-expiring Purchased Tokens; the burn consumes earliest-expiring eligible lots first and Purchased Tokens last.
13. Active member with a monthly Amplify credit and 1,000 Tokens confirms Amplify; UI defaults to the credit, clearly allows selection, and never silently converts the credit into Tokens.
14. Token purchase produces no Earned Token reward, Lifetime Earned Token progress, Trust, Curator status or Elite level change.
15. Experiment reporting compares earned-only, ₹49 top-up, full Store and full Store plus Amplify analytics cohorts using meaningful-creator-return metrics and paid/organic feed guardrails.

16. Diner earns 500 Tokens from qualifying activity and reaches the corresponding level threshold; after spending all 500 Tokens, the spendable balance falls but Lifetime Earned Tokens and level remain unchanged.
17. Diner buys 14,000 Purchased Tokens and receives Pack Bonus Tokens; wallet value increases, but Lifetime Earned Tokens, Elite level and Trust do not change.
18. A previously confirmed Earned Token reward is validly reversed after refund/fraud review; the spendable ledger and Lifetime Earned Tokens projection are corrected once, the level is recalculated idempotently and the audit trail identifies the source reversal.

B3. Restaurant event

1. Restaurant creates a one-time event with valid 16:9 and 4:5 assets, title, date, start time, about, organiser and terms; preview and publish succeed.
2. Restaurant creates a recurring event every Friday at 8:00 PM; generated occurrences retain Friday and 8:00 PM until an authorised series edit.
3. Event without paid exclusivity shows relevant similar events from other organisers below the detail page.
4. Event with active paid exclusivity suppresses similar-event recommendations only for the entitled period and does not change Experience Score or organic experience ranking.
5. Organic and amplified event impressions/actions are reported separately by occurrence.

B4. Marketing wallet and agency

1. Agency requests outlet link; no access exists until Outlet Admin approval.
2. Agency recharges ₹X; only provider-confirmed amount becomes cash balance and invoice is generated.
3. Agency allocates funds to outlet; Master debit and Outlet credit are atomic and share correlation ID.
4. Two campaigns attempt to reserve more than outlet balance concurrently; only valid reservation succeeds.
5. Outlet revokes agency; new access and spend stop immediately while historical records remain available to authorised parties.
6. Eligible net spend reaches ₹1,00,000; reward enters Pending validation and only later credits ₹10,000 promotional balance.

B5. Loyalty and Restaurant Membership

1. Issue 500 points on 1 January for an outlet with no custom policy; UI shows ₹500 and expiry on 1 January of the following year. For an outlet with a custom expiry policy, the configured date and outlet-specific terms are shown.
2. User has multiple lots; redemption consumes earliest-expiring points first.
3. User selects discount at checkout; loyalty redemption is disabled and backend rejects forced stacking.
4. Refund/reversal restores or reverses points according to original lots without resetting expiry incorrectly.
5. Outlet publishes a ₹0 membership plan. Diner accepts current terms on first qualifying earn; one active Restaurant Membership enrollment is created and the loyalty points become available.
6. Outlet publishes a paid ₹499/365-day membership. Payment succeeds once, the enrollment becomes Active Paid, joining benefits are issued once and restaurant/finance ledgers reconcile.
7. Paid membership payment fails or callback retries. No active paid entitlement or duplicate joining benefit is created; the user sees the recoverable payment state.
8. Paid membership expires. Paid-only earn rate and member-only benefits stop, but existing loyalty lots remain visible and redeemable until their own expiry.

9. Active restaurant member is eligible for a Tier Discount and has loyalty points. Checkout requires a choice between the discount and point redemption; if discount is selected, configured points are earned only on the net paid amount.
10. Restaurant updates price or terms. Existing active member retains the accepted version through the current term; new terms apply at renewal only after required disclosure/acceptance.
11. Diner has 5,000 Elite Tokens and 500 Restaurant Loyalty Points. Neither can be used to pay a paid Restaurant Membership fee in V1; the UI keeps all values separate.
12. Existing loyalty balances migrate to a legacy free Restaurant Membership enrollment with no point loss, paid fee, auto-renewal or shortened expiry.
13. Restaurant publishes a ₹999/year paid membership. Join screen clearly states that the diner is buying membership in the named restaurant, shows ₹999 plus applicable taxes, annual term, renewal setting, benefits and cancellation/refund terms; no enrollment or loyalty benefit activates until the diner explicitly confirms and payment succeeds.
14. Restaurant offers loyalty only through a paid plan. A non-member completes a qualifying visit; the app presents the paid membership choice, but does not silently charge, enroll or issue spendable loyalty points when the diner declines.

B6. Private meetup

1. Non-member or member with incomplete/unverified profile cannot publish a meetup and is directed to membership/profile completion.
2. Eligible host creates private college reunion; it never appears in public search, home, host public activity or restaurant public event list.
3. Unauthorised user with no valid invite cannot access participant/price/venue details beyond approved share preview.
4. Valid invitee pays for final seat; inventory is reserved atomically and QR pass is created.
5. Host cancels; all participants receive policy-correct refund and no host payout is released.

B7. Public meetup and settlement

1. Public meetup becomes joinable only after restaurant confirmation and host membership/profile verification.
2. A meetup priced at ₹450 with ₹300 restaurant-redeemable value shows both amounts clearly to participants, while the host earning is not separately itemised in participant-facing UI.
3. Minimum attendance is reached; status and participants are notified once.
4. Event completes; check-ins and restaurant confirmation satisfy payout gate; settlement splits restaurant, host and Elite amounts correctly.
5. A blocking dispute before payout keeps affected amount pending and routes to admin exception queue.

FINAL PRODUCT POSITIONING

Elite

Elite is not simply a restaurant listing, review or discount app. Phase 1 creates a closed-loop dining network connecting discovery, live context, verified experience, personalised value, loyalty, payment, creator reach and restaurant/agency marketing. Phase 2 adds trusted public and private dining communities where members can organise gatherings, restaurants can compete to host them, and Elite can manage joining, payment, attendance and settlement end-to-end.

B8. Legacy migration and Score cutover

1. Dry run migrates every legacy experience with source ID, legacy provenance and migration batch; no unverified experience is retro-verified without a deterministic evidence join.
2. User, restaurant loyalty and Token reconciliations show exact pre/post balances; any mismatch blocks canary.
3. Old and new Score run in shadow; a restaurant changing label has an audited recalculation record with old/new inputs and algorithm versions.
4. Canary triggers rollback; public Score/read path returns to legacy without losing new writes or creating duplicate financial entries.
5. In-flight reservation remains visible once and is owned by exactly one writer through completion.

B9. Minor, age and consent lifecycle

1. Self-declared adult DOB cannot unlock an alcohol-led event; approved age verification succeeds and stores threshold assertion without exposing raw ID to host/restaurant.
2. Verified minor is excluded from behavioural campaign audiences and receives no remarketing/lookalike targeting.
3. Parent grants scoped consent; withdrawal propagates to recommendation/marketing/processors and dependent processing stops.
4. User requests erasure; public profile is removed, processor deletion is tracked and legally retained financial/evidence records are separately disclosed.

B10. Report suppression and moderation SLA

1. Restaurant reports a negative experience as “unfair”; content remains visible and in Score pending review because no objective policy basis exists.
2. Restaurant submits repeated rejected reports; rate limit and abuse score activate without affecting the experience.
3. Standard content is temporarily limited but review misses 72-hour internal cap; distribution automatically restores absent high-risk/legal hold.
4. Author appeal reverses removal; content and Score input restore from audit-safe state.
5. Valid urgent legal/safety complaint follows the configured statutory queue and evidence retention.

B11. Non-Bridge verification and bill mismatch

1. Diner at a Non-Ecosystem outlet verifies through one-time table OTP; experience stores method/evidence and receives correct verification strength.

2. Geofence-only visit publishes as unverified and never gains verified Score weight.
3. Restaurant changes bill before payment; app shows new version and requires fresh confirmation.
4. Post-capture mismatch creates reconciliation case, keeps receipt/visit Pending and resolves through correlated refund/adjustment without silent change.

B11A. Homepage curator rail, event advertising and curations

A diner opens Home; after search, the Curators to Follow rail is the first discovery module and can be swiped horizontally without blocking vertical page scroll.

Selecting a curator tile opens that curator's public profile. Follow/unfollow is idempotent and reflected on return to Home.

A blocked or suspended curator and all private-meetup activity are absent from the rail, profile and public discovery APIs.

A restaurant event campaign is inserted only at the configured interval, is labelled Promoted Event, does not resemble a person profile and opens the correct event occurrence detail page.

An alcohol-led or age-restricted event is not rendered to a minor or unresolved-age user; cancelled and expired events are also excluded.

The Explore Curations module renders official Elite Curations first, supports View All, and opens the dedicated Curations page.

A curation detail page displays correct provenance, current restaurant membership and any sponsored insertion disclosure; paid placement does not overwrite organic Experience Score or rank.

All story-rail, event-ad and curation impressions/actions carry surface, position, campaign/provenance, eligibility and experiment metadata.

B12. Meetup physical safety launch gate

1. General private college reunion can launch with Tier 0 controls; it remains non-public and participants require valid scoped invites.
2. Singles category feature flag stays OFF because enhanced participant verification or on-call coverage is missing.
3. Age-restricted alcohol meetup blocks unverified/under-threshold participant before payment.
4. P0 incident during active meetup alerts Trust & Safety on-call and venue contact, suspends new joins and creates owned evidence-preserving case.
5. Terms/insurance stance is unapproved; paid public elevated-risk meetup cannot publish even by admin override without designated senior approval.

B13. Curations V1

1. Diner creates a private curation with title, description, cover and 15 unique restaurants; save succeeds and the curation is visible only to the owner.
2. The same diner attempts to add a 16th restaurant; client explains the limit and the server rejects the mutation without changing the existing 15 items.
3. Diner searches for a restaurant not on Elite and selects a valid Google restaurant entity; the place ID, dining type, address and source verification are stored and the restaurant is added after duplicate matching.

4. Diner attempts to add a random landmark, residence or unverifiable free-text location; import is rejected and no curation membership is created.
5. Owner switches a curation from Private to Public; it becomes eligible for Curations discovery and the owner profile. Switching back to Private removes it from all public indexes and cached public routes within the defined SLA.
6. A curation contains restaurants A and B. The owner has a qualifying verified visit only for A; A shows Verified Visited and B does not. Reversing A's verification removes the badge without deleting the curation item.
7. An externally imported restaurant later becomes an onboarded Elite outlet; the source record is merged/claimed and all existing curation links continue to resolve without duplicate entries or broken URLs.

END OF DOCUMENT