A SEARCH FOR LONG-LIVED, CHARGED, SUPERSYMMETRIC PARTICLES USING IONIZATION WITH THE ATLAS DETECTOR

BRADLEY AXEN



September 2016 – Version 0.11



Usually a quotation.

Dedicated to.

ABSTRACT

How to write a good abstract:

https://plg.uwaterloo.ca/~migod/research/beckOOPSLA.html

PUBLICATIONS

Some ideas and figures have appeared previously in the following publications:

Put your publications from the thesis here. The packages multibib or bibtopic etc. can be used to handle multiple different bibliographies in your document.

ACKNOWLEDGEMENTS	
Put your acknowledgements here.	
And potentially a second round.	

CONTENTS

l	INT	RODUCT	TON	1
1	INTR	ODUCT	ION	3
11	THE	ODETIC!	NI CONTEST	_
			AL CONTEXT	5
2	_	NDARD A		7
	2.1		es	7
	2.2		ctions	7
_	2.3		tions	7
3		ERSYMMI		9
	3.1		ation	9
	3.2		ıre	9
	3.3		menology	9
4			PARTICLES	11
	4.1		nisms	11
		4.1.1	Examples in Supersymmetry	11
	4.2	Pheno	menology	11
		4.2.1	Disimilarities to Prompt Decays	11
		4.2.2	Characteristic Signatures	11
Ш	EXPE	ERIMENT	AL STRUCTURE AND RECONSTRUCTION	13
5	THE	LARGE H	hadron collider	15
	5.1		on Chain	15
	5.2		and Parameters	15
	5.3		osity	15
6	THE		FTECTOR	17
•	6.1		inate System	17
	6.2		etic Field	17
	6.3	_	Detector	17
	0.0	6.3.1	Pixel Detector	17
		6.3.2	Semiconductor Tracker	17
		6.3.3		
	6.4		metry	17
	0	6.4.1	Electromagnetic Calorimeters	17
		6.4.2	Hadronic Calorimeters	17
		6.4.3	Forward Calorimeters	17
	6.5		Spectrometer	17
	6.6	Trigge		17
	0.0	6.6.1	Trigger Scheme	17
		6.6.2	Missing Transverse Energy Triggers	17
7	E\/EN		NSTRUCTION	19
/	7.1			19
	/ · I	TTACKS	and Vertices	17

		7.1.1 Track Reconstruction	19
		7.1.2 Vertex Reconstruction	19
	7.2	Jets	19
		7.2.1 Topological Clustering	19
		7.2.2 Jet Energy Scale	19
		7.2.3 Jet Energy Scale Uncertainties	19
		7.2.4 Jet Energy Resolution	19
	7.3	Electrons	19
		7.3.1 Electron Identification	19
	7.4	Muons	19
		7.4.1 Muon Identification	19
	7.5	Missing Transverse Energy	19
	C		2.1
IV		Drimeter response	21
8		ONSE MEAUREMENT WITH SINGLE HADRONS	23
	8.1	Overview and Motivation	23
	8.2	Inclusive Hadron Response	23
	8.3	Identified Particle Response	23
9	,	nergy response and uncertainty	25
	9.1	Jet Energy Response in Simulation	25
	9.2	Jet Energy Uncertainty	25
V	SEAR	ICH FOR LONG-LIVED PARTICLES	27
10	IONO	G-LIVED PARTICLES IN ATLAS	29
	10.1	Overview and Characteristics	29
	10.2	Simulation	29
11	FVFN	T SELECTION	31
•••	11.1	Trigger	31
	11.2	Kinematics and Isolation	31
	11.3	Standard Model Rejection	
	11.4	Ionization	
		11.4.1 dE/dx Calibration	
		11.4.2 Mass Estimation	31
12	ВАСК	Ground estimation	33
	12.1	Background Sources	33
	12.2	Prediction Method	33
	12.3	Validation and Uncertainty	33
13	SYSTE	ematic uncertainties and results	35
	13.1	Systematic Uncertainties	35
	13.2	Final Yields	35
14		rpretation	37
	14.1	Cross Sectional Limits	37
	14.2	Mass Limits	37
	14.3	Context for Long-Lived Searches	37
		ϵ	

\bigvee	CONCLUSIONS		39
15	5 Summary and Outlook		
	15.1	Summary	41
	15.2	Outlook	41
VII	APPF	NDIX	43
A	7.1.7.2.1.3.7.1		45
В			47
	B.1 Appendix Section Test		47
		B.1.1 Appendix Subection Test	47
	B.2	A Table and Listing	47
	B.3	Some Formulas	48
BIBI	logr	APHY	51

LIST OF FIGURES

LIST OF TABLES

		—
Table 1	Autem usu id	47

LISTINGS

Listing 1 A floating example (listings manual) 48

ACRONYMS

EG Example

PART I

INTRODUCTION

You can put some informational part preamble text here.

INTRODUCTION

PART II

THEORETICAL CONTEXT

You can put some informational part preamble text here.

STANDARD MODEL

- 2.1 PARTICLES
- 2.2 INTERACTIONS
- 2.3 LIMITATIONS

SUPERSYMMETRY

- 3.1 MOTIVATION
- 3.2 STRUCTURE
- 3.3 PHENOMENOLOGY

LONG-LIVED PARTICLES

- 4.1 MECHANISMS
- 4.1.1 EXAMPLES IN SUPERSYMMETRY
- 4.2 PHENOMENOLOGY
- 4.2.1 DISIMILARITIES TO PROMPT DECAYS
- 4.2.2 CHARACTERISTIC SIGNATURES

PART III

EXPERIMENTAL STRUCTURE AND RECONSTRUCTION

You can put some informational part preamble text here.

THE LARGE HADRON COLLIDER

- 5.1 INJECTION CHAIN
- 5.2 DESIGN AND PARAMETERS
- 5.3 LUMINOSITY

THE ATLAS DETECTOR

- 6.1 COORDINATE SYSTEM
- 6.2 MAGNETIC FIELD
- 6.3 INNER DETECTOR
- 6.3.1 PIXEL DETECTOR
- 6.3.2 SEMICONDUCTOR TRACKER
- 6.3.3 TRANSITION RADIATION TRACKER
- 6.4 CALORIMETRY
- 6.4.1 ELECTROMAGNETIC CALORIMETERS
- 6.4.2 HADRONIC CALORIMETERS
- 6.4.3 FORWARD CALORIMETERS
- 6.5 MUON SPECTROMETER
- 6.6 TRIGGER
- 6.6.1 TRIGGER SCHEME
- 6.6.2 MISSING TRANSVERSE ENERGY TRIGGERS

EVENT RECONSTRUCTION

The ATLAS experiment combines measurements in the subdetectors to form a cohesive picture of each physics event.

- 7.1 TRACKS AND VERTICES
- 7.1.1 TRACK RECONSTRUCTION
- 7.1.1.1 NEURAL NETWORK
- 7.1.1.2 PIXEL DE/DX
- 7.1.2 VERTEX RECONSTRUCTION
- 7.2 JETS
- 7.2.1 TOPOLOGICAL CLUSTERING
- 7.2.2 JET ENERGY SCALE
- 7.2.3 JET ENERGY SCALE UNCERTAINTIES
- 7.2.4 JET ENERGY RESOLUTION
- 7.3 ELECTRONS
- 7.3.1 ELECTRON IDENTIFICATION
- 7.4 MUONS
- 7.4.1 MUON IDENTIFICATION
- 7.5 MISSING TRANSVERSE ENERGY

PART IV

CALORIMETER RESPONSE

You can put some informational part preamble text here.

RESPONSE MEAUREMENT WITH SINGLE HADRONS

- 8.1 OVERVIEW AND MOTIVATION
- 8.2 INCLUSIVE HADRON RESPONSE
- 8.3 IDENTIFIED PARTICLE RESPONSE

JET ENERGY RESPONSE AND UNCERTAINTY

- 9.1 JET ENERGY RESPONSE IN SIMULATION
- 9.2 JET ENERGY UNCERTAINTY

PART V

SEARCH FOR LONG-LIVED PARTICLES

You can put some informational part preamble text here.

LONG-LIVED PARTICLES IN ATLAS

- 10.1 OVERVIEW AND CHARACTERISTICS
- 10.2 SIMULATION

EVENT SELECTION

- 11.1 TRIGGER
- 11.2 KINEMATICS AND ISOLATION
- 11.3 STANDARD MODEL REJECTION
- 11.4 IONIZATION
- 11.4.1 DE/DX CALIBRATION
- 11.4.2 MASS ESTIMATION

BACKGROUND ESTIMATION

- 12.1 BACKGROUND SOURCES
- 12.2 PREDICTION METHOD
- 12.3 VALIDATION AND UNCERTAINTY

Systematic uncertainties and results

- 13.1 SYSTEMATIC UNCERTAINTIES
- 13.2 FINAL YIELDS

INTERPRETATION

- 14.1 CROSS SECTIONAL LIMITS
- 14.2 MASS LIMITS
- 14.3 CONTEXT FOR LONG-LIVED SEARCHES

PART VI

CONCLUSIONS

You can put some informational part preamble text here.

SUMMARY AND OUTLOOK

15.1 SUMMARY

15.2 OUTLOOK

PART VII

APPENDIX



INELASTIC CROSS SECTION

B

APPENDIX TEST

Examples: *Italics*, SMALL CAPS, ALL CAPS ¹. Acronym testing: **UML!** (**UML!**) – **UML!** – **UML!** (**UML!**) – **UML!**s

This appendix is temporary and is here to be used to check the style of the document.

B1 APPENDIX SECTION TEST

Random text that should take up a few lines. The purpose is to see how sections and subsections flow with some actual context. Without some body copy between each heading it can be difficult to tell if the weight of the fonts, styles, and sizes use work well together.

B.1.1 APPENDIX SUBECTION TEST

Random text that should take up a few lines. The purpose is to see how sections and subsections flow with some actual context. Without some body copy between each heading it can be difficult to tell if the weight of the fonts, styles, and sizes use work well together.

B.2 A TABLE AND LISTING

Curabitur tellus magna, porttitor a, commodo a, commodo in, tortor. Donec interdum. Praesent scelerisque. Maecenas posuere sodales odio. Vivamus metus lacus, varius quis, imperdiet quis, rhoncus a, turpis. Etiam ligula arcu, elementum a, venenatis quis, sollicitudin sed, metus. Donec nunc pede, tincidunt in, venenatis vitae, faucibus vel, nibh. Pellentesque wisi. Nullam malesuada. Morbi ut tellus ut pede tincidunt porta. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam congue neque id dolor.

There is also a Python listing below Listing 1.

1 Footnote example.

LABITUR BONORUM PRI NO	QUE VISTA	HUMAN
fastidii ea ius	germano	demonstratea
suscipit instructior	titulo	personas
quaestio philosophia	facto	demonstrated

Table 1: Autem usu id.

B.3 SOME FORMULAS

Due to the statistical nature of ionisation energy loss, large fluctuations can occur in the amount of energy deposited by a particle traversing an absorber element². Continuous processes such as multiple scattering and energy loss play a relevant role in the longitudinal and lateral development of electromagnetic and hadronic showers, and in the case of sampling calorimeters the measured resolution can be significantly affected by such fluctuations in their active layers. The description of ionisation fluctuations is characterised by the significance parameter κ , which is proportional to the ratio of mean energy loss to the maximum allowed energy transfer in a single collision with an atomic electron:

You might get unexpected results using math in chapter or section heads. Consider the pdfspacing option.

$$\kappa = \frac{\xi}{E_{\text{max}}} \tag{1}$$

 E_{max} is the maximum transferable energy in a single collision with an atomic electron.

$$E_{\text{max}} = \frac{2m_{\text{e}}\beta^{2}\gamma^{2}}{1 + 2\gamma m_{\text{e}}/m_{\text{x}} + (m_{\text{e}}/m_{\text{x}})^{2}},$$

where $\gamma = E/m_x$, E is energy and m_x the mass of the incident particle, $\beta^2 = 1 - 1/\gamma^2$ and m_e is the electron mass. ξ comes from the Rutherford scattering cross section and is defined as:

$$\xi = \frac{2\pi z^2 e^4 N_{\text{Av}} Z \rho \delta x}{m_{\text{e}} \beta^2 c^2 A} = 153.4 \frac{z^2}{\beta^2} \frac{Z}{A} \rho \delta x \quad \text{keV},$$

where

z charge of the incident particle

N_{Av} Avogadro's number

Z atomic number of the material

A atomic weight of the material

 ρ density

 δx thickness of the material

 κ measures the contribution of the collisions with energy transfer close to $E_{\rm max}$. For a given absorber, κ tends towards large values if δx is large and/or if β is small. Likewise, κ tends towards zero if δx is small and/or if β approaches 1.

2 Examples taken from Walter Schmidt's great gallery: http://home.vrweb.de/~was/mathfonts.html

Listing 1: A floating example (listings manual)

```
for i in xrange(10):

print i, i*i, i*i*i

print "done"
```

The value of κ distinguishes two regimes which occur in the description of ionisation fluctuations:

1. A large number of collisions involving the loss of all or most of the incident particle energy during the traversal of an absorber.

As the total energy transfer is composed of a multitude of small energy losses, we can apply the central limit theorem and describe the fluctuations by a Gaussian distribution. This case is applicable to non-relativistic particles and is described by the inequality $\kappa>10$ (i. e., when the mean energy loss in the absorber is greater than the maximum energy transfer in a single collision).

2. Particles traversing thin counters and incident electrons under any conditions.

The relevant inequalities and distributions are $0.01 < \kappa < 10$, Vavilov distribution, and $\kappa < 0.01$, Landau distribution.

DECLARATION	
Put your declaration here.	
Berkeley, CA, September 2016	
	Bradley Axen

COLOPHON

Not sure that this is necessary.