

Lab 3


Django and MVT

Architecture

Prepared By:


Bayan Alotaibi - 441212709

Step 1 : views.py




```
1 from django.http import HttpResponse
2 from django.shortcuts import render
3
4 def index(request):
5     name = request.GET.get('name') or 'world!'
6     return render(request, 'bookmodule/index.html', {'name': name})
7
8 def index2(request, val1=0):
9     return HttpResponse('value1 = ' + str(val1))
10
11 def viewbook(request, bookId):
12     book1 = {'id': 123, 'title': 'Continuous Delivery', 'author': 'J. Humble and D. Farley'}
13     book2 = {'id': 456, 'title': 'Secrets of Reverse Engineering', 'author': 'E. Filiol'}
14     targetBook = None
15     if book1['id'] == bookId: targetBook = book1
16     if book2['id'] == bookId: targetBook = book2
17     return render(request, 'bookmodule/show.html', {'book': targetBook})
```

Step 2 : urls.py



```
1 from django.urls import path
2 from . import views
3
4 urlpatterns = [
5     path(route='', views.index),
6     path(route='index2/<int:val1>/', views.index2),
7     path(route='<int:bookId>', views.viewbook),
8 ]
```

Step 3 : show.html



```
1 <h4>ID: {{ book.id }}</h4>
2 <h4>Title: {{ book.title }}</h4>
3 <h4>Authors</h4>
4 <p>{{ book.author }}</p>
5 <p>Description</p>
6 <p>Description here</p>
```

Step 4 : Running the Server


```
(.venv) PS C:\Users\Bia\Web-Technologies-\Lab 3> python manage.py runserver
Watching for file changes with StatReloader
Performing system checks...

System check identified no issues (0 silenced).

You have 18 unapplied migration(s). Your project may not work properly until you apply the migrations for app(s): admin, auth, contenttypes, sessions.
Run 'python manage.py migrate' to apply them.
September 29, 2026 - 20:55:45
Django version 6.1.1, using settings 'libraryproject.settings'
Starting WSGI development server at http://127.0.0.1:8000/
Quit the server with CTRL-BREAK.

WARNING: This is a development server. Do not use it in a production setting. Use a production WSGI or ASGI server instead.
For more information on production servers see: https://docs.djangoproject.com/en/6.1/howto/deployment/
[]
```

<http://127.0.0.1:8000/books/123>



<http://127.0.0.1:8000/books/456>

