

DIGITAL FORENSICS & INCIDENT RESPONSE

CONFIDENTIAL FORENSIC ANALYSIS

Dynamic Triage Assessment

Autonomous Forensic Report

PIPELINE	Automated Triage Pipeline
CASE ID	VIGIA-REAL-005
PREPARED BY	Autonomous DFIR Agent
REPORT DATE	2026-06-14 UTC

■ **CONFIDENTIAL**

Report generated 2026-06-14

01 Executive Summary

The subject is employing multiple, layered encryption methods, including AES-encrypted files, a BitLocker-encrypted volume, and GPG-encrypted keys. While this behavior is consistent with privacy-conscious activity, the combination of these disparate methods warrants further investigation to determine if this is legitimate personal data protection or unauthorized concealment.

Null Hypothesis Evaluation: The subject is a security-conscious user employing standard privacy tools for personal data protection. This remains a viable explanation, as the observed encryption methods are standard tools and do not inherently indicate malicious activity without further evidence of unauthorized access or data movement.

SUSPICIOUS
ASSESSED INTENT VERDICT

3
EXTRACTED FINDINGS

02 System Profile & Evidence Scope

PROPERTY	VALUE
Target Evidence Path	/mnt/hgfs/Vm shared folder/vigia-cases-main/vigia-cases-main/cases/VIGIA-REAL-005/case.json
Analysis Timestamp	2026-06-14 07:57 UTC
Analysis Tooling	Autonomous MCP Framework

ARTIFACT / FINDING	FORENSIC OBSERVATION	RISK & PRIORITY	CONFIDENCE	RECOMMENDATION / VALIDATION
AES Encrypted README	Use of AES encryption to conceal a communication file. INDICATORS OF COMPROMISE: README (AES encrypted)	Risk: 40/100 MEDIUM PRIORITY	HIGH	Attempt to identify encryption headers or entropy analysis.
BitLocker Volume R2D2	Volume with non-standard name suggests intent to conceal content. INDICATORS OF COMPROMISE: R2D2	Risk: 40/100 MEDIUM PRIORITY	MEDIUM	Check volume creation logs and associated user permissions.
GPG Encrypted Keys	Use of asymmetric encryption for secret communication indicates prior coordination. INDICATORS OF COMPROMISE: GPG/PGP keys in Downloads	Risk: 40/100 MEDIUM PRIORITY	MEDIUM	Analyze GPG key metadata and associated communication logs.

This report was produced automatically via an LLM-driven forensic pipeline. Findings are based strictly on evidence present in the provided target at the time of analysis.