





Crear mi Propio Youtube





El Motor Visual: En lugar de compilar Chromium como hace Brave, usamos el componente nativo **WebView** en Kotlin. Este componente usa el motor gráfico que ya tiene el teléfono celular de cualquier usuario, dándote la misma velocidad.

El Escudo (Adblock): En lugar de arrastrar el sistema **adblock-rust** de Brave, escribimos una función corta en Kotlin (**shouldInterceptRequest**) que hace exactamente el mismo trabajo: vigilar las conexiones y bloquear los servidores de anuncios de Google antes de que se muestren en la pantalla.



Paso 1: Reemplazar el código en **MainActivity.kt**

```

package com.baycodecyoutube

import android.os.Bundle
import androidx.activity.ComponentActivity
import androidx.activity.compose.setContent
import androidx.activity.enableEdgeToEdge
import androidx.compose.foundation.layout
    .fillMaxSize
import androidx.compose.foundation.layout
    .padding
import androidx.compose.material3.Scaffold
import androidx.compose.material3.Text
import androidx.compose.runtime.Composable
import androidx.compose.ui.Modifier
import androidx.compose.ui.tooling.preview
    .Preview
import com.baycodecyoutube.ui.theme.BaycodecyoutubeTheme

class MainActivity :
    ComponentActivity() {
    override fun
    onCreate(savedInstanceState:
    Bundle?) {

```

```

        super.onCreate(savedInstanceState)
            enableEdgeToEdge()
            setContent {
                BaycodecyoutubeTheme {
                    Scaffold(modifier
                    = Modifier.fillMaxSize()) {
                        innerPadding ->
                            Greeting(
                                name =
                                "Android",
                                modifier =
                                Modifier.padding(innerPadding)
                            )
                        }
                    }
                }
            }
        }

    @Composable
    fun Greeting(name: String,
        modifier: Modifier = Modifier) {
        Text(
            text = "Hello $name!",
            modifier = modifier
        )
    }

    @Preview(showBackground = true)
    @Composable
    fun GreetingPreview() {
        BaycodecyoutubeTheme {
            Greeting("Android")
        }
    }
}

```

```
MainActivity.kt x
1 package com.baycodec.youtube
2
3 > import ...
15
1 Usage
16 </> class MainActivity : ComponentActivity() {
17 @ override fun onCreate(savedInstanceState: Bundle?) {
18     super.onCreate(savedInstanceState)
19     enableEdgeToEdge()
20     setContent {
21         BaycodecyoutubeTheme {
22             Scaffold(modifier = Modifier.fillMaxSize()) { innerPadding ->
23                 Greeting(
24                     name = "Android",
25                     modifier = Modifier.padding(paddingValues = innerPadding)
26                 )
27             }
28         }
29     }
30 }
31
32
33 2 Usages
34 @Composable
35 fun Greeting(name: String, modifier: Modifier = Modifier) {
36     Text(
37         text = "Hello $name!",
38         modifier = modifier
39     )
40 }
41 @Preview(showBackground = true)
42 @Composable
43 fun GreetingPreview() {
44     BaycodecyoutubeTheme {
45         Greeting(name = "Android")
46     }
47 }
```

[En caso no tenga o no soporte android studio puedes usar este código](#)

Reemplazar el código en `MainActivity.kt`

```
1 package com.baycodec.youtube
2
3 import android.os.Bundle
4 import android.webkit.WebResourceRequest
5 import android.webkit.WebResourceResponse
6 import android.webkit.WebView
7 import android.webkit.WebViewClient
8 import androidx.activity.ComponentActivity
9 import androidx.activity.compose.setContent
10 import androidx.compose.foundation.layout.fillMaxSize
11 import androidx.compose.runtime.Composable
12 import androidx.compose.ui.Modifier
13 import androidx.compose.ui.viewinterop.AndroidView
14
15 1 Usage
16 class MainActivity : ComponentActivity() {
17     2 Usages
18     private var webView: WebView? = null
19
20     override fun onCreate(savedInstanceState: Bundle?) {
21         super.onCreate(savedInstanceState)
22         setContent {
23             BaycodecYoutubeViewer(
24                 url = "https://m.youtube.com",
25                 onWebViewCreated = { instantiatedWebView ->
26                     webView = instantiatedWebView
27                 }
28             )
29         }
30
31         // Lógica estilo Brave: El audio de los videos sigue sonando de fondo al minimizar la app
32         override fun onPause() {
33             super.onPause()
34         }
35
36         override fun onDestroy() {
37             webView?.destroy()
38             super.onDestroy()
39         }
40     }
```

MainActivity.kt x

```

15  class MainActivity : ComponentActivity() {
39  }
40
41  1 Usage
42  @Composable
43  fun BaycodecYoutubeViewer(url: String, onWebViewCreated: (WebView) -> Unit) {
44      AndroidView(
45          modifier = Modifier.fillMaxSize(),
46          factory = { context ->
47              WebView(context).apply {
48                  onWebViewCreated(this)
49
50                  // Configuración del motor web
51                  settings.javaScriptEnabled = true
52                  settings.mediaPlaybackRequiresUserGesture = false
53                  settings.domStorageEnabled = true
54
55                  webViewClient = object : WebViewClient() {
56                      // Escudo contra Anuncios (Filtro de URLs de publicidad)
57                      override fun shouldInterceptRequest(
58                          view: WebView?,
59                          request: WebResourceRequest?
60                      ): WebResourceResponse? {
61                          val requestUrl = request?.url?.toString() ?: ""
62
63                          // Si la petición va dirigida a servidores de anuncios conocidos, se bloquea en seco
64                          if (requestUrl.contains( other = "googleads") ||
65                              requestUrl.contains( other = "doubleclick") ||
66                              requestUrl.contains( other = "adservice") ||
67                              requestUrl.contains( other = "youtube.com/pagead/")
68                          ) {
69                              // Retornamos una respuesta vacía: el anuncio nunca se descarga ni se muestra
70                              return WebResourceResponse( mimeType = "text/plain", encoding = "UTF-8", data = null)
71                          }
72
73                          return super.shouldInterceptRequest(view, request)
74                      }
75                  }
76
77                  loadUrl(url)
78              }
79          }
80  }

```

```
MainActivity.kt x
42 fun BaycodecYouTubeViewer(url: String, onWebViewCreated: (WebView) -> Unit) {
43
44     factory = { context ->
45         WebView(context).apply {
46             onWebViewCreated(this)
47
48             // Configuración del motor web
49             settings.javaScriptEnabled = true
50             settings.mediaPlaybackRequiresUserGesture = false
51             settings.domStorageEnabled = true
52
53             webViewClient = object : WebViewClient() {
54                 // Escudo contra Anuncios (Filtro de URLs de publicidad)
55                 override fun shouldInterceptRequest(
56                     view: WebView?,
57                     request: WebResourceRequest?
58                 ): WebResourceResponse? {
59                     val requestUrl = request?.url?.toString() ?: ""
60
61                     // Si la petición va dirigida a servidores de anuncios conocidos, se bloquea en seco
62                     if (requestUrl.contains( other = "googleads") ||
63                         requestUrl.contains( other = "doubleclick") ||
64                         requestUrl.contains( other = "adservice") ||
65                         requestUrl.contains( other = "youtube.com/pagead/")
66                     ) {
67                         // Retornamos una respuesta vacía: el anuncio nunca se descarga ni se muestra
68                         return WebResourceResponse( mimeType = "text/plain", encoding = "UTF-8", data = null)
69                     }
70
71                     return super.shouldInterceptRequest(view, request)
72                 }
73             }
74
75             loadUrl(url)
76         }
77     }
78 }
79
80 }
```

En el árbol de carpetas de la izquierda, haz clic en la flecha de la carpeta **manifests** (está justo arriba de la carpeta **kotlin+java**). Adentro verás el archivo **AndroidManifest.xml**. Dale doble clic para abrirlo.

```
AndroidManifest.xml x
1 <?xml version="1.0" encoding="utf-8"?>
2 <manifest xmlns:android="http://schemas.android.com/apk/res/android"
3     xmlns:tools="http://schemas.android.com/tools">
4
5     <application
6         android:allowBackup="true"
7         android:dataExtractionRules="@xml/data_extraction_rules"
8         android:fullBackupContent="@xml/backup_rules"
9         android:icon="@mipmap/ic_launcher"
10        android:label="@string/app_name"
11        android:roundIcon="@mipmap/ic_launcher_round"
12        android:supportRtl="true"
13        android:theme="@style/Theme.Baycodecyoutube">
14
15        <activity
16            android:name=".MainActivity"
17            android:exported="true"
18            android:label="@string/app_name"
19            android:theme="@style/Theme.Baycodecyoutube"
20            android:windowSoftInputMode="adjustResize">
21            <intent-filter>
22                <action android:name="android.intent.action.MAIN" />
23
24                <category android:name="android.intent.category.LAUNCHER" />
25            </intent-filter>
26        </activity>
27    </application>
28 </manifest>
```

```
MainActivity.kt  AndroidManifest.xml x
1  <?xml version="1.0" encoding="utf-8"?>
2  <manifest xmlns:android="http://schemas.android.com/apk/res/android"
3      xmlns:tools="http://schemas.android.com/tools">
4
5      <application
6          android:allowBackup="true"
7          android:dataExtractionRules="@xml/data_extraction_rules"
8          android:fullBackupContent="@xml/backup_rules"
9          android:icon="@mipmap/ic_launcher"
10         android:label="@string/app_name"
11         android:roundIcon="@mipmap/ic_launcher_round"
12         android:supportRtl="true"
13         android:theme="@style/Theme.Baycodecyoutube">
14         <activity
15             android:name=".MainActivity"
16             android:exported="true"
17             android:label="@string/app_name"
18             android:theme="@style/Theme.Baycodecyoutube"
19             android:windowSoftInputMode="adjustResize">
20             <intent-filter>
21                 <action android:name="android.intent.action.MAIN" />
22
23                 <category android:name="android.intent.category.LAUNCHER" />
24             </intent-filter>
25         </activity>
26     </application>
27
28 </manifest>
```


Agregar el Permiso de Internet


```
MainActivity.kt  AndroidManifest.xml x
1  <?xml version="1.0" encoding="utf-8"?>
2  <manifest xmlns:android="http://schemas.android.com/apk/res/android"
3      xmlns:tools="http://schemas.android.com/tools">
4      <uses-permission android:name="android.permission.INTERNET" />
5      <application
6          android:allowBackup="true"
7          android:dataExtractionRules="@xml/data_extraction_rules"
8          android:fullBackupContent="@xml/backup_rules"
9          android:icon="@mipmap/ic_launcher"
10         android:label="@string/app_name"
11         android:roundIcon="@mipmap/ic_launcher_round"
12         android:supportRtl="true"
13         android:theme="@style/Theme.Baycodecyoutube">
14          <activity
15              android:name=".MainActivity"
16              android:exported="true"
17              android:label="@string/app_name"
18              android:theme="@style/Theme.Baycodecyoutube"
19              android:windowSoftInputMode="adjustResize">
20              <intent-filter>
21                  <action android:name="android.intent.action.MAIN" />
22                  <category android:name="android.intent.category.LAUNCHER" />
23              </intent-filter>
24          </activity>
25      </application>
26  </manifest>
```

En la barra lateral izquierda de Android Studio, busca la sección **Gradle Scripts** (cerca de la parte inferior del árbol de carpetas). Abre el archivo llamado:

- **build.gradle.kts (Module :app)**

(Ojo: Asegúrate de que sea el que dice **Module :app** y no el que dice **Project**).



MainActivity.kt AndroidManifest.xml build.gradle.kts (:app) ×

You can use the Project Structure dialog to view and edit your project configuration

```
1  plugins {
2      alias(libs.plugins.android.application)
3      alias(libs.plugins.kotlin.compose)
4  }
5
6  android {
7      namespace = "com.baycodeec.youtube"
8      compileSdk {
9          version = release( version = 36) {
10             minorApiLevel = 1
11         }
12     }
13
14     defaultConfig {
15         applicationId = "com.baycodeec.youtube"
16         minSdk = 24
17         targetSdk = 36
18         versionCode = 1
19         versionName = "1.0"
20
21         testInstrumentationRunner = "androidx.test.runner.AndroidJUnitRunner"
22     }
23
24     buildTypes {
25         release {
26             optimization {
27                 enable = false
28             }
29         }
30     }
31     compileOptions {
32         sourceCompatibility = JavaVersion.VERSION_11
33         targetCompatibility = JavaVersion.VERSION_11
34     }
35     buildFeatures {
36         compose = true
37     }
38 }
39
40 dependencies {
41     implementation(platform(dependencyProvider = libs.androidx.compose.bom))
```

cambiar esta parte

You can use the Project Structure dialog to view and edit your project configuration

```
1  plugins {
2      alias(libs.plugins.android.application)
3      alias(libs.plugins.kotlin.compose)
4  }
5
6  android {
7      namespace = "com.baycodeec.youtube"
8      compileSdk {
9          version = release( version = 36) {
10              minorApiLevel = 1
11          }
12      }
13
14      defaultConfig {
15          applicationId = "com.baycodeec.youtube"
16          minSdk = 24
17          targetSdk = 36
18          versionCode = 1
19          versionName = "1.0"
20
21          testInstrumentationRunner = "androidx.test.runner.AndroidJUnitRunner"
22      }
23
24      buildTypes {
25          release {
26              optimization {
27                  enable = false
28              }
29          }
30      }
31      compileOptions {
32          sourceCompatibility = JavaVersion.VERSION_11
33          targetCompatibility = JavaVersion.VERSION_11
34      }
35      buildFeatures {
36          compose = true
37      }
38  }
39
40  dependencies {
41      implementation(platform(dependencyProvider = libs.androidx.compose.bom))
```

Solo para que recuerdes estos son los archivos a modificar:

1. -app/src/main/AndroidManifest.xml
 - a. android:configChanges
 - b. en la Activity – evita que YouTube se recargue al rotar
2. -app/src/main/java/com/baycodecyoutube/MainActivity.kt
WebChromeClient
 - a. para fullscreen de video; onResume() con webView?.onResume();
 - b. User Agent personalizado
3. -app/build.gradle.kts `kotlinOptions { jvmTarget = "11" }`

app/src/main/java/com/baycodecyoutube/ui/theme/Color.kt


Nunca se usa

app/src/main/java/com/baycodecyoutube/ui/theme/Theme.kt

Nunca se aplica BaycodecyoutubeTheme

app/src/main/java/com/baycodecyoutube/ui/theme/Type.kt

Nunca se usa



```
1 <?xml version="1.0" encoding="utf-8"?>
2 <manifest xmlns:android="http://schemas.android.com/apk/res/android"
3   xmlns:tools="http://schemas.android.com/tools">
4   <uses-permission android:name="android.permission.INTERNET" />
5   <application
6     android:allowBackup="true"
7     android:dataExtractionRules="@xml/data_extraction_rules"
8     android:fullBackupContent="@xml/backup_rules"
9     android:icon="@mipmap/ic_launcher"
10    android:label="Baycodecyoutube"
11    android:roundIcon="@mipmap/ic_launcher_round"
12    android:supportRtl="true"
13    android:theme="@style/Theme.Baycodecyoutube">
14     <activity
15       android:name=".MainActivity"
16       android:exported="true"
17       android:label="Baycodecyoutube"
18       android:theme="@style/Theme.Baycodecyoutube"
19       android:windowSoftInputMode="adjustResize">
20       <intent-filter>
21         <action android:name="android.intent.action.MAIN" />
22
23         <category android:name="android.intent.category.LAUNCHER" />
24       </intent-filter>
25     </activity>
26   </application>
27
28 </manifest>
```

```
MainActivity.kt  AndroidManifest.xml  build.gradle.kts (:app)

1  <?xml version="1.0" encoding="utf-8"?>
2  <manifest xmlns:android="http://schemas.android.com/apk/res/android"
3      xmlns:tools="http://schemas.android.com/tools">
4      <uses-permission android:name="android.permission.INTERNET" />
5      <application
6          android:allowBackup="true"
7          android:dataExtractionRules="@xml/data_extraction_rules"
8          android:fullBackupContent="@xml/backup_rules"
9          android:icon="@mipmap/ic_launcher"
10         android:label="Baycodec-youtube"
11         android:roundIcon="@mipmap/ic_launcher_round"
12         android:supportsRtl="true"
13         android:theme="@style/Theme.Baycodecyoutube">
14         <activity
15             android:name=".MainActivity"
16             android:exported="true"
17             android:label="Baycodec-youtube"
18             android:theme="@style/Theme.Baycodecyoutube"
19             android:windowSoftInputMode="adjustResize"
20             android:configChanges="orientation|screenSize|keyboardHidden|screenLayout">
21             <intent-filter>
22                 <action android:name="android.intent.action.MAIN" />
23             </intent-filter>
24             <category android:name="android.intent.category.LAUNCHER" />
25         </intent-filter>
26         </activity>
27     </application>
28
29 </manifest>
```

Se agregó android:configChanges con estos cuatro valores:

- orientation - rotación de pantalla
- screenSize - cambio de tamaño al rotar
- keyboardHidden - aparición/ocultamiento del teclado
- screenLayout - cambio entre modos (como split screen)

```
android:windowSoftInputMode="adjustResize"
android:configChanges="orientation|screenSize|keyboardHidden|screenLayout">
```

MainActivity.kt

```
1 package com.baycodec.youtube
2
3 import android.os.Bundle
4 import android.webkit.WebResourceRequest
5 import android.webkit.WebResourceResponse
6 import android.webkit.WebView
7 import android.webkit.WebViewClient
8 import androidx.activity.ComponentActivity
9 import androidx.activity.compose.setContent
10 import androidx.compose.foundation.layout.fillMaxSize
11 import androidx.compose.runtime.Composable
12 import androidx.compose.ui.Modifier
13 import androidx.compose.ui.viewinterop.AndroidView
14
15 1 Usage
16 class MainActivity : ComponentActivity() {
17     2 Usages
18     private var webView: WebView? = null
19
20     override fun onCreate(savedInstanceState: Bundle?) {
21         super.onCreate(savedInstanceState)
22         setContent {
23             BaycodecYoutubeViewer(
24                 url = "https://m.youtube.com",
25                 onWebViewCreated = { instantiatedWebView ->
26                     webView = instantiatedWebView
27                 }
28             )
29         }
30
31         // Lógica estilo Brave: El audio de los videos sigue sonando de fondo al minimizar la app
32         override fun onPause() {
33             super.onPause()
34         }
35
36         override fun onDestroy() {
37             webView?.destroy()
38             super.onDestroy()
39         }
40     }
41 }
```

```

1  package
com.baycodeec.youtube
2
3  import android.os.Bundle
4  +import
android.view.FrameLayout
5  +import android.view.View
6  +import
android.webkit.WebChromeClient
7  import
android.webkit.WebResourceReque
st
8  import
android.webkit.WebResourceRespo
nse
9  import
android.webkit.WebView
...
13 import
androidx.compose.foundation.lay
out.fillMaxSize
14 import
androidx.compose.runtime.Compos
able
15 import
androidx.compose.ui.Modifier
16 +import
androidx.compose.ui.platform.Lo
calContext
17 import
androidx.compose.ui.viewinterop
.AndroidView
18 +import
androidx.core.view.WindowCompat
19 +import
androidx.core.view.WindowInsets
Compat
20 +import
androidx.core.view.WindowInsets
ControllerCompat
21
22 class MainActivity :
ComponentActivity() {

```

```

23     private var webView:
WebView? = null
...
34     }
35     }
36
37     // Lógica estilo
Brave: El audio de los videos
sigue sonando de fondo al
minimizar la app
38     override fun
onPause() {
39         super.onPause()
40     override fun
onResume() {
41         super.onResume()
42     +
webView?.onResume()
43     +
webView?.resumeTimers()
44     }
45
46     override fun
onDestroy() {
...
47
48     @Composable
49     fun
BaycodeecYoutubeViewer(url:
String, onWebViewCreated:
(WebView) -> Unit) {
50     +     val activity =
LocalContext.current as
ComponentActivity
51     +
52     AndroidView(
53         modifier =
Modifier.fillMaxSize(),
54         factory = {
context ->
55     WebView(context).apply {
56
57     onWebViewCreated(this)

```



```

58
49 -          //
Configuración del motor web
59
settings.javaScriptEnabled =
true
60
settings.mediaPlaybackRequiresU
serGesture = false
61
settings.domStorageEnabled =
true
62 +
settings.userAgentString =
63 +
"Mozilla/5.0 (Linux; Android
10; Mobile) AppleWebKit/537.36
(KHTML, like Gecko)
+ Chrome/125.0.0.0 Mobile
Safari/537.36"
64
65 +
webChromeClient = object :
WebChromeClient() {
66 +
private var customView: View? =
null
67 +
private var customViewCallback:
CustomViewCallback? = null
68 +
69 +
override fun
onShowCustomView(view: View?,
callback: CustomViewCallback?)
{
70 +
customView = view
71 +
customViewCallback = callback
72 +
val decorView =
activity.window.decorView as
FrameLayout

```

```

73 +
decorView.addView(
74 +
view,
75 +
FrameLayout.LayoutParams(
76 +
FrameLayout.LayoutParams.MATCH_
PARENT,
77 +
FrameLayout.LayoutParams.MATCH_
PARENT
78 +
)
79 +
)
80 +
WindowCompat.setDecorFitsSystem
Windows(activity.window, false)
81 +
val controller =
WindowInsetsControllerCompat(ac
tivity.window, decorView)
82 +
controller.hide(WindowInsetsCom
pat.Type.systemBars())
83 +
controller.systemBarsBehavior =
84 +
WindowInsetsControllerCompat.BE
HAVIOR_SHOW_TRANSIENT_BARS_BY_S
WIPE
85 +
}
86 +
87 +
override fun onHideCustomView()
{
88 +
val decorView =
activity.window.decorView as
FrameLayout
89 +
decorView.removeView(customView
)

```

```

90 +
customView = null
91 +
customViewCallback?.onCustomViewHidden()
92 +
customViewCallback = null
93 +
WindowCompat.setDecorFitsSystemWindows(activity.window, true)
94 +
val controller =
WindowInsetsControllerCompat(activity.window, decorView)
95 +
controller.show(WindowInsetsCompat.Type.systemBars())
96 +                                }
97 +                                }
98 +
99
webViewClient = object :
WebViewClient() {
55 -                                //
Escudo contra Anuncios (Filtro de URLs de publicidad)
100
override fun
shouldInterceptRequest(
101
view: WebView?,
102
request: WebResourceRequest?
103                                ):
WebResourceResponse? {
104
val requestUrl =
request?.url?.toString() ?: ""
105
62 -
// Si la petición va dirigida a

```

```

servidores de anuncios
conocidos, se bloque
-a en seco
106
if
(requestUrl.contains("googleads") ||
107
requestUrl.contains("doubleclick") ||
108
requestUrl.contains("adservice") ||
109
requestUrl.contains("youtube.com/pagead/")) {
110
68 -
// Retornamos una respuesta vacía: el anuncio nunca se descarga ni se muestra
111
return
WebResourceResponse("text/plain", "UTF-8", null)
112
}
113
...
119                                }
120                                }
121                                )
80 -}
122 No newline at end of file
123 +}

```

```

1      package com.baycodecom.youtube
2
3      import android.os.Bundle
4      import android.view.FrameLayout
5      import android.view.View
6      import android.webkit.WebChromeClient
7      import android.webkit.WebResourceRequest
8      import android.webkit.WebResourceResponse
9      import android.webkit.WebView
10     import android.webkit.WebViewClient
11     import androidx.activity.ComponentActivity
12     import androidx.activity.compose.setContent
13     import androidx.compose.foundation.layout.fillMaxSize
14     import androidx.compose.runtime.Composable
15     import androidx.compose.ui.Modifier
16     import androidx.compose.ui.platform.LocalContext
17     import androidx.compose.ui.viewinterop.AndroidView
18     import androidx.core.view.WindowCompat
19     import androidx.core.view.WindowInsetsCompat
20     import androidx.core.view.WindowInsetsControllerCompat
21
22     1 Usage
23     class MainActivity : ComponentActivity() {
24         4 Usages
25         private var webView: WebView? = null
26
27         override fun onCreate(savedInstanceState: Bundle?) {
28             super.onCreate(savedInstanceState)
29             setContent {
30                 BaycodecomYoutubeViewer(
31                     url = "https://m.youtube.com",
32                     onWebViewCreated = { instantiatedWebView ->
33                         webView = instantiatedWebView
34                     }
35                 )
36             }
37         }
38
39         override fun onResume() {
40             super.onResume()
41             webView?.onResume()
42             webView?.resumeTimers()

```

```

MainActivity.kt x AndroidManifest.xml build.gradle.kts (:app)

22 class MainActivity : AppCompatActivity() {
37     override fun onResume() {
40         webView?.resumeTimers()
41     }
42
43     override fun onDestroy() {
44         webView?.destroy()
45         super.onDestroy()
46     }
47 }
48
1 Usage
49 @Composable
50 fun BaycodecYoutubeViewer(url: String, onWebViewCreated: (WebView) -> Unit) {
51     val activity = LocalContext.current as ComponentActivity
52
53     AndroidView(
54         modifier = Modifier.fillMaxSize(),
55         factory = { context ->
56             WebView(context).apply {
57                 onWebViewCreated(this)
58
59                 settings.javaScriptEnabled = true
60                 settings.mediaPlaybackRequiresUserGesture = false
61                 settings.domStorageEnabled = true
62                 settings.userAgentString =
63                     "Mozilla/5.0 (Linux; Android 10; Mobile) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/125.0.0.0 Mobile Safari/537.36"
64
65                 webChromeClient = object : WebChromeClient() {
66                     3 Usages
67                     private var customView: View? = null
68                     3 Usages
69                     private var customViewCallback: CustomViewCallback? = null
70
71                     override fun onShowCustomView(view: View?, callback: CustomViewCallback?) {
72                         customView = view
73                         customViewCallback = callback
74                         val decorView = activity.window.decorView as FrameLayout
75                         decorView.addView(
76                             view,
77                             FrameLayout.LayoutParams(
78                                 FrameLayout.LayoutParams.MATCH_PARENT,

```

```

MainActivity.kt x AndroidManifest.xml build.gradle.kts (:app)


50 fun BaycodecYoutubeViewer(url: String, onWebViewCreated: (WebView) -> Unit) {
55     factory = { context ->
56         WebView(context).apply {
65             webChromeClient = object : WebChromeClient() {
69                 override fun onShowCustomView(view: View?, callback: CustomViewCallback?) {
73                     decorView.addView(
74                         view,
75                         FrameLayout.LayoutParams(
76                             FrameLayout.LayoutParams.MATCH_PARENT,
77                             FrameLayout.LayoutParams.MATCH_PARENT
78                         )
79                     )
80                     WindowCompat.setDecorFitsSystemWindows(activity.window, decorFitsSystemWindows = false)
81                     val controller = WindowInsetsControllerCompat(activity.window, decorView)
82                     controller.hide(types = WindowInsetsCompat.Type.systemBars())
83                     controller.systemBarsBehavior =
84                         WindowInsetsControllerCompat.BEHAVIOR_SHOW_TRANSIENT_BARS_BY_SWIPE
85                 }
86
87                 override fun onHideCustomView() {
88                     val decorView = activity.window.decorView as FrameLayout
89                     decorView.removeView(customView)
90                     customView = null
91                     customViewCallback?.onCustomViewHidden()
92                     customViewCallback = null
93                     WindowCompat.setDecorFitsSystemWindows(activity.window, decorFitsSystemWindows = true)
94                     val controller = WindowInsetsControllerCompat(activity.window, decorView)
95                     controller.show(types = WindowInsetsCompat.Type.systemBars())
96                 }
97             }
98
99             webViewClient = object : WebViewClient() {
100                 override fun shouldInterceptRequest(
101                     view: WebView?,
102                     request: WebResourceRequest?
103                 ): WebResourceResponse? {
104                     val requestUrl = request?.url?.toString() ?: ""
105
106                     if (requestUrl.contains(other = "googleads") ||
107                         requestUrl.contains(other = "doubleclick") ||
108                         requestUrl.contains(other = "adservice") ||
109                         requestUrl.contains(other = "youtube.com/pagead/"))

```

```
MainActivity.kt x AndroidManifest.xml build.gradle.kts (:app)

50 fun BaycodecYoutubeViewer(url: String, onWebViewCreated: (WebView) -> Unit) {
51     factory = { context ->
52         WebView(context).apply {
53             webChromeClient = object : WebChromeClient() {
54                 override fun onHideCustomView() {
55                     customViewCallback = null
56                     WindowCompat.setDecorFitsSystemWindows(activity.window, decorFitsSystemWindows = true)
57                     val controller = WindowInsetsControllerCompat(activity.window, decorView)
58                     controller.show(types = WindowInsetsCompat.Type.systemBars())
59                 }
60             }
61         }
62     }
63     webViewClient = object : WebViewClient() {
64         override fun shouldInterceptRequest(
65             view: WebView?,
66             request: WebResourceRequest?
67         ): WebResourceResponse? {
68             val requestUrl = request?.url?.toString() ?: ""
69
70             if (requestUrl.contains(other = "googleads") ||
71                 requestUrl.contains(other = "doubleclick") ||
72                 requestUrl.contains(other = "adservice") ||
73                 requestUrl.contains(other = "youtube.com/pagead/"))
74             {
75                 return WebResourceResponse(mimeType = "text/plain", encoding = "UTF-8", data = null)
76             }
77
78             return super.shouldInterceptRequest(view, request)
79         }
80     }
81     loadUrl(url)
82 }
83 }
```

Ahora modificar build.gradle.kts



```
1  plugins {
2      alias(libs.plugins.android.application)
3      alias(libs.plugins.kotlin.compose)
4  }
5
6  android {
7      namespace = "com.baycodeec.youtube"
8      compileSdk {
9          version = release(version = 36) {
10             minorApiLevel = 1
11         }
12     }
13
14     defaultConfig {
15         applicationId = "com.baycodeec.youtube"
16         minSdk = 24
17         targetSdk = 36
18         versionCode = 1
19         versionName = "1.0"
20
21         testInstrumentationRunner = "androidx.test.runner.AndroidJUnitRunner"
22     }
23
24     buildTypes {
25         release {
26             optimization {
27                 enable = false
28             }
29         }
30     }
31
32     compileOptions {
33         sourceCompatibility = JavaVersion.VERSION_11
34         targetCompatibility = JavaVersion.VERSION_11
35     }
36
37     buildFeatures {
38         compose = true
39     }
40
41     dependencies {
42         implementation(platform(dependencyProvider(libs.androidx.compose.bom)))
43     }
44 }
```

```
32         sourceCompatibility = JavaVersion.VERSION_11
33         targetCompatibility = JavaVersion.VERSION_11
34     }
35 +     kotlinOptions {
36 +         jvmTarget = "11"
37 +     }
38     buildFeatures {
39         compose = true
40     }
```

MainActivity.ktAndroidManifest.xmlbuild.gradle.kts (:app) ×

You can use the Project Structure dialog to view and edit your project configuration

```
6  android {
22  }
23
24  buildTypes {
25      release {
26          optimization {
27              enable = false
28          }
29      }
30  }
31  compileOptions {
32      sourceCompatibility = JavaVersion.VERSION_11
33      targetCompatibility = JavaVersion.VERSION_11
34  }
35  buildFeatures {
36      compose = true
37  }
38  }
39
40  dependencies {
41      implementation(platform(dependencyProvider = libs.androidx.compose.bom))
42      implementation(libs.androidx.activity.compose)
43      implementation(libs.androidx.compose.material3)
44      implementation(libs.androidx.compose.ui)
45      implementation(libs.androidx.compose.ui.graphics)
46      implementation(libs.androidx.compose.ui.tooling.preview)
47      implementation(libs.androidx.core.ktx)
48      implementation(libs.androidx.lifecycle.runtime.ktx)
49      testImplementation(libs.junit)
50      androidTestImplementation(platform(dependencyProvider = libs.androidx.compose.bom))
51      androidTestImplementation(libs.androidx.compose.ui.test.junit4)
52      androidTestImplementation(libs.androidx.espresso.core)
53      androidTestImplementation(libs.androidx.junit)
54      debugImplementation(libs.androidx.compose.ui.test.manifest)
55      debugImplementation(libs.androidx.compose.ui.tooling)
56  }
```

MainActivity.ktAndroidManifest.xmlbuild.gradle.kts (:app) ×

Gradle files have changed since last project sync. A project sync may be necessary for the IDE to work properly.

```
6  android {
22  }
23
24  buildTypes {
25      release {
26          optimization {
27              enable = false
28          }
29      }
30  }
31  compileOptions {
32      sourceCompatibility = JavaVersion.VERSION_11
33      targetCompatibility = JavaVersion.VERSION_11
34  }
35  kotlinOptions {
36      jvmTarget = "11"
37  }
38  buildFeatures {
39      compose = true
40  }
41  }
42
43  dependencies {
44      implementation(platform(dependencyProvider = libs.androidx.compose.bom))
45      implementation(libs.androidx.activity.compose)
46      implementation(libs.androidx.compose.material3)
47      implementation(libs.androidx.compose.ui)
48      implementation(libs.androidx.compose.ui.graphics)
49      implementation(libs.androidx.compose.ui.tooling.preview)
50      implementation(libs.androidx.core.ktx)
51      implementation(libs.androidx.lifecycle.runtime.ktx)
52      testImplementation(libs.junit)
53      androidTestImplementation(platform(dependencyProvider = libs.androidx.compose.bom))
54      androidTestImplementation(libs.androidx.compose.ui.test.junit4)
55      androidTestImplementation(libs.androidx.espresso.core)
56      androidTestImplementation(libs.androidx.junit)
57      debugImplementation(libs.androidx.compose.ui.test.manifest)
58      debugImplementation(libs.androidx.compose.ui.tooling)
59  }
```

Esto alinea explícitamente el compilador de Kotlin con Java 11, igual que ya estaba configurado para

Java. Sin esto, Kotlin podría usar un JVM target diferente y generar warnings de inconsistencia.


Con esto quedan resueltos los 3 archivos funcionales:

- AndroidManifest.xml – rotación sin recarga
- MainActivity.kt – fullscreen, ciclo de vida, user agent
- build.gradle.kts – jvmTarget explícito

Hasta este punto todo funciona pero existen problemas que son al recargar o retroceder al ver un video por lo cual tenemos que corregir esta parte

1. Null check en onShowCustomView
2. Manejo del botón Atrás

Todo se corrige en el archivo `MainActivity.kt`



```
1 package com.baycodeec.youtube
2
3 import android.os.Bundle
4 import android.view.FrameLayout
5 import android.view.View
6 import android.webkit.WebChromeClient
7 import android.webkit.WebResourceRequest
8 import android.webkit.WebResourceResponse
9 import android.webkit.WebView
10 import android.webkit.WebViewClient
11 import androidx.activity.ComponentActivity
12 import androidx.activity.compose.setContent
13 import androidx.compose.foundation.layout.fillMaxSize
14 import androidx.compose.runtime.Composable
15 import androidx.compose.ui.Modifier
16 import androidx.compose.ui.platform.LocalContext
17 import androidx.compose.ui.viewinterop.AndroidView
18 import androidx.core.view.WindowCompat
19 import androidx.core.view.WindowInsetsCompat
20 import androidx.core.view.WindowInsetsControllerCompat
21
22 1 Usage
23 class MainActivity : ComponentActivity() {
24     4 Usages
25     private var webView: WebView? = null
26
27     override fun onCreate(savedInstanceState: Bundle?) {
28         super.onCreate(savedInstanceState)
29         setContent {
30             BaycodeecYoutubeViewer(
31                 url = "https://m.youtube.com",
32                 onWebViewCreated = { instantiatedWebView ->
33                     webView = instantiatedWebView
34                 }
35             )
36         }
37     }
38
39     override fun onResume() {
40         super.onResume()
41         webView?.onResume()
42     }
43 }
```



```
MainActivity.kt x AndroidManifest.xml build.gradle.kts (:app)
Gradle files have changed since last project sync. A project sync may be necessary for the IDE to work properly.

1 package com.baycodec.youtube
2
3 import android.os.Bundle
4 import android.view.FrameLayout
5 import android.view.View
6 import android.webkit.WebChromeClient
7 import android.webkit.WebResourceRequest
8 import android.webkit.WebResourceResponse
9 import android.webkit.WebView
10 import android.webkit.WebViewClient
11 import androidx.activity.ComponentActivity
12 import androidx.activity.OnBackPressedCallback
13 import androidx.activity.compose.setContent
14 import androidx.compose.foundation.layout.fillMaxSize
15 import androidx.compose.runtime.Composable
16 import androidx.compose.ui.Modifier
17 import androidx.compose.ui.platform.LocalContext
18 import androidx.compose.ui.viewinterop.AndroidView
19 import androidx.core.view.WindowCompat
20 import androidx.core.view.WindowInsetsCompat
21 import androidx.core.view.WindowInsetsControllerCompat
22
23 @Usage
24 class MainActivity : ComponentActivity() {
25     4 Usages
26     private var webView: WebView? = null
27
28     override fun onCreate(savedInstanceState: Bundle?) {
29         super.onCreate(savedInstanceState)
30         setContent {
31             BaycodecYoutubeViewer(
32                 url = "https://m.youtube.com",
33                 onWebViewCreated = { instantiatedWebView ->
34                     webView = instantiatedWebView
35                 }
36             )
37         }
38     }
39
40     override fun onResume() {
41         super.onResume()
42     }
43 }
```

```
MainActivity.kt x AndroidManifest.xml build.gradle.kts (:app)
Gradle files have changed since last project sync. A project sync may be necessary for the IDE to work properly.

16 import androidx.compose.ui.Modifier
17 import androidx.compose.ui.platform.LocalContext
18 import androidx.compose.ui.viewinterop.AndroidView
19 import androidx.core.view.WindowCompat
20 import androidx.core.view.WindowInsetsCompat
21 import androidx.core.view.WindowInsetsControllerCompat
22
23 @Usage
24 class MainActivity : ComponentActivity() {
25     4 Usages
26     private var webView: WebView? = null
27
28     override fun onCreate(savedInstanceState: Bundle?) {
29         super.onCreate(savedInstanceState)
30         setContent {
31             BaycodecYoutubeViewer(
32                 url = "https://m.youtube.com",
33                 onWebViewCreated = { instantiatedWebView ->
34                     webView = instantiatedWebView
35                 }
36             )
37         }
38     }
39
40     override fun onResume() {
41         super.onResume()
42         webView?.onResume()
43         webView?.resumeTimers()
44     }
45
46     override fun onDestroy() {
47         webView?.destroy()
48         super.onDestroy()
49     }
50 }
51
52 @Usage
53 @Composable
54 fun BaycodecYoutubeViewer(url: String, onWebViewCreated: (WebView) -> Unit) {
55     val activity = LocalContext.current as ComponentActivity
56 }
```

```
MainActivity.kt | AndroidManifest.xml | build.gradle.kts (:app)
Gradle files have changed since last project sync. A project sync may be necessary for the IDE to work properly.

19 import androidx.core.view.WindowCompat
20 import androidx.core.view.WindowInsetsCompat
21 import androidx.core.view.WindowInsetsControllerCompat
22
23 class MainActivity : AppCompatActivity() {
24     private var webView: WebView? = null
25
26     override fun onCreate(savedInstanceState: Bundle?) {
27         super.onCreate(savedInstanceState)
28         onBackPressedDispatcher.addCallback(owner = this, onBackPressedCallback = object : OnBackPressedCallback(enabled = true) {
29             override fun handleOnBackPressed() {
30                 if (webView?.canGoBack() == true) {
31                     webView?.goBack()
32                 } else {
33                     isEnabled = false
34                     onBackPressedDispatcher.onBackPressed()
35                 }
36             }
37         })
38
39         setContentView {
40             BaycodeYoutubViewer(
41                 url = "https://m.youtube.com",
42                 onWebViewCreated = { instantiatedWebView ->
43                     webView = instantiatedWebView
44                 }
45             )
46         }
47
48         override fun onResume() {
49             super.onResume()
50             webView?.onResume()
51             webView?.resumeTimers()
52         }
53
54         override fun onDestroy() {
55             webView?.destroy()
56             super.onDestroy()
57         }
58     }
59 }
```

```
MainActivity.kt | AndroidManifest.xml | build.gradle.kts (:app)
Gradle files have changed since last project sync. A project sync may be necessary for the IDE to work properly.

62 fun BaycodeYoutubViewer(url: String, onWebViewCreated: (WebView) -> Unit) {
63     factory = { context ->
64         WebView(context).apply {
65             settings.domStorageEnabled = true
66             settings.userAgentString =
67                 "Mozilla/5.0 (Linux; Android 10; Mobile) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/125.0.0.0 Mobile Safari/537.36"
68
69             webChromeClient = object : WebChromeClient() {
70                 3 Usages
71                 private var customView: View? = null
72                 3 Usages
73                 private var customViewCallback: CustomViewCallback? = null
74
75                 override fun onShowCustomView(view: View?, callback: CustomViewCallback?) {
76                     customView = view
77                     customViewCallback = callback
78                     val decorView = activity.window.decorView as FrameLayout
79                     decorView.addView(
80                         view,
81                         FrameLayout.LayoutParams(
82                             FrameLayout.LayoutParams.MATCH_PARENT,
83                             FrameLayout.LayoutParams.MATCH_PARENT
84                         )
85                     )
86                     WindowCompat.setDecorFitsSystemWindows(activity.window, decorFitsSystemWindows = false)
87                     val controller = WindowInsetsControllerCompat(activity.window, decorView)
88                     controller.hide(types = WindowInsetsCompat.Type.systemBars())
89                     controller.systemBarsBehavior =
90                         WindowInsetsControllerCompat.BEHAVIOR_SHOW_TRANSIENT_BARS_BY_SWIPE
91                 }
92
93                 override fun onHideCustomView() {
94                     val decorView = activity.window.decorView as FrameLayout
95                     decorView.removeView(customView)
96                     customView = null
97                     customViewCallback?.onCustomViewHidden()
98                     customViewCallback = null
99                     WindowCompat.setDecorFitsSystemWindows(activity.window, decorFitsSystemWindows = true)
100                     val controller = WindowInsetsControllerCompat(activity.window, decorView)
101                     controller.show(types = WindowInsetsCompat.Type.systemBars())
102                 }
103             }
104         }
105     }
106 }
```

```
MainActivity.kt x AndroidManifest.xml build.gradle.kts (:app)

Gradle files have changed since last project sync. A project sync may be necessary for the IDE to work properly.

62 fun BaycodecYouTubeViewer(url: String, onWebViewCreated: (WebView) -> Unit) {
63     factory = { context ->
64         WebView(context).apply {
65             settings.domStorageEnabled = true
66             settings.userAgentString =
67                 "Mozilla/5.0 (Linux; Android 10; Mobile) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/125.0.0.0 Mobile Safari/537.36"
68
69             webChromeClient = object : WebChromeClient() {
70                 3 Usages
71                 private var customView: View? = null
72                 3 Usages
73                 private var customViewCallback: CustomViewCallback? = null
74
75                 override fun onShowCustomView(view: View?, callback: CustomViewCallback?) {
76                     if (view == null) return
77                     customView = view
78                     customViewCallback = callback
79                     val decorView = activity.window.decorView as FrameLayout
80                     decorView.addView(
81                         view,
82                         FrameLayout.LayoutParams(
83                             FrameLayout.LayoutParams.MATCH_PARENT,
84                             FrameLayout.LayoutParams.MATCH_PARENT
85                         )
86                     )
87                     WindowCompat.setDecorFitsSystemWindows(activity.window, decorFitsSystemWindows = false)
88                     val controller = WindowInsetsControllerCompat(activity.window, decorView)
89                     controller.hide(types = WindowInsetsCompat.Type.systemBars())
90                     controller.systemBarsBehavior =
91                         WindowInsetsControllerCompat.BEHAVIOR_SHOW_TRANSIENT_BARS_BY_SWIPE
92                 }
93
94                 override fun onHideCustomView() {
95                     val decorView = activity.window.decorView as FrameLayout
96                     decorView.removeView(customView)
97                     customView = null
98                     customViewCallback?.onCustomViewHidden()
99                     customViewCallback = null
100                     WindowCompat.setDecorFitsSystemWindows(activity.window, decorFitsSystemWindows = true)
101                     val controller = WindowInsetsControllerCompat(activity.window, decorView)
102                     controller.show(types = WindowInsetsCompat.Type.systemBars())
103                 }
104             }
105         }
106     }
107 }
```

```
MainActivity.kt x AndroidManifest.xml build.gradle.kts (:app) x

Gradle project sync failed. Basic functionality (e.g. editing, debugging) will not work properly.

6 android {
7     compileSdk {
8     }
9
10     defaultConfig {
11         applicationId = "com.baycodec.youtube"
12         minSdk = 24
13         targetSdk = 36
14         versionCode = 1
15         versionName = "1.0"
16
17         testInstrumentationRunner = "androidx.test.runner.AndroidJUnitRunner"
18     }
19
20     buildTypes {
21         release {
22             optimization {
23                 enable = false
24             }
25         }
26     }
27
28     compileOptions {
29         sourceCompatibility = JavaVersion.VERSION_11
30         targetCompatibility = JavaVersion.VERSION_11
31     }
32
33     buildFeatures {
34         compose = true
35     }
36 }
37
38 kotlin {
39     jvmToolchain(jdkVersion = 11)
40 }
41
42 dependencies {
43     implementation(platform(dependencyProvider = libs.androidx.compose.bom))
44     implementation(libs.androidx.activity.compose)
45     implementation(libs.androidx.compose.material3)
46     implementation(libs.androidx.compose.ui)
47     implementation(libs.androidx.compose.ui.graphics)
48     implementation(libs.androidx.compose.ui.tooling.preview)
49 }
```

MainActivity.ktAndroidManifest.xmlbuild.gradle.kts (:app)



You can use the Project Structure dialog to view and edit your project configuration



```
1  plugins {
2      alias(libs.plugins.android.application)
3      alias(libs.plugins.kotlin.compose)
4  }
5
6  android {
7      namespace = "com.baycodeec.youtube"
8      compileSdk {
9          version = release( version = 36) {
10             minorApiLevel = 1
11         }
12     }
13
14     defaultConfig {
15         applicationId = "com.baycodeec.youtube"
16         minSdk = 24
17         targetSdk = 36
18         versionCode = 1
19         versionName = "1.0"
20
21         testInstrumentationRunner = "androidx.test.runner.AndroidJUnitRunner"
22     }
23
24     buildTypes {
25         release {
26             optimization {
27                 enable = false
28             }
29         }
30     }
31
32     compileOptions {
33         sourceCompatibility = JavaVersion.VERSION_11
34         targetCompatibility = JavaVersion.VERSION_11
35     }
36
37     buildFeatures {
38         compose = true
39     }
40
41     kotlin {
42         jvmToolchain( jdkVersion = 11)
43     }
44 }
```



MainActivity.ktAndroidManifest.xmlbuild.gradle.kts (:app)



Gradle files have changed since last project sync. A project sync may be necessary for the IDE to work properly.



```
1  plugins {
2      alias(libs.plugins.android.application)
3      alias(libs.plugins.kotlin.compose)
4  }
5
6  android {
7      namespace = "com.baycodeec.youtube"
8      compileSdk = 36
9
10
11     defaultConfig {
12         applicationId = "com.baycodeec.youtube"
13         minSdk = 24
14         targetSdk = 36
15         versionCode = 1
16         versionName = "1.0"
17
18         testInstrumentationRunner = "androidx.test.runner.AndroidJUnitRunner"
19     }
20
21     buildTypes {
22         release {
23             optimization {
24                 enable = false
25             }
26         }
27     }
28
29     compileOptions {
30         sourceCompatibility = JavaVersion.VERSION_11
31         targetCompatibility = JavaVersion.VERSION_11
32     }
33
34     buildFeatures {
35         compose = true
36     }
37
38     kotlin {
39         jvmToolchain( jdkVersion = 11)
40     }
41
42     dependencies {
43         implementation(platform(dependencyProvider = libs.androidx.compose.bom))
44     }
45 }
```






















Si llegaste hasta este punto, la aplicación evade la publicidad durante la reproducción. Sin embargo, para obligarnos a verla, Google ahora la muestra siempre al principio del video. Tu tarea es resolver esa parte de la publicidad.









[Descargar video para ver Apk](#)