table 1

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of AGE_BR by BMIC

AGE_BR	BMIC(Body-mass Index (BMI), kg/m2)					
	Normal (18.5 - 24.9)	Overweight (25.0 - 29.9)	Obesity I (30.0 - 34.9)	Obesity II (35.0 - 39.9)	Extreme Obesity III (>= 40)	Total
50-59	16287 12.19 37.03 33.40	14517 10.86 33.01 30.73	7769 5.81 17.66 32.72	3388 2.54 7.70 36.96	2022 1.51 4.60 42.91	43983 32.92
60-69	21106 15.80 35.00 43.28	21624 16.18 35.86 45.78	11092 8.30 18.39 46.72	4332 3.24 7.18 47.26	2151 1.61 3.57 45.65	60305 45.13
70-79+	11370 8.51 38.76 23.32	11095 8.30 37.83 23.49	4882 3.65 16.64 20.56	1446 1.08 4.93 15.78	539 0.40 1.84 11.44	29332 21.95
Total	48763 36.49	47236 35.35	23743 17.77	9166 6.86	4712 3.53	133620 100.00

Statistics for Table of AGE_BR by BMIC

Statistic	DF	Value	Prob
Chi-Square	8	834.4027	<.0001
Likelihood Ratio Chi-Square	8	888.5595	<.0001
Mantel-Haenszel Chi-Square	1	371.0388	<.0001
Phi Coefficient		0.0790	
Contingency Coefficient		0.0788	
Cramer's V		0.0559	

Sample Size = 133620

Frequency
Percent
Row Pct
Col Pct

Table of RACE_BR by BMIC

RACE_BR	BMIC(Body-mass Index (BMI), kg/m2)					
	Normal (18.5 - 24.9)	Overweight (25.0 - 29.9)	Obesity I (30.0 - 34.9)	Obesity II (35.0 - 39.9)	Extreme Obesity III (>= 40)	Total
1	1848 1.38 16.98 3.79	3748 2.80 34.44 7.93	2890 2.16 26.55 12.17	1416 1.06 13.01 15.45	982 0.73 9.02 20.84	10884 8.15
2	44644 33.41 37.83 91.55	41996 31.43 35.58 88.91	20243 15.15 17.15 85.26	7530 5.64 6.38 82.15	3605 2.70 3.05 76.51	118018 88.32
3	1798 1.35 56.83 3.69	975 0.73 30.82 2.06	270 0.20 8.53 1.14	84 0.06 2.65 0.92	37 0.03 1.17 0.79	3164 2.37
4	473 0.35 30.44 0.97	517 0.39 33.27 1.09	340 0.25 21.88 1.43	136 0.10 8.75 1.48	88 0.07 5.66 1.87	1554 1.16
Total	48763 36.49	47236 35.35	23743 17.77	9166 6.86	4712 3.53	133620 100.00

Statistics for Table of RACE_BR by BMIC

Statistic	DF	Value	Prob

Statistic	DF	Value	Prob
Chi-Square	12	4062.6983	<.0001
Likelihood Ratio Chi-Square	12	3901.7073	<.0001
Mantel-Haenszel Chi-Square	1	2158.0140	<.0001
Phi Coefficient		0.1744	
Contingency Coefficient		0.1718	
Cramer's V		0.1007	

Sample Size = 133620

Frequency
Percent
Row Pct
Col Pct

Table of ETHNICITY_BR by BMIC

ETHNICITY_BR	BMIC(Body-mass Index (BMI), kg/m2)					
	Normal (18.5 - 24.9)	Overweight (25.0 - 29.9)	Obesity I (30.0 - 34.9)	Obesity II (35.0 - 39.9)	Extreme Obesity III (>= 40)	Total
0	47660 35.67 36.76 97.74	45708 34.21 35.25 96.77	22908 17.14 17.67 96.48	8844 6.62 6.82 96.49	4549 3.40 3.51 96.54	129669 97.04
1	1103 0.83 27.92 2.26	1528 1.14 38.67 3.23	835 0.62 21.13 3.52	322 0.24 8.15 3.51	163 0.12 4.13 3.46	3951 2.96
Total	48763 36.49	47236 35.35	23743 17.77	9166 6.86	4712 3.53	133620 100.00

Statistics for Table of ETHNICITY_BR by BMIC

Statistic	DF	Value	Prob
Chi-Square	4	134.7482	<.0001
Likelihood Ratio Chi-Square	4	139.2567	<.0001
Mantel-Haenszel Chi-Square	1	95.8433	<.0001
Phi Coefficient		0.0318	
Contingency Coefficient		0.0317	
Cramer's V		0.0318	

Sample Size = 133620

Frequency
Percent
Row Pct
Col Pct

Table of MARITAL_BR by BMIC

MARITAL_BR	BMIC(Body-mass Index (BMI), kg/m2)					
	Normal (18.5 - 24.9)	Overweight (25.0 - 29.9)	Obesity I (30.0 - 34.9)	Obesity II (35.0 - 39.9)	Extreme Obesity III (>= 40)	Total
MARRIED / PARTNERED	31822 23.82 37.70 65.26	30306 22.68 35.91 64.16	14534 10.88 17.22 61.21	5233 3.92 6.20 57.09	2511 1.88 2.97 53.29	84406 63.17
SINGLE	2080 1.56 36.18 4.27	1857 1.39 32.30 3.93	1012 0.76 17.60 4.26	484 0.36 8.42 5.28	316 0.24 5.50 6.71	5749 4.30
DIVORCED	7258 5.43 34.65 14.88	7044 5.27 33.62 14.91	3850 2.88 18.38 16.22	1747 1.31 8.34 19.06	1050 0.79 5.01 22.28	20949 15.68
WIDOWED	7603 5.69 33.77 15.59	8029 6.01 35.66 17.00	4347 3.25 19.31 18.31	1702 1.27 7.56 18.57	835 0.62 3.71 17.72	22516 16.85
Total	48763 36.49	47236 35.35	23743 17.77	9166 6.86	4712 3.53	133620 100.00

Statistics for Table of MARITAL_BR by BMIC

Statistic	DF	Value	Prob
Chi-Square	12	615.0330	<.0001
Likelihood Ratio Chi-Square	12	591.2101	<.0001
Mantel-Haenszel Chi-Square	1	359.5938	<.0001
Phi Coefficient		0.0678	
Contingency Coefficient		0.0677	
Cramer's V		0.0392	

Sample Size = 133620

Frequency
Percent
Row Pct
Col Pct

Table of EDUC_BR by BMIC

EDUC_BR	BMIC(Body-mass Index (BMI), kg/m2)					
	Normal (18.5 - 24.9)	Overweight (25.0 - 29.9)	Obesity I (30.0 - 34.9)	Obesity II (35.0 - 39.9)	Extreme Obesity III (>= 40)	Total
< HS	1388 1.04 23.38 2.85	2087 1.56 35.15 4.42	1406 1.05 23.68 5.92	667 0.50 11.23 7.28	389 0.29 6.55 8.26	5937 4.44
HS	7071 5.29 31.20 14.50	8030 6.01 35.43 17.00	4791 3.59 21.14 20.18	1854 1.39 8.18 20.23	920 0.69 4.06 19.52	22666 16.96
SOME COLLEGE	16928 12.67 33.59 34.71	18198 13.62 36.11 38.53	9556 7.15 18.96 40.25	3714 2.78 7.37 40.52	1999 1.50 3.97 42.42	50395 37.72
COMPLETED COLLEGE OR HIGHER	23376 17.49 42.80 47.94	18921 14.16 34.64 40.06	7990 5.98 14.63 33.65	2931 2.19 5.37 31.98	1404 1.05 2.57 29.80	54622 40.88
Total	48763 36.49	47236 35.35	23743 17.77	9166 6.86	4712 3.53	133620 100.00

Statistics for Table of EDUC_BR by BMIC

Statistic	DF	Value	Prob

Statistic	DF	Value	Prob
Chi-Square	12	2547.9769	<.0001
Likelihood Ratio Chi-Square	12	2534.4360	<.0001
Mantel-Haenszel Chi-Square	1	2210.8327	<.0001
Phi Coefficient		0.1381	
Contingency Coefficient		0.1368	
Cramer's V		0.0797	

Sample Size = 133620

Frequency
Percent
Row Pct
Col Pct

Table of OCCUPATION by BMIC

OCCUPATION	BMIC(Body-mass Index (BMI), kg/m2)					
	Normal (18.5 - 24.9)	Overweight (25.0 - 29.9)	Obesity I (30.0 - 34.9)	Obesity II (35.0 - 39.9)	Extreme Obesity III (>= 40)	Total
Managerial/professional	9844 7.37 40.03 20.19	8390 6.28 34.11 17.76	4002 3.00 16.27 16.86	1545 1.16 6.28 16.86	813 0.61 3.31 17.25	24594 18.41
Technical/sales/administrative	13811 10.34 35.20 28.32	13967 10.45 35.59 29.57	7287 5.45 18.57 30.69	2762 2.07 7.04 30.13	1414 1.06 3.60 30.01	39241 29.37
Service/labor	3135 2.35 27.44 6.43	3978 2.98 34.82 8.42	2555 1.91 22.36 10.76	1115 0.83 9.76 12.16	642 0.48 5.62 13.62	11425 8.55
Homemaker	7896 5.91 37.63 16.19	7508 5.62 35.78 15.89	3615 2.71 17.23 15.23	1308 0.98 6.23 14.27	655 0.49 3.12 13.90	20982 15.70
Other	3027 2.27 36.47 6.21	2882 2.16 34.73 6.10	1518 1.14 18.29 6.39	585 0.44 7.05 6.38	287 0.21 3.46 6.09	8299 6.21
Not working/Retired/Disabled	9330 6.98 38.18 19.13	8913 6.67 36.47 18.87	3964 2.97 16.22 16.70	1515 1.13 6.20 16.53	718 0.54 2.94 15.24	24440 18.29
Missing	1720 1.29 37.08 3.53	1598 1.20 34.45 3.38	802 0.60 17.29 3.38	336 0.25 7.24 3.67	183 0.14 3.94 3.88	4639 3.47
Total	48763 36.49	47236 35.35	23743 17.77	9166 6.86	4712 3.53	133620 100.00

Statistics for Table of OCCUPATION by BMIC

Statistic	DF	Value	Prob
Chi-Square	24	993.7633	<.0001
Likelihood Ratio Chi-Square	24	971.5496	<.0001
Mantel-Haenszel Chi-Square	1	0.0303	0.8617
Phi Coefficient		0.0862	
Contingency Coefficient		0.0859	
Cramer's V		0.0431	

Sample Size = 133620

Frequency
Percent

Row Pct
Col Pct

Table of INCOME_BR by BMIC

INCOME_BR	BMIC(Body-mass Index (BMI), kg/m2)					
	Normal (18.5 - 24.9)	Overweight (25.0 - 29.9)	Obesity I (30.0 - 34.9)	Obesity II (35.0 - 39.9)	Extreme Obesity III (>= 40)	Total
<20,000	5296 3.96 28.01 10.86	6534 4.89 34.56 13.83	4116 3.08 21.77 17.34	1853 1.39 9.80 20.22	1108 0.83 5.86 23.51	18907 14.15
20,000-49,999	18740 14.02 33.49 38.43	20294 15.19 36.27 42.96	10595 7.93 18.94 44.62	4216 3.16 7.54 46.00	2104 1.57 3.76 44.65	55949 41.87
50,000-99,999	15029 11.25 40.20 30.82	13179 9.86 35.25 27.90	6071 4.54 16.24 25.57	2079 1.56 5.56 22.68	1030 0.77 2.75 21.86	37388 27.98
100,000+	6338 4.74 49.54 13.00	4296 3.22 33.58 9.09	1475 1.10 11.53 6.21	470 0.35 3.67 5.13	214 0.16 1.67 4.54	12793 9.57
Missing	3360 2.51 39.15 6.89	2933 2.20 34.17 6.21	1486 1.11 17.31 6.26	548 0.41 6.38 5.98	256 0.19 2.98 5.43	8583 6.42
Total	48763 36.49	47236 35.35	23743 17.77	9166 6.86	4712 3.53	133620 100.00

Statistics for Table of INCOME_BR by BMIC

Statistic	DF	Value	Prob
Chi-Square	16	2895.5669	<.0001
Likelihood Ratio Chi-Square	16	2898.9242	<.0001
Mantel-Haenszel Chi-Square	1	48.1338	<.0001
Phi Coefficient		0.1472	
Contingency Coefficient		0.1456	
Cramer's V		0.0736	

Sample Size = 133620

Frequency
Percent
Row Pct
Col Pct

Table of SMOKING_BR by BMIC

SMOKING_BR	BMIC(Body-mass Index (BMI), kg/m2)					
	Normal (18.5 - 24.9)	Overweight (25.0 - 29.9)	Obesity I (30.0 - 34.9)	Obesity II (35.0 - 39.9)	Extreme Obesity III (>= 40)	Total
NEVER SMOKER	24855 18.60 36.70 50.97	23769 17.79 35.10 50.32	12164 9.10 17.96 51.23	4624 3.46 6.83 50.45	2315 1.73 3.42 49.13	67727 50.69
PAST SMOKER	20116 15.05 35.41 41.25	20277 15.18 35.70 42.93	10170 7.61 17.90 42.83	4100 3.07 7.22 44.73	2139 1.60 3.77 45.39	56802 42.51
CURRENT SMOKER	3792 2.84 41.71 7.78	3190 2.39 35.09 6.75	1409 1.05 15.50 5.93	442 0.33 4.86 4.82	258 0.19 2.84 5.48	9091 6.80
Total	48763 36.49	47236 35.35	23743 17.77	9166 6.86	4712 3.53	133620 100.00

Statistics for Table of SMOKING_BR by BMIC

Statistic	DF	Value	Prob

Statistic	DF	Value	Prob
Chi-Square	8	205.7697	<.0001
Likelihood Ratio Chi-Square	8	210.6918	<.0001
Mantel-Haenszel Chi-Square	1	15.9003	<.0001
Phi Coefficient		0.0392	
Contingency Coefficient		0.0392	
Cramer's V		0.0277	

Sample Size = 133620

Frequency
Percent
Row Pct
Col Pct

Table of ALCOHOL_BR by BMIC

ALCOHOL_BR	BMIC(Body-mass Index (BMI), kg/m2)					
	Normal (18.5 - 24.9)	Overweight (25.0 - 29.9)	Obesity I (30.0 - 34.9)	Obesity II (35.0 - 39.9)	Extreme Obesity III (>= 40)	Total
NON-DRINKER	4458 3.34 32.91 9.14	4631 3.47 34.19 9.80	2713 2.03 20.03 11.43	1118 0.84 8.25 12.20	624 0.47 4.61 13.24	13544 10.14
FORMER DRINKER	6910 5.17 30.13 14.17	7794 5.83 33.98 16.50	4808 3.60 20.96 20.25	2121 1.59 9.25 23.14	1303 0.98 5.68 27.65	22936 17.17
<1 DRINK/WEEK	14327 10.72 32.17 29.38	15724 11.77 35.31 33.29	8925 6.68 20.04 37.59	3696 2.77 8.30 40.32	1863 1.39 4.18 39.54	44535 33.33
>= 1 DRINK / WEEK	23068 17.26 43.85 47.31	19087 14.28 36.28 40.41	7297 5.46 13.87 30.73	2231 1.67 4.24 24.34	922 0.69 1.75 19.57	52605 39.37
Total	48763 36.49	47236 35.35	23743 17.77	9166 6.86	4712 3.53	133620 100.00

Statistics for Table of ALCOHOL_BR by BMIC

Statistic	DF	Value	Prob
Chi-Square	12	3850.7546	<.0001
Likelihood Ratio Chi-Square	12	3960.4148	<.0001
Mantel-Haenszel Chi-Square	1	2582.0350	<.0001
Phi Coefficient		0.1698	
Contingency Coefficient		0.1674	
Cramer's V		0.0980	

Sample Size = 133620

table 1

The MEANS Procedure

Body-mass Index (BMI), kg/m2	N Obs	Variable	Label	N	Mean	Std Dev	Minimum	Maximum
Normal (18.5 - 24.9)	48763	AGE HEI2015_TOTAL_SCORE PHYSICAL_ACTIVITY_MET	Age at screening TOTAL HEI-2015 SCORE	48763 48763 48763	63.3496298 67.7233554 15.9288797	7.4023179 10.1270496 15.1156537	50.0000000 20.5458477 0	79.0000000 96.2370670 142.3333300
Overweight (25.0 - 29.9)	47236	AGE HEI2015_TOTAL_SCORE PHYSICAL_ACTIVITY_MET	Age at screening TOTAL HEI-2015 SCORE	47236 47236 47236	63.6398086 65.2970331 12.5773598	7.1807254 10.1187049 13.2728844	50.0000000 23.3723853 0	79.0000000 94.1593024 134.1666700

Body-mass Index (BMI), kg/m2	N Obs	Variable	Label	N	Mean	Std Dev	Minimum	Maximum
Obesity I (30.0 - 34.9)	23743	AGE HEI2015_TOTAL_SCORE PHYSICAL_ACTIVITY_MET	Age at screening TOTAL HEI-2015 SCORE	23743 23743 23743	63.1334709 62.9509965 9.5583980	7.0198343 10.2190418 11.7174541	50.0000000 23.4445799 0	79.0000000 93.5690594 119.0000000
Obesity II (35.0 - 39.9)	9166	AGE HEI2015_TOTAL_SCORE PHYSICAL_ACTIVITY_MET	Age at screening TOTAL HEI-2015 SCORE	9166 9166 9166	62.1466288 61.1708031 7.5527857	6.7938785 10.3162027 10.5373434	50.0000000 24.8191907 0	79.0000000 92.8023948 100.0000000
Extreme Obesity III (>= 40)	4712	AGE HEI2015_TOTAL_SCORE PHYSICAL_ACTIVITY_MET	Age at screening TOTAL HEI-2015 SCORE	4712 4712 4712	61.0865874 59.9632599 6.0527024	6.5552964 10.3754596 9.5120926	50.0000000 24.7973985 0	79.0000000 90.6599219 113.1666700

table 1

The GLM Procedure

Class Level Information		
Class	Levels	Values
BMIC	5	Extreme Obesity III (>= 40) Normal (18.5 - 24.9) Obesity I (30.0 - 34.9) Obesity II (35.0 - 39.9) Overweight (25.0 - 29.9)

Number of Observations Read	133620
Number of Observations Used	133620

table 1

The GLM Procedure

Dependent Variable: AGE Age at screening

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	4	41196.461	10299.115	199.35	<.0001
Error	133615	6902877.499	51.662		
Corrected Total	133619	6944073.960			

R-Square	Coeff Var	Root MSE	AGE Mean
0.005933	11.36362	7.187659	63.25147

Source	DF	Type I SS	Mean Square	F Value	Pr > F
BMIC	4	41196.46105	10299.11526	199.35	<.0001

Source	DF	Type III SS	Mean Square	F Value	Pr > F
BMIC	4	41196.46105	10299.11526	199.35	<.0001

table 1

The GLM Procedure

Class Level Information		
Class	Levels	Values

Class Level Information		
Class	Levels	Values
BMIC	5	Extreme Obesity III (>= 40) Normal (18.5 - 24.9) Obesity I (30.0 - 34.9) Obesity II (35.0 - 39.9) Overweight (25.0 - 29.9)

Number of Observations Read	133620
Number of Observations Used	133620

---

table 1

The GLM Procedure

Dependent Variable: HEI2015_TOTAL_SCORE TOTAL HEI-2015 SCORE

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	4	707858.24	176964.56	1713.53	<.0001
Error	133615	13799062.21	103.27		
Corrected Total	133619	14506920.45			

R-Square	Coeff Var	Root MSE	HEI2015_TOTAL_SCORE Mean
0.048795	15.56398	10.16242	65.29448

Source	DF	Type I SS	Mean Square	F Value	Pr > F
BMIC	4	707858.2393	176964.5598	1713.53	<.0001

Source	DF	Type III SS	Mean Square	F Value	Pr > F
BMIC	4	707858.2393	176964.5598	1713.53	<.0001

---

table 1

The GLM Procedure

Class Level Information		
Class	Levels	Values
BMIC	5	Extreme Obesity III (>= 40) Normal (18.5 - 24.9) Obesity I (30.0 - 34.9) Obesity II (35.0 - 39.9) Overweight (25.0 - 29.9)

Number of Observations Read	133620
Number of Observations Used	133620

---

table 1

The GLM Procedure

Dependent Variable: PHYSICAL_ACTIVITY_MET

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	4	1194466.52	298616.63	1651.05	<.0001
Error	133615	24166290.51	180.87		
Corrected Total	133619	25360757.03			

R-Square	Coeff Var	Root MSE	PHYSICAL_ACTIVITY_MET Mean

R-Square	Coeff Var	Root MSE	PHYSICAL_ACTIVITY_MET Mean
0.047099	105.9842	13.44861	12.68926

Source	DF	Type I SS	Mean Square	F Value	Pr > F
BMIC	4	1194466.520	298616.630	1651.05	<.0001

Source	DF	Type III SS	Mean Square	F Value	Pr > F
BMIC	4	1194466.520	298616.630	1651.05	<.0001