table 2

The FREQ Procedure

INCIDENT_DIABETES	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	103903	77.76	103903	77.76
1	29717	22.24	133620	100.00

---

table 2

The MEANS Procedure

Analysis Variable : TTE_DIABETES
Sum
2225138.99

---

table 2

The FREQ Procedure

Body-mass Index (BMI), kg/m2				
BMIC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Normal (18.5 - 24.9)	48763	36.49	48763	36.49
Overweight (25.0 - 29.9)	47236	35.35	95999	71.84
Obesity I (30.0 - 34.9)	23743	17.77	119742	89.61
Obesity II (35.0 - 39.9)	9166	6.86	128908	96.47
Extreme Obesity III (>= 40)	4712	3.53	133620	100.00

bmi_wc	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1	10120	7.57	10120	7.57
2	12513	9.36	22633	16.94
3	2998	2.24	25631	19.18
4	1158	0.87	26789	20.05
5	2355	1.76	29144	21.81
6	38643	28.92	67787	50.73
7	34723	25.99	102510	76.72
8	20745	15.53	123255	92.24
9	8008	5.99	131263	98.24
10	2357	1.76	133620	100.00

---

table 2

The FREQ Procedure

Body-mass Index (BMI), kg/m2=Normal (18.5 - 24.9)

INCIDENT_DIABETES	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	40925	83.93	40925	83.93

INCIDENT_DIABETES	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1	7838	16.07	48763	100.00

---

table 2

The FREQ Procedure

Body-mass Index (BMI), kg/m2=Overweight (25.0 - 29.9)

INCIDENT_DIABETES	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	36844	78.00	36844	78.00
1	10392	22.00	47236	100.00

---

table 2

The FREQ Procedure

Body-mass Index (BMI), kg/m2=Obesity I (30.0 - 34.9)

INCIDENT_DIABETES	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	17012	71.65	17012	71.65
1	6731	28.35	23743	100.00

---

table 2

The FREQ Procedure

Body-mass Index (BMI), kg/m2=Obesity II (35.0 - 39.9)

INCIDENT_DIABETES	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	6149	67.08	6149	67.08
1	3017	32.92	9166	100.00

---

table 2

The FREQ Procedure

Body-mass Index (BMI), kg/m2=Extreme Obesity III (>= 40)

INCIDENT_DIABETES	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	2973	63.09	2973	63.09
1	1739	36.91	4712	100.00

---

table 2

The MEANS Procedure

Body-mass Index (BMI), kg/m2=Normal (18.5 - 24.9)

Analysis Variable : TTE_DIABETES
Sum
877768.27

Body-mass Index (BMI), kg/m2=Overweight (25.0 - 29.9)

Analysis Variable : TTE_DIABETES
Sum
791536.96

Body-mass Index (BMI), kg/m2=Obesity I (30.0 - 34.9)

Analysis Variable : TTE_DIABETES
Sum
363805.47

Body-mass Index (BMI), kg/m2=Obesity II (35.0 - 39.9)

Analysis Variable : TTE_DIABETES
Sum
130166.02

Body-mass Index (BMI), kg/m2=Extreme Obesity III (>= 40)

Analysis Variable : TTE_DIABETES
Sum
61862.27

---

table 2

The FREQ Procedure

bmi_wc=1

INCIDENT_DIABETES	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	8281	81.83	8281	81.83
1	1839	18.17	10120	100.00

---

table 2

The FREQ Procedure

bmi_wc=2

INCIDENT_DIABETES	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	9354	74.75	9354	74.75
1	3159	25.25	12513	100.00

---

table 2

The FREQ Procedure

bmi_wc=3

INCIDENT_DIABETES	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	1997	66.61	1997	66.61
1	1001	33.39	2998	100.00

---

table 2

The FREQ Procedure

bmi_wc=4

INCIDENT_DIABETES	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	723	62.44	723	62.44
1	435	37.56	1158	100.00

---

table 2

The FREQ Procedure

bmi_wc=5

INCIDENT_DIABETES	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	1403	59.58	1403	59.58
1	952	40.42	2355	100.00

---

table 2

The FREQ Procedure

bmi_wc=6

INCIDENT_DIABETES	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	32644	84.48	32644	84.48
1	5999	15.52	38643	100.00

---

table 2

The FREQ Procedure

bmi_wc=7

INCIDENT_DIABETES	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	27490	79.17	27490	79.17
1	7233	20.83	34723	100.00

---

table 2

The FREQ Procedure

bmi_wc=8

INCIDENT_DIABETES	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	15015	72.38	15015	72.38
1	5730	27.62	20745	100.00

---

table 2

The FREQ Procedure

bmi_wc=9

INCIDENT_DIABETES	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	5426	67.76	5426	67.76
1	2582	32.24	8008	100.00

---

table 2

The FREQ Procedure

bmi_wc=10

INCIDENT_DIABETES	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	1570	66.61	1570	66.61
1	787	33.39	2357	100.00

---

table 2

The MEANS Procedure

bmi_wc=1

Analysis Variable : TTE_DIABETES
Sum
168147.30

bmi_wc=2

Analysis Variable : TTE_DIABETES
Sum
191179.37

bmi_wc=3

Analysis Variable : TTE_DIABETES
Sum

Analysis Variable : TTE_DIABETES
Sum
41059.66

bmi_wc=4

Analysis Variable : TTE_DIABETES
Sum
14738.50

bmi_wc=5

Analysis Variable : TTE_DIABETES
Sum
28635.93

bmi_wc=6

Analysis Variable : TTE_DIABETES
Sum
709620.97

bmi_wc=7

Analysis Variable : TTE_DIABETES
Sum
600357.60

bmi_wc=8

Analysis Variable : TTE_DIABETES
Sum
322745.80

bmi_wc=9

Analysis Variable : TTE_DIABETES
Sum
115427.52

bmi_wc=10

Analysis Variable : TTE_DIABETES
Sum
33226.34

---

table 2

EXPOSURE_TYPE	CATEGORY	CASES	SAMPLE_SIZE	Person-years	Rate per 10,000 person-years (95% CI)
BMI	Normal (18.5 - 24.9)	7838	48763	877,768.3	89.29 (87.33,91.29)
BMI	Overweight (25.0 - 29.9)	10392	47236	791,537.0	131.29 (128.78,133.84)

EXPOSURE_TYPE	CATEGORY	CASES	SAMPLE_SIZE	Person-years	Rate per 10,000 person-years (95% CI)
BMI	Obesity I (30.0 - 34.9)	6731	23743	363,805.5	185.02 (180.62,189.49)
BMI	Obesity II (35.0 - 39.9)	3017	9166	130,166.0	231.78 (223.58,240.20)
BMI	Extreme Obesity III (>= 40)	1739	4712	61,862.3	281.11 (268.05,294.64)
BMI_WC	≥ 80 cm (normal weight)	1839	10120	168,147.3	109.37 (104.43,114.48)
BMI_WC	≥ 90 cm (overweight)	3159	12513	191,179.4	165.24 (159.53,171.10)
BMI_WC	≥ 105 cm (obesity-1)	1001	2998	41,059.7	243.79 (228.92,259.37)
BMI_WC	≥ 115 cm (obesity-2)	435	1158	14,738.5	295.15 (268.06,324.23)
BMI_WC	≥ 115 cm (obesity-3)	952	2355	28,635.9	332.45 (311.66,354.26)
BMI_WC	< 80 cm (normal weight)	5999	38643	709,621.0	84.54 (82.41,86.70)
BMI_WC	< 90 cm (overweight)	7233	34723	600,357.6	120.48 (117.72,123.29)
BMI_WC	< 105 cm (obesity-1)	5730	20745	322,745.8	177.54 (172.97,182.20)
BMI_WC	< 115 cm (obesity-2)	2582	8008	115,427.5	223.69 (215.14,232.49)
BMI_WC	< 115 cm (obesity-3)	787	2357	33,226.3	236.86 (220.60,254.00)