table 3

The SURVEYSELECT Procedure

Selection Method	Simple Random Sampling

Input Data Set	MERGED_MAN7_VF
Random Number Seed	1234
Sampling Rate	0.7
Sample Size	93534
Selection Probability	0.7
Sampling Weight	0
Output Data Set	SPLIT_DATA

---

table 3

The CONTENTS Procedure

Data Set Name	VA7.TRAIN	Observations	93534
Member Type	DATA	Variables	61
Engine	V9	Indexes	0
Created	05/05/2026 06:47:12	Observation Length	488
Last Modified	05/05/2026 06:47:12	Deleted Observations	0
Protection		Compressed	NO
Data Set Type		Sorted	NO
Label			
Data Representation	SOLARIS_X86_64, LINUX_X86_64, ALPHA_TRU64, LINUX_IA64		
Encoding	utf-8 Unicode (UTF-8)		

Engine/Host Dependent Information	
Data Set Page Size	131072
Number of Data Set Pages	350
First Data Page	1
Max Obs per Page	268
Obs in First Data Page	246
Number of Data Set Repairs	0
Filename	/home/u51629357/WHI_2026_MANUSCRIPTS/train.sas7bdat
Release Created	9.0401M8
Host Created	Linux
Inode Number	25770618466
Access Permission	rw-r--r--
Owner Name	u51629357
File Size	44MB
File Size (bytes)	46006272

Alphabetic List of Variables and Attributes						
#	Variable	Type	Len	Format	Informat	Label
11	AGE	Num	8			Age at screening
12	AGE_BR	Num	8	AGERF.		
27	ALCOHOL	Num	8	ALCOHOLF.		Alcohol intake
28	ALCOHOL_BR	Num	8	ALCOHOL_BRF.		
7	BMI	Num	8			Body-mass Index (BMI), kg/m2
8	BMIC	Num	8	OBESITYF.		Body-mass Index (BMI), kg/m2
55	CENSOR_DAY	Num	8			
51	DEATHDY	Num	8			Days enrollment to Death
32	DIAB	Num	8	DIABF.		Diabetes ever
33	DIABAGE	Num	8	DIABAGEF.		Age first told had diabetes
34	DIABCOMA	Num	8	DIABCOMAF.		Hospitalized for a diabetic coma

Alphabetic List of Variables and Attributes						
#	Variable	Type	Len	Format	Informat	Label
36	DIABNW	Num	8	DIABNWF.		Diabetes now
35	DIABPILL	Num	8	DIABPILLF.		Pills for diabetes ever
37	DIABTRT	Num	8	DIABTRTF.		Diabetes treated (pills or shots)
53	DIAB_EVENT_DAY	Num	8			
21	EDUC	Num	8	EDUCF.		Education at screening
22	EDUC_BR	Num	8	EDUCBRF.		
52	ENDFOLLOWDY	Num	8			Days enrollment to end of followup
16	ETHNICITY	Num	8	ETHNICNIHF.		
18	ETHNICITY_BR	Num	8			
13	ETHNICNIH	Num	8	ETHNICNIHF.		Ethnicity categories for NIH reporting
38	F134DIAB	Num	8	F134DIABF.		Diabetes/high blood sugar ever
43	F33DIABDIEXDY_MRC	Num	8			Days enrollment to Diabetes Diet and/or Exercise
54	F33DIABDIEXDY_SELF	Num	8			
47	F33DIABDIEXDY_SRC	Num	8			Days enrollment to Diabetes Diet and/or Exercise
41	F33DIABINSULINDY_MRC	Num	8			Days enrollment to F33 Diabetes Insulin
49	F33DIABINSULINDY_SELF	Num	8			Days enrollment to F33 Diabetes Insulin
45	F33DIABINSULINDY_SRC	Num	8			Days enrollment to F33 Diabetes Insulin
42	F33DIABPILLSDY_MRC	Num	8			Days enrollment to F33 Diabetes Pills
50	F33DIABPILLSDY_SELF	Num	8			Days enrollment to F33 Diabetes Pills
46	F33DIABPILLSDY_SRC	Num	8			Days enrollment to F33 Diabetes Pills
40	F33DIABTXDY_MRC	Num	8			Days enrollment to F33 Diabetes Treated
48	F33DIABTXDY_SELF	Num	8			Days enrollment to F33 Diabetes Treated
44	F33DIABTXDY_SRC	Num	8			Days enrollment to F33 Diabetes Treated
2	F80DAYS	Num	8			F80 Days since randomization/enrollment
6	F80EXPC	Num	8	F80EXPCF.		Expected for visit
5	F80VCLO	Num	8	F80VCLOF.		Closest to visit within visit type and year
3	F80VTYP	Num	8	F80VTYPF.		Visit Type
4	F80VY	Num	8			Visit year
29	HEI2015_TOTAL_SCORE	Num	8			TOTAL HEI-2015 SCORE
1	ID	Num	8			WHI Participant Common ID
56	INCIDENT_DIABETES	Num	8			
24	INCOME	Num	8	INCOMEF.		Family Income at screening
25	INCOME_BR	Num	8	INCOME_BRF.		
19	MARITAL	Num	8	MARITALF.		Marital status
20	MARITAL_BR	Num	8	MARITAL_BRF.		
23	OCCUPATION	Num	8	OCCUPF.		
31	PHYSICAL_ACTIVITY_MET	Num	8			
39	PREVALENT_DIABETES	Num	8			
59	PY	Num	8			
15	RACE	Num	8	RACENIHF.		
14	RACENIH	Num	8	RACENIHF.		Race categories for NIH reporting
17	RACE_BR	Num	8			
26	SMOKING_BR	Num	8	SMOKING_BRF.		
30	TEXPWK	Num	8			Total energy expend from recreational phys activity (MET-hours/week)
60	TTE_DIABETES	Num	8			
57	TTE_DIABETES_DAYS	Num	8			
58	TTE_DIABETES_YRS	Num	8			
9	WAIST	Num	8			Waist, cm
10	bmi_wc	Num	8			
61	train70	Char	1	$1.	$1.	train70

table 3

The CONTENTS Procedure

Data Set Name	VA7.VALIDATION	**Observations**	40086
Member Type	DATA	**Variables**	61
Engine	V9	**Indexes**	0
Created	05/05/2026 06:47:12	**Observation Length**	488
Last Modified	05/05/2026 06:47:12	**Deleted Observations**	0
Protection		**Compressed**	NO
Data Set Type		**Sorted**	NO
Label			
Data Representation	SOLARIS_X86_64, LINUX_X86_64, ALPHA_TRU64, LINUX_IA64		
Encoding	utf-8 Unicode (UTF-8)		

Engine/Host Dependent Information	
Data Set Page Size	131072
Number of Data Set Pages	150
First Data Page	1
Max Obs per Page	268
Obs in First Data Page	246
Number of Data Set Repairs	0
Filename	/home/u51629357/WHI_2026_MANUSCRIPTS/validation.sas7bdat
Release Created	9.0401M8
Host Created	Linux
Inode Number	25775762219
Access Permission	rw-r--r--
Owner Name	u51629357
File Size	19MB
File Size (bytes)	19791872

Alphabetic List of Variables and Attributes

#	Variable	Type	Len	Format	Informat	Label
11	AGE	Num	8			Age at screening
12	AGE_BR	Num	8	AGERF.		
27	ALCOHOL	Num	8	ALCOHOLF.		Alcohol intake
28	ALCOHOL_BR	Num	8	ALCOHOL_BRF.		
7	BMI	Num	8			Body-mass Index (BMI), kg/m2
8	BMIC	Num	8	OBESITYF.		Body-mass Index (BMI), kg/m2
55	CENSOR_DAY	Num	8			
51	DEATHDY	Num	8			Days enrollment to Death
32	DIAB	Num	8	DIABF.		Diabetes ever
33	DIABAGE	Num	8	DIABAGEF.		Age first told had diabetes
34	DIABCOMA	Num	8	DIABCOMAF.		Hospitalized for a diabetic coma
36	DIABNW	Num	8	DIABNWF.		Diabetes now
35	DIABPILL	Num	8	DIABPILLF.		Pills for diabetes ever
37	DIABTRT	Num	8	DIABTRTF.		Diabetes treated (pills or shots)
53	DIAB_EVENT_DAY	Num	8			
21	EDUC	Num	8	EDUCF.		Education at screening
22	EDUC_BR	Num	8	EDUCBRF.		
52	ENDFOLLOWDY	Num	8			Days enrollment to end of followup
16	ETHNICITY	Num	8	ETHNICNIHF.		
18	ETHNICITY_BR	Num	8			
13	ETHNICNIH	Num	8	ETHNICNIHF.		Ethnicity categories for NIH reporting
38	F134DIAB	Num	8	F134DIABF.		Diabetes/high blood sugar ever
43	F33DIABDIEXDY_MRC	Num	8			Days enrollment to Diabetes Diet and/or Exercise
54	F33DIABDIEXDY_SELF	Num	8			
47	F33DIABDIEXDY_SRC	Num	8			Days enrollment to Diabetes Diet and/or Exercise
41	F33DIABINSULINDY_MRC	Num	8			Days enrollment to F33 Diabetes Insulin
49	F33DIABINSULINDY_SELF	Num	8			Days enrollment to F33 Diabetes Insulin
45	F33DIABINSULINDY_SRC	Num	8			Days enrollment to F33 Diabetes Insulin
42	F33DIABPILLSDY_MRC	Num	8			Days enrollment to F33 Diabetes Pills

Alphabetic List of Variables and Attributes						
#	Variable	Type	Len	Format	Informat	Label
50	F33DIABPILLSDY_SELF	Num	8			Days enrollment to F33 Diabetes Pills
46	F33DIABPILLSDY_SRC	Num	8			Days enrollment to F33 Diabetes Pills
40	F33DIABTXDY_MRC	Num	8			Days enrollment to F33 Diabetes Treated
48	F33DIABTXDY_SELF	Num	8			Days enrollment to F33 Diabetes Treated
44	F33DIABTXDY_SRC	Num	8			Days enrollment to F33 Diabetes Treated
2	F80DAYS	Num	8			F80 Days since randomization/enrollment
6	F80EXPC	Num	8	F80EXPCF.		Expected for visit
5	F80VCLO	Num	8	F80VCLOF.		Closest to visit within visit type and year
3	F80VTYP	Num	8	F80VTYPF.		Visit Type
4	F80VY	Num	8			Visit year
29	HEI2015_TOTAL_SCORE	Num	8			TOTAL HEI-2015 SCORE
1	ID	Num	8			WHI Participant Common ID
56	INCIDENT_DIABETES	Num	8			
24	INCOME	Num	8	INCOMEF.		Family Income at screening
25	INCOME_BR	Num	8	INCOME_BRF.		
19	MARITAL	Num	8	MARITALF.		Marital status
20	MARITAL_BR	Num	8	MARITAL_BRF.		
23	OCCUPATION	Num	8	OCCUPF.		
31	PHYSICAL_ACTIVITY_MET	Num	8			
39	PREVALENT_DIABETES	Num	8			
59	PY	Num	8			
15	RACE	Num	8	RACENIHF.		
14	RACENIH	Num	8	RACENIHF.		Race categories for NIH reporting
17	RACE_BR	Num	8			
26	SMOKING_BR	Num	8	SMOKING_BRF.		
30	TEXPWK	Num	8			Total energy expend from recreational phys activity (MET-hours/week)
60	TTE_DIABETES	Num	8			
57	TTE_DIABETES_DAYS	Num	8			
58	TTE_DIABETES_YRS	Num	8			
9	WAIST	Num	8			Waist, cm
10	bmi_wc	Num	8			
61	train70	Char	1	$1.	$1.	train70

table 3

The PHREG Procedure

Model Information		
Data Set	VA7.MERGED_MAN7_VF	
Dependent Variable	TTE_DIABETES	
Censoring Variable	INCIDENT_DIABETES	
Censoring Value(s)	0	
Ties Handling	BRESLOW	
ROC Method	NNE	Nearest Neighbors

Number of Observations Read	133620
Number of Observations Used	133620

Class Level Information					
Class	Value	Design Variables			
BMIC	Extreme Obesity III (>= 40)	1	0	0	0
	Normal (18.5 - 24.9)	0	0	0	0
	Obesity I (30.0 - 34.9)	0	1	0	0
	Obesity II (35.0 - 39.9)	0	0	1	0
	Overweight (25.0 - 29.9)	0	0	0	1

Summary of the Number of Event and Censored Values			
Total	Event	Censored	Percent Censored
133620	29717	103903	77.76

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	659483.73	654801.87
AIC	659483.73	654809.87
SBC	659483.73	654843.06

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	4681.8696	4	<.0001
Score	5232.7744	4	<.0001
Wald	4886.3411	4	<.0001

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
BMIC	4	4886.3411	<.0001

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
BMIC	Extreme Obesity III (>= 40)	1	1.32370	0.02656	2483.7581	<.0001	3.757	3.567	3.958	Body-mass Index (BMI), kg/m2 Extreme Obesity III (>= 40)
BMIC	Obesity I (30.0 - 34.9)	1	0.82478	0.01664	2455.3938	<.0001	2.281	2.208	2.357	Body-mass Index (BMI), kg/m2 Obesity I (30.0 - 34.9)
BMIC	Obesity II (35.0 - 39.9)	1	1.08786	0.02146	2569.0849	<.0001	2.968	2.846	3.095	Body-mass Index (BMI), kg/m2 Obesity II (35.0 - 39.9)
BMIC	Overweight (25.0 - 29.9)	1	0.43159	0.01497	831.3907	<.0001	1.540	1.495	1.586	Body-mass Index (BMI), kg/m2 Overweight (25.0 - 29.9)

Harrell's Concordance Statistic					
		Comparable Pairs			
Source	Estimate	Concordance	Discordance	Tied in Predictor	Tied in Time
Model	0.6333	1.1221E9	527768513	579762179	131834

---

table 3

The PHREG Procedure

Model Information		
Data Set	VA7.TRAIN_VF	
Dependent Variable	TTE_DIABETES	
Censoring Variable	INCIDENT_DIABETES	
Censoring Value(s)	0	
Ties Handling	BRESLOW	
ROC Method	NNE	Nearest Neighbors

Number of Observations Read	93463
Number of Observations Used	93463

Class Level Information					
Class	Value	Design Variables			
BMIC	Extreme Obesity III (>= 40)	1	0	0	0

Class Level Information					
Class	Value	Design Variables			
	Normal (18.5 - 24.9)	0	0	0	0
	Obesity I (30.0 - 34.9)	0	1	0	0
	Obesity II (35.0 - 39.9)	0	0	1	0
	Overweight (25.0 - 29.9)	0	0	0	1

Summary of the Number of Event and Censored Values			
Total	Event	Censored	Percent Censored
93463	20742	72721	77.81

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	442047.76
AIC	445372.57	442055.76
SBC	445372.57	442087.52

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	3324.8129	4	<.0001
Score	3747.4514	4	<.0001
Wald	3491.0237	4	<.0001

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
BMIC	4	3491.0237	<.0001

Analysis of Maximum Likelihood Estimates									
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
BMIC	Extreme Obesity III (>= 40)	1	1.34700	0.03162	1814.6542	<.0001	3.846	3.615	4.092	Body-mass Index (BMI), kg/m2 Extreme Obesity III (>= 40)
BMIC	Obesity I (30.0 - 34.9)	1	0.81510	0.01994	1671.6297	<.0001	2.259	2.173	2.349	Body-mass Index (BMI), kg/m2 Obesity I (30.0 - 34.9)
BMIC	Obesity II (35.0 - 39.9)	1	1.10328	0.02553	1867.0017	<.0001	3.014	2.867	3.169	Body-mass Index (BMI), kg/m2 Obesity II (35.0 - 39.9)
BMIC	Overweight (25.0 - 29.9)	1	0.42780	0.01795	568.1128	<.0001	1.534	1.481	1.589	Body-mass Index (BMI), kg/m2 Overweight (25.0 - 29.9)

Harrell's Concordance Statistic					
		Comparable Pairs			
Source	Estimate	Concordance	Discordance	Tied in Predictor	Tied in Time
Model	0.6335	547561641	257480601	281690957	63916

table 3

The PHREG Procedure

Model Information		
Data Set	VA7.VALIDATION_VF	
Dependent Variable	TTE_DIABETES	
Censoring Variable	INCIDENT_DIABETES	
Censoring Value(s)	0	
Ties Handling	BRESLOW	

Model Information		
ROC Method	NNE	Nearest Neighbors

Number of Observations Read	40157
Number of Observations Used	40157

Class Level Information					
Class	Value	Design Variables			
BMIC	Extreme Obesity III (>= 40)	1	0	0	0
	Normal (18.5 - 24.9)	0	0	0	0
	Obesity I (30.0 - 34.9)	0	1	0	0
	Obesity II (35.0 - 39.9)	0	0	1	0
	Overweight (25.0 - 29.9)	0	0	0	1

Summary of the Number of Event and Censored Values			
Total	Event	Censored	Percent Censored
40157	8975	31182	77.65

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	177705.15	176342.40
AIC	177705.15	176350.40
SBC	177705.15	176378.81

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	1362.7434	4	<.0001
Score	1496.0553	4	<.0001
Wald	1405.0139	4	<.0001

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
BMIC	4	1405.0139	<.0001

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
BMIC	Extreme Obesity III (>= 40)	1	1.27097	0.04894	674.5479	<.0001	3.564	3.238	3.923	Body-mass Index (BMI), kg/m2 Extreme Obesity III (>= 40)
BMIC	Obesity I (30.0 - 34.9)	1	0.84739	0.03024	785.1112	<.0001	2.334	2.199	2.476	Body-mass Index (BMI), kg/m2 Obesity I (30.0 - 34.9)
BMIC	Obesity II (35.0 - 39.9)	1	1.05086	0.03964	702.9600	<.0001	2.860	2.646	3.091	Body-mass Index (BMI), kg/m2 Obesity II (35.0 - 39.9)
BMIC	Overweight (25.0 - 29.9)	1	0.44019	0.02713	263.3043	<.0001	1.553	1.473	1.638	Body-mass Index (BMI), kg/m2 Overweight (25.0 - 29.9)

Harrell's Concordance Statistic					
		Comparable Pairs			
Source	Estimate	Concordance	Discordance	Tied in Predictor	Tied in Time
Model	0.6329	101970631	47977515	53205575	12110

table 3

The PHREG Procedure

Model Information		
Data Set	VA7.MERGED_MAN7_VF	
Dependent Variable	TTE_DIABETES	
Censoring Variable	INCIDENT_DIABETES	
Censoring Value(s)	0	
Ties Handling	BRESLOW	
ROC Method	NNE	Nearest Neighbors

Number of Observations Read	133620
Number of Observations Used	133620

Class Level Information								
Class	Value	Design Variables						
BMIC	Extreme Obesity III (>= 40)	1	0	0	0			
	Normal (18.5 - 24.9)	0	0	0	0			
	Obesity I (30.0 - 34.9)	0	1	0	0			
	Obesity II (35.0 - 39.9)	0	0	1	0			
	Overweight (25.0 - 29.9)	0	0	0	1			
RACE_BR	1	0	0	0				
	2	1	0	0				
	3	0	1	0				
	4	0	0	1				
ETHNICITY_BR	0	0						
	1	1						
MARITAL_BR	DIVORCED	1	0	0				
	MARRIED / PARTNERED	0	0	0				
	SINGLE	0	1	0				
	WIDOWED	0	0	1				
EDUC_BR	< HS	0	0	0				
	COMPLETED COLLEGE OR HIGHER	1	0	0				
	HS	0	1	0				
	SOME COLLEGE	0	0	1				
OCCUPATION	Homemaker	1	0	0	0	0	0	
	Managerial/professional	0	0	0	0	0	0	
	Missing	0	1	0	0	0	0	
	Not working/Retired/Disabled	0	0	1	0	0	0	
	Other	0	0	0	1	0	0	
	Service/labor	0	0	0	0	1	0	
	Technical/sales/administrative	0	0	0	0	0	1	
INCOME_BR	100,000+	0	0	0	0			
	20,000-49,999	1	0	0	0			
	50,000-99,999	0	1	0	0			
	<20,000	0	0	1	0			
	Missing	0	0	0	1			
SMOKING_BR	CURRENT SMOKER	1	0					
	NEVER SMOKER	0	0					
	PAST SMOKER	0	1					
ALCOHOL_BR	<1 DRINK/WEEK	1	0	0				
	>= 1 DRINK / WEEK	0	1	0				
	FORMER DRINKER	0	0	1				
	NON-DRINKER	0	0	0				

Summary of the Number of Event and Censored Values			
Total	Event	Censored	Percent Censored
133620	29717	103903	77.76

Convergence Status

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	659483.73	653823.54
AIC	659483.73	653887.54
SBC	659483.73	654153.12

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	5660.1985	32	<.0001
Score	6333.5738	32	<.0001
Wald	5953.6641	32	<.0001

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
BMIC	4	3478.0825	<.0001
AGE	1	0.4233	0.5153
RACE_BR	3	373.0793	<.0001
ETHNICITY_BR	1	81.4707	<.0001
MARITAL_BR	3	39.1985	<.0001
EDUC_BR	3	20.8825	0.0001
OCCUPATION	6	6.7823	0.3414
INCOME_BR	4	15.2766	0.0042
SMOKING_BR	2	70.2232	<.0001
ALCOHOL_BR	3	114.1582	<.0001
HEI2015_TOTAL_SCORE	1	34.4398	<.0001
PHYSICAL_ACTIVITY_ME	1	18.1255	<.0001

Analysis of Maximum Likelihood Estimates									
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits	Label
BMIC	Extreme Obesity III (>= 40)	1	1.19714	0.02769	1869.5418	<.0001	3.311	3.136 3.495	Body-mass Index (BMI), kg/m2 Extreme Obesity III (>= 40)
BMIC	Obesity I (30.0 - 34.9)	1	0.76112	0.01733	1929.7063	<.0001	2.141	2.069 2.215	Body-mass Index (BMI), kg/m2 Obesity I (30.0 - 34.9)
BMIC	Obesity II (35.0 - 39.9)	1	0.99392	0.02243	1964.3151	<.0001	2.702	2.586 2.823	Body-mass Index (BMI), kg/m2 Obesity II (35.0 - 39.9)
BMIC	Overweight (25.0 - 29.9)	1	0.40176	0.01520	698.6639	<.0001	1.494	1.451 1.540	Body-mass Index (BMI), kg/m2 Overweight (25.0 - 29.9)
AGE		1	0.0006641	0.00102	0.4233	0.5153	1.001	0.999 1.003	Age at screening
RACE_BR	2	1	-0.31400	0.02053	233.9485	<.0001	0.731	0.702 0.761	RACE_BR 2
RACE_BR	3	1	0.13852	0.04038	11.7712	0.0006	1.149	1.061 1.243	RACE_BR 3
RACE_BR	4	1	-0.14613	0.05132	8.1093	0.0044	0.864	0.781 0.955	RACE_BR 4
ETHNICITY_BR	1	1	0.28673	0.03177	81.4707	<.0001	1.332	1.252 1.418	ETHNICITY_BR 1
MARITAL_BR	DIVORCED	1	0.10243	0.01738	34.7514	<.0001	1.108	1.071 1.146	MARITAL_BR DIVORCED
MARITAL_BR	SINGLE	1	-0.02449	0.03032	0.6521	0.4194	0.976	0.920 1.036	MARITAL_BR SINGLE
MARITAL_BR	WIDOWED	1	0.04024	0.01862	4.6710	0.0307	1.041	1.004 1.080	MARITAL_BR WIDOWED
EDUC_BR	COMPLETED COLLEGE OR HIGHER	1	-0.10401	0.03285	10.0256	0.0015	0.901	0.845 0.961	EDUC_BR COMPLETED COLLEGE OR HIGHER
EDUC_BR	HS	1	-0.14660	0.03316	19.5419	<.0001	0.864	0.809 0.922	EDUC_BR HS
EDUC_BR	SOME COLLEGE	1	-0.09954	0.03163	9.9041	0.0016	0.905	0.851 0.963	EDUC_BR SOME COLLEGE
OCCUPATION	Homemaker	1	0.01744	0.02162	0.6510	0.4198	1.018	0.975 1.062	OCCUPATION Homemaker
OCCUPATION	Missing	1	-0.05236	0.03329	2.4730	0.1158	0.949	0.889 1.013	OCCUPATION Missing
OCCUPATION	Not working/Retired/Disabled	1	0.0005689	0.02011	0.0008	0.9774	1.001	0.962 1.041	OCCUPATION Not working/Retired/Disabled

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
OCCUPATION	Other	1	0.01861	0.02827	0.4332	0.5104	1.019	0.964	1.077	OCCUPATION Other
OCCUPATION	Service/labor	1	0.00866	0.02558	0.1147	0.7348	1.009	0.959	1.061	OCCUPATION Service/labor
OCCUPATION	Technical/sales/administrative	1	-0.01591	0.01863	0.7299	0.3929	0.984	0.949	1.021	OCCUPATION Technical/sales/administrative
INCOME_BR	20,000-49,999	1	-0.05683	0.02204	6.6471	0.0099	0.945	0.905	0.986	INCOME_BR 20,000-49,999
INCOME_BR	50,000-99,999	1	-0.05150	0.02097	6.0318	0.0141	0.950	0.912	0.990	INCOME_BR 50,000-99,999
INCOME_BR	<20,000	1	-0.0001551	0.02863	0.0000	0.9957	1.000	0.945	1.058	INCOME_BR <20,000
INCOME_BR	Missing	1	-0.03124	0.03168	0.9724	0.3241	0.969	0.911	1.031	INCOME_BR Missing
SMOKING_BR	CURRENT SMOKER	1	0.20814	0.02503	69.1685	<.0001	1.231	1.172	1.293	SMOKING_BR CURRENT SMOKER
SMOKING_BR	PAST SMOKER	1	0.03828	0.01252	9.3476	0.0022	1.039	1.014	1.065	SMOKING_BR PAST SMOKER
ALCOHOL_BR	<1 DRINK/WEEK	1	-0.01282	0.02171	0.3486	0.5549	0.987	0.946	1.030	ALCOHOL_BR <1 DRINK/WEEK
ALCOHOL_BR	>= 1 DRINK / WEEK	1	-0.13217	0.02251	34.4827	<.0001	0.876	0.838	0.916	ALCOHOL_BR >= 1 DRINK / WEEK
ALCOHOL_BR	FORMER DRINKER	1	0.03069	0.02381	1.6610	0.1975	1.031	0.984	1.080	ALCOHOL_BR FORMER DRINKER
HEI2015_TOTAL_SCORE		1	-0.00352	0.0005991	34.4398	<.0001	0.996	0.995	0.998	TOTAL HEI-2015 SCORE
PHYSICAL_ACTIVITY_ME		1	-0.00200	0.0004688	18.1255	<.0001	0.998	0.997	0.999	

Harrell's Concordance Statistic					
		Comparable Pairs			
Source	Estimate	Concordance	Discordance	Tied in Predictor	Tied in Time
Model	0.6511	1.4518E9	777830193	0	131834

table 3

The PHREG Procedure

Model Information		
Data Set	VA7.TRAIN_VF	
Dependent Variable	TTE_DIABETES	
Censoring Variable	INCIDENT_DIABETES	
Censoring Value(s)	0	
Ties Handling	BRESLOW	
ROC Method	NNE	Nearest Neighbors

Number of Observations Read	93463
Number of Observations Used	93463

Class Level Information							
Class	Value	Design Variables					
BMIC	Extreme Obesity III (>= 40)	1	0	0	0		
	Normal (18.5 - 24.9)	0	0	0	0		
	Obesity I (30.0 - 34.9)	0	1	0	0		
	Obesity II (35.0 - 39.9)	0	0	1	0		
	Overweight (25.0 - 29.9)	0	0	0	1		
RACE_BR	1	0	0	0			
	2	1	0	0			
	3	0	1	0			
	4	0	0	1			
ETHNICITY_BR	0	0					
	1	1					
MARITAL_BR	DIVORCED	1	0	0			
	MARRIED / PARTNERED	0	0	0			

Class Level Information								
Class	Value	Design Variables						
	SINGLE	0	1	0				
	WIDOWED	0	0	1				
EDUC_BR	< HS	0	0	0				
	COMPLETED COLLEGE OR HIGHER	1	0	0				
	HS	0	1	0				
	SOME COLLEGE	0	0	1				
OCCUPATION	Homemaker	1	0	0	0	0	0	
	Managerial/professional	0	0	0	0	0	0	
	Missing	0	1	0	0	0	0	
	Not working/Retired/Disabled	0	0	1	0	0	0	
	Other	0	0	0	1	0	0	
	Service/labor	0	0	0	0	1	0	
	Technical/sales/administrative	0	0	0	0	0	1	
INCOME_BR	100,000+	0	0	0	0			
	20,000-49,999	1	0	0	0			
	50,000-99,999	0	1	0	0			
	<20,000	0	0	1	0			
	Missing	0	0	0	1			
SMOKING_BR	CURRENT SMOKER	1	0					
	NEVER SMOKER	0	0					
	PAST SMOKER	0	1					
ALCOHOL_BR	<1 DRINK/WEEK	1	0	0				
	>= 1 DRINK / WEEK	0	1	0				
	FORMER DRINKER	0	0	1				
	NON-DRINKER	0	0	0				

Summary of the Number of Event and Censored Values			
Total	Event	Censored	Percent Censored
93463	20742	72721	77.81

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	441348.90
AIC	445372.57	441412.90
SBC	445372.57	441666.98

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	4023.6739	32	<.0001
Score	4533.8587	32	<.0001
Wald	4253.6018	32	<.0001

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
BMIC	4	2451.8053	<.0001
AGE	1	0.8088	0.3685
RACE_BR	3	252.4290	<.0001
ETHNICITY_BR	1	58.4859	<.0001
MARITAL_BR	3	20.0302	0.0002
EDUC_BR	3	23.2445	<.0001
OCCUPATION	6	6.6655	0.3529

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
INCOME_BR	4	18.7672	0.0009
SMOKING_BR	2	39.5254	<.0001
ALCOHOL_BR	3	89.4059	<.0001
HEI2015_TOTAL_SCORE	1	29.2967	<.0001
PHYSICAL_ACTIVITY_ME	1	9.7701	0.0018

Analysis of Maximum Likelihood Estimates									
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits	Label
BMIC	Extreme Obesity III (>= 40)	1	1.21195	0.03303	1346.6083	<.0001	3.360	3.149 3.585	Body-mass Index (BMI), kg/m2 Extreme Obesity III (>= 40)
BMIC	Obesity I (30.0 - 34.9)	1	0.74971	0.02075	1304.8747	<.0001	2.116	2.032 2.204	Body-mass Index (BMI), kg/m2 Obesity I (30.0 - 34.9)
BMIC	Obesity II (35.0 - 39.9)	1	1.00389	0.02672	1411.6867	<.0001	2.729	2.590 2.876	Body-mass Index (BMI), kg/m2 Obesity II (35.0 - 39.9)
BMIC	Overweight (25.0 - 29.9)	1	0.39676	0.01823	473.8707	<.0001	1.487	1.435 1.541	Body-mass Index (BMI), kg/m2 Overweight (25.0 - 29.9)
AGE		1	0.00110	0.00122	0.8088	0.3685	1.001	0.999 1.003	Age at screening
RACE_BR	2	1	-0.30889	0.02456	158.2179	<.0001	0.734	0.700 0.770	RACE_BR 2
RACE_BR	3	1	0.14271	0.04892	8.5093	0.0035	1.153	1.048 1.269	RACE_BR 3
RACE_BR	4	1	-0.14852	0.06113	5.9020	0.0151	0.862	0.765 0.972	RACE_BR 4
ETHNICITY_BR	1	1	0.28907	0.03780	58.4859	<.0001	1.335	1.240 1.438	ETHNICITY_BR 1
MARITAL_BR	DIVORCED	1	0.08874	0.02085	18.1177	<.0001	1.093	1.049 1.138	MARITAL_BR DIVORCED
MARITAL_BR	SINGLE	1	-0.01955	0.03600	0.2949	0.5871	0.981	0.914 1.052	MARITAL_BR SINGLE
MARITAL_BR	WIDOWED	1	0.02065	0.02225	0.8612	0.3534	1.021	0.977 1.066	MARITAL_BR WIDOWED
EDUC_BR	COMPLETED COLLEGE OR HIGHER	1	-0.11224	0.03905	8.2611	0.0041	0.894	0.828 0.965	EDUC_BR COMPLETED COLLEGE OR HIGHER
EDUC_BR	HS	1	-0.17267	0.03943	19.1748	<.0001	0.841	0.779 0.909	EDUC_BR HS
EDUC_BR	SOME COLLEGE	1	-0.09924	0.03757	6.9789	0.0082	0.906	0.841 0.975	EDUC_BR SOME COLLEGE
OCCUPATION	Homemaker	1	0.03150	0.02595	1.4734	0.2248	1.032	0.981 1.086	OCCUPATION Homemaker
OCCUPATION	Missing	1	-0.06090	0.04002	2.3161	0.1280	0.941	0.870 1.018	OCCUPATION Missing
OCCUPATION	Not working/Retired/Disabled	1	0.01033	0.02408	0.1841	0.6679	1.010	0.964 1.059	OCCUPATION Not working/Retired/Disabled
OCCUPATION	Other	1	0.02530	0.03378	0.5610	0.4539	1.026	0.960 1.096	OCCUPATION Other
OCCUPATION	Service/labor	1	0.00793	0.03060	0.0672	0.7955	1.008	0.949 1.070	OCCUPATION Service/labor
OCCUPATION	Technical/sales/administrative	1	-0.00820	0.02237	0.1344	0.7139	0.992	0.949 1.036	OCCUPATION Technical/sales/administrative
INCOME_BR	20,000-49,999	1	-0.04781	0.02640	3.2783	0.0702	0.953	0.905 1.004	INCOME_BR 20,000-49,999
INCOME_BR	50,000-99,999	1	-0.06449	0.02516	6.5684	0.0104	0.938	0.892 0.985	INCOME_BR 50,000-99,999
INCOME_BR	<20,000	1	0.03001	0.03420	0.7700	0.3802	1.030	0.964 1.102	INCOME_BR <20,000
INCOME_BR	Missing	1	-0.04487	0.03807	1.3895	0.2385	0.956	0.887 1.030	INCOME_BR Missing
SMOKING_BR	CURRENT SMOKER	1	0.18783	0.03049	37.9511	<.0001	1.207	1.137 1.281	SMOKING_BR CURRENT SMOKER
SMOKING_BR	PAST SMOKER	1	0.04076	0.01498	7.4052	0.0065	1.042	1.011 1.073	SMOKING_BR PAST SMOKER
ALCOHOL_BR	<1 DRINK/WEEK	1	-0.01597	0.02600	0.3771	0.5391	0.984	0.935 1.036	ALCOHOL_BR <1 DRINK/WEEK
ALCOHOL_BR	>= 1 DRINK / WEEK	1	-0.14215	0.02696	27.8012	<.0001	0.867	0.823 0.915	ALCOHOL_BR >= 1 DRINK / WEEK
ALCOHOL_BR	FORMER DRINKER	1	0.03027	0.02852	1.1262	0.2886	1.031	0.975 1.090	ALCOHOL_BR FORMER DRINKER
HEI2015_TOTAL_SCORE		1	-0.00389	0.0007192	29.2967	<.0001	0.996	0.995 0.998	TOTAL HEI-2015 SCORE
PHYSICAL_ACTIVITY_ME		1	-0.00174	0.0005575	9.7701	0.0018	0.998	0.997 0.999	

Harrell's Concordance Statistic					
		Comparable Pairs			
Source	Estimate	Concordance	Discordance	Tied in Predictor	Tied in Time

Harrell's Concordance Statistic					
		Comparable Pairs			
Source	Estimate	Concordance	Discordance	Tied in Predictor	Tied in Time
Model	0.6519	708473202	378259997	0	63916

---

table 3

The PHREG Procedure

Model Information		
Data Set	VA7.VALIDATION_VF	
Dependent Variable	TTE_DIABETES	
Censoring Variable	INCIDENT_DIABETES	
Censoring Value(s)	0	
Ties Handling	BRESLOW	
ROC Method	NNE	Nearest Neighbors

Number of Observations Read	40157
Number of Observations Used	40157

Class Level Information								
Class	Value	Design Variables						
BMIC	Extreme Obesity III (>= 40)	1	0	0	0		
	Normal (18.5 - 24.9)	0	0	0	0		
	Obesity I (30.0 - 34.9)	0	1	0	0		
	Obesity II (35.0 - 39.9)	0	0	1	0		
	Overweight (25.0 - 29.9)	0	0	0	1		
RACE_BR	1	0	0	0			
	2	1	0	0			
	3	0	1	0			
	4	0	0	1			
ETHNICITY_BR	0	0					
	1	1					
MARITAL_BR	DIVORCED	1	0	0			
	MARRIED / PARTNERED	0	0	0			
	SINGLE	0	1	0			
	WIDOWED	0	0	1			
EDUC_BR	< HS	0	0	0			
	COMPLETED COLLEGE OR HIGHER	1	0	0			
	HS	0	1	0			
	SOME COLLEGE	0	0	1			
OCCUPATION	Homemaker	1	0	0	0	0	0
	Managerial/professional	0	0	0	0	0	0
	Missing	0	1	0	0	0	0
	Not working/Retired/Disabled	0	0	1	0	0	0
	Other	0	0	0	1	0	0
	Service/labor	0	0	0	0	1	0
	Technical/sales/administrative	0	0	0	0	0	1
INCOME_BR	100,000+	0	0	0	0		
	20,000-49,999	1	0	0	0		
	50,000-99,999	0	1	0	0		
	<20,000	0	0	1	0		
	Missing	0	0	0	1		
SMOKING_BR	CURRENT SMOKER	1	0				
	NEVER SMOKER	0	0				
	PAST SMOKER	0	1				
ALCOHOL_BR	<1 DRINK/WEEK	1	0	0			
	>= 1 DRINK / WEEK	0	1	0			

Class Level Information								
Class	Value	Design Variables						
	FORMER DRINKER	0	0	1				
	NON-DRINKER	0	0	0				

Summary of the Number of Event and Censored Values			
Total	Event	Censored	Percent Censored
40157	8975	31182	77.65

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	177705.15	176038.02
AIC	177705.15	176102.02
SBC	177705.15	176329.29

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	1667.1301	32	<.0001
Score	1836.7600	32	<.0001
Wald	1736.0262	32	<.0001

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
BMIC	4	1031.5183	<.0001
AGE	1	0.0250	0.8743
RACE_BR	3	120.3721	<.0001
ETHNICITY_BR	1	22.9572	<.0001
MARITAL_BR	3	23.0922	<.0001
EDUC_BR	3	3.0898	0.3780
OCCUPATION	6	2.1540	0.9050
INCOME_BR	4	6.8084	0.1464
SMOKING_BR	2	31.8132	<.0001
ALCOHOL_BR	3	26.1366	<.0001
HEI2015_TOTAL_SCORE	1	6.2464	0.0124
PHYSICAL_ACTIVITY_ME	1	8.9191	0.0028

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
BMIC	Extreme Obesity III (>= 40)	1	1.16334	0.05083	523.7943	<.0001	3.201	2.897	3.536	Body-mass Index (BMI), kg/m2 Extreme Obesity III (>= 40)
BMIC	Obesity I (30.0 - 34.9)	1	0.78835	0.03149	626.7721	<.0001	2.200	2.068	2.340	Body-mass Index (BMI), kg/m2 Obesity I (30.0 - 34.9)
BMIC	Obesity II (35.0 - 39.9)	1	0.97241	0.04132	553.9304	<.0001	2.644	2.439	2.867	Body-mass Index (BMI), kg/m2 Obesity II (35.0 - 39.9)
BMIC	Overweight (25.0 - 29.9)	1	0.41452	0.02755	226.3772	<.0001	1.514	1.434	1.598	Body-mass Index (BMI), kg/m2 Overweight (25.0 - 29.9)
AGE		1	-0.0002945	0.00186	0.0250	0.8743	1.000	0.996	1.003	Age at screening
RACE_BR	2	1	-0.32598	0.03744	75.7940	<.0001	0.722	0.671	0.777	RACE_BR 2
RACE_BR	3	1	0.12795	0.07156	3.1970	0.0738	1.136	0.988	1.308	RACE_BR 3
RACE_BR	4	1	-0.14370	0.09454	2.3105	0.1285	0.866	0.720	1.042	RACE_BR 4
ETHNICITY_BR	1	1	0.28090	0.05863	22.9572	<.0001	1.324	1.181	1.486	ETHNICITY_BR 1
MARITAL_BR	DIVORCED	1	0.13414	0.03147	18.1716	<.0001	1.144	1.075	1.216	MARITAL_BR DIVORCED

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
MARITAL_BR	SINGLE	1	-0.03960	0.05631	0.4945	0.4819	0.961	0.861	1.073	MARITAL_BR SINGLE
MARITAL_BR	WIDOWED	1	0.08687	0.03404	6.5133	0.0107	1.091	1.020	1.166	MARITAL_BR WIDOWED
EDUC_BR	COMPLETED COLLEGE OR HIGHER	1	-0.08629	0.06079	2.0149	0.1558	0.917	0.814	1.033	EDUC_BR COMPLETED COLLEGE OR HIGHER
EDUC_BR	HS	1	-0.08974	0.06135	2.1395	0.1435	0.914	0.811	1.031	EDUC_BR HS
EDUC_BR	SOME COLLEGE	1	-0.10140	0.05866	2.9877	0.0839	0.904	0.805	1.014	EDUC_BR SOME COLLEGE
OCCUPATION	Homemaker	1	-0.01557	0.03910	0.1585	0.6905	0.985	0.912	1.063	OCCUPATION Homemaker
OCCUPATION	Missing	1	-0.03478	0.06004	0.3356	0.5624	0.966	0.859	1.086	OCCUPATION Missing
OCCUPATION	Not working/Retired/Disabled	1	-0.02315	0.03654	0.4014	0.5263	0.977	0.910	1.050	OCCUPATION Not working/Retired/Disabled
OCCUPATION	Other	1	0.00188	0.05170	0.0013	0.9710	1.002	0.905	1.109	OCCUPATION Other
OCCUPATION	Service/labor	1	0.01007	0.04661	0.0467	0.8290	1.010	0.922	1.107	OCCUPATION Service/labor
OCCUPATION	Technical/sales/administrative	1	-0.03494	0.03367	1.0765	0.2995	0.966	0.904	1.032	OCCUPATION Technical/sales/administrative
INCOME_BR	20,000-49,999	1	-0.07722	0.04006	3.7159	0.0539	0.926	0.856	1.001	INCOME_BR 20,000-49,999
INCOME_BR	50,000-99,999	1	-0.02043	0.03797	0.2895	0.5905	0.980	0.910	1.055	INCOME_BR 50,000-99,999
INCOME_BR	<20,000	1	-0.06912	0.05244	1.7371	0.1875	0.933	0.842	1.034	INCOME_BR <20,000
INCOME_BR	Missing	1	-0.00126	0.05720	0.0005	0.9824	0.999	0.893	1.117	INCOME_BR Missing
SMOKING_BR	CURRENT SMOKER	1	0.24755	0.04389	31.8111	<.0001	1.281	1.175	1.396	SMOKING_BR CURRENT SMOKER
SMOKING_BR	PAST SMOKER	1	0.03203	0.02283	1.9682	0.1606	1.033	0.987	1.080	SMOKING_BR PAST SMOKER
ALCOHOL_BR	<1 DRINK/WEEK	1	-0.00801	0.03951	0.0411	0.8393	0.992	0.918	1.072	ALCOHOL_BR <1 DRINK/WEEK
ALCOHOL_BR	>= 1 DRINK / WEEK	1	-0.11230	0.04092	7.5328	0.0061	0.894	0.825	0.968	ALCOHOL_BR >= 1 DRINK / WEEK
ALCOHOL_BR	FORMER DRINKER	1	0.02966	0.04331	0.4690	0.4935	1.030	0.946	1.121	ALCOHOL_BR FORMER DRINKER
HEI2015_TOTAL_SCORE		1	-0.00271	0.00108	6.2464	0.0124	0.997	0.995	0.999	TOTAL HEI-2015 SCORE
PHYSICAL_ACTIVITY_ME		1	-0.00259	0.0008662	8.9191	0.0028	0.997	0.996	0.999	

Harrell's Concordance Statistic					
		Comparable Pairs			
Source	Estimate	Concordance	Discordance	Tied in Predictor	Tied in Time
Model	0.6501	132070780	71082941	0	12110

table 3

The PHREG Procedure

Model Information	
Data Set	VA7.TRAIN_VF
Dependent Variable	TTE_DIABETES
Censoring Variable	INCIDENT_DIABETES
Censoring Value(s)	0
Ties Handling	BRESLOW

Number of Observations Read	93463
Number of Observations Used	93463

Class Level Information							
Class	Value	Design Variables					
BMIC	Extreme Obesity III (>= 40)	1	0	0	0		
	Normal (18.5 - 24.9)	0	0	0	0		
	Obesity I (30.0 - 34.9)	0	1	0	0		
	Obesity II (35.0 - 39.9)	0	0	1	0		
	Overweight (25.0 - 29.9)	0	0	0	1		

Class Level Information							
Class	Value	Design Variables					
RACE_BR	1	0	0	0			
	2	1	0	0			
	3	0	1	0			
	4	0	0	1			
ETHNICITY_BR	0	0					
	1	1					
MARITAL_BR	DIVORCED	1	0	0			
	MARRIED / PARTNERED	0	0	0			
	SINGLE	0	1	0			
	WIDOWED	0	0	1			
EDUC_BR	< HS	0	0	0			
	COMPLETED COLLEGE OR HIGHER	1	0	0			
	HS	0	1	0			
	SOME COLLEGE	0	0	1			
OCCUPATION	Homemaker	1	0	0	0	0	0
	Managerial/professional	0	0	0	0	0	0
	Missing	0	1	0	0	0	0
	Not working/Retired/Disabled	0	0	1	0	0	0
	Other	0	0	0	1	0	0
	Service/labor	0	0	0	0	1	0
	Technical/sales/administrative	0	0	0	0	0	1
INCOME_BR	100,000+	0	0	0	0		
	20,000-49,999	1	0	0	0		
	50,000-99,999	0	1	0	0		
	<20,000	0	0	1	0		
	Missing	0	0	0	1		
SMOKING_BR	CURRENT SMOKER	1	0				
	NEVER SMOKER	0	0				
	PAST SMOKER	0	1				
ALCOHOL_BR	<1 DRINK/WEEK	1	0	0			
	>= 1 DRINK / WEEK	0	1	0			
	FORMER DRINKER	0	0	1			
	NON-DRINKER	0	0	0			

Summary of the Number of Event and Censored Values			
Total	Event	Censored	Percent Censored
93463	20742	72721	77.81

Step 1. Effect BMIC is entered. The model contains the following effects:

BMIC

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	442047.76
AIC	445372.57	442055.76
SBC	445372.57	442087.52

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	3324.8129	4	<.0001
Score	3747.4514	4	<.0001

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Wald	3491.0237	4	<.0001

Step 2. Effect RACE_BR is entered. The model contains the following effects:

BMIC RACE_BR

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	441710.91
AIC	445372.57	441724.91
SBC	445372.57	441780.49

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	3661.6577	7	<.0001
Score	4154.3286	7	<.0001
Wald	3880.8449	7	<.0001

Step 3. Effect ALCOHOL_BR is entered. The model contains the following effects:

BMIC RACE_BR ALCOHOL_BR

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	441603.31
AIC	445372.57	441623.31
SBC	445372.57	441702.71

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	3769.2581	10	<.0001
Score	4255.6223	10	<.0001
Wald	3979.0832	10	<.0001

Step 4. Effect ETHNICITY_BR is entered. The model contains the following effects:

BMIC RACE_BR ETHNICITY_BR ALCOHOL_BR

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	441535.15
AIC	445372.57	441557.15
SBC	445372.57	441644.49

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	3837.4196	11	<.0001
Score	4334.9454	11	<.0001

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Wald	4056.7685	11	<.0001

Step 5. Effect SMOKING_BR is entered. The model contains the following effects:

BMIC RACE_BR ETHNICITY_BR SMOKING_BR ALCOHOL_BR

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	441477.34
AIC	445372.57	441503.34
SBC	445372.57	441606.56

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	3895.2345	13	<.0001
Score	4393.6603	13	<.0001
Wald	4115.4237	13	<.0001

Step 6. Effect HEI2015_TOTAL_SCORE is entered. The model contains the following effects:

BMIC RACE_BR ETHNICITY_BR SMOKING_BR ALCOHOL_BR HEI2015_TOTAL_SCORE

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	441441.50
AIC	445372.57	441469.50
SBC	445372.57	441580.65

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	3931.0764	14	<.0001
Score	4429.2936	14	<.0001
Wald	4151.0349	14	<.0001

Step 7. Effect INCOME_BR is entered. The model contains the following effects:

BMIC RACE_BR ETHNICITY_BR INCOME_BR SMOKING_BR ALCOHOL_BR HEI2015_TOTAL_SCORE

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	441409.81
AIC	445372.57	441445.81
SBC	445372.57	441588.73

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	3962.7651	18	<.0001
Score	4466.3563	18	<.0001

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Wald	4187.4287	18	<.0001

Step 8. Effect EDUC_BR is entered. The model contains the following effects:

BMIC RACE_BR ETHNICITY_BR EDUC_BR INCOME_BR SMOKING_BR ALCOHOL_BR HEI2015_TOTAL_SCORE

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	441384.89
AIC	445372.57	441426.89
SBC	445372.57	441593.63

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	3987.6819	21	<.0001
Score	4498.6335	21	<.0001
Wald	4218.7819	21	<.0001

Step 9. Effect MARITAL_BR is entered. The model contains the following effects:

BMIC RACE_BR ETHNICITY_BR MARITAL_BR EDUC_BR INCOME_BR SMOKING_BR ALCOHOL_BR HEI2015_TOTAL_SCORE

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	441366.93
AIC	445372.57	441414.93
SBC	445372.57	441605.49

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	4005.6394	24	<.0001
Score	4517.1214	24	<.0001
Wald	4237.2948	24	<.0001

Step 10. Effect PHYSICAL_ACTIVITY_ME is entered. The model contains the following effects:

BMIC RACE_BR ETHNICITY_BR MARITAL_BR EDUC_BR INCOME_BR SMOKING_BR ALCOHOL_BR HEI2015_TOTAL_SCORE PHYSICAL_ACTIVITY_ME

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	441357.46
AIC	445372.57	441407.46
SBC	445372.57	441605.96

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	4015.1117	25	<.0001
Score	4524.3815	25	<.0001

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Wald	4243.9451	25	<.0001

Note: No (additional) effects met the 0.05 level for entry into the model.

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
BMIC	4	2459.0093	<.0001
RACE_BR	3	252.2157	<.0001
ETHNICITY_BR	1	58.4758	<.0001
MARITAL_BR	3	18.3617	0.0004
EDUC_BR	3	24.2290	<.0001
INCOME_BR	4	20.4075	0.0004
SMOKING_BR	2	38.4626	<.0001
ALCOHOL_BR	3	88.8953	<.0001
HEI2015_TOTAL_SCORE	1	27.3228	<.0001
PHYSICAL_ACTIVITY_ME	1	9.3356	0.0022

Analysis of Maximum Likelihood Estimates									
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
BMIC	Extreme Obesity III (>= 40)	1	1.21080	0.03297	1348.9036	<.0001	3.356	3.146	3.580	Body-mass Index (BMI), kg/m2 Extreme Obesity III (>= 40)
BMIC	Obesity I (30.0 - 34.9)	1	0.75024	0.02075	1307.6550	<.0001	2.118	2.033	2.205	Body-mass Index (BMI), kg/m2 Obesity I (30.0 - 34.9)
BMIC	Obesity II (35.0 - 39.9)	1	1.00397	0.02669	1414.5030	<.0001	2.729	2.590	2.876	Body-mass Index (BMI), kg/m2 Obesity II (35.0 - 39.9)
BMIC	Overweight (25.0 - 29.9)	1	0.39744	0.01822	476.0277	<.0001	1.488	1.436	1.542	Body-mass Index (BMI), kg/m2 Overweight (25.0 - 29.9)
RACE_BR	2	1	-0.30624	0.02436	158.0382	<.0001	0.736	0.702	0.772	RACE_BR 2
RACE_BR	3	1	0.14329	0.04886	8.5986	0.0034	1.154	1.049	1.270	RACE_BR 3
RACE_BR	4	1	-0.14701	0.06109	5.7916	0.0161	0.863	0.766	0.973	RACE_BR 4
ETHNICITY_BR	1	1	0.28823	0.03769	58.4758	<.0001	1.334	1.239	1.436	ETHNICITY_BR 1
MARITAL_BR	DIVORCED	1	0.08292	0.02055	16.2866	<.0001	1.086	1.044	1.131	MARITAL_BR DIVORCED
MARITAL_BR	SINGLE	1	-0.02504	0.03575	0.4904	0.4837	0.975	0.909	1.046	MARITAL_BR SINGLE
MARITAL_BR	WIDOWED	1	0.02429	0.02176	1.2456	0.2644	1.025	0.982	1.069	MARITAL_BR WIDOWED
EDUC_BR	COMPLETED COLLEGE OR HIGHER	1	-0.11632	0.03802	9.3586	0.0022	0.890	0.826	0.959	EDUC_BR COMPLETED COLLEGE OR HIGHER
EDUC_BR	HS	1	-0.17812	0.03915	20.7004	<.0001	0.837	0.775	0.904	EDUC_BR HS
EDUC_BR	SOME COLLEGE	1	-0.10581	0.03710	8.1362	0.0043	0.900	0.837	0.967	EDUC_BR SOME COLLEGE
INCOME_BR	20,000-49,999	1	-0.04302	0.02576	2.7891	0.0949	0.958	0.911	1.007	INCOME_BR 20,000-49,999
INCOME_BR	50,000-99,999	1	-0.06335	0.02505	6.3934	0.0115	0.939	0.894	0.986	INCOME_BR 50,000-99,999
INCOME_BR	<20,000	1	0.03868	0.03320	1.3570	0.2441	1.039	0.974	1.109	INCOME_BR <20,000
INCOME_BR	Missing	1	-0.03773	0.03767	1.0033	0.3165	0.963	0.894	1.037	INCOME_BR Missing
SMOKING_BR	CURRENT SMOKER	1	0.18461	0.03037	36.9462	<.0001	1.203	1.133	1.277	SMOKING_BR CURRENT SMOKER
SMOKING_BR	PAST SMOKER	1	0.03999	0.01497	7.1377	0.0075	1.041	1.011	1.072	SMOKING_BR PAST SMOKER
ALCOHOL_BR	<1 DRINK/WEEK	1	-0.01887	0.02597	0.5281	0.4674	0.981	0.933	1.033	ALCOHOL_BR <1 DRINK/WEEK
ALCOHOL_BR	>= 1 DRINK / WEEK	1	-0.14353	0.02694	28.3823	<.0001	0.866	0.822	0.913	ALCOHOL_BR >= 1 DRINK / WEEK
ALCOHOL_BR	FORMER DRINKER	1	0.02865	0.02851	1.0096	0.3150	1.029	0.973	1.088	ALCOHOL_BR FORMER DRINKER
HEI2015_TOTAL_SCORE		1	-0.00373	0.0007127	27.3228	<.0001	0.996	0.995	0.998	TOTAL HEI-2015 SCORE
PHYSICAL_ACTIVITY_ME		1	-0.00170	0.0005556	9.3356	0.0022	0.998	0.997	0.999	

Summary of Forward Selection						
Step	Effect Entered	DF	Number In	Score Chi-Square	Pr > ChiSq	Effect Label
1	BMIC	4	1	3747.4514	<.0001	Body-mass Index (BMI), kg/m2
2	RACE_BR	3	2	376.9846	<.0001	
3	ALCOHOL_BR	3	3	107.2453	<.0001	
4	ETHNICITY_BR	1	4	75.7412	<.0001	
5	SMOKING_BR	2	5	60.9090	<.0001	
6	HEI2015_TOTAL_SCORE	1	6	35.9592	<.0001	TOTAL HEI-2015 SCORE
7	INCOME_BR	4	7	32.2949	<.0001	
8	EDUC_BR	3	8	25.0015	<.0001	
9	MARITAL_BR	3	9	18.1679	0.0004	
10	PHYSICAL_ACTIVITY_ME	1	10	9.3351	0.0022	

Harrell's Concordance Statistic					
		Comparable Pairs			
Source	Estimate	Concordance	Discordance	Tied in Predictor	Tied in Time
Model	0.6515	708046054	378687145	0	63916

---

table 3

The PHREG Procedure

Model Information	
Data Set	VA7.TRAIN_VF
Dependent Variable	TTE_DIABETES
Censoring Variable	INCIDENT_DIABETES
Censoring Value(s)	0
Ties Handling	BRESLOW

Number of Observations Read	93463
Number of Observations Used	93463

Class Level Information							
Class	Value	Design Variables					
BMIC	Extreme Obesity III (>= 40)	1	0	0	0		
	Normal (18.5 - 24.9)	0	0	0	0		
	Obesity I (30.0 - 34.9)	0	1	0	0		
	Obesity II (35.0 - 39.9)	0	0	1	0		
	Overweight (25.0 - 29.9)	0	0	0	1		
RACE_BR	1	0	0	0			
	2	1	0	0			
	3	0	1	0			
	4	0	0	1			
ETHNICITY_BR	0	0					
	1	1					
MARITAL_BR	DIVORCED	1	0	0			
	MARRIED / PARTNERED	0	0	0			
	SINGLE	0	1	0			
	WIDOWED	0	0	1			
EDUC_BR	< HS	0	0	0			
	COMPLETED COLLEGE OR HIGHER	1	0	0			
	HS	0	1	0			
	SOME COLLEGE	0	0	1			
OCCUPATION	Homemaker	1	0	0	0	0	0
	Managerial/professional	0	0	0	0	0	0
	Missing	0	1	0	0	0	0
	Not working/Retired/Disabled	0	0	1	0	0	0

Class Level Information								
Class	Value	Design Variables						
	Other	0	0	0	1	0	0
	Service/labor	0	0	0	0	1	0
	Technical/sales/administrative	0	0	0	0	0	1
INCOME_BR	100,000+	0	0	0	0		
	20,000-49,999	1	0	0	0		
	50,000-99,999	0	1	0	0		
	<20,000	0	0	1	0		
	Missing	0	0	0	1		
SMOKING_BR	CURRENT SMOKER	1	0				
	NEVER SMOKER	0	0				
	PAST SMOKER	0	1				
ALCOHOL_BR	<1 DRINK/WEEK	1	0	0			
	>= 1 DRINK / WEEK	0	1	0			
	FORMER DRINKER	0	0	1			
	NON-DRINKER	0	0	0			

Summary of the Number of Event and Censored Values			
Total	Event	Censored	Percent Censored
93463	20742	72721	77.81

Step 0. The model contains the following effects:

BMIC AGE RACE_BR ETHNICITY_BR MARITAL_BR EDUC_BR OCCUPATION INCOME_BR SMOKING_BR ALCOHOL_BR HEI2015_TOTAL_SCORE PHYSICAL_ACTIVITY_ME

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	441348.90
AIC	445372.57	441412.90
SBC	445372.57	441666.98

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	4023.6739	32	<.0001
Score	4533.8587	32	<.0001
Wald	4253.6018	32	<.0001

Step 1. Effect AGE is removed. The model contains the following effects:

BMIC RACE_BR ETHNICITY_BR MARITAL_BR EDUC_BR OCCUPATION INCOME_BR SMOKING_BR ALCOHOL_BR HEI2015_TOTAL_SCORE PHYSICAL_ACTIVITY_ME

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	441349.71
AIC	445372.57	441411.71
SBC	445372.57	441657.84

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	4022.8654	31	<.0001
Score	4533.2852	31	<.0001

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Wald	4253.0967	31	<.0001

Step 2. Effect OCCUPATION is removed. The model contains the following effects:

BMIC RACE_BR ETHNICITY_BR MARITAL_BR EDUC_BR INCOME_BR SMOKING_BR ALCOHOL_BR HEI2015_TOTAL_SCORE PHYSICAL_ACTIVITY_ME

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	441357.46
AIC	445372.57	441407.46
SBC	445372.57	441605.96

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	4015.1117	25	<.0001
Score	4524.3815	25	<.0001
Wald	4243.9451	25	<.0001

Note: No (additional) effects met the 0.05 level for removal from the model.

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
BMIC	4	2459.0093	<.0001
RACE_BR	3	252.2157	<.0001
ETHNICITY_BR	1	58.4758	<.0001
MARITAL_BR	3	18.3617	0.0004
EDUC_BR	3	24.2290	<.0001
INCOME_BR	4	20.4075	0.0004
SMOKING_BR	2	38.4626	<.0001
ALCOHOL_BR	3	88.8953	<.0001
HEI2015_TOTAL_SCORE	1	27.3228	<.0001
PHYSICAL_ACTIVITY_ME	1	9.3356	0.0022

Analysis of Maximum Likelihood Estimates									
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
BMIC	Extreme Obesity III (>= 40)	1	1.21080	0.03297	1348.9036	<.0001	3.356	3.146	3.580	Body-mass Index (BMI), kg/m2 Extreme Obesity III (>= 40)
BMIC	Obesity I (30.0 - 34.9)	1	0.75024	0.02075	1307.6550	<.0001	2.118	2.033	2.205	Body-mass Index (BMI), kg/m2 Obesity I (30.0 - 34.9)
BMIC	Obesity II (35.0 - 39.9)	1	1.00397	0.02669	1414.5030	<.0001	2.729	2.590	2.876	Body-mass Index (BMI), kg/m2 Obesity II (35.0 - 39.9)
BMIC	Overweight (25.0 - 29.9)	1	0.39744	0.01822	476.0277	<.0001	1.488	1.436	1.542	Body-mass Index (BMI), kg/m2 Overweight (25.0 - 29.9)
RACE_BR	2	1	-0.30624	0.02436	158.0382	<.0001	0.736	0.702	0.772	RACE_BR 2
RACE_BR	3	1	0.14329	0.04886	8.5986	0.0034	1.154	1.049	1.270	RACE_BR 3
RACE_BR	4	1	-0.14701	0.06109	5.7916	0.0161	0.863	0.766	0.973	RACE_BR 4
ETHNICITY_BR	1	1	0.28823	0.03769	58.4758	<.0001	1.334	1.239	1.436	ETHNICITY_BR 1
MARITAL_BR	DIVORCED	1	0.08292	0.02055	16.2866	<.0001	1.086	1.044	1.131	MARITAL_BR DIVORCED
MARITAL_BR	SINGLE	1	-0.02504	0.03575	0.4904	0.4837	0.975	0.909	1.046	MARITAL_BR SINGLE
MARITAL_BR	WIDOWED	1	0.02429	0.02176	1.2456	0.2644	1.025	0.982	1.069	MARITAL_BR WIDOWED
EDUC_BR	COMPLETED COLLEGE OR HIGHER	1	-0.11632	0.03802	9.3586	0.0022	0.890	0.826	0.959	EDUC_BR COMPLETED COLLEGE OR HIGHER

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
EDUC_BR	HS	1	-0.17812	0.03915	20.7004	<.0001	0.837	0.775	0.904	EDUC_BR HS
EDUC_BR	SOME COLLEGE	1	-0.10581	0.03710	8.1362	0.0043	0.900	0.837	0.967	EDUC_BR SOME COLLEGE
INCOME_BR	20,000-49,999	1	-0.04302	0.02576	2.7891	0.0949	0.958	0.911	1.007	INCOME_BR 20,000-49,999
INCOME_BR	50,000-99,999	1	-0.06335	0.02505	6.3934	0.0115	0.939	0.894	0.986	INCOME_BR 50,000-99,999
INCOME_BR	<20,000	1	0.03868	0.03320	1.3570	0.2441	1.039	0.974	1.109	INCOME_BR <20,000
INCOME_BR	Missing	1	-0.03773	0.03767	1.0033	0.3165	0.963	0.894	1.037	INCOME_BR Missing
SMOKING_BR	CURRENT SMOKER	1	0.18461	0.03037	36.9462	<.0001	1.203	1.133	1.277	SMOKING_BR CURRENT SMOKER
SMOKING_BR	PAST SMOKER	1	0.03999	0.01497	7.1377	0.0075	1.041	1.011	1.072	SMOKING_BR PAST SMOKER
ALCOHOL_BR	<1 DRINK/WEEK	1	-0.01887	0.02597	0.5281	0.4674	0.981	0.933	1.033	ALCOHOL_BR <1 DRINK/WEEK
ALCOHOL_BR	>= 1 DRINK / WEEK	1	-0.14353	0.02694	28.3823	<.0001	0.866	0.822	0.913	ALCOHOL_BR >= 1 DRINK / WEEK
ALCOHOL_BR	FORMER DRINKER	1	0.02865	0.02851	1.0096	0.3150	1.029	0.973	1.088	ALCOHOL_BR FORMER DRINKER
HEI2015_TOTAL_SCORE		1	-0.00373	0.0007127	27.3228	<.0001	0.996	0.995	0.998	TOTAL HEI-2015 SCORE
PHYSICAL_ACTIVITY_ME		1	-0.00170	0.0005556	9.3356	0.0022	0.998	0.997	0.999	

Summary of Backward Elimination						
Step	Effect Removed	DF	Number In	Wald Chi-Square	Pr > ChiSq	Effect Label
1	AGE	1	11	0.8088	0.3685	Age at screening
2	OCCUPATION	6	10	7.7054	0.2605	

Harrell's Concordance Statistic					
		Comparable Pairs			
Source	Estimate	Concordance	Discordance	Tied in Predictor	Tied in Time
Model	0.6515	708046054	378687145	0	63916

table 3

The PHREG Procedure

Model Information	
Data Set	VA7.TRAIN_VF
Dependent Variable	TTE_DIABETES
Censoring Variable	INCIDENT_DIABETES
Censoring Value(s)	0
Ties Handling	BRESLOW

Number of Observations Read	93463
Number of Observations Used	93463

Class Level Information								
Class	Value	Design Variables						
BMIC	Extreme Obesity III (>= 40)	1	0	0	0		
	Normal (18.5 - 24.9)	0	0	0	0		
	Obesity I (30.0 - 34.9)	0	1	0	0		
	Obesity II (35.0 - 39.9)	0	0	1	0		
	Overweight (25.0 - 29.9)	0	0	0	1		
RACE_BR	1	0	0	0			
	2	1	0	0			
	3	0	1	0			
	4	0	0	1			
ETHNICITY_BR	0	0					

Class Level Information							
Class	Value	Design Variables					
	1	1					
MARITAL_BR	DIVORCED	1	0	0			
	MARRIED / PARTNERED	0	0	0			
	SINGLE	0	1	0			
	WIDOWED	0	0	1			
EDUC_BR	< HS	0	0	0			
	COMPLETED COLLEGE OR HIGHER	1	0	0			
	HS	0	1	0			
	SOME COLLEGE	0	0	1			
OCCUPATION	Homemaker	1	0	0	0	0	0
	Managerial/professional	0	0	0	0	0	0
	Missing	0	1	0	0	0	0
	Not working/Retired/Disabled	0	0	1	0	0	0
	Other	0	0	0	1	0	0
	Service/labor	0	0	0	0	1	0
	Technical/sales/administrative	0	0	0	0	0	1
INCOME_BR	100,000+	0	0	0	0		
	20,000-49,999	1	0	0	0		
	50,000-99,999	0	1	0	0		
	<20,000	0	0	1	0		
	Missing	0	0	0	1		
SMOKING_BR	CURRENT SMOKER	1	0				
	NEVER SMOKER	0	0				
	PAST SMOKER	0	1				
ALCOHOL_BR	<1 DRINK/WEEK	1	0	0			
	>= 1 DRINK / WEEK	0	1	0			
	FORMER DRINKER	0	0	1			
	NON-DRINKER	0	0	0			

Summary of the Number of Event and Censored Values			
Total	Event	Censored	Percent Censored
93463	20742	72721	77.81

Step 1. Effect BMIC is entered. The model contains the following effects:

BMIC

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	442047.76
AIC	445372.57	442055.76
SBC	445372.57	442087.52

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	3324.8129	4	<.0001
Score	3747.4514	4	<.0001
Wald	3491.0237	4	<.0001

Step 2. Effect RACE_BR is entered. The model contains the following effects:

BMIC RACE_BR

Convergence Status

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	441710.91
AIC	445372.57	441724.91
SBC	445372.57	441780.49

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	3661.6577	7	<.0001
Score	4154.3286	7	<.0001
Wald	3880.8449	7	<.0001

Step 3. Effect ALCOHOL_BR is entered. The model contains the following effects:

BMIC RACE_BR ALCOHOL_BR

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	441603.31
AIC	445372.57	441623.31
SBC	445372.57	441702.71

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	3769.2581	10	<.0001
Score	4255.6223	10	<.0001
Wald	3979.0832	10	<.0001

Step 4. Effect ETHNICITY_BR is entered. The model contains the following effects:

BMIC RACE_BR ETHNICITY_BR ALCOHOL_BR

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	441535.15
AIC	445372.57	441557.15
SBC	445372.57	441644.49

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	3837.4196	11	<.0001
Score	4334.9454	11	<.0001
Wald	4056.7685	11	<.0001

Step 5. Effect SMOKING_BR is entered. The model contains the following effects:

BMIC RACE_BR ETHNICITY_BR SMOKING_BR ALCOHOL_BR

Convergence Status

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	441477.34
AIC	445372.57	441503.34
SBC	445372.57	441606.56

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	3895.2345	13	<.0001
Score	4393.6603	13	<.0001
Wald	4115.4237	13	<.0001

Step 6. Effect HEI2015_TOTAL_SCORE is entered. The model contains the following effects:

BMIC RACE_BR ETHNICITY_BR SMOKING_BR ALCOHOL_BR HEI2015_TOTAL_SCORE

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	441441.50
AIC	445372.57	441469.50
SBC	445372.57	441580.65

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	3931.0764	14	<.0001
Score	4429.2936	14	<.0001
Wald	4151.0349	14	<.0001

Step 7. Effect INCOME_BR is entered. The model contains the following effects:

BMIC RACE_BR ETHNICITY_BR INCOME_BR SMOKING_BR ALCOHOL_BR HEI2015_TOTAL_SCORE

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	441409.81
AIC	445372.57	441445.81
SBC	445372.57	441588.73

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	3962.7651	18	<.0001
Score	4466.3563	18	<.0001
Wald	4187.4287	18	<.0001

Step 8. Effect EDUC_BR is entered. The model contains the following effects:

BMIC RACE_BR ETHNICITY_BR EDUC_BR INCOME_BR SMOKING_BR ALCOHOL_BR HEI2015_TOTAL_SCORE

Convergence Status

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	441384.89
AIC	445372.57	441426.89
SBC	445372.57	441593.63

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	3987.6819	21	<.0001
Score	4498.6335	21	<.0001
Wald	4218.7819	21	<.0001

Step 9. Effect MARITAL_BR is entered. The model contains the following effects:

BMIC RACE_BR ETHNICITY_BR MARITAL_BR EDUC_BR INCOME_BR SMOKING_BR ALCOHOL_BR HEI2015_TOTAL_SCORE

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	441366.93
AIC	445372.57	441414.93
SBC	445372.57	441605.49

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	4005.6394	24	<.0001
Score	4517.1214	24	<.0001
Wald	4237.2948	24	<.0001

Step 10. Effect PHYSICAL_ACTIVITY_ME is entered. The model contains the following effects:

BMIC RACE_BR ETHNICITY_BR MARITAL_BR EDUC_BR INCOME_BR SMOKING_BR ALCOHOL_BR HEI2015_TOTAL_SCORE PHYSICAL_ACTIVITY_ME

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	441357.46
AIC	445372.57	441407.46
SBC	445372.57	441605.96

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	4015.1117	25	<.0001
Score	4524.3815	25	<.0001
Wald	4243.9451	25	<.0001

Note: No (additional) effects met the 0.05 level for entry into the model.

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
BMIC	4	2459.0093	<.0001

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
RACE_BR	3	252.2157	<.0001
ETHNICITY_BR	1	58.4758	<.0001
MARITAL_BR	3	18.3617	0.0004
EDUC_BR	3	24.2290	<.0001
INCOME_BR	4	20.4075	0.0004
SMOKING_BR	2	38.4626	<.0001
ALCOHOL_BR	3	88.8953	<.0001
HEI2015_TOTAL_SCORE	1	27.3228	<.0001
PHYSICAL_ACTIVITY_ME	1	9.3356	0.0022

Analysis of Maximum Likelihood Estimates									
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits	Label
BMIC	Extreme Obesity III (>= 40)	1	1.21080	0.03297	1348.9036	<.0001	3.356	3.146 3.580	Body-mass Index (BMI), kg/m2 Extreme Obesity III (>= 40)
BMIC	Obesity I (30.0 - 34.9)	1	0.75024	0.02075	1307.6550	<.0001	2.118	2.033 2.205	Body-mass Index (BMI), kg/m2 Obesity I (30.0 - 34.9)
BMIC	Obesity II (35.0 - 39.9)	1	1.00397	0.02669	1414.5030	<.0001	2.729	2.590 2.876	Body-mass Index (BMI), kg/m2 Obesity II (35.0 - 39.9)
BMIC	Overweight (25.0 - 29.9)	1	0.39744	0.01822	476.0277	<.0001	1.488	1.436 1.542	Body-mass Index (BMI), kg/m2 Overweight (25.0 - 29.9)
RACE_BR	2	1	-0.30624	0.02436	158.0382	<.0001	0.736	0.702 0.772	RACE_BR 2
RACE_BR	3	1	0.14329	0.04886	8.5986	0.0034	1.154	1.049 1.270	RACE_BR 3
RACE_BR	4	1	-0.14701	0.06109	5.7916	0.0161	0.863	0.766 0.973	RACE_BR 4
ETHNICITY_BR	1	1	0.28823	0.03769	58.4758	<.0001	1.334	1.239 1.436	ETHNICITY_BR 1
MARITAL_BR	DIVORCED	1	0.08292	0.02055	16.2866	<.0001	1.086	1.044 1.131	MARITAL_BR DIVORCED
MARITAL_BR	SINGLE	1	-0.02504	0.03575	0.4904	0.4837	0.975	0.909 1.046	MARITAL_BR SINGLE
MARITAL_BR	WIDOWED	1	0.02429	0.02176	1.2456	0.2644	1.025	0.982 1.069	MARITAL_BR WIDOWED
EDUC_BR	COMPLETED COLLEGE OR HIGHER	1	-0.11632	0.03802	9.3586	0.0022	0.890	0.826 0.959	EDUC_BR COMPLETED COLLEGE OR HIGHER
EDUC_BR	HS	1	-0.17812	0.03915	20.7004	<.0001	0.837	0.775 0.904	EDUC_BR HS
EDUC_BR	SOME COLLEGE	1	-0.10581	0.03710	8.1362	0.0043	0.900	0.837 0.967	EDUC_BR SOME COLLEGE
INCOME_BR	20,000-49,999	1	-0.04302	0.02576	2.7891	0.0949	0.958	0.911 1.007	INCOME_BR 20,000-49,999
INCOME_BR	50,000-99,999	1	-0.06335	0.02505	6.3934	0.0115	0.939	0.894 0.986	INCOME_BR 50,000-99,999
INCOME_BR	<20,000	1	0.03868	0.03320	1.3570	0.2441	1.039	0.974 1.109	INCOME_BR <20,000
INCOME_BR	Missing	1	-0.03773	0.03767	1.0033	0.3165	0.963	0.894 1.037	INCOME_BR Missing
SMOKING_BR	CURRENT SMOKER	1	0.18461	0.03037	36.9462	<.0001	1.203	1.133 1.277	SMOKING_BR CURRENT SMOKER
SMOKING_BR	PAST SMOKER	1	0.03999	0.01497	7.1377	0.0075	1.041	1.011 1.072	SMOKING_BR PAST SMOKER
ALCOHOL_BR	<1 DRINK/WEEK	1	-0.01887	0.02597	0.5281	0.4674	0.981	0.933 1.033	ALCOHOL_BR <1 DRINK/WEEK
ALCOHOL_BR	>= 1 DRINK / WEEK	1	-0.14353	0.02694	28.3823	<.0001	0.866	0.822 0.913	ALCOHOL_BR >= 1 DRINK / WEEK
ALCOHOL_BR	FORMER DRINKER	1	0.02865	0.02851	1.0096	0.3150	1.029	0.973 1.088	ALCOHOL_BR FORMER DRINKER
HEI2015_TOTAL_SCORE		1	-0.00373	0.0007127	27.3228	<.0001	0.996	0.995 0.998	TOTAL HEI-2015 SCORE
PHYSICAL_ACTIVITY_ME		1	-0.00170	0.0005556	9.3356	0.0022	0.998	0.997 0.999	

Summary of Stepwise Selection								
Step	Effect Entered	Effect Removed	DF	Number In	Score Chi-Square	Wald Chi-Square	Pr > ChiSq	Effect Label
1	BMIC		4	1	3747.4514		<.0001	Body-mass Index (BMI), kg/m2
2	RACE_BR		3	2	376.9846		<.0001	
3	ALCOHOL_BR		3	3	107.2453		<.0001	
4	ETHNICITY_BR		1	4	75.7412		<.0001	

Summary of Stepwise Selection								
Step	Effect Entered	Effect Removed	DF	Number In	Score Chi-Square	Wald Chi-Square	Pr > ChiSq	Effect Label
5	SMOKING_BR		2	5	60.9090		<.0001	
6	HEI2015_TOTAL_SCORE		1	6	35.9592		<.0001	TOTAL HEI-2015 SCORE
7	INCOME_BR		4	7	32.2949		<.0001	
8	EDUC_BR		3	8	25.0015		<.0001	
9	MARITAL_BR		3	9	18.1679		0.0004	
10	PHYSICAL_ACTIVITY_ME		1	10	9.3351		0.0022	

Harrell's Concordance Statistic					
		Comparable Pairs			
Source	Estimate	Concordance	Discordance	Tied in Predictor	Tied in Time
Model	0.6515	708046054	378687145	0	63916

---

table 3

The PHREG Procedure

Model Information	
Data Set	VA7.VALIDATION_VF
Dependent Variable	TTE_DIABETES
Censoring Variable	INCIDENT_DIABETES
Censoring Value(s)	0
Ties Handling	BRESLOW

Number of Observations Read	40157
Number of Observations Used	40157

Class Level Information							
Class	Value	Design Variables					
BMIC	Extreme Obesity III (>= 40)	1	0	0	0		
	Normal (18.5 - 24.9)	0	0	0	0		
	Obesity I (30.0 - 34.9)	0	1	0	0		
	Obesity II (35.0 - 39.9)	0	0	1	0		
	Overweight (25.0 - 29.9)	0	0	0	1		
RACE_BR	1	0	0	0			
	2	1	0	0			
	3	0	1	0			
	4	0	0	1			
ETHNICITY_BR	0	0					
	1	1					
MARITAL_BR	DIVORCED	1	0	0			
	MARRIED / PARTNERED	0	0	0			
	SINGLE	0	1	0			
	WIDOWED	0	0	1			
EDUC_BR	< HS	0	0	0			
	COMPLETED COLLEGE OR HIGHER	1	0	0			
	HS	0	1	0			
	SOME COLLEGE	0	0	1			
OCCUPATION	Homemaker	1	0	0	0	0	0
	Managerial/professional	0	0	0	0	0	0
	Missing	0	1	0	0	0	0
	Not working/Retired/Disabled	0	0	1	0	0	0
	Other	0	0	0	1	0	0
	Service/labor	0	0	0	0	1	0
	Technical/sales/administrative	0	0	0	0	0	1
INCOME_BR	100,000+	0	0	0	0		

Class Level Information								
Class	Value	Design Variables						
	20,000-49,999	1	0	0	0			
	50,000-99,999	0	1	0	0			
	<20,000	0	0	1	0			
	Missing	0	0	0	1			
SMOKING_BR	CURRENT SMOKER	1	0					
	NEVER SMOKER	0	0					
	PAST SMOKER	0	1					
ALCOHOL_BR	<1 DRINK/WEEK	1	0	0				
	>= 1 DRINK / WEEK	0	1	0				
	FORMER DRINKER	0	0	1				
	NON-DRINKER	0	0	0				

Summary of the Number of Event and Censored Values			
Total	Event	Censored	Percent Censored
40157	8975	31182	77.65

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	177705.15	176047.13
AIC	177705.15	176109.13
SBC	177705.15	176329.30

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	1658.0163	31	<.0001
Score	1829.6402	31	<.0001
Wald	1729.4113	31	<.0001

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
BMIC	4	1097.6391	<.0001
AGE	1	0.0133	0.9081
RACE_BR	3	120.6987	<.0001
ETHNICITY_BR	1	22.7179	<.0001
MARITAL_BR	3	22.5616	<.0001
EDUC_BR	3	3.1613	0.3674
OCCUPATION	6	2.2773	0.8925
INCOME_BR	4	6.1134	0.1908
SMOKING_BR	2	33.0138	<.0001
ALCOHOL_BR	3	27.7166	<.0001
HEI2015_TOTAL_SCORE	1	9.2706	0.0023

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
BMIC	Extreme Obesity III (>= 40)	1	1.18242	0.05045	549.3653	<.0001	3.262	2.955	3.601	Body-mass Index (BMI), kg/m2 Extreme Obesity III (>= 40)
BMIC	Obesity I (30.0 - 34.9)	1	0.80097	0.03122	658.1715	<.0001	2.228	2.095	2.368	Body-mass Index (BMI), kg/m2 Obesity I (30.0 - 34.9)
BMIC	Obesity II (35.0 - 39.9)	1	0.98854	0.04098	581.8707	<.0001	2.687	2.480	2.912	Body-mass Index (BMI), kg/m2 Obesity II (35.0 - 39.9)

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
BMIC	Overweight (25.0 - 29.9)	1	0.42106	0.02747	234.9840	<.0001	1.524	1.444	1.608	Body-mass Index (BMI), kg/m2 Overweight (25.0 - 29.9)
AGE		1	-0.0002147	0.00186	0.0133	0.9081	1.000	0.996	1.003	Age at screening
RACE_BR	2	1	-0.32728	0.03744	76.4025	<.0001	0.721	0.670	0.776	RACE_BR 2
RACE_BR	3	1	0.12561	0.07156	3.0811	0.0792	1.134	0.985	1.305	RACE_BR 3
RACE_BR	4	1	-0.14616	0.09453	2.3906	0.1221	0.864	0.718	1.040	RACE_BR 4
ETHNICITY_BR	1	1	0.27939	0.05862	22.7179	<.0001	1.322	1.179	1.483	ETHNICITY_BR 1
MARITAL_BR	DIVORCED	1	0.13242	0.03146	17.7150	<.0001	1.142	1.073	1.214	MARITAL_BR DIVORCED
MARITAL_BR	SINGLE	1	-0.04037	0.05631	0.5139	0.4735	0.960	0.860	1.073	MARITAL_BR SINGLE
MARITAL_BR	WIDOWED	1	0.08545	0.03403	6.3038	0.0120	1.089	1.019	1.164	MARITAL_BR WIDOWED
EDUC_BR	COMPLETED COLLEGE OR HIGHER	1	-0.08985	0.06078	2.1854	0.1393	0.914	0.811	1.030	EDUC_BR COMPLETED COLLEGE OR HIGHER
EDUC_BR	HS	1	-0.08826	0.06135	2.0699	0.1502	0.916	0.812	1.032	EDUC_BR HS
EDUC_BR	SOME COLLEGE	1	-0.10324	0.05866	3.0973	0.0784	0.902	0.804	1.012	EDUC_BR SOME COLLEGE
OCCUPATION	Homemaker	1	-0.02174	0.03904	0.3103	0.5775	0.978	0.906	1.056	OCCUPATION Homemaker
OCCUPATION	Missing	1	-0.03763	0.06003	0.3930	0.5308	0.963	0.856	1.083	OCCUPATION Missing
OCCUPATION	Not working/Retired/Disabled	1	-0.03042	0.03646	0.6959	0.4041	0.970	0.903	1.042	OCCUPATION Not working/Retired/Disabled
OCCUPATION	Other	1	-0.00378	0.05166	0.0054	0.9416	0.996	0.900	1.102	OCCUPATION Other
OCCUPATION	Service/labor	1	0.00559	0.04658	0.0144	0.9044	1.006	0.918	1.102	OCCUPATION Service/labor
OCCUPATION	Technical/sales/administrative	1	-0.03729	0.03367	1.2267	0.2681	0.963	0.902	1.029	OCCUPATION Technical/sales/administrative
INCOME_BR	20,000-49,999	1	-0.07002	0.03999	3.0652	0.0800	0.932	0.862	1.008	INCOME_BR 20,000-49,999
INCOME_BR	50,000-99,999	1	-0.01515	0.03793	0.1596	0.6895	0.985	0.914	1.061	INCOME_BR 50,000-99,999
INCOME_BR	<20,000	1	-0.06024	0.05237	1.3235	0.2500	0.942	0.850	1.043	INCOME_BR <20,000
INCOME_BR	Missing	1	0.00376	0.05717	0.0043	0.9475	1.004	0.897	1.123	INCOME_BR Missing
SMOKING_BR	CURRENT SMOKER	1	0.25188	0.04387	32.9705	<.0001	1.286	1.180	1.402	SMOKING_BR CURRENT SMOKER
SMOKING_BR	PAST SMOKER	1	0.02926	0.02281	1.6450	0.1996	1.030	0.985	1.077	SMOKING_BR PAST SMOKER
ALCOHOL_BR	<1 DRINK/WEEK	1	-0.01032	0.03951	0.0682	0.7939	0.990	0.916	1.069	ALCOHOL_BR <1 DRINK/WEEK
ALCOHOL_BR	>= 1 DRINK / WEEK	1	-0.11771	0.04089	8.2876	0.0040	0.889	0.820	0.963	ALCOHOL_BR >= 1 DRINK / WEEK
ALCOHOL_BR	FORMER DRINKER	1	0.02768	0.04330	0.4085	0.5227	1.028	0.944	1.119	ALCOHOL_BR FORMER DRINKER
HEI2015_TOTAL_SCORE		1	-0.00325	0.00107	9.2706	0.0023	0.997	0.995	0.999	TOTAL HEI-2015 SCORE

Harrell's Concordance Statistic					
		Comparable Pairs			
Source	Estimate	Concordance	Discordance	Tied in Predictor	Tied in Time
Model	0.6495	131940785	71212936	0	12110

table 3

The PHREG Procedure

Model Information	
Data Set	WORK.TEST_RESULTS2
Dependent Variable	TTE_DIABETES
Censoring Variable	INCIDENT_DIABETES
Censoring Value(s)	0
Ties Handling	BRESLOW

Number of Observations Read	93463
Number of Observations Used	93463

Summary of the Number of Event and Censored Values			
Total	Event	Censored	Percent Censored
93463	20742	72721	77.81

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	441357.46
AIC	445372.57	441359.46
SBC	445372.57	441367.40

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	4015.1117	1	<.0001
Score	4345.1976	1	<.0001
Wald	4243.9376	1	<.0001

Analysis of Maximum Likelihood Estimates									
Parameter	DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
risk_score	1	1.00000	0.01535	4243.9376	<.0001	2.718	2.638	2.801	Linear Predictor

Harrell's Concordance Statistic					
		Comparable Pairs			
Source	Estimate	Concordance	Discordance	Tied in Predictor	Tied in Time
Model	0.6515	708046054	378687145	0	63916