table 4

The PHREG Procedure

Model Information		
Data Set	VA7.MERGED_MAN7_VF	
Dependent Variable	TTE_DIABETES	
Censoring Variable	INCIDENT_DIABETES	
Censoring Value(s)	0	
Ties Handling	BRESLOW	
ROC Method	NNE	Nearest Neighbors

Number of Observations Read	133620
Number of Observations Used	133620

Class Level Information										
Class	Value	Design Variables								
bmi_wc	< 105 cm (obesity-1)	1	0	0	0	0	0	0	0	0
	< 115 cm (obesity-2)	0	1	0	0	0	0	0	0	0
	< 115 cm (obesity-3)	0	0	1	0	0	0	0	0	0
	< 80 cm (normal weight)	0	0	0	0	0	0	0	0	0
	< 90 cm (overweight)	0	0	0	1	0	0	0	0	0
	≥ 105 cm (obesity-1)	0	0	0	0	1	0	0	0	0
	≥ 115 cm (obesity-2)	0	0	0	0	0	1	0	0	0
	≥ 115 cm (obesity-3)	0	0	0	0	0	0	1	0	0
	≥ 80 cm (normal weight)	0	0	0	0	0	0	0	1	0
	≥ 90 cm (overweight)	0	0	0	0	0	0	0	0	1

Summary of the Number of Event and Censored Values			
Total	Event	Censored	Percent Censored
133620	29717	103903	77.76

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	659483.73	654104.51
AIC	659483.73	654122.51
SBC	659483.73	654197.20

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	5379.2294	9	<.0001
Score	6121.9610	9	<.0001
Wald	5638.5717	9	<.0001

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
bmi_wc	9	5638.5717	<.0001

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
bmi_wc	< 105 cm (obesity-1)	1	0.84452	0.01850	2084.0307	<.0001	2.327	2.244	2.413	bmi_wc < 105 cm (obesity-1)
bmi_wc	< 115 cm (obesity-2)	1	1.11369	0.02357	2231.7189	<.0001	3.046	2.908	3.190	bmi_wc < 115 cm (obesity-2)
bmi_wc	< 115 cm (obesity-3)	1	1.18747	0.03794	979.4840	<.0001	3.279	3.044	3.532	bmi_wc < 115 cm (obesity-3)
bmi_wc	< 90 cm (overweight)	1	0.39586	0.01747	513.5255	<.0001	1.486	1.436	1.537	bmi_wc < 90 cm (overweight)

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
bmi_wc	≥ 105 cm (obesity-1)	1	1.23467	0.03419	1304.3745	<.0001	3.437	3.214	3.675	bmi_wc ≥ 105 cm (obesity-1)
bmi_wc	≥ 115 cm (obesity-2)	1	1.46426	0.04970	868.1649	<.0001	4.324	3.923	4.767	bmi_wc ≥ 115 cm (obesity-2)
bmi_wc	≥ 115 cm (obesity-3)	1	1.60359	0.03495	2104.6256	<.0001	4.971	4.642	5.323	bmi_wc ≥ 115 cm (obesity-3)
bmi_wc	≥ 80 cm (normal weight)	1	0.32730	0.02667	150.6558	<.0001	1.387	1.317	1.462	bmi_wc ≥ 80 cm (normal weight)
bmi_wc	≥ 90 cm (overweight)	1	0.78922	0.02202	1285.0289	<.0001	2.202	2.109	2.299	bmi_wc ≥ 90 cm (overweight)

Harrell's Concordance Statistic					
		Comparable Pairs			
Source	Estimate	Concordance	Discordance	Tied in Predictor	Tied in Time
Model	0.6445	1.25071E9	606442807	372471647	131834

---

table 4

The PHREG Procedure

Model Information		
Data Set	VA7.TRAIN_VF	
Dependent Variable	TTE_DIABETES	
Censoring Variable	INCIDENT_DIABETES	
Censoring Value(s)	0	
Ties Handling	BRESLOW	
ROC Method	NNE	Nearest Neighbors

Number of Observations Read	93463
Number of Observations Used	93463

Class Level Information										
Class	Value	Design Variables								
bmi_wc	< 105 cm (obesity-1)	1	0	0	0	0	0	0	0	0
	< 115 cm (obesity-2)	0	1	0	0	0	0	0	0	0
	< 115 cm (obesity-3)	0	0	1	0	0	0	0	0	0
	< 80 cm (normal weight)	0	0	0	0	0	0	0	0	0
	< 90 cm (overweight)	0	0	0	1	0	0	0	0	0
	≥ 105 cm (obesity-1)	0	0	0	0	1	0	0	0	0
	≥ 115 cm (obesity-2)	0	0	0	0	0	1	0	0	0
	≥ 115 cm (obesity-3)	0	0	0	0	0	0	1	0	0
	≥ 80 cm (normal weight)	0	0	0	0	0	0	0	1	0
	≥ 90 cm (overweight)	0	0	0	0	0	0	0	0	1

Summary of the Number of Event and Censored Values			
Total	Event	Censored	Percent Censored
93463	20742	72721	77.81

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	441524.91
AIC	445372.57	441542.91
SBC	445372.57	441614.36

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	3847.6662	9	<.0001
Score	4414.7581	9	<.0001
Wald	4054.0014	9	<.0001

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
bmi_wc	9	4054.0014	<.0001

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
bmi_wc	< 105 cm (obesity-1)	1	0.83626	0.02217	1423.3788	<.0001	2.308	2.210	2.410	bmi_wc < 105 cm (obesity-1)
bmi_wc	< 115 cm (obesity-2)	1	1.12426	0.02813	1596.9586	<.0001	3.078	2.913	3.252	bmi_wc < 115 cm (obesity-2)
bmi_wc	< 115 cm (obesity-3)	1	1.22540	0.04494	743.4894	<.0001	3.406	3.118	3.719	bmi_wc < 115 cm (obesity-3)
bmi_wc	< 90 cm (overweight)	1	0.38987	0.02098	345.3053	<.0001	1.477	1.417	1.539	bmi_wc < 90 cm (overweight)
bmi_wc	≥ 105 cm (obesity-1)	1	1.23905	0.04099	913.5726	<.0001	3.452	3.186	3.741	bmi_wc ≥ 105 cm (obesity-1)
bmi_wc	≥ 115 cm (obesity-2)	1	1.52583	0.05781	696.5975	<.0001	4.599	4.106	5.151	bmi_wc ≥ 115 cm (obesity-2)
bmi_wc	≥ 115 cm (obesity-3)	1	1.61924	0.04176	1503.7225	<.0001	5.049	4.652	5.480	bmi_wc ≥ 115 cm (obesity-3)
bmi_wc	≥ 80 cm (normal weight)	1	0.33928	0.03189	113.1803	<.0001	1.404	1.319	1.494	bmi_wc ≥ 80 cm (normal weight)
bmi_wc	≥ 90 cm (overweight)	1	0.79874	0.02632	920.8127	<.0001	2.223	2.111	2.340	bmi_wc ≥ 90 cm (overweight)

Harrell's Concordance Statistic					
		Comparable Pairs			
Source	Estimate	Concordance	Discordance	Tied in Predictor	Tied in Time
Model	0.6450	610644066	295407475	180681658	63916

table 4

The PHREG Procedure

Model Information		
Data Set	VA7.VALIDATION_VF	
Dependent Variable	TTE_DIABETES	
Censoring Variable	INCIDENT_DIABETES	
Censoring Value(s)	0	
Ties Handling	BRESLOW	
ROC Method	NNE	Nearest Neighbors

Number of Observations Read	40157
Number of Observations Used	40157

Class Level Information										
Class	Value	Design Variables								
bmi_wc	< 105 cm (obesity-1)	1	0	0	0	0	0	0	0	0
	< 115 cm (obesity-2)	0	1	0	0	0	0	0	0	0
	< 115 cm (obesity-3)	0	0	1	0	0	0	0	0	0
	< 80 cm (normal weight)	0	0	0	0	0	0	0	0	0
	< 90 cm (overweight)	0	0	0	1	0	0	0	0	0
	≥ 105 cm (obesity-1)	0	0	0	0	1	0	0	0	0
	≥ 115 cm (obesity-2)	0	0	0	0	0	1	0	0	0
	≥ 115 cm (obesity-3)	0	0	0	0	0	0	1	0	0
	≥ 80 cm (normal weight)	0	0	0	0	0	0	0	1	0
	≥ 90 cm (overweight)	0	0	0	0	0	0	0	0	1

Summary of the Number of Event and Censored Values			
Total	Event	Censored	Percent Censored
40157	8975	31182	77.65

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	177705.15	176163.18
AIC	177705.15	176181.18
SBC	177705.15	176245.10

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	1541.9619	9	<.0001
Score	1726.6346	9	<.0001
Wald	1599.5495	9	<.0001

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
bmi_wc	9	1599.5495	<.0001

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
bmi_wc	< 105 cm (obesity-1)	1	0.86416	0.03358	662.0777	<.0001	2.373	2.222	2.534	bmi_wc < 105 cm (obesity-1)
bmi_wc	< 115 cm (obesity-2)	1	1.08894	0.04321	635.2131	<.0001	2.971	2.730	3.234	bmi_wc < 115 cm (obesity-2)
bmi_wc	< 115 cm (obesity-3)	1	1.09840	0.07083	240.4786	<.0001	2.999	2.611	3.446	bmi_wc < 115 cm (obesity-3)
bmi_wc	< 90 cm (overweight)	1	0.40940	0.03154	168.4608	<.0001	1.506	1.416	1.602	bmi_wc < 90 cm (overweight)
bmi_wc	≥ 105 cm (obesity-1)	1	1.22447	0.06195	390.6893	<.0001	3.402	3.013	3.842	bmi_wc ≥ 105 cm (obesity-1)
bmi_wc	≥ 115 cm (obesity-2)	1	1.30521	0.09740	179.5777	<.0001	3.688	3.047	4.464	bmi_wc ≥ 115 cm (obesity-2)
bmi_wc	≥ 115 cm (obesity-3)	1	1.56815	0.06390	602.2033	<.0001	4.798	4.233	5.438	bmi_wc ≥ 115 cm (obesity-3)
bmi_wc	≥ 80 cm (normal weight)	1	0.30000	0.04862	38.0774	<.0001	1.350	1.227	1.485	bmi_wc ≥ 80 cm (normal weight)
bmi_wc	≥ 90 cm (overweight)	1	0.76711	0.04017	364.5899	<.0001	2.154	1.990	2.330	bmi_wc ≥ 90 cm (overweight)

Harrell's Concordance Statistic					
		Comparable Pairs			
Source	Estimate	Concordance	Discordance	Tied in Predictor	Tied in Time
Model	0.6432	113519421	55326395	34307905	12110

table 4

The PHREG Procedure

Model Information		
Data Set	VA7.MERGED_MAN7_VF	
Dependent Variable	TTE_DIABETES	
Censoring Variable	INCIDENT_DIABETES	
Censoring Value(s)	0	
Ties Handling	BRESLOW	
ROC Method	NNE	Nearest Neighbors

Number of Observations Read	133620
Number of Observations Used	133620

Class Level Information										
Class	Value	Design Variables								
bmi_wc	< 105 cm (obesity-1)	1	0	0	0	0	0	0	0	
	< 115 cm (obesity-2)	0	1	0	0	0	0	0	0	
	< 115 cm (obesity-3)	0	0	1	0	0	0	0	0	
	< 80 cm (normal weight)	0	0	0	0	0	0	0	0	
	< 90 cm (overweight)	0	0	0	1	0	0	0	0	
	≥ 105 cm (obesity-1)	0	0	0	0	1	0	0	0	
	≥ 115 cm (obesity-2)	0	0	0	0	0	1	0	0	
	≥ 115 cm (obesity-3)	0	0	0	0	0	0	1	0	
	≥ 80 cm (normal weight)	0	0	0	0	0	0	0	1	
	≥ 90 cm (overweight)	0	0	0	0	0	0	0	0	1
RACE_BR	1	0	0	0						
	2	1	0	0						
	3	0	1	0						
	4	0	0	1						
ETHNICITY_BR	0	0								
	1	1								
MARITAL_BR	DIVORCED	1	0	0						
	MARRIED / PARTNERED	0	0	0						
	SINGLE	0	1	0						
	WIDOWED	0	0	1						
EDUC_BR	< HS	0	0	0						
	COMPLETED COLLEGE OR HIGHER	1	0	0						
	HS	0	1	0						
	SOME COLLEGE	0	0	1						
OCCUPATION	Homemaker	1	0	0	0	0	0			
	Managerial/professional	0	0	0	0	0	0			
	Missing	0	1	0	0	0	0			
	Not working/Retired/Disabled	0	0	1	0	0	0			
	Other	0	0	0	1	0	0			
	Service/labor	0	0	0	0	1	0			
	Technical/sales/administrative	0	0	0	0	0	1			
INCOME_BR	100,000+	0	0	0	0					
	20,000-49,999	1	0	0	0					
	50,000-99,999	0	1	0	0					
	<20,000	0	0	1	0					
	Missing	0	0	0	1					
SMOKING_BR	CURRENT SMOKER	1	0							
	NEVER SMOKER	0	0							
	PAST SMOKER	0	1							
ALCOHOL_BR	<1 DRINK/WEEK	1	0	0						
	>= 1 DRINK / WEEK	0	1	0						
	FORMER DRINKER	0	0	1						
	NON-DRINKER	0	0	0						

Summary of the Number of Event and Censored Values			
Total	Event	Censored	Percent Censored
133620	29717	103903	77.76

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	659483.73	653125.45

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
AIC	659483.73	653199.45
SBC	659483.73	653506.53

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	6358.2840	37	<.0001
Score	7226.5077	37	<.0001
Wald	6707.4020	37	<.0001

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
bmi_wc	9	4221.3510	<.0001
AGE	1	0.3990	0.5276
RACE_BR	3	417.6112	<.0001
ETHNICITY_BR	1	96.9044	<.0001
MARITAL_BR	3	40.2258	<.0001
EDUC_BR	3	20.5975	0.0001
OCCUPATION	6	6.9406	0.3264
INCOME_BR	4	18.7721	0.0009
SMOKING_BR	2	52.8239	<.0001
ALCOHOL_BR	3	112.7657	<.0001
HEI2015_TOTAL_SCORE	1	20.7194	<.0001
PHYSICAL_ACTIVITY_ME	1	7.9566	0.0048

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
bmi_wc	< 105 cm (obesity-1)	1	0.78936	0.01919	1692.0020	<.0001	2.202	2.121	2.286	bmi_wc < 105 cm (obesity-1)
bmi_wc	< 115 cm (obesity-2)	1	1.03076	0.02454	1764.4549	<.0001	2.803	2.672	2.941	bmi_wc < 115 cm (obesity-2)
bmi_wc	< 115 cm (obesity-3)	1	1.07367	0.03866	771.1227	<.0001	2.926	2.713	3.156	bmi_wc < 115 cm (obesity-3)
bmi_wc	< 90 cm (overweight)	1	0.37170	0.01768	441.9913	<.0001	1.450	1.401	1.501	bmi_wc < 90 cm (overweight)
bmi_wc	≥ 105 cm (obesity-1)	1	1.19313	0.03474	1179.5246	<.0001	3.297	3.080	3.530	bmi_wc ≥ 105 cm (obesity-1)
bmi_wc	≥ 115 cm (obesity-2)	1	1.39471	0.05024	770.7341	<.0001	4.034	3.656	4.451	bmi_wc ≥ 115 cm (obesity-2)
bmi_wc	≥ 115 cm (obesity-3)	1	1.48949	0.03611	1701.0494	<.0001	4.435	4.132	4.760	bmi_wc ≥ 115 cm (obesity-3)
bmi_wc	≥ 80 cm (normal weight)	1	0.32924	0.02680	150.9419	<.0001	1.390	1.319	1.465	bmi_wc ≥ 80 cm (normal weight)
bmi_wc	≥ 90 cm (overweight)	1	0.76680	0.02244	1167.7209	<.0001	2.153	2.060	2.250	bmi_wc ≥ 90 cm (overweight)
AGE		1	-0.0006468	0.00102	0.3990	0.5276	0.999	0.997	1.001	Age at screening
RACE_BR	2	1	-0.33242	0.02055	261.7152	<.0001	0.717	0.689	0.747	RACE_BR 2
RACE_BR	3	1	0.14819	0.04039	13.4633	0.0002	1.160	1.071	1.255	RACE_BR 3
RACE_BR	4	1	-0.16165	0.05133	9.9184	0.0016	0.851	0.769	0.941	RACE_BR 4
ETHNICITY_BR	1	1	0.31284	0.03178	96.9044	<.0001	1.367	1.285	1.455	ETHNICITY_BR 1
MARITAL_BR	DIVORCED	1	0.09993	0.01737	33.0948	<.0001	1.105	1.068	1.143	MARITAL_BR DIVORCED
MARITAL_BR	SINGLE	1	-0.04365	0.03035	2.0693	0.1503	0.957	0.902	1.016	MARITAL_BR SINGLE
MARITAL_BR	WIDOWED	1	0.03683	0.01862	3.9140	0.0479	1.038	1.000	1.076	MARITAL_BR WIDOWED
EDUC_BR	COMPLETED COLLEGE OR HIGHER	1	-0.10628	0.03284	10.4717	0.0012	0.899	0.843	0.959	EDUC_BR COMPLETED COLLEGE OR HIGHER
EDUC_BR	HS	1	-0.14662	0.03316	19.5514	<.0001	0.864	0.809	0.922	EDUC_BR HS
EDUC_BR	SOME COLLEGE	1	-0.10175	0.03162	10.3537	0.0013	0.903	0.849	0.961	EDUC_BR SOME COLLEGE
OCCUPATION	Homemaker	1	0.01026	0.02162	0.2253	0.6351	1.010	0.968	1.054	OCCUPATION Homemaker
OCCUPATION	Missing	1	-0.06358	0.03329	3.6467	0.0562	0.938	0.879	1.002	OCCUPATION Missing
OCCUPATION	Not working/Retired/Disabled	1	-0.00652	0.02010	0.1051	0.7458	0.994	0.955	1.033	OCCUPATION Not working/Retired/Disabled
OCCUPATION	Other	1	0.01267	0.02828	0.2007	0.6541	1.013	0.958	1.070	OCCUPATION Other
OCCUPATION	Service/labor	1	-0.00328	0.02558	0.0164	0.8981	0.997	0.948	1.048	OCCUPATION Service/labor

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
OCCUPATION	Technical/sales/administrative	1	-0.02011	0.01863	1.1643	0.2806	0.980	0.945	1.017	OCCUPATION Technical/sales/administrative
INCOME_BR	20,000-49,999	1	-0.07457	0.02205	11.4346	0.0007	0.928	0.889	0.969	INCOME_BR 20,000-49,999
INCOME_BR	50,000-99,999	1	-0.06325	0.02098	9.0899	0.0026	0.939	0.901	0.978	INCOME_BR 50,000-99,999
INCOME_BR	<20,000	1	-0.02176	0.02865	0.5770	0.4475	0.978	0.925	1.035	INCOME_BR <20,000
INCOME_BR	Missing	1	-0.03935	0.03169	1.5418	0.2144	0.961	0.904	1.023	INCOME_BR Missing
SMOKING_BR	CURRENT SMOKER	1	0.18209	0.02506	52.8129	<.0001	1.200	1.142	1.260	SMOKING_BR CURRENT SMOKER
SMOKING_BR	PAST SMOKER	1	0.02402	0.01253	3.6709	0.0554	1.024	0.999	1.050	SMOKING_BR PAST SMOKER
ALCOHOL_BR	<1 DRINK/WEEK	1	-0.01098	0.02171	0.2558	0.6130	0.989	0.948	1.032	ALCOHOL_BR <1 DRINK/WEEK
ALCOHOL_BR	>= 1 DRINK / WEEK	1	-0.13324	0.02251	35.0360	<.0001	0.875	0.837	0.915	ALCOHOL_BR >= 1 DRINK / WEEK
ALCOHOL_BR	FORMER DRINKER	1	0.02454	0.02381	1.0624	0.3027	1.025	0.978	1.074	ALCOHOL_BR FORMER DRINKER
HEI2015_TOTAL_SCORE		1	-0.00273	0.0006000	20.7194	<.0001	0.997	0.996	0.998	TOTAL HEI-2015 SCORE
PHYSICAL_ACTIVITY_ME		1	-0.00132	0.0004680	7.9566	0.0048	0.999	0.998	1.000	

Harrell's Concordance Statistic					
		Comparable Pairs			
Source	Estimate	Concordance	Discordance	Tied in Predictor	Tied in Time
Model	0.6593	1.47006E9	759561977	0	131834

table 4

The PHREG Procedure

Model Information		
Data Set	VA7.TRAIN_VF	
Dependent Variable	TTE_DIABETES	
Censoring Variable	INCIDENT_DIABETES	
Censoring Value(s)	0	
Ties Handling	BRESLOW	
ROC Method	NNE	Nearest Neighbors

Number of Observations Read	93463
Number of Observations Used	93463

Class Level Information										
Class	Value	Design Variables								
bmi_wc	< 105 cm (obesity-1)	1	0	0	0	0	0	0	0	
	< 115 cm (obesity-2)	0	1	0	0	0	0	0	0	
	< 115 cm (obesity-3)	0	0	1	0	0	0	0	0	
	< 80 cm (normal weight)	0	0	0	0	0	0	0	0	
	< 90 cm (overweight)	0	0	0	1	0	0	0	0	
	≥ 105 cm (obesity-1)	0	0	0	0	1	0	0	0	
	≥ 115 cm (obesity-2)	0	0	0	0	0	1	0	0	
	≥ 115 cm (obesity-3)	0	0	0	0	0	0	1	0	
	≥ 80 cm (normal weight)	0	0	0	0	0	0	0	1	
	≥ 90 cm (overweight)	0	0	0	0	0	0	0	0	1
RACE_BR	1	0	0	0						
	2	1	0	0						
	3	0	1	0						
	4	0	0	1						
ETHNICITY_BR	0	0								

Class Level Information										
Class	Value	Design Variables								
	1	1								
MARITAL_BR	DIVORCED	1	0	0						
	MARRIED / PARTNERED	0	0	0						
	SINGLE	0	1	0						
	WIDOWED	0	0	1						
EDUC_BR	< HS	0	0	0						
	COMPLETED COLLEGE OR HIGHER	1	0	0						
	HS	0	1	0						
	SOME COLLEGE	0	0	1						
OCCUPATION	Homemaker	1	0	0	0	0	0			
	Managerial/professional	0	0	0	0	0	0			
	Missing	0	1	0	0	0	0			
	Not working/Retired/Disabled	0	0	1	0	0	0			
	Other	0	0	0	1	0	0			
	Service/labor	0	0	0	0	1	0			
	Technical/sales/administrative	0	0	0	0	0	1			
INCOME_BR	100,000+	0	0	0	0					
	20,000-49,999	1	0	0	0					
	50,000-99,999	0	1	0	0					
	<20,000	0	0	1	0					
	Missing	0	0	0	1					
SMOKING_BR	CURRENT SMOKER	1	0							
	NEVER SMOKER	0	0							
	PAST SMOKER	0	1							
ALCOHOL_BR	<1 DRINK/WEEK	1	0	0						
	>= 1 DRINK / WEEK	0	1	0						
	FORMER DRINKER	0	0	1						
	NON-DRINKER	0	0	0						

Summary of the Number of Event and Censored Values			
Total	Event	Censored	Percent Censored
93463	20742	72721	77.81

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	440830.41
AIC	445372.57	440904.41
SBC	445372.57	441198.19

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	4542.1623	37	<.0001
Score	5198.4198	37	<.0001
Wald	4812.7163	37	<.0001

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
bmi_wc	9	3001.4874	<.0001
AGE	1	0.0683	0.7939
RACE_BR	3	280.7392	<.0001
ETHNICITY_BR	1	68.3790	<.0001

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
MARITAL_BR	3	21.5101	<.0001
EDUC_BR	3	22.6673	<.0001
OCCUPATION	6	6.9262	0.3277
INCOME_BR	4	19.7992	0.0005
SMOKING_BR	2	28.1180	<.0001
ALCOHOL_BR	3	88.5862	<.0001
HEI2015_TOTAL_SCORE	1	18.9309	<.0001
PHYSICAL_ACTIVITY_ME	1	3.5520	0.0595

Analysis of Maximum Likelihood Estimates									
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
bmi_wc	< 105 cm (obesity-1)	1	0.78014	0.02299	1151.3729	<.0001	2.182	2.086	2.282	bmi_wc < 105 cm (obesity-1)
bmi_wc	< 115 cm (obesity-2)	1	1.03672	0.02930	1251.7489	<.0001	2.820	2.663	2.987	bmi_wc < 115 cm (obesity-2)
bmi_wc	< 115 cm (obesity-3)	1	1.10555	0.04584	581.6445	<.0001	3.021	2.761	3.305	bmi_wc < 115 cm (obesity-3)
bmi_wc	< 90 cm (overweight)	1	0.36517	0.02123	295.8146	<.0001	1.441	1.382	1.502	bmi_wc < 90 cm (overweight)
bmi_wc	≥ 105 cm (obesity-1)	1	1.19233	0.04164	819.8810	<.0001	3.295	3.037	3.575	bmi_wc ≥ 105 cm (obesity-1)
bmi_wc	≥ 115 cm (obesity-2)	1	1.44731	0.05853	611.3989	<.0001	4.252	3.791	4.768	bmi_wc ≥ 115 cm (obesity-2)
bmi_wc	≥ 115 cm (obesity-3)	1	1.49402	0.04319	1196.5885	<.0001	4.455	4.093	4.848	bmi_wc ≥ 115 cm (obesity-3)
bmi_wc	≥ 80 cm (normal weight)	1	0.34184	0.03205	113.7572	<.0001	1.408	1.322	1.499	bmi_wc ≥ 80 cm (normal weight)
bmi_wc	≥ 90 cm (overweight)	1	0.77438	0.02683	832.9077	<.0001	2.169	2.058	2.286	bmi_wc ≥ 90 cm (overweight)
AGE		1	-0.0003201	0.00123	0.0683	0.7939	1.000	0.997	1.002	Age at screening
RACE_BR	2	1	-0.32547	0.02457	175.4079	<.0001	0.722	0.688	0.758	RACE_BR 2
RACE_BR	3	1	0.15325	0.04894	9.8074	0.0017	1.166	1.059	1.283	RACE_BR 3
RACE_BR	4	1	-0.16232	0.06115	7.0472	0.0079	0.850	0.754	0.958	RACE_BR 4
ETHNICITY_BR	1	1	0.31269	0.03781	68.3790	<.0001	1.367	1.269	1.472	ETHNICITY_BR 1
MARITAL_BR	DIVORCED	1	0.08752	0.02083	17.6471	<.0001	1.091	1.048	1.137	MARITAL_BR DIVORCED
MARITAL_BR	SINGLE	1	-0.04047	0.03604	1.2608	0.2615	0.960	0.895	1.031	MARITAL_BR SINGLE
MARITAL_BR	WIDOWED	1	0.01920	0.02224	0.7451	0.3880	1.019	0.976	1.065	MARITAL_BR WIDOWED
EDUC_BR	COMPLETED COLLEGE OR HIGHER	1	-0.11287	0.03906	8.3514	0.0039	0.893	0.827	0.964	EDUC_BR COMPLETED COLLEGE OR HIGHER
EDUC_BR	HS	1	-0.17174	0.03944	18.9616	<.0001	0.842	0.780	0.910	EDUC_BR HS
EDUC_BR	SOME COLLEGE	1	-0.10031	0.03756	7.1309	0.0076	0.905	0.840	0.974	EDUC_BR SOME COLLEGE
OCCUPATION	Homemaker	1	0.02392	0.02594	0.8502	0.3565	1.024	0.973	1.078	OCCUPATION Homemaker
OCCUPATION	Missing	1	-0.07553	0.04002	3.5609	0.0592	0.927	0.857	1.003	OCCUPATION Missing
OCCUPATION	Not working/Retired/Disabled	1	0.00174	0.02408	0.0052	0.9425	1.002	0.956	1.050	OCCUPATION Not working/Retired/Disabled
OCCUPATION	Other	1	0.01721	0.03379	0.2595	0.6105	1.017	0.952	1.087	OCCUPATION Other
OCCUPATION	Service/labor	1	-0.00225	0.03060	0.0054	0.9413	0.998	0.940	1.059	OCCUPATION Service/labor
OCCUPATION	Technical/sales/administrative	1	-0.01260	0.02237	0.3169	0.5735	0.987	0.945	1.032	OCCUPATION Technical/sales/administrative
INCOME_BR	20,000-49,999	1	-0.06633	0.02642	6.3017	0.0121	0.936	0.889	0.986	INCOME_BR 20,000-49,999
INCOME_BR	50,000-99,999	1	-0.07691	0.02517	9.3343	0.0022	0.926	0.881	0.973	INCOME_BR 50,000-99,999
INCOME_BR	<20,000	1	0.00687	0.03423	0.0403	0.8409	1.007	0.942	1.077	INCOME_BR <20,000
INCOME_BR	Missing	1	-0.05217	0.03807	1.8773	0.1706	0.949	0.881	1.023	INCOME_BR Missing
SMOKING_BR	CURRENT SMOKER	1	0.16121	0.03052	27.9008	<.0001	1.175	1.107	1.247	SMOKING_BR CURRENT SMOKER
SMOKING_BR	PAST SMOKER	1	0.02623	0.01500	3.0609	0.0802	1.027	0.997	1.057	SMOKING_BR PAST SMOKER
ALCOHOL_BR	<1 DRINK/WEEK	1	-0.01614	0.02599	0.3855	0.5347	0.984	0.935	1.035	ALCOHOL_BR <1 DRINK/WEEK
ALCOHOL_BR	>= 1 DRINK / WEEK	1	-0.14492	0.02696	28.8940	<.0001	0.865	0.821	0.912	ALCOHOL_BR >= 1 DRINK / WEEK
ALCOHOL_BR	FORMER DRINKER	1	0.02274	0.02852	0.6359	0.4252	1.023	0.967	1.082	ALCOHOL_BR FORMER DRINKER
HEI2015_TOTAL_SCORE		1	-0.00313	0.0007202	18.9309	<.0001	0.997	0.995	0.998	TOTAL HEI-2015 SCORE

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
PHYSICAL_ACTIVITY_ME		1	-0.00105	0.0005560	3.5520	0.0595	0.999	0.998	1.000	

Harrell's Concordance Statistic					
		Comparable Pairs			
Source	Estimate	Concordance	Discordance	Tied in Predictor	Tied in Time
Model	0.6606	717861536	368871663	0	63916

---

table 4

The PHREG Procedure

Model Information		
Data Set	VA7.VALIDATION_VF	
Dependent Variable	TTE_DIABETES	
Censoring Variable	INCIDENT_DIABETES	
Censoring Value(s)	0	
Ties Handling	BRESLOW	
ROC Method	NNE	Nearest Neighbors

Number of Observations Read	40157
Number of Observations Used	40157

Class Level Information										
Class	Value	Design Variables								
bmi_wc	< 105 cm (obesity-1)	1	0	0	0	0	0	0	0	0
	< 115 cm (obesity-2)	0	1	0	0	0	0	0	0	0
	< 115 cm (obesity-3)	0	0	1	0	0	0	0	0	0
	< 80 cm (normal weight)	0	0	0	0	0	0	0	0	0
	< 90 cm (overweight)	0	0	0	1	0	0	0	0	0
	≥ 105 cm (obesity-1)	0	0	0	0	1	0	0	0	0
	≥ 115 cm (obesity-2)	0	0	0	0	0	1	0	0	0
	≥ 115 cm (obesity-3)	0	0	0	0	0	0	1	0	0
	≥ 80 cm (normal weight)	0	0	0	0	0	0	0	1	0
	≥ 90 cm (overweight)	0	0	0	0	0	0	0	0	1
RACE_BR	1	0	0	0						
	2	1	0	0						
	3	0	1	0						
	4	0	0	1						
ETHNICITY_BR	0	0								
	1	1								
MARITAL_BR	DIVORCED	1	0	0						
	MARRIED / PARTNERED	0	0	0						
	SINGLE	0	1	0						
	WIDOWED	0	0	1						
EDUC_BR	< HS	0	0	0						
	COMPLETED COLLEGE OR HIGHER	1	0	0						
	HS	0	1	0						
	SOME COLLEGE	0	0	1						
OCCUPATION	Homemaker	1	0	0	0	0	0			
	Managerial/professional	0	0	0	0	0	0			
	Missing	0	1	0	0	0	0			
	Not working/Retired/Disabled	0	0	1	0	0	0			
	Other	0	0	0	1	0	0			
	Service/labor	0	0	0	0	1	0			

Class Level Information										
Class	Value	Design Variables								
	Technical/sales/administrative	0	0	0	0	0	1			
INCOME_BR	100,000+	0	0	0	0					
	20,000-49,999	1	0	0	0					
	50,000-99,999	0	1	0	0					
	<20,000	0	0	1	0					
	Missing	0	0	0	1					
SMOKING_BR	CURRENT SMOKER	1	0							
	NEVER SMOKER	0	0							
	PAST SMOKER	0	1							
ALCOHOL_BR	<1 DRINK/WEEK	1	0	0						
	>= 1 DRINK / WEEK	0	1	0						
	FORMER DRINKER	0	0	1						
	NON-DRINKER	0	0	0						

Summary of the Number of Event and Censored Values			
Total	Event	Censored	Percent Censored
40157	8975	31182	77.65

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	177705.15	175855.03
AIC	177705.15	175929.03
SBC	177705.15	176191.81

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	1850.1153	37	<.0001
Score	2072.3745	37	<.0001
Wald	1934.3013	37	<.0001

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
bmi_wc	9	1228.8093	<.0001
AGE	1	0.5093	0.4754
RACE_BR	3	136.0921	<.0001
ETHNICITY_BR	1	28.6171	<.0001
MARITAL_BR	3	22.0777	<.0001
EDUC_BR	3	3.3612	0.3392
OCCUPATION	6	2.0228	0.9176
INCOME_BR	4	8.7724	0.0670
SMOKING_BR	2	26.0909	<.0001
ALCOHOL_BR	3	25.5506	<.0001
HEI2015_TOTAL_SCORE	1	3.0176	0.0824
PHYSICAL_ACTIVITY_ME	1	5.1243	0.0236

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
bmi_wc	< 105 cm (obesity-1)	1	0.81106	0.03486	541.2949	<.0001	2.250	2.102	2.409	bmi_wc < 105 cm (obesity-1)
bmi_wc	< 115 cm (obesity-2)	1	1.01872	0.04495	513.6669	<.0001	2.770	2.536	3.025	bmi_wc < 115 cm (obesity-2)

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
bmi_wc	< 115 cm (obesity-3)	1	0.99788	0.07206	191.7505	<.0001	2.713	2.355	3.124	bmi_wc < 115 cm (obesity-3)
bmi_wc	< 90 cm (overweight)	1	0.38729	0.03194	147.0058	<.0001	1.473	1.384	1.568	bmi_wc < 90 cm (overweight)
bmi_wc	≥ 105 cm (obesity-1)	1	1.19504	0.06307	359.0703	<.0001	3.304	2.920	3.738	bmi_wc ≥ 105 cm (obesity-1)
bmi_wc	≥ 115 cm (obesity-2)	1	1.26032	0.09827	164.4965	<.0001	3.527	2.909	4.276	bmi_wc ≥ 115 cm (obesity-2)
bmi_wc	≥ 115 cm (obesity-3)	1	1.47874	0.06592	503.2182	<.0001	4.387	3.856	4.993	bmi_wc ≥ 115 cm (obesity-3)
bmi_wc	≥ 80 cm (normal weight)	1	0.29735	0.04888	37.0053	<.0001	1.346	1.223	1.482	bmi_wc ≥ 80 cm (normal weight)
bmi_wc	≥ 90 cm (overweight)	1	0.74990	0.04095	335.3574	<.0001	2.117	1.954	2.294	bmi_wc ≥ 90 cm (overweight)
AGE		1	-0.00133	0.00187	0.5093	0.4754	0.999	0.995	1.002	Age at screening
RACE_BR	2	1	-0.34799	0.03751	86.0733	<.0001	0.706	0.656	0.760	RACE_BR 2
RACE_BR	3	1	0.13572	0.07159	3.5938	0.0580	1.145	0.995	1.318	RACE_BR 3
RACE_BR	4	1	-0.16410	0.09457	3.0111	0.0827	0.849	0.705	1.021	RACE_BR 4
ETHNICITY_BR	1	1	0.31387	0.05867	28.6171	<.0001	1.369	1.220	1.536	ETHNICITY_BR 1
MARITAL_BR	DIVORCED	1	0.12867	0.03149	16.7001	<.0001	1.137	1.069	1.210	MARITAL_BR DIVORCED
MARITAL_BR	SINGLE	1	-0.05680	0.05633	1.0167	0.3133	0.945	0.846	1.055	MARITAL_BR SINGLE
MARITAL_BR	WIDOWED	1	0.07932	0.03405	5.4270	0.0198	1.083	1.013	1.157	MARITAL_BR WIDOWED
EDUC_BR	COMPLETED COLLEGE OR HIGHER	1	-0.09182	0.06075	2.2841	0.1307	0.912	0.810	1.028	EDUC_BR COMPLETED COLLEGE OR HIGHER
EDUC_BR	HS	1	-0.09226	0.06132	2.2638	0.1324	0.912	0.809	1.028	EDUC_BR HS
EDUC_BR	SOME COLLEGE	1	-0.10626	0.05863	3.2849	0.0699	0.899	0.802	1.009	EDUC_BR SOME COLLEGE
OCCUPATION	Homemaker	1	-0.02207	0.03910	0.3185	0.5725	0.978	0.906	1.056	OCCUPATION Homemaker
OCCUPATION	Missing	1	-0.03967	0.06005	0.4363	0.5089	0.961	0.854	1.081	OCCUPATION Missing
OCCUPATION	Not working/Retired/Disabled	1	-0.02689	0.03654	0.5417	0.4617	0.973	0.906	1.046	OCCUPATION Not working/Retired/Disabled
OCCUPATION	Other	1	0.0001387	0.05170	0.0000	0.9979	1.000	0.904	1.107	OCCUPATION Other
OCCUPATION	Service/labor	1	-0.00632	0.04663	0.0183	0.8923	0.994	0.907	1.089	OCCUPATION Service/labor
OCCUPATION	Technical/sales/administrative	1	-0.03878	0.03369	1.3249	0.2497	0.962	0.900	1.028	OCCUPATION Technical/sales/administrative
INCOME_BR	20,000-49,999	1	-0.09269	0.04006	5.3521	0.0207	0.911	0.843	0.986	INCOME_BR 20,000-49,999
INCOME_BR	50,000-99,999	1	-0.03087	0.03798	0.6605	0.4164	0.970	0.900	1.045	INCOME_BR 50,000-99,999
INCOME_BR	<20,000	1	-0.08686	0.05242	2.7450	0.0976	0.917	0.827	1.016	INCOME_BR <20,000
INCOME_BR	Missing	1	-0.00917	0.05720	0.0257	0.8726	0.991	0.886	1.108	INCOME_BR Missing
SMOKING_BR	CURRENT SMOKER	1	0.22340	0.04397	25.8160	<.0001	1.250	1.147	1.363	SMOKING_BR CURRENT SMOKER
SMOKING_BR	PAST SMOKER	1	0.01847	0.02287	0.6525	0.4192	1.019	0.974	1.065	SMOKING_BR PAST SMOKER
ALCOHOL_BR	<1 DRINK/WEEK	1	-0.00151	0.03952	0.0015	0.9696	0.998	0.924	1.079	ALCOHOL_BR <1 DRINK/WEEK
ALCOHOL_BR	>= 1 DRINK / WEEK	1	-0.10934	0.04093	7.1361	0.0076	0.896	0.827	0.971	ALCOHOL_BR >= 1 DRINK / WEEK
ALCOHOL_BR	FORMER DRINKER	1	0.02629	0.04331	0.3686	0.5438	1.027	0.943	1.118	ALCOHOL_BR FORMER DRINKER
HEI2015_TOTAL_SCORE		1	-0.00189	0.00109	3.0176	0.0824	0.998	0.996	1.000	TOTAL HEI-2015 SCORE
PHYSICAL_ACTIVITY_ME		1	-0.00196	0.0008669	5.1243	0.0236	0.998	0.996	1.000	

Harrell's Concordance Statistic					
		Comparable Pairs			
Source	Estimate	Concordance	Discordance	Tied in Predictor	Tied in Time
Model	0.6572	133515449	69638272	0	12110

table 4

The PHREG Procedure

Model Information	
Data Set	VA7.TRAIN_VF
Dependent Variable	TTE_DIABETES

Model Information	
Censoring Variable	INCIDENT_DIABETES
Censoring Value(s)	0
Ties Handling	BRESLOW

Number of Observations Read	93463
Number of Observations Used	93463

Class Level Information										
Class	Value	Design Variables								
bmi_wc	< 105 cm (obesity-1)	1	0	0	0	0	0	0	0	0
	< 115 cm (obesity-2)	0	1	0	0	0	0	0	0	0
	< 115 cm (obesity-3)	0	0	1	0	0	0	0	0	0
	< 80 cm (normal weight)	0	0	0	0	0	0	0	0	0
	< 90 cm (overweight)	0	0	0	1	0	0	0	0	0
	≥ 105 cm (obesity-1)	0	0	0	0	1	0	0	0	0
	≥ 115 cm (obesity-2)	0	0	0	0	0	1	0	0	0
	≥ 115 cm (obesity-3)	0	0	0	0	0	0	1	0	0
	≥ 80 cm (normal weight)	0	0	0	0	0	0	0	1	0
	≥ 90 cm (overweight)	0	0	0	0	0	0	0	0	1
RACE_BR	1	0	0	0						
	2	1	0	0						
	3	0	1	0						
	4	0	0	1						
ETHNICITY_BR	0	0								
	1	1								
MARITAL_BR	DIVORCED	1	0	0						
	MARRIED / PARTNERED	0	0	0						
	SINGLE	0	1	0						
	WIDOWED	0	0	1						
EDUC_BR	< HS	0	0	0						
	COMPLETED COLLEGE OR HIGHER	1	0	0						
	HS	0	1	0						
	SOME COLLEGE	0	0	1						
OCCUPATION	Homemaker	1	0	0	0	0	0			
	Managerial/professional	0	0	0	0	0	0			
	Missing	0	1	0	0	0	0			
	Not working/Retired/Disabled	0	0	1	0	0	0			
	Other	0	0	0	1	0	0			
	Service/labor	0	0	0	0	1	0			
	Technical/sales/administrative	0	0	0	0	0	1			
INCOME_BR	100,000+	0	0	0	0					
	20,000-49,999	1	0	0	0					
	50,000-99,999	0	1	0	0					
	<20,000	0	0	1	0					
	Missing	0	0	0	1					
SMOKING_BR	CURRENT SMOKER	1	0							
	NEVER SMOKER	0	0							
	PAST SMOKER	0	1							
ALCOHOL_BR	<1 DRINK/WEEK	1	0	0						
	>= 1 DRINK / WEEK	0	1	0						
	FORMER DRINKER	0	0	1						
	NON-DRINKER	0	0	0						

Summary of the Number of Event and Censored Values			
Total	Event	Censored	Percent Censored
93463	20742	72721	77.81

Step 1. Effect bmi_wc is entered. The model contains the following effects:

bmi_wc

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	441524.91
AIC	445372.57	441542.91
SBC	445372.57	441614.36

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	3847.6662	9	<.0001
Score	4414.7581	9	<.0001
Wald	4054.0014	9	<.0001

Step 2. Effect RACE_BR is entered. The model contains the following effects:

bmi_wc RACE_BR

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	441157.68
AIC	445372.57	441181.68
SBC	445372.57	441276.95

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	4214.8960	12	<.0001
Score	4852.8382	12	<.0001
Wald	4473.4094	12	<.0001

Step 3. Effect ALCOHOL_BR is entered. The model contains the following effects:

bmi_wc RACE_BR ALCOHOL_BR

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	441055.11
AIC	445372.57	441085.11
SBC	445372.57	441204.21

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	4317.4620	15	<.0001
Score	4948.2076	15	<.0001
Wald	4565.5453	15	<.0001

Step 4. Effect ETHNICITY_BR is entered. The model contains the following effects:

bmi_wc RACE_BR ETHNICITY_BR ALCOHOL_BR

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	440977.55
AIC	445372.57	441009.55
SBC	445372.57	441136.59

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	4395.0239	16	<.0001
Score	5037.6959	16	<.0001
Wald	4653.2763	16	<.0001

Step 5. Effect SMOKING_BR is entered. The model contains the following effects:

bmi_wc RACE_BR ETHNICITY_BR SMOKING_BR ALCOHOL_BR

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	440935.59
AIC	445372.57	440971.59
SBC	445372.57	441114.51

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	4436.9792	18	<.0001
Score	5080.8640	18	<.0001
Wald	4696.5618	18	<.0001

Step 6. Effect HEI2015_TOTAL_SCORE is entered. The model contains the following effects:

bmi_wc RACE_BR ETHNICITY_BR SMOKING_BR ALCOHOL_BR HEI2015_TOTAL_SCORE

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	440913.10
AIC	445372.57	440951.10
SBC	445372.57	441101.96

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	4459.4700	19	<.0001
Score	5103.4845	19	<.0001
Wald	4719.4412	19	<.0001

Step 7. Effect MARITAL_BR is entered. The model contains the following effects:

bmi_wc RACE_BR ETHNICITY_BR MARITAL_BR SMOKING_BR ALCOHOL_BR HEI2015_TOTAL_SCORE

Convergence Status

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	440886.19
AIC	445372.57	440930.19
SBC	445372.57	441104.87

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	4486.3833	22	<.0001
Score	5131.0769	22	<.0001
Wald	4747.0430	22	<.0001

Step 8. Effect EDUC_BR is entered. The model contains the following effects:

bmi_wc RACE_BR ETHNICITY_BR MARITAL_BR EDUC_BR SMOKING_BR ALCOHOL_BR HEI2015_TOTAL_SCORE

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	440860.70
AIC	445372.57	440910.70
SBC	445372.57	441109.20

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	4511.8699	25	<.0001
Score	5164.9427	25	<.0001
Wald	4780.1078	25	<.0001

Step 9. Effect INCOME_BR is entered. The model contains the following effects:

bmi_wc RACE_BR ETHNICITY_BR MARITAL_BR EDUC_BR INCOME_BR SMOKING_BR ALCOHOL_BR HEI2015_TOTAL_SCORE

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	440840.86
AIC	445372.57	440898.86
SBC	445372.57	441129.12

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	4531.7098	29	<.0001
Score	5188.1729	29	<.0001
Wald	4802.7070	29	<.0001

Note: No (additional) effects met the 0.05 level for entry into the model.

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
bmi_wc	9	3143.3496	<.0001

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
RACE_BR	3	283.6150	<.0001
ETHNICITY_BR	1	69.5313	<.0001
MARITAL_BR	3	21.0908	0.0001
EDUC_BR	3	23.2118	<.0001
INCOME_BR	4	20.0697	0.0005
SMOKING_BR	2	28.8045	<.0001
ALCOHOL_BR	3	90.8013	<.0001
HEI2015_TOTAL_SCORE	1	22.3747	<.0001

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
bmi_wc	< 105 cm (obesity-1)	1	0.78609	0.02281	1188.0847	<.0001	2.195	2.099	2.295	bmi_wc < 105 cm (obesity-1)
bmi_wc	< 115 cm (obesity-2)	1	1.04459	0.02904	1293.9287	<.0001	2.842	2.685	3.009	bmi_wc < 115 cm (obesity-2)
bmi_wc	< 115 cm (obesity-3)	1	1.11349	0.04566	594.8265	<.0001	3.045	2.784	3.330	bmi_wc < 115 cm (obesity-3)
bmi_wc	< 90 cm (overweight)	1	0.36799	0.02117	302.0431	<.0001	1.445	1.386	1.506	bmi_wc < 90 cm (overweight)
bmi_wc	≥ 105 cm (obesity-1)	1	1.19786	0.04147	834.1691	<.0001	3.313	3.054	3.594	bmi_wc ≥ 105 cm (obesity-1)
bmi_wc	≥ 115 cm (obesity-2)	1	1.45613	0.05838	622.1252	<.0001	4.289	3.826	4.809	bmi_wc ≥ 115 cm (obesity-2)
bmi_wc	≥ 115 cm (obesity-3)	1	1.50310	0.04289	1228.3890	<.0001	4.496	4.133	4.890	bmi_wc ≥ 115 cm (obesity-3)
bmi_wc	≥ 80 cm (normal weight)	1	0.34449	0.03198	116.0352	<.0001	1.411	1.326	1.503	bmi_wc ≥ 80 cm (normal weight)
bmi_wc	≥ 90 cm (overweight)	1	0.77911	0.02664	855.2986	<.0001	2.180	2.069	2.296	bmi_wc ≥ 90 cm (overweight)
RACE_BR	2	1	-0.32531	0.02438	178.1034	<.0001	0.722	0.689	0.758	RACE_BR 2
RACE_BR	3	1	0.15207	0.04887	9.6820	0.0019	1.164	1.058	1.281	RACE_BR 3
RACE_BR	4	1	-0.16228	0.06110	7.0545	0.0079	0.850	0.754	0.958	RACE_BR 4
ETHNICITY_BR	1	1	0.31445	0.03771	69.5313	<.0001	1.370	1.272	1.475	ETHNICITY_BR 1
MARITAL_BR	DIVORCED	1	0.08515	0.02054	17.1834	<.0001	1.089	1.046	1.134	MARITAL_BR DIVORCED
MARITAL_BR	SINGLE	1	-0.04293	0.03579	1.4391	0.2303	0.958	0.893	1.028	MARITAL_BR SINGLE
MARITAL_BR	WIDOWED	1	0.01749	0.02176	0.6464	0.4214	1.018	0.975	1.062	MARITAL_BR WIDOWED
EDUC_BR	COMPLETED COLLEGE OR HIGHER	1	-0.11477	0.03801	9.1188	0.0025	0.892	0.828	0.961	EDUC_BR COMPLETED COLLEGE OR HIGHER
EDUC_BR	HS	1	-0.17485	0.03915	19.9461	<.0001	0.840	0.778	0.907	EDUC_BR HS
EDUC_BR	SOME COLLEGE	1	-0.10458	0.03709	7.9511	0.0048	0.901	0.838	0.969	EDUC_BR SOME COLLEGE
INCOME_BR	20,000-49,999	1	-0.06608	0.02575	6.5848	0.0103	0.936	0.890	0.985	INCOME_BR 20,000-49,999
INCOME_BR	50,000-99,999	1	-0.07598	0.02504	9.2110	0.0024	0.927	0.882	0.973	INCOME_BR 50,000-99,999
INCOME_BR	<20,000	1	0.00825	0.03321	0.0617	0.8039	1.008	0.945	1.076	INCOME_BR <20,000
INCOME_BR	Missing	1	-0.05066	0.03767	1.8078	0.1788	0.951	0.883	1.023	INCOME_BR Missing
SMOKING_BR	CURRENT SMOKER	1	0.16265	0.03038	28.6680	<.0001	1.177	1.109	1.249	SMOKING_BR CURRENT SMOKER
SMOKING_BR	PAST SMOKER	1	0.02505	0.01498	2.7987	0.0943	1.025	0.996	1.056	SMOKING_BR PAST SMOKER
ALCOHOL_BR	<1 DRINK/WEEK	1	-0.01911	0.02595	0.5424	0.4615	0.981	0.932	1.032	ALCOHOL_BR <1 DRINK/WEEK
ALCOHOL_BR	>= 1 DRINK / WEEK	1	-0.14852	0.02691	30.4590	<.0001	0.862	0.818	0.909	ALCOHOL_BR >= 1 DRINK / WEEK
ALCOHOL_BR	FORMER DRINKER	1	0.02088	0.02851	0.5363	0.4640	1.021	0.966	1.080	ALCOHOL_BR FORMER DRINKER
HEI2015_TOTAL_SCORE		1	-0.00332	0.0007023	22.3747	<.0001	0.997	0.995	0.998	TOTAL HEI-2015 SCORE

Summary of Forward Selection						
Step	Effect Entered	DF	Number In	Score Chi-Square	Pr > ChiSq	Effect Label
1	bmi_wc	9	1	4414.7581	<.0001	
2	RACE_BR	3	2	413.8982	<.0001	
3	ALCOHOL_BR	3	3	102.0450	<.0001	
4	ETHNICITY_BR	1	4	86.8592	<.0001	
5	SMOKING_BR	2	5	44.0340	<.0001	
6	HEI2015_TOTAL_SCORE	1	6	22.5481	<.0001	TOTAL HEI-2015 SCORE
7	MARITAL_BR	3	7	27.3127	<.0001	
8	EDUC_BR	3	8	25.9361	<.0001	
9	INCOME_BR	4	9	20.0780	0.0005	

table 4

The PHREG Procedure

Model Information	
Data Set	VA7.TRAIN_VF
Dependent Variable	TTE_DIABETES
Censoring Variable	INCIDENT_DIABETES
Censoring Value(s)	0
Ties Handling	BRESLOW

Number of Observations Read	93463
Number of Observations Used	93463

Class Level Information										
Class	Value	Design Variables								
bmi_wc	< 105 cm (obesity-1)	1	0	0	0	0	0	0	0	0
	< 115 cm (obesity-2)	0	1	0	0	0	0	0	0	0
	< 115 cm (obesity-3)	0	0	1	0	0	0	0	0	0
	< 80 cm (normal weight)	0	0	0	0	0	0	0	0	0
	< 90 cm (overweight)	0	0	0	1	0	0	0	0	0
	≥ 105 cm (obesity-1)	0	0	0	0	1	0	0	0	0
	≥ 115 cm (obesity-2)	0	0	0	0	0	1	0	0	0
	≥ 115 cm (obesity-3)	0	0	0	0	0	0	1	0	0
	≥ 80 cm (normal weight)	0	0	0	0	0	0	0	1	0
	≥ 90 cm (overweight)	0	0	0	0	0	0	0	0	1
RACE_BR	1	0	0	0						
	2	1	0	0						
	3	0	1	0						
	4	0	0	1						
ETHNICITY_BR	0	0								
	1	1								
MARITAL_BR	DIVORCED	1	0	0						
	MARRIED / PARTNERED	0	0	0						
	SINGLE	0	1	0						
	WIDOWED	0	0	1						
EDUC_BR	< HS	0	0	0						
	COMPLETED COLLEGE OR HIGHER	1	0	0						
	HS	0	1	0						
	SOME COLLEGE	0	0	1						
OCCUPATION	Homemaker	1	0	0	0	0	0			
	Managerial/professional	0	0	0	0	0	0			
	Missing	0	1	0	0	0	0			
	Not working/Retired/Disabled	0	0	1	0	0	0			
	Other	0	0	0	1	0	0			

Class Level Information										
Class	Value	Design Variables								
	Service/labor	0	0	0	0	1	0			
	Technical/sales/administrative	0	0	0	0	0	1			
INCOME_BR	100,000+	0	0	0	0					
	20,000-49,999	1	0	0	0					
	50,000-99,999	0	1	0	0					
	<20,000	0	0	1	0					
	Missing	0	0	0	1					
SMOKING_BR	CURRENT SMOKER	1	0							
	NEVER SMOKER	0	0							
	PAST SMOKER	0	1							
ALCOHOL_BR	<1 DRINK/WEEK	1	0	0						
	>= 1 DRINK / WEEK	0	1	0						
	FORMER DRINKER	0	0	1						
	NON-DRINKER	0	0	0						

Summary of the Number of Event and Censored Values			
Total	Event	Censored	Percent Censored
93463	20742	72721	77.81

Step 0. The model contains the following effects:

bmi_wc AGE RACE_BR ETHNICITY_BR MARITAL_BR EDUC_BR OCCUPATION INCOME_BR SMOKING_BR ALCOHOL_BR HEI2015_TOTAL_SCORE PHYSICAL_ACTIVITY_ME

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	440830.41
AIC	445372.57	440904.41
SBC	445372.57	441198.19

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	4542.1623	37	<.0001
Score	5198.4198	37	<.0001
Wald	4812.7163	37	<.0001

Step 1. Effect AGE is removed. The model contains the following effects:

bmi_wc RACE_BR ETHNICITY_BR MARITAL_BR EDUC_BR OCCUPATION INCOME_BR SMOKING_BR ALCOHOL_BR HEI2015_TOTAL_SCORE PHYSICAL_ACTIVITY_ME

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	440830.48
AIC	445372.57	440902.48
SBC	445372.57	441188.31

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	4542.0940	36	<.0001
Score	5198.2694	36	<.0001

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Wald	4812.5640	36	<.0001

Step 2. Effect OCCUPATION is removed. The model contains the following effects:

bmi_wc RACE_BR ETHNICITY_BR MARITAL_BR EDUC_BR INCOME_BR SMOKING_BR ALCOHOL_BR HEI2015_TOTAL_SCORE PHYSICAL_ACTIVITY_ME

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	440837.42
AIC	445372.57	440897.42
SBC	445372.57	441135.62

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	4535.1527	30	<.0001
Score	5190.6362	30	<.0001
Wald	4804.8233	30	<.0001

Step 3. Effect PHYSICAL_ACTIVITY_ME is removed. The model contains the following effects:

bmi_wc RACE_BR ETHNICITY_BR MARITAL_BR EDUC_BR INCOME_BR SMOKING_BR ALCOHOL_BR HEI2015_TOTAL_SCORE

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	440840.86
AIC	445372.57	440898.86
SBC	445372.57	441129.12

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	4531.7098	29	<.0001
Score	5188.1729	29	<.0001
Wald	4802.7070	29	<.0001

Note: No (additional) effects met the 0.05 level for removal from the model.

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
bmi_wc	9	3143.3496	<.0001
RACE_BR	3	283.6150	<.0001
ETHNICITY_BR	1	69.5313	<.0001
MARITAL_BR	3	21.0908	0.0001
EDUC_BR	3	23.2118	<.0001
INCOME_BR	4	20.0697	0.0005
SMOKING_BR	2	28.8045	<.0001
ALCOHOL_BR	3	90.8013	<.0001
HEI2015_TOTAL_SCORE	1	22.3747	<.0001

Analysis of Maximum Likelihood Estimates									
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits	Label

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
bmi_wc	< 105 cm (obesity-1)	1	0.78609	0.02281	1188.0847	<.0001	2.195	2.099	2.295	bmi_wc < 105 cm (obesity-1)
bmi_wc	< 115 cm (obesity-2)	1	1.04459	0.02904	1293.9287	<.0001	2.842	2.685	3.009	bmi_wc < 115 cm (obesity-2)
bmi_wc	< 115 cm (obesity-3)	1	1.11349	0.04566	594.8265	<.0001	3.045	2.784	3.330	bmi_wc < 115 cm (obesity-3)
bmi_wc	< 90 cm (overweight)	1	0.36799	0.02117	302.0431	<.0001	1.445	1.386	1.506	bmi_wc < 90 cm (overweight)
bmi_wc	≥ 105 cm (obesity-1)	1	1.19786	0.04147	834.1691	<.0001	3.313	3.054	3.594	bmi_wc ≥ 105 cm (obesity-1)
bmi_wc	≥ 115 cm (obesity-2)	1	1.45613	0.05838	622.1252	<.0001	4.289	3.826	4.809	bmi_wc ≥ 115 cm (obesity-2)
bmi_wc	≥ 115 cm (obesity-3)	1	1.50310	0.04289	1228.3890	<.0001	4.496	4.133	4.890	bmi_wc ≥ 115 cm (obesity-3)
bmi_wc	≥ 80 cm (normal weight)	1	0.34449	0.03198	116.0352	<.0001	1.411	1.326	1.503	bmi_wc ≥ 80 cm (normal weight)
bmi_wc	≥ 90 cm (overweight)	1	0.77911	0.02664	855.2986	<.0001	2.180	2.069	2.296	bmi_wc ≥ 90 cm (overweight)
RACE_BR	2	1	-0.32531	0.02438	178.1034	<.0001	0.722	0.689	0.758	RACE_BR 2
RACE_BR	3	1	0.15207	0.04887	9.6820	0.0019	1.164	1.058	1.281	RACE_BR 3
RACE_BR	4	1	-0.16228	0.06110	7.0545	0.0079	0.850	0.754	0.958	RACE_BR 4
ETHNICITY_BR	1	1	0.31445	0.03771	69.5313	<.0001	1.370	1.272	1.475	ETHNICITY_BR 1
MARITAL_BR	DIVORCED	1	0.08515	0.02054	17.1834	<.0001	1.089	1.046	1.134	MARITAL_BR DIVORCED
MARITAL_BR	SINGLE	1	-0.04293	0.03579	1.4391	0.2303	0.958	0.893	1.028	MARITAL_BR SINGLE
MARITAL_BR	WIDOWED	1	0.01749	0.02176	0.6464	0.4214	1.018	0.975	1.062	MARITAL_BR WIDOWED
EDUC_BR	COMPLETED COLLEGE OR HIGHER	1	-0.11477	0.03801	9.1188	0.0025	0.892	0.828	0.961	EDUC_BR COMPLETED COLLEGE OR HIGHER
EDUC_BR	HS	1	-0.17485	0.03915	19.9461	<.0001	0.840	0.778	0.907	EDUC_BR HS
EDUC_BR	SOME COLLEGE	1	-0.10458	0.03709	7.9511	0.0048	0.901	0.838	0.969	EDUC_BR SOME COLLEGE
INCOME_BR	20,000-49,999	1	-0.06608	0.02575	6.5848	0.0103	0.936	0.890	0.985	INCOME_BR 20,000-49,999
INCOME_BR	50,000-99,999	1	-0.07598	0.02504	9.2110	0.0024	0.927	0.882	0.973	INCOME_BR 50,000-99,999
INCOME_BR	<20,000	1	0.00825	0.03321	0.0617	0.8039	1.008	0.945	1.076	INCOME_BR <20,000
INCOME_BR	Missing	1	-0.05066	0.03767	1.8078	0.1788	0.951	0.883	1.023	INCOME_BR Missing
SMOKING_BR	CURRENT SMOKER	1	0.16265	0.03038	28.6680	<.0001	1.177	1.109	1.249	SMOKING_BR CURRENT SMOKER
SMOKING_BR	PAST SMOKER	1	0.02505	0.01498	2.7987	0.0943	1.025	0.996	1.056	SMOKING_BR PAST SMOKER
ALCOHOL_BR	<1 DRINK/WEEK	1	-0.01911	0.02595	0.5424	0.4615	0.981	0.932	1.032	ALCOHOL_BR <1 DRINK/WEEK
ALCOHOL_BR	>= 1 DRINK / WEEK	1	-0.14852	0.02691	30.4590	<.0001	0.862	0.818	0.909	ALCOHOL_BR >= 1 DRINK / WEEK
ALCOHOL_BR	FORMER DRINKER	1	0.02088	0.02851	0.5363	0.4640	1.021	0.966	1.080	ALCOHOL_BR FORMER DRINKER
HEI2015_TOTAL_SCORE		1	-0.00332	0.0007023	22.3747	<.0001	0.997	0.995	0.998	TOTAL HEI-2015 SCORE

Summary of Backward Elimination						
Step	Effect Removed	DF	Number In	Wald Chi-Square	Pr > ChiSq	Effect Label
1	AGE	1	11	0.0683	0.7939	Age at screening
2	OCCUPATION	6	10	6.8585	0.3341	
3	PHYSICAL_ACTIVITY_ME	1	9	3.4126	0.0647	

Harrell's Concordance Statistic					
		Comparable Pairs			
Source	Estimate	Concordance	Discordance	Tied in Predictor	Tied in Time
Model	0.6604	717641512	369091687	0	63916

table 4

The PHREG Procedure

Model Information	
Data Set	VA7.TRAIN_VF
Dependent Variable	TTE_DIABETES
Censoring Variable	INCIDENT_DIABETES
Censoring Value(s)	0
Ties Handling	BRESLOW

Number of Observations Read	93463
Number of Observations Used	93463

Class Level Information										
Class	Value	Design Variables								
bmi_wc	< 105 cm (obesity-1)	1	0	0	0	0	0	0	0	0
	< 115 cm (obesity-2)	0	1	0	0	0	0	0	0	0
	< 115 cm (obesity-3)	0	0	1	0	0	0	0	0	0
	< 80 cm (normal weight)	0	0	0	0	0	0	0	0	0
	< 90 cm (overweight)	0	0	0	1	0	0	0	0	0
	≥ 105 cm (obesity-1)	0	0	0	0	1	0	0	0	0
	≥ 115 cm (obesity-2)	0	0	0	0	0	1	0	0	0
	≥ 115 cm (obesity-3)	0	0	0	0	0	0	1	0	0
	≥ 80 cm (normal weight)	0	0	0	0	0	0	0	1	0
	≥ 90 cm (overweight)	0	0	0	0	0	0	0	0	1
RACE_BR	1	0	0	0						
	2	1	0	0						
	3	0	1	0						
	4	0	0	1						
ETHNICITY_BR	0	0								
	1	1								
MARITAL_BR	DIVORCED	1	0	0						
	MARRIED / PARTNERED	0	0	0						
	SINGLE	0	1	0						
	WIDOWED	0	0	1						
EDUC_BR	< HS	0	0	0						
	COMPLETED COLLEGE OR HIGHER	1	0	0						
	HS	0	1	0						
	SOME COLLEGE	0	0	1						
OCCUPATION	Homemaker	1	0	0	0	0	0			
	Managerial/professional	0	0	0	0	0	0			
	Missing	0	1	0	0	0	0			
	Not working/Retired/Disabled	0	0	1	0	0	0			
	Other	0	0	0	1	0	0			
	Service/labor	0	0	0	0	1	0			
	Technical/sales/administrative	0	0	0	0	0	1			
INCOME_BR	100,000+	0	0	0	0					
	20,000-49,999	1	0	0	0					
	50,000-99,999	0	1	0	0					
	<20,000	0	0	1	0					
	Missing	0	0	0	1					
SMOKING_BR	CURRENT SMOKER	1	0							
	NEVER SMOKER	0	0							
	PAST SMOKER	0	1							
ALCOHOL_BR	<1 DRINK/WEEK	1	0	0						
	>= 1 DRINK / WEEK	0	1	0						
	FORMER DRINKER	0	0	1						
	NON-DRINKER	0	0	0						

Summary of the Number of Event and Censored Values			
Total	Event	Censored	Percent Censored
93463	20742	72721	77.81

Step 1. Effect bmi_wc is entered. The model contains the following effects:

bmi_wc

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	441524.91
AIC	445372.57	441542.91
SBC	445372.57	441614.36

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	3847.6662	9	<.0001
Score	4414.7581	9	<.0001
Wald	4054.0014	9	<.0001

Step 2. Effect RACE_BR is entered. The model contains the following effects:

bmi_wc RACE_BR

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	441157.68
AIC	445372.57	441181.68
SBC	445372.57	441276.95

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	4214.8960	12	<.0001
Score	4852.8382	12	<.0001
Wald	4473.4094	12	<.0001

Step 3. Effect ALCOHOL_BR is entered. The model contains the following effects:

bmi_wc RACE_BR ALCOHOL_BR

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	441055.11
AIC	445372.57	441085.11
SBC	445372.57	441204.21

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	4317.4620	15	<.0001
Score	4948.2076	15	<.0001

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Wald	4565.5453	15	<.0001

Step 4. Effect ETHNICITY_BR is entered. The model contains the following effects:

bmi_wc RACE_BR ETHNICITY_BR ALCOHOL_BR

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	440977.55
AIC	445372.57	441009.55
SBC	445372.57	441136.59

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	4395.0239	16	<.0001
Score	5037.6959	16	<.0001
Wald	4653.2763	16	<.0001

Step 5. Effect SMOKING_BR is entered. The model contains the following effects:

bmi_wc RACE_BR ETHNICITY_BR SMOKING_BR ALCOHOL_BR

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	440935.59
AIC	445372.57	440971.59
SBC	445372.57	441114.51

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	4436.9792	18	<.0001
Score	5080.8640	18	<.0001
Wald	4696.5618	18	<.0001

Step 6. Effect HEI2015_TOTAL_SCORE is entered. The model contains the following effects:

bmi_wc RACE_BR ETHNICITY_BR SMOKING_BR ALCOHOL_BR HEI2015_TOTAL_SCORE

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	440913.10
AIC	445372.57	440951.10
SBC	445372.57	441101.96

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	4459.4700	19	<.0001
Score	5103.4845	19	<.0001

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Wald	4719.4412	19	<.0001

Step 7. Effect MARITAL_BR is entered. The model contains the following effects:

bmi_wc RACE_BR ETHNICITY_BR MARITAL_BR SMOKING_BR ALCOHOL_BR HEI2015_TOTAL_SCORE

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	440886.19
AIC	445372.57	440930.19
SBC	445372.57	441104.87

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	4486.3833	22	<.0001
Score	5131.0769	22	<.0001
Wald	4747.0430	22	<.0001

Step 8. Effect EDUC_BR is entered. The model contains the following effects:

bmi_wc RACE_BR ETHNICITY_BR MARITAL_BR EDUC_BR SMOKING_BR ALCOHOL_BR HEI2015_TOTAL_SCORE

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	440860.70
AIC	445372.57	440910.70
SBC	445372.57	441109.20

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	4511.8699	25	<.0001
Score	5164.9427	25	<.0001
Wald	4780.1078	25	<.0001

Step 9. Effect INCOME_BR is entered. The model contains the following effects:

bmi_wc RACE_BR ETHNICITY_BR MARITAL_BR EDUC_BR INCOME_BR SMOKING_BR ALCOHOL_BR HEI2015_TOTAL_SCORE

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	440840.86
AIC	445372.57	440898.86
SBC	445372.57	441129.12

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	4531.7098	29	<.0001
Score	5188.1729	29	<.0001

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Wald	4802.7070	29	<.0001

Note: No (additional) effects met the 0.05 level for entry into the model.

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
bmi_wc	9	3143.3496	<.0001
RACE_BR	3	283.6150	<.0001
ETHNICITY_BR	1	69.5313	<.0001
MARITAL_BR	3	21.0908	0.0001
EDUC_BR	3	23.2118	<.0001
INCOME_BR	4	20.0697	0.0005
SMOKING_BR	2	28.8045	<.0001
ALCOHOL_BR	3	90.8013	<.0001
HEI2015_TOTAL_SCORE	1	22.3747	<.0001

Analysis of Maximum Likelihood Estimates									
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits	Label
bmi_wc	< 105 cm (obesity-1)	1	0.78609	0.02281	1188.0847	<.0001	2.195	2.099 2.295	bmi_wc < 105 cm (obesity-1)
bmi_wc	< 115 cm (obesity-2)	1	1.04459	0.02904	1293.9287	<.0001	2.842	2.685 3.009	bmi_wc < 115 cm (obesity-2)
bmi_wc	< 115 cm (obesity-3)	1	1.11349	0.04566	594.8265	<.0001	3.045	2.784 3.330	bmi_wc < 115 cm (obesity-3)
bmi_wc	< 90 cm (overweight)	1	0.36799	0.02117	302.0431	<.0001	1.445	1.386 1.506	bmi_wc < 90 cm (overweight)
bmi_wc	≥ 105 cm (obesity-1)	1	1.19786	0.04147	834.1691	<.0001	3.313	3.054 3.594	bmi_wc ≥ 105 cm (obesity-1)
bmi_wc	≥ 115 cm (obesity-2)	1	1.45613	0.05838	622.1252	<.0001	4.289	3.826 4.809	bmi_wc ≥ 115 cm (obesity-2)
bmi_wc	≥ 115 cm (obesity-3)	1	1.50310	0.04289	1228.3890	<.0001	4.496	4.133 4.890	bmi_wc ≥ 115 cm (obesity-3)
bmi_wc	≥ 80 cm (normal weight)	1	0.34449	0.03198	116.0352	<.0001	1.411	1.326 1.503	bmi_wc ≥ 80 cm (normal weight)
bmi_wc	≥ 90 cm (overweight)	1	0.77911	0.02664	855.2986	<.0001	2.180	2.069 2.296	bmi_wc ≥ 90 cm (overweight)
RACE_BR	2	1	-0.32531	0.02438	178.1034	<.0001	0.722	0.689 0.758	RACE_BR 2
RACE_BR	3	1	0.15207	0.04887	9.6820	0.0019	1.164	1.058 1.281	RACE_BR 3
RACE_BR	4	1	-0.16228	0.06110	7.0545	0.0079	0.850	0.754 0.958	RACE_BR 4
ETHNICITY_BR	1	1	0.31445	0.03771	69.5313	<.0001	1.370	1.272 1.475	ETHNICITY_BR 1
MARITAL_BR	DIVORCED	1	0.08515	0.02054	17.1834	<.0001	1.089	1.046 1.134	MARITAL_BR DIVORCED
MARITAL_BR	SINGLE	1	-0.04293	0.03579	1.4391	0.2303	0.958	0.893 1.028	MARITAL_BR SINGLE
MARITAL_BR	WIDOWED	1	0.01749	0.02176	0.6464	0.4214	1.018	0.975 1.062	MARITAL_BR WIDOWED
EDUC_BR	COMPLETED COLLEGE OR HIGHER	1	-0.11477	0.03801	9.1188	0.0025	0.892	0.828 0.961	EDUC_BR COMPLETED COLLEGE OR HIGHER
EDUC_BR	HS	1	-0.17485	0.03915	19.9461	<.0001	0.840	0.778 0.907	EDUC_BR HS
EDUC_BR	SOME COLLEGE	1	-0.10458	0.03709	7.9511	0.0048	0.901	0.838 0.969	EDUC_BR SOME COLLEGE
INCOME_BR	20,000-49,999	1	-0.06608	0.02575	6.5848	0.0103	0.936	0.890 0.985	INCOME_BR 20,000-49,999
INCOME_BR	50,000-99,999	1	-0.07598	0.02504	9.2110	0.0024	0.927	0.882 0.973	INCOME_BR 50,000-99,999
INCOME_BR	<20,000	1	0.00825	0.03321	0.0617	0.8039	1.008	0.945 1.076	INCOME_BR <20,000
INCOME_BR	Missing	1	-0.05066	0.03767	1.8078	0.1788	0.951	0.883 1.023	INCOME_BR Missing
SMOKING_BR	CURRENT SMOKER	1	0.16265	0.03038	28.6680	<.0001	1.177	1.109 1.249	SMOKING_BR CURRENT SMOKER
SMOKING_BR	PAST SMOKER	1	0.02505	0.01498	2.7987	0.0943	1.025	0.996 1.056	SMOKING_BR PAST SMOKER
ALCOHOL_BR	<1 DRINK/WEEK	1	-0.01911	0.02595	0.5424	0.4615	0.981	0.932 1.032	ALCOHOL_BR <1 DRINK/WEEK

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
ALCOHOL_BR	>= 1 DRINK / WEEK	1	-0.14852	0.02691	30.4590	<.0001	0.862	0.818	0.909	ALCOHOL_BR >= 1 DRINK / WEEK
ALCOHOL_BR	FORMER DRINKER	1	0.02088	0.02851	0.5363	0.4640	1.021	0.966	1.080	ALCOHOL_BR FORMER DRINKER
HEI2015_TOTAL_SCORE		1	-0.00332	0.0007023	22.3747	<.0001	0.997	0.995	0.998	TOTAL HEI-2015 SCORE

Summary of Stepwise Selection								
Step	Effect Entered	Effect Removed	DF	Number In	Score Chi-Square	Wald Chi-Square	Pr > ChiSq	Effect Label
1	bmi_wc		9	1	4414.7581		<.0001	
2	RACE_BR		3	2	413.8982		<.0001	
3	ALCOHOL_BR		3	3	102.0450		<.0001	
4	ETHNICITY_BR		1	4	86.8592		<.0001	
5	SMOKING_BR		2	5	44.0340		<.0001	
6	HEI2015_TOTAL_SCORE		1	6	22.5481		<.0001	TOTAL HEI-2015 SCORE
7	MARITAL_BR		3	7	27.3127		<.0001	
8	EDUC_BR		3	8	25.9361		<.0001	
9	INCOME_BR		4	9	20.0780		0.0005	

table 4

The PHREG Procedure

Model Information	
Data Set	VA7.VALIDATION_VF
Dependent Variable	TTE_DIABETES
Censoring Variable	INCIDENT_DIABETES
Censoring Value(s)	0
Ties Handling	BRESLOW

Number of Observations Read	40157
Number of Observations Used	40157

Class Level Information										
Class	Value	Design Variables								
bmi_wc	< 105 cm (obesity-1)	1	0	0	0	0	0	0	0	0
	< 115 cm (obesity-2)	0	1	0	0	0	0	0	0	0
	< 115 cm (obesity-3)	0	0	1	0	0	0	0	0	0
	< 80 cm (normal weight)	0	0	0	0	0	0	0	0	0
	< 90 cm (overweight)	0	0	0	1	0	0	0	0	0
	≥ 105 cm (obesity-1)	0	0	0	0	1	0	0	0	0
	≥ 115 cm (obesity-2)	0	0	0	0	0	1	0	0	0
	≥ 115 cm (obesity-3)	0	0	0	0	0	0	1	0	0
	≥ 80 cm (normal weight)	0	0	0	0	0	0	0	1	0
	≥ 90 cm (overweight)	0	0	0	0	0	0	0	0	1
RACE_BR	1	0	0	0						
	2	1	0	0						
	3	0	1	0						
	4	0	0	1						
ETHNICITY_BR	0	0								
	1	1								
MARITAL_BR	DIVORCED	1	0	0						
	MARRIED / PARTNERED	0	0	0						
	SINGLE	0	1	0						
	WIDOWED	0	0	1						

Class Level Information										
Class	Value	Design Variables								
EDUC_BR	< HS	0	0	0						
	COMPLETED COLLEGE OR HIGHER	1	0	0						
	HS	0	1	0						
	SOME COLLEGE	0	0	1						
OCCUPATION	Homemaker	1	0	0	0	0	0			
	Managerial/professional	0	0	0	0	0	0			
	Missing	0	1	0	0	0	0			
	Not working/Retired/Disabled	0	0	1	0	0	0			
	Other	0	0	0	1	0	0			
	Service/labor	0	0	0	0	1	0			
	Technical/sales/administrative	0	0	0	0	0	1			
INCOME_BR	100,000+	0	0	0	0					
	20,000-49,999	1	0	0	0					
	50,000-99,999	0	1	0	0					
	<20,000	0	0	1	0					
	Missing	0	0	0	1					
SMOKING_BR	CURRENT SMOKER	1	0							
	NEVER SMOKER	0	0							
	PAST SMOKER	0	1							
ALCOHOL_BR	<1 DRINK/WEEK	1	0	0						
	>= 1 DRINK / WEEK	0	1	0						
	FORMER DRINKER	0	0	1						
	NON-DRINKER	0	0	0						

Summary of the Number of Event and Censored Values			
Total	Event	Censored	Percent Censored
40157	8975	31182	77.65

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	177705.15	175864.80
AIC	177705.15	175934.80
SBC	177705.15	176183.38

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	1840.3433	35	<.0001
Score	2064.0942	35	<.0001
Wald	1926.4713	35	<.0001

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
bmi_wc	9	1391.1565	<.0001
AGE	1	0.8908	0.3453
RACE_BR	3	137.5335	<.0001
ETHNICITY_BR	1	29.0910	<.0001
MARITAL_BR	3	21.8033	<.0001
EDUC_BR	3	3.8499	0.2781
OCCUPATION	6	2.2624	0.8941
INCOME_BR	4	7.7944	0.0994
SMOKING_BR	2	29.9699	<.0001

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
ALCOHOL_BR	3	27.9839	<.0001

Analysis of Maximum Likelihood Estimates									
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits	Label
bmi_wc	< 105 cm (obesity-1)	1	0.83164	0.03424	589.8864	<.0001	2.297	2.148 2.457	bmi_wc < 105 cm (obesity-1)
bmi_wc	< 115 cm (obesity-2)	1	1.04598	0.04410	562.5840	<.0001	2.846	2.611 3.103	bmi_wc < 115 cm (obesity-2)
bmi_wc	< 115 cm (obesity-3)	1	1.02657	0.07148	206.2620	<.0001	2.791	2.427 3.211	bmi_wc < 115 cm (obesity-3)
bmi_wc	< 90 cm (overweight)	1	0.39775	0.03177	156.7530	<.0001	1.488	1.399 1.584	bmi_wc < 90 cm (overweight)
bmi_wc	≥ 105 cm (obesity-1)	1	1.22170	0.06248	382.2819	<.0001	3.393	3.002 3.835	bmi_wc ≥ 105 cm (obesity-1)
bmi_wc	≥ 115 cm (obesity-2)	1	1.29019	0.09779	174.0572	<.0001	3.633	3.000 4.401	bmi_wc ≥ 115 cm (obesity-2)
bmi_wc	≥ 115 cm (obesity-3)	1	1.51334	0.06498	542.3091	<.0001	4.542	3.999 5.159	bmi_wc ≥ 115 cm (obesity-3)
bmi_wc	≥ 80 cm (normal weight)	1	0.30708	0.04878	39.6317	<.0001	1.359	1.235 1.496	bmi_wc ≥ 80 cm (normal weight)
bmi_wc	≥ 90 cm (overweight)	1	0.76751	0.04056	358.0458	<.0001	2.154	1.990 2.333	bmi_wc ≥ 90 cm (overweight)
AGE		1	-0.00175	0.00185	0.8908	0.3453	0.998	0.995 1.002	Age at screening
RACE_BR	2	1	-0.34985	0.03751	86.9941	<.0001	0.705	0.655 0.759	RACE_BR 2
RACE_BR	3	1	0.13624	0.07158	3.6227	0.0570	1.146	0.996 1.319	RACE_BR 3
RACE_BR	4	1	-0.16599	0.09456	3.0813	0.0792	0.847	0.704 1.020	RACE_BR 4
ETHNICITY_BR	1	1	0.31631	0.05864	29.0910	<.0001	1.372	1.223 1.539	ETHNICITY_BR 1
MARITAL_BR	DIVORCED	1	0.12732	0.03149	16.3501	<.0001	1.136	1.068 1.208	MARITAL_BR DIVORCED
MARITAL_BR	SINGLE	1	-0.05805	0.05633	1.0621	0.3027	0.944	0.845 1.054	MARITAL_BR SINGLE
MARITAL_BR	WIDOWED	1	0.07913	0.03405	5.4014	0.0201	1.082	1.012 1.157	MARITAL_BR WIDOWED
EDUC_BR	COMPLETED COLLEGE OR HIGHER	1	-0.10457	0.06055	2.9822	0.0842	0.901	0.800 1.014	EDUC_BR COMPLETED COLLEGE OR HIGHER
EDUC_BR	HS	1	-0.09319	0.06131	2.3106	0.1285	0.911	0.808 1.027	EDUC_BR HS
EDUC_BR	SOME COLLEGE	1	-0.11377	0.05856	3.7752	0.0520	0.892	0.796 1.001	EDUC_BR SOME COLLEGE
OCCUPATION	Homemaker	1	-0.02882	0.03903	0.5453	0.4603	0.972	0.900 1.049	OCCUPATION Homemaker
OCCUPATION	Missing	1	-0.04420	0.06003	0.5421	0.4615	0.957	0.851 1.076	OCCUPATION Missing
OCCUPATION	Not working/Retired/Disabled	1	-0.03403	0.03645	0.8717	0.3505	0.967	0.900 1.038	OCCUPATION Not working/Retired/Disabled
OCCUPATION	Other	1	-0.00513	0.05166	0.0099	0.9209	0.995	0.899 1.101	OCCUPATION Other
OCCUPATION	Service/labor	1	-0.01047	0.04660	0.0505	0.8222	0.990	0.903 1.084	OCCUPATION Service/labor
OCCUPATION	Technical/sales/administrative	1	-0.04124	0.03368	1.4989	0.2208	0.960	0.898 1.025	OCCUPATION Technical/sales/administrative
INCOME_BR	20,000-49,999	1	-0.08483	0.03998	4.5016	0.0339	0.919	0.849 0.994	INCOME_BR 20,000-49,999
INCOME_BR	50,000-99,999	1	-0.02591	0.03794	0.4664	0.4946	0.974	0.905 1.050	INCOME_BR 50,000-99,999
INCOME_BR	<20,000	1	-0.07601	0.05231	2.1112	0.1462	0.927	0.836 1.027	INCOME_BR <20,000
INCOME_BR	Missing	1	-0.00303	0.05716	0.0028	0.9578	0.997	0.891 1.115	INCOME_BR Missing
SMOKING_BR	CURRENT SMOKER	1	0.23690	0.04368	29.4205	<.0001	1.267	1.163 1.381	SMOKING_BR CURRENT SMOKER
SMOKING_BR	PAST SMOKER	1	0.01617	0.02285	0.5007	0.4792	1.016	0.972 1.063	SMOKING_BR PAST SMOKER
ALCOHOL_BR	<1 DRINK/WEEK	1	-0.00220	0.03952	0.0031	0.9557	0.998	0.923 1.078	ALCOHOL_BR <1 DRINK/WEEK
ALCOHOL_BR	>= 1 DRINK / WEEK	1	-0.11490	0.04090	7.8936	0.0050	0.891	0.823 0.966	ALCOHOL_BR >= 1 DRINK / WEEK
ALCOHOL_BR	FORMER DRINKER	1	0.02634	0.04330	0.3701	0.5430	1.027	0.943 1.118	ALCOHOL_BR FORMER DRINKER

Harrell's Concordance Statistic					
		Comparable Pairs			
Source	Estimate	Concordance	Discordance	Tied in Predictor	Tied in Time
Model	0.6566	133387866	69761610	4245	12110

table 4

The PHREG Procedure

Model Information	
Data Set	WORK.TEST_RESULTS2

Model Information	
Dependent Variable	TTE_DIABETES
Censoring Variable	INCIDENT_DIABETES
Censoring Value(s)	0
Ties Handling	BRESLOW

Number of Observations Read	93463
Number of Observations Used	93463

Summary of the Number of Event and Censored Values			
Total	Event	Censored	Percent Censored
93463	20742	72721	77.81

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	445372.57	440840.86
AIC	445372.57	440842.86
SBC	445372.57	440850.80

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	4531.7098	1	<.0001
Score	4919.4143	1	<.0001
Wald	4802.4377	1	<.0001

Analysis of Maximum Likelihood Estimates									
Parameter	DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
risk_score	1	0.99997	0.01443	4802.4377	<.0001	2.718	2.642	2.796	Linear Predictor

Harrell's Concordance Statistic					
		Comparable Pairs			
Source	Estimate	Concordance	Discordance	Tied in Predictor	Tied in Time
Model	0.6604	717641512	369091687	0	63916