table 6

The PHREG Procedure

Model Information		
Data Set	VA7.MERGED_MAN7_VF	
Dependent Variable	TTE_DIABETES	
Censoring Variable	INCIDENT_DIABETES	
Censoring Value(s)	0	
Ties Handling	BRESLOW	
ROC Method	NNE	Nearest Neighbors

Number of Observations Read	133620
Number of Observations Used	133620

Class Level Information										
Class	Value	Design Variables								
bmi_wc	< 105 cm (obesity-1)	1	0	0	0	0	0	0	0	0
	< 115 cm (obesity-2)	0	1	0	0	0	0	0	0	0
	< 115 cm (obesity-3)	0	0	1	0	0	0	0	0	0
	< 80 cm (normal weight)	0	0	0	0	0	0	0	0	0
	< 90 cm (overweight)	0	0	0	1	0	0	0	0	0
	≥ 105 cm (obesity-1)	0	0	0	0	1	0	0	0	0
	≥ 115 cm (obesity-2)	0	0	0	0	0	1	0	0	0
	≥ 115 cm (obesity-3)	0	0	0	0	0	0	1	0	0
	≥ 80 cm (normal weight)	0	0	0	0	0	0	0	1	0
	≥ 90 cm (overweight)	0	0	0	0	0	0	0	0	1
RACE_BR	1	0	0	0						
	2	1	0	0						
	3	0	1	0						
	4	0	0	1						
ETHNICITY_BR	0	0								
	1	1								
MARITAL_BR	DIVORCED	1	0	0						
	MARRIED / PARTNERED	0	0	0						
	SINGLE	0	1	0						
	WIDOWED	0	0	1						
EDUC_BR	< HS	0	0	0						
	COMPLETED COLLEGE OR HIGHER	1	0	0						
	HS	0	1	0						
	SOME COLLEGE	0	0	1						
OCCUPATION	Homemaker	1	0	0	0	0	0			
	Managerial/professional	0	0	0	0	0	0			
	Missing	0	1	0	0	0	0			
	Not working/Retired/Disabled	0	0	1	0	0	0			
	Other	0	0	0	1	0	0			
	Service/labor	0	0	0	0	1	0			
	Technical/sales/administrative	0	0	0	0	0	1			
INCOME_BR	100,000+	0	0	0	0					
	20,000-49,999	1	0	0	0					
	50,000-99,999	0	1	0	0					
	<20,000	0	0	1	0					
	Missing	0	0	0	1					
SMOKING_BR	CURRENT SMOKER	1	0							
	NEVER SMOKER	0	0							
	PAST SMOKER	0	1							
ALCOHOL_BR	<1 DRINK/WEEK	1	0	0						
	>= 1 DRINK / WEEK	0	1	0						
	FORMER DRINKER	0	0	1						

Class Level Information										
Class	Value	Design Variables								
	NON-DRINKER	0	0	0						

Summary of the Number of Event and Censored Values			
Total	Event	Censored	Percent Censored
133620	29717	103903	77.76

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	659483.73	653125.45
AIC	659483.73	653199.45
SBC	659483.73	653506.53

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	6358.2840	37	<.0001
Score	7226.5077	37	<.0001
Wald	6707.4020	37	<.0001

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
bmi_wc	9	4221.3510	<.0001
AGE	1	0.3990	0.5276
RACE_BR	3	417.6112	<.0001
ETHNICITY_BR	1	96.9044	<.0001
MARITAL_BR	3	40.2258	<.0001
EDUC_BR	3	20.5975	0.0001
OCCUPATION	6	6.9406	0.3264
INCOME_BR	4	18.7721	0.0009
SMOKING_BR	2	52.8239	<.0001
ALCOHOL_BR	3	112.7657	<.0001
HEI2015_TOTAL_SCORE	1	20.7194	<.0001
PHYSICAL_ACTIVITY_ME	1	7.9566	0.0048

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
bmi_wc	< 105 cm (obesity-1)	1	0.78936	0.01919	1692.0020	<.0001	2.202	2.121	2.286	bmi_wc < 105 cm (obesity-1)
bmi_wc	< 115 cm (obesity-2)	1	1.03076	0.02454	1764.4549	<.0001	2.803	2.672	2.941	bmi_wc < 115 cm (obesity-2)
bmi_wc	< 115 cm (obesity-3)	1	1.07367	0.03866	771.1227	<.0001	2.926	2.713	3.156	bmi_wc < 115 cm (obesity-3)
bmi_wc	< 90 cm (overweight)	1	0.37170	0.01768	441.9913	<.0001	1.450	1.401	1.501	bmi_wc < 90 cm (overweight)
bmi_wc	≥ 105 cm (obesity-1)	1	1.19313	0.03474	1179.5246	<.0001	3.297	3.080	3.530	bmi_wc ≥ 105 cm (obesity-1)
bmi_wc	≥ 115 cm (obesity-2)	1	1.39471	0.05024	770.7341	<.0001	4.034	3.656	4.451	bmi_wc ≥ 115 cm (obesity-2)
bmi_wc	≥ 115 cm (obesity-3)	1	1.48949	0.03611	1701.0494	<.0001	4.435	4.132	4.760	bmi_wc ≥ 115 cm (obesity-3)
bmi_wc	≥ 80 cm (normal weight)	1	0.32924	0.02680	150.9419	<.0001	1.390	1.319	1.465	bmi_wc ≥ 80 cm (normal weight)
bmi_wc	≥ 90 cm (overweight)	1	0.76680	0.02244	1167.7209	<.0001	2.153	2.060	2.250	bmi_wc ≥ 90 cm (overweight)
AGE		1	-0.0006468	0.00102	0.3990	0.5276	0.999	0.997	1.001	Age at screening
RACE_BR	2	1	-0.33242	0.02055	261.7152	<.0001	0.717	0.689	0.747	RACE_BR 2
RACE_BR	3	1	0.14819	0.04039	13.4633	0.0002	1.160	1.071	1.255	RACE_BR 3
RACE_BR	4	1	-0.16165	0.05133	9.9184	0.0016	0.851	0.769	0.941	RACE_BR 4
ETHNICITY_BR	1	1	0.31284	0.03178	96.9044	<.0001	1.367	1.285	1.455	ETHNICITY_BR 1

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
MARITAL_BR	DIVORCED	1	0.09993	0.01737	33.0948	<.0001	1.105	1.068	1.143	MARITAL_BR DIVORCED
MARITAL_BR	SINGLE	1	-0.04365	0.03035	2.0693	0.1503	0.957	0.902	1.016	MARITAL_BR SINGLE
MARITAL_BR	WIDOWED	1	0.03683	0.01862	3.9140	0.0479	1.038	1.000	1.076	MARITAL_BR WIDOWED
EDUC_BR	COMPLETED COLLEGE OR HIGHER	1	-0.10628	0.03284	10.4717	0.0012	0.899	0.843	0.959	EDUC_BR COMPLETED COLLEGE OR HIGHER
EDUC_BR	HS	1	-0.14662	0.03316	19.5514	<.0001	0.864	0.809	0.922	EDUC_BR HS
EDUC_BR	SOME COLLEGE	1	-0.10175	0.03162	10.3537	0.0013	0.903	0.849	0.961	EDUC_BR SOME COLLEGE
OCCUPATION	Homemaker	1	0.01026	0.02162	0.2253	0.6351	1.010	0.968	1.054	OCCUPATION Homemaker
OCCUPATION	Missing	1	-0.06358	0.03329	3.6467	0.0562	0.938	0.879	1.002	OCCUPATION Missing
OCCUPATION	Not working/Retired/Disabled	1	-0.00652	0.02010	0.1051	0.7458	0.994	0.955	1.033	OCCUPATION Not working/Retired/Disabled
OCCUPATION	Other	1	0.01267	0.02828	0.2007	0.6541	1.013	0.958	1.070	OCCUPATION Other
OCCUPATION	Service/labor	1	-0.00328	0.02558	0.0164	0.8981	0.997	0.948	1.048	OCCUPATION Service/labor
OCCUPATION	Technical/sales/administrative	1	-0.02011	0.01863	1.1643	0.2806	0.980	0.945	1.017	OCCUPATION Technical/sales/administrative
INCOME_BR	20,000-49,999	1	-0.07457	0.02205	11.4346	0.0007	0.928	0.889	0.969	INCOME_BR 20,000-49,999
INCOME_BR	50,000-99,999	1	-0.06325	0.02098	9.0899	0.0026	0.939	0.901	0.978	INCOME_BR 50,000-99,999
INCOME_BR	<20,000	1	-0.02176	0.02865	0.5770	0.4475	0.978	0.925	1.035	INCOME_BR <20,000
INCOME_BR	Missing	1	-0.03935	0.03169	1.5418	0.2144	0.961	0.904	1.023	INCOME_BR Missing
SMOKING_BR	CURRENT SMOKER	1	0.18209	0.02506	52.8129	<.0001	1.200	1.142	1.260	SMOKING_BR CURRENT SMOKER
SMOKING_BR	PAST SMOKER	1	0.02402	0.01253	3.6709	0.0554	1.024	0.999	1.050	SMOKING_BR PAST SMOKER
ALCOHOL_BR	<1 DRINK/WEEK	1	-0.01098	0.02171	0.2558	0.6130	0.989	0.948	1.032	ALCOHOL_BR <1 DRINK/WEEK
ALCOHOL_BR	>= 1 DRINK / WEEK	1	-0.13324	0.02251	35.0360	<.0001	0.875	0.837	0.915	ALCOHOL_BR >= 1 DRINK / WEEK
ALCOHOL_BR	FORMER DRINKER	1	0.02454	0.02381	1.0624	0.3027	1.025	0.978	1.074	ALCOHOL_BR FORMER DRINKER
HEI2015_TOTAL_SCORE		1	-0.00273	0.0006000	20.7194	<.0001	0.997	0.996	0.998	TOTAL HEI-2015 SCORE
PHYSICAL_ACTIVITY_ME		1	-0.00132	0.0004680	7.9566	0.0048	0.999	0.998	1.000	

Harrell's Concordance Statistic					
		Comparable Pairs			
Source	Estimate	Concordance	Discordance	Tied in Predictor	Tied in Time
Model	0.6593	1.47006E9	759561977	0	131834

table 6

The FREQ Procedure

AGE_BR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
50-59	43983	32.92	43983	32.92
60-69	60305	45.13	104288	78.05
70-79+	29332	21.95	133620	100.00

bmi_wc	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1	10120	7.57	10120	7.57
2	12513	9.36	22633	16.94
3	2998	2.24	25631	19.18
4	1158	0.87	26789	20.05
5	2355	1.76	29144	21.81
6	38643	28.92	67787	50.73
7	34723	25.99	102510	76.72
8	20745	15.53	123255	92.24

bmi_wc	Frequency	Percent	Cumulative Frequency	Cumulative Percent
9	8008	5.99	131263	98.24
10	2357	1.76	133620	100.00

---

table 6

The PHREG Procedure

Model Information		
Data Set	WORK.INTERACT4	
Dependent Variable	TTE_DIABETES	
Censoring Variable	INCIDENT_DIABETES	
Censoring Value(s)	0	
Ties Handling	BRESLOW	
ROC Method	NNE	Nearest Neighbors

Number of Observations Read	133620
Number of Observations Used	133620

Class Level Information										
Class	Value	Design Variables								
bmi_wc	< 105 cm (obesity-1)	1	0	0	0	0	0	0	0	
	< 115 cm (obesity-2)	0	1	0	0	0	0	0	0	
	< 115 cm (obesity-3)	0	0	1	0	0	0	0	0	
	< 80 cm (normal weight)	0	0	0	0	0	0	0	0	
	< 90 cm (overweight)	0	0	0	1	0	0	0	0	
	≥ 105 cm (obesity-1)	0	0	0	0	1	0	0	0	
	≥ 115 cm (obesity-2)	0	0	0	0	0	1	0	0	
	≥ 115 cm (obesity-3)	0	0	0	0	0	0	1	0	
	≥ 80 cm (normal weight)	0	0	0	0	0	0	0	1	0
	≥ 90 cm (overweight)	0	0	0	0	0	0	0	0	1
RACE_BR	1	0	0	0						
	2	1	0	0						
	3	0	1	0						
	4	0	0	1						
ETHNICITY_BR	0	0								
	1	1								
MARITAL_BR	DIVORCED	1	0	0						
	MARRIED / PARTNERED	0	0	0						
	SINGLE	0	1	0						
	WIDOWED	0	0	1						
EDUC_BR	< HS	0	0	0						
	COMPLETED COLLEGE OR HIGHER	1	0	0						
	HS	0	1	0						
	SOME COLLEGE	0	0	1						
OCCUPATION	Homemaker	1	0	0	0	0	0			
	Managerial/professional	0	0	0	0	0	0			
	Missing	0	1	0	0	0	0			
	Not working/Retired/Disabled	0	0	1	0	0	0			
	Other	0	0	0	1	0	0			
	Service/labor	0	0	0	0	1	0			
	Technical/sales/administrative	0	0	0	0	0	1			
INCOME_BR	100,000+	0	0	0	0					
	20,000-49,999	1	0	0	0					
	50,000-99,999	0	1	0	0					
	<20,000	0	0	1	0					
	Missing	0	0	0	1					

Class Level Information										
Class	Value	Design Variables								
SMOKING_BR	CURRENT SMOKER	1	0							
	NEVER SMOKER	0	0							
	PAST SMOKER	0	1							
ALCOHOL_BR	<1 DRINK/WEEK	1	0	0						
	>= 1 DRINK / WEEK	0	1	0						
	FORMER DRINKER	0	0	1						
	NON-DRINKER	0	0	0						

Summary of the Number of Event and Censored Values			
Total	Event	Censored	Percent Censored
133620	29717	103903	77.76

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	659483.73	653093.38
AIC	659483.73	653203.38
SBC	659483.73	653659.85

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	6390.3528	55	<.0001
Score	7293.3507	55	<.0001
Wald	6758.1623	55	<.0001

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
bmi_wc	9	2413.4460	<.0001
AGE	1	1.8865	0.1696
RACE_BR	3	415.5235	<.0001
ETHNICITY_BR	1	96.5832	<.0001
MARITAL_BR	3	40.5122	<.0001
EDUC_BR	3	20.8967	0.0001
OCCUPATION	6	7.0121	0.3197
INCOME_BR	4	20.2992	0.0004
SMOKING_BR	2	51.7909	<.0001
ALCOHOL_BR	3	113.6694	<.0001
HEI2015_TOTAL_SCORE	1	20.7001	<.0001
PHYSICAL_ACTIVITY_ME	1	7.7299	0.0054
age_6069bmiwc1	1	1.8787	0.1705
age_7079bmiwc1	1	0.1047	0.7462
age_6069bmiwc2	1	1.9588	0.1616
age_7079bmiwc2	1	9.1120	0.0025
age_6069bmiwc3	1	0.0065	0.9359
age_7079bmiwc3	1	2.3581	0.1246
age_6069bmiwc4	1	1.1169	0.2906
age_7079bmiwc4	1	1.5726	0.2098
age_6069bmiwc5	1	2.1104	0.1463
age_7079bmiwc5	1	4.8291	0.0280
age_6069bmiwc7	1	0.6564	0.4178
age_7079bmiwc7	1	0.8145	0.3668
age_6069bmiwc8	1	0.8742	0.3498

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
age_7079bmiwc8	1	5.9928	0.0144
age_6069bmiwc9	1	0.1926	0.6608
age_7079bmiwc9	1	0.1715	0.6788
age_6069bmiwc10	1	0.0340	0.8536
age_7079bmiwc10	1	1.9956	0.1578

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
bmi_wc	< 105 cm (obesity-1)	1	0.81728	0.02627	968.0692	<.0001	2.264	2.151	2.384	bmi_wc < 105 cm (obesity-1)
bmi_wc	< 115 cm (obesity-2)	1	1.02569	0.03438	889.8211	<.0001	2.789	2.607	2.983	bmi_wc < 115 cm (obesity-2)
bmi_wc	< 115 cm (obesity-3)	1	1.09852	0.05346	422.2602	<.0001	3.000	2.701	3.331	bmi_wc < 115 cm (obesity-3)
bmi_wc	< 90 cm (overweight)	1	0.38640	0.02421	254.8007	<.0001	1.472	1.403	1.543	bmi_wc < 90 cm (overweight)
bmi_wc	≥ 105 cm (obesity-1)	1	1.21523	0.05708	453.2772	<.0001	3.371	3.014	3.770	bmi_wc ≥ 105 cm (obesity-1)
bmi_wc	≥ 115 cm (obesity-2)	1	1.46955	0.07681	366.0009	<.0001	4.347	3.740	5.054	bmi_wc ≥ 115 cm (obesity-2)
bmi_wc	≥ 115 cm (obesity-3)	1	1.46809	0.04994	864.2065	<.0001	4.341	3.936	4.787	bmi_wc ≥ 115 cm (obesity-3)
bmi_wc	≥ 80 cm (normal weight)	1	0.29267	0.04372	44.8071	<.0001	1.340	1.230	1.460	bmi_wc ≥ 80 cm (normal weight)
bmi_wc	≥ 90 cm (overweight)	1	0.82212	0.03450	567.7802	<.0001	2.275	2.127	2.434	bmi_wc ≥ 90 cm (overweight)
AGE		1	0.00215	0.00157	1.8865	0.1696	1.002	0.999	1.005	Age at screening
RACE_BR	2	1	-0.33167	0.02056	260.3575	<.0001	0.718	0.689	0.747	RACE_BR 2
RACE_BR	3	1	0.14802	0.04039	13.4297	0.0002	1.160	1.071	1.255	RACE_BR 3
RACE_BR	4	1	-0.16141	0.05133	9.8867	0.0017	0.851	0.769	0.941	RACE_BR 4
ETHNICITY_BR	1	1	0.31237	0.03179	96.5832	<.0001	1.367	1.284	1.455	ETHNICITY_BR 1
MARITAL_BR	DIVORCED	1	0.10042	0.01738	33.4002	<.0001	1.106	1.069	1.144	MARITAL_BR DIVORCED
MARITAL_BR	SINGLE	1	-0.04208	0.03037	1.9201	0.1658	0.959	0.903	1.018	MARITAL_BR SINGLE
MARITAL_BR	WIDOWED	1	0.03966	0.01864	4.5269	0.0334	1.040	1.003	1.079	MARITAL_BR WIDOWED
EDUC_BR	COMPLETED COLLEGE OR HIGHER	1	-0.10663	0.03285	10.5392	0.0012	0.899	0.843	0.959	EDUC_BR COMPLETED COLLEGE OR HIGHER
EDUC_BR	HS	1	-0.14759	0.03317	19.8002	<.0001	0.863	0.808	0.921	EDUC_BR HS
EDUC_BR	SOME COLLEGE	1	-0.10210	0.03163	10.4228	0.0012	0.903	0.849	0.961	EDUC_BR SOME COLLEGE
OCCUPATION	Homemaker	1	0.00797	0.02163	0.1358	0.7125	1.008	0.966	1.052	OCCUPATION Homemaker
OCCUPATION	Missing	1	-0.06510	0.03330	3.8221	0.0506	0.937	0.878	1.000	OCCUPATION Missing
OCCUPATION	Not working/Retired/Disabled	1	-0.01025	0.02015	0.2590	0.6108	0.990	0.951	1.030	OCCUPATION Not working/Retired/Disabled
OCCUPATION	Other	1	0.01083	0.02828	0.1465	0.7019	1.011	0.956	1.069	OCCUPATION Other
OCCUPATION	Service/labor	1	-0.00496	0.02560	0.0375	0.8464	0.995	0.946	1.046	OCCUPATION Service/labor
OCCUPATION	Technical/sales/administrative	1	-0.02177	0.01864	1.3640	0.2428	0.978	0.943	1.015	OCCUPATION Technical/sales/administrative
INCOME_BR	20,000-49,999	1	-0.07780	0.02207	12.4252	0.0004	0.925	0.886	0.966	INCOME_BR 20,000-49,999
INCOME_BR	50,000-99,999	1	-0.06538	0.02099	9.7006	0.0018	0.937	0.899	0.976	INCOME_BR 50,000-99,999
INCOME_BR	<20,000	1	-0.02243	0.02864	0.6134	0.4335	0.978	0.924	1.034	INCOME_BR <20,000
INCOME_BR	Missing	1	-0.04193	0.03170	1.7497	0.1859	0.959	0.901	1.020	INCOME_BR Missing
SMOKING_BR	CURRENT SMOKER	1	0.18036	0.02506	51.7791	<.0001	1.198	1.140	1.258	SMOKING_BR CURRENT SMOKER
SMOKING_BR	PAST SMOKER	1	0.02382	0.01254	3.6103	0.0574	1.024	0.999	1.050	SMOKING_BR PAST SMOKER
ALCOHOL_BR	<1 DRINK/WEEK	1	-0.01079	0.02172	0.2471	0.6191	0.989	0.948	1.032	ALCOHOL_BR <1 DRINK/WEEK
ALCOHOL_BR	>= 1 DRINK / WEEK	1	-0.13325	0.02252	35.0187	<.0001	0.875	0.837	0.915	ALCOHOL_BR >= 1 DRINK / WEEK
ALCOHOL_BR	FORMER DRINKER	1	0.02575	0.02382	1.1691	0.2796	1.026	0.979	1.075	ALCOHOL_BR FORMER DRINKER
HEI2015_TOTAL_SCORE		1	-0.00273	0.0006002	20.7001	<.0001	0.997	0.996	0.998	TOTAL HEI-2015 SCORE
PHYSICAL_ACTIVITY_ME		1	-0.00130	0.0004682	7.7299	0.0054	0.999	0.998	1.000	
age_6069bmiwc1		1	0.07435	0.05424	1.8787	0.1705	1.077	0.969	1.198	
age_7079bmiwc1		1	-0.02383	0.07362	0.1047	0.7462	0.976	0.845	1.128	
age_6069bmiwc2		1	-0.05864	0.04190	1.9588	0.1616	0.943	0.869	1.024	

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
age_7079bmiwc2		1	-0.17857	0.05916	9.1120	0.0025	0.836	0.745	0.939	
age_6069bmiwc3		1	-0.00571	0.07099	0.0065	0.9359	0.994	0.865	1.143	
age_7079bmiwc3		1	-0.16183	0.10538	2.3581	0.1246	0.851	0.692	1.046	
age_6069bmiwc4		1	-0.10762	0.10183	1.1169	0.2906	0.898	0.735	1.096	
age_7079bmiwc4		1	-0.22649	0.18061	1.5726	0.2098	0.797	0.560	1.136	
age_6069bmiwc5		1	0.09834	0.06769	2.1104	0.1463	1.103	0.966	1.260	
age_7079bmiwc5		1	-0.35123	0.15983	4.8291	0.0280	0.704	0.515	0.963	
age_6069bmiwc7		1	-0.02326	0.02872	0.6564	0.4178	0.977	0.924	1.034	
age_7079bmiwc7		1	-0.04054	0.04492	0.8145	0.3668	0.960	0.879	1.049	
age_6069bmiwc8		1	-0.02922	0.03125	0.8742	0.3498	0.971	0.913	1.033	
age_7079bmiwc8		1	-0.12253	0.05005	5.9928	0.0144	0.885	0.802	0.976	
age_6069bmiwc9		1	0.01915	0.04363	0.1926	0.6608	1.019	0.936	1.110	
age_7079bmiwc9		1	-0.03013	0.07277	0.1715	0.6788	0.970	0.841	1.119	
age_6069bmiwc10		1	-0.01396	0.07568	0.0340	0.8536	0.986	0.850	1.144	
age_7079bmiwc10		1	-0.19659	0.13917	1.9956	0.1578	0.822	0.625	1.079	

Linear Hypotheses Testing Results				
	Label	Wald Chi-Square	DF	Pr > ChiSq
	Test 1	31.2245	18	0.0271

Harrell's Concordance Statistic					
		Comparable Pairs			
Source	Estimate	Concordance	Discordance	Tied in Predictor	Tied in Time
Model	0.6599	1.47125E9	758373140	0	131834

---

table 6

The PHREG Procedure

AGE_BR=50-59

Model Information		
Data Set	VA7.MERGED_MAN7_VF	
Dependent Variable	TTE_DIABETES	
Censoring Variable	INCIDENT_DIABETES	
Censoring Value(s)	0	
Ties Handling	BRESLOW	
ROC Method	NNE	Nearest Neighbors

Number of Observations Read	43983
Number of Observations Used	43983

Class Level Information										
Class	Value	Design Variables								
bmi_wc	< 105 cm (obesity-1)	1	0	0	0	0	0	0	0	0
	< 115 cm (obesity-2)	0	1	0	0	0	0	0	0	0
	< 115 cm (obesity-3)	0	0	1	0	0	0	0	0	0
	< 80 cm (normal weight)	0	0	0	0	0	0	0	0	0
	< 90 cm (overweight)	0	0	0	1	0	0	0	0	0
	≥ 105 cm (obesity-1)	0	0	0	0	1	0	0	0	0
	≥ 115 cm (obesity-2)	0	0	0	0	0	1	0	0	0
	≥ 115 cm (obesity-3)	0	0	0	0	0	0	1	0	0
	≥ 80 cm (normal weight)	0	0	0	0	0	0	0	1	0
	≥ 90 cm (overweight)	0	0	0	0	0	0	0	0	1

Class Level Information										
Class	Value	Design Variables								
RACE_BR	1	0	0	0						
	2	1	0	0						
	3	0	1	0						
	4	0	0	1						
ETHNICITY_BR	0	0								
	1	1								
MARITAL_BR	DIVORCED	1	0	0						
	MARRIED / PARTNERED	0	0	0						
	SINGLE	0	1	0						
	WIDOWED	0	0	1						
EDUC_BR	< HS	0	0	0						
	COMPLETED COLLEGE OR HIGHER	1	0	0						
	HS	0	1	0						
	SOME COLLEGE	0	0	1						
OCCUPATION	Homemaker	1	0	0	0	0	0			
	Managerial/professional	0	0	0	0	0	0			
	Missing	0	1	0	0	0	0			
	Not working/Retired/Disabled	0	0	1	0	0	0			
	Other	0	0	0	1	0	0			
	Service/labor	0	0	0	0	1	0			
	Technical/sales/administrative	0	0	0	0	0	1			
INCOME_BR	100,000+	0	0	0	0					
	20,000-49,999	1	0	0	0					
	50,000-99,999	0	1	0	0					
	<20,000	0	0	1	0					
	Missing	0	0	0	1					
SMOKING_BR	CURRENT SMOKER	1	0							
	NEVER SMOKER	0	0							
	PAST SMOKER	0	1							
ALCOHOL_BR	<1 DRINK/WEEK	1	0	0						
	>= 1 DRINK / WEEK	0	1	0						
	FORMER DRINKER	0	0	1						
	NON-DRINKER	0	0	0						

Summary of the Number of Event and Censored Values			
Total	Event	Censored	Percent Censored
43983	12200	31783	72.26

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	246326.05	243227.12
AIC	246326.05	243301.12
SBC	246326.05	243575.26

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	3098.9313	37	<.0001
Score	3522.6809	37	<.0001
Wald	3241.7976	37	<.0001

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
bmi_wc	9	1979.5265	<.0001
AGE	1	1.3257	0.2496
RACE_BR	3	213.3562	<.0001
ETHNICITY_BR	1	66.6297	<.0001
MARITAL_BR	3	38.8166	<.0001
EDUC_BR	3	11.5395	0.0091
OCCUPATION	6	7.5855	0.2701
INCOME_BR	4	20.8658	0.0003
SMOKING_BR	2	22.8223	<.0001
ALCOHOL_BR	3	31.2462	<.0001
HEI2015_TOTAL_SCORE	1	5.4425	0.0197
PHYSICAL_ACTIVITY_ME	1	6.7857	0.0092

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
bmi_wc	< 105 cm (obesity-1)	1	0.86172	0.02950	853.5111	<.0001	2.367	2.234	2.508	bmi_wc < 105 cm (obesity-1)
bmi_wc	< 115 cm (obesity-2)	1	1.07389	0.03731	828.5790	<.0001	2.927	2.720	3.149	bmi_wc < 115 cm (obesity-2)
bmi_wc	< 115 cm (obesity-3)	1	1.14616	0.05544	427.4057	<.0001	3.146	2.822	3.507	bmi_wc < 115 cm (obesity-3)
bmi_wc	< 90 cm (overweight)	1	0.42276	0.02711	243.1832	<.0001	1.526	1.447	1.609	bmi_wc < 90 cm (overweight)
bmi_wc	≥ 105 cm (obesity-1)	1	1.26420	0.05891	460.5414	<.0001	3.540	3.154	3.974	bmi_wc ≥ 105 cm (obesity-1)
bmi_wc	≥ 115 cm (obesity-2)	1	1.53077	0.07830	382.2083	<.0001	4.622	3.964	5.388	bmi_wc ≥ 115 cm (obesity-2)
bmi_wc	≥ 115 cm (obesity-3)	1	1.52361	0.05259	839.3018	<.0001	4.589	4.139	5.087	bmi_wc ≥ 115 cm (obesity-3)
bmi_wc	≥ 80 cm (normal weight)	1	0.33316	0.04544	53.7487	<.0001	1.395	1.276	1.525	bmi_wc ≥ 80 cm (normal weight)
bmi_wc	≥ 90 cm (overweight)	1	0.86737	0.03696	550.7199	<.0001	2.381	2.214	2.559	bmi_wc ≥ 90 cm (overweight)
AGE		1	-0.00395	0.00343	1.3257	0.2496	0.996	0.989	1.003	Age at screening
RACE_BR	2	1	-0.31927	0.02969	115.6582	<.0001	0.727	0.686	0.770	RACE_BR 2
RACE_BR	3	1	0.22947	0.05851	15.3810	<.0001	1.258	1.122	1.411	RACE_BR 3
RACE_BR	4	1	-0.10899	0.07294	2.2326	0.1351	0.897	0.777	1.035	RACE_BR 4
ETHNICITY_BR	1	1	0.36003	0.04411	66.6297	<.0001	1.433	1.315	1.563	ETHNICITY_BR 1
MARITAL_BR	DIVORCED	1	0.13485	0.02550	27.9671	<.0001	1.144	1.089	1.203	MARITAL_BR DIVORCED
MARITAL_BR	SINGLE	1	-0.07184	0.04458	2.5973	0.1070	0.931	0.853	1.016	MARITAL_BR SINGLE
MARITAL_BR	WIDOWED	1	0.10495	0.04054	6.7017	0.0096	1.111	1.026	1.203	MARITAL_BR WIDOWED
EDUC_BR	COMPLETED COLLEGE OR HIGHER	1	-0.14788	0.05902	6.2776	0.0122	0.863	0.768	0.968	EDUC_BR COMPLETED COLLEGE OR HIGHER
EDUC_BR	HS	1	-0.18302	0.06045	9.1659	0.0025	0.833	0.740	0.938	EDUC_BR HS
EDUC_BR	SOME COLLEGE	1	-0.11793	0.05737	4.2255	0.0398	0.889	0.794	0.995	EDUC_BR SOME COLLEGE
OCCUPATION	Homemaker	1	-0.02372	0.03676	0.4165	0.5187	0.977	0.909	1.050	OCCUPATION Homemaker
OCCUPATION	Missing	1	-0.10163	0.04591	4.9001	0.0269	0.903	0.826	0.988	OCCUPATION Missing
OCCUPATION	Not working/Retired/Disabled	1	0.00957	0.03642	0.0690	0.7927	1.010	0.940	1.084	OCCUPATION Not working/Retired/Disabled
OCCUPATION	Other	1	-0.00364	0.04404	0.0068	0.9341	0.996	0.914	1.086	OCCUPATION Other
OCCUPATION	Service/labor	1	-0.02233	0.03798	0.3457	0.5566	0.978	0.908	1.053	OCCUPATION Service/labor
OCCUPATION	Technical/sales/administrative	1	0.01688	0.02586	0.4257	0.5141	1.017	0.967	1.070	OCCUPATION Technical/sales/administrative
INCOME_BR	20,000-49,999	1	-0.11131	0.03150	12.4852	0.0004	0.895	0.841	0.952	INCOME_BR 20,000-49,999
INCOME_BR	50,000-99,999	1	-0.11018	0.02782	15.6879	<.0001	0.896	0.848	0.946	INCOME_BR 50,000-99,999
INCOME_BR	<20,000	1	-0.03721	0.04577	0.6611	0.4162	0.963	0.881	1.054	INCOME_BR <20,000
INCOME_BR	Missing	1	-0.08635	0.05026	2.9524	0.0858	0.917	0.831	1.012	INCOME_BR Missing
SMOKING_BR	CURRENT SMOKER	1	0.16702	0.03500	22.7753	<.0001	1.182	1.103	1.266	SMOKING_BR CURRENT SMOKER
SMOKING_BR	PAST SMOKER	1	0.02216	0.01960	1.2775	0.2584	1.022	0.984	1.062	SMOKING_BR PAST SMOKER
ALCOHOL_BR	<1 DRINK/WEEK	1	0.03218	0.03619	0.7908	0.3739	1.033	0.962	1.109	ALCOHOL_BR <1 DRINK/WEEK
ALCOHOL_BR	>= 1 DRINK / WEEK	1	-0.07203	0.03752	3.6865	0.0549	0.931	0.865	1.001	ALCOHOL_BR >= 1 DRINK / WEEK

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
ALCOHOL_BR	FORMER DRINKER	1	0.05673	0.03950	2.0623	0.1510	1.058	0.980	1.144	ALCOHOL_BR FORMER DRINKER
HEI2015_TOTAL_SCORE		1	-0.00219	0.0009386	5.4425	0.0197	0.998	0.996	1.000	TOTAL HEI-2015 SCORE
PHYSICAL_ACTIVITY_ME		1	-0.00191	0.0007344	6.7857	0.0092	0.998	0.997	1.000	

Harrell's Concordance Statistic					
		Comparable Pairs			
Source	Estimate	Concordance	Discordance	Tied in Predictor	Tied in Time
Model	0.6671	214619188	107096542	0	22378

---

table 6

The PHREG Procedure

AGE_BR=60-69

Model Information		
Data Set	VA7.MERGED_MAN7_VF	
Dependent Variable	TTE_DIABETES	
Censoring Variable	INCIDENT_DIABETES	
Censoring Value(s)	0	
Ties Handling	BRESLOW	
ROC Method	NNE	Nearest Neighbors

Number of Observations Read	60305
Number of Observations Used	60305

Class Level Information										
Class	Value	Design Variables								
bmi_wc	< 105 cm (obesity-1)	1	0	0	0	0	0	0	0	0
	< 115 cm (obesity-2)	0	1	0	0	0	0	0	0	0
	< 115 cm (obesity-3)	0	0	1	0	0	0	0	0	0
	< 80 cm (normal weight)	0	0	0	0	0	0	0	0	0
	< 90 cm (overweight)	0	0	0	1	0	0	0	0	0
	≥ 105 cm (obesity-1)	0	0	0	0	1	0	0	0	0
	≥ 115 cm (obesity-2)	0	0	0	0	0	1	0	0	0
	≥ 115 cm (obesity-3)	0	0	0	0	0	0	1	0	0
	≥ 80 cm (normal weight)	0	0	0	0	0	0	0	1	0
	≥ 90 cm (overweight)	0	0	0	0	0	0	0	0	1
RACE_BR	1	0	0	0						
	2	1	0	0						
	3	0	1	0						
	4	0	0	1						
ETHNICITY_BR	0	0								
	1	1								
MARITAL_BR	DIVORCED	1	0	0						
	MARRIED / PARTNERED	0	0	0						
	SINGLE	0	1	0						
	WIDOWED	0	0	1						
EDUC_BR	< HS	0	0	0						
	COMPLETED COLLEGE OR HIGHER	1	0	0						
	HS	0	1	0						
	SOME COLLEGE	0	0	1						
OCCUPATION	Homemaker	1	0	0	0	0	0			
	Managerial/professional	0	0	0	0	0	0			

Class Level Information										
Class	Value	Design Variables								
	Missing	0	1	0	0	0	0			
	Not working/Retired/Disabled	0	0	1	0	0	0			
	Other	0	0	0	1	0	0			
	Service/labor	0	0	0	0	1	0			
	Technical/sales/administrative	0	0	0	0	0	1			
INCOME_BR	100,000+	0	0	0	0					
	20,000-49,999	1	0	0	0					
	50,000-99,999	0	1	0	0					
	<20,000	0	0	1	0					
	Missing	0	0	0	1					
SMOKING_BR	CURRENT SMOKER	1	0							
	NEVER SMOKER	0	0							
	PAST SMOKER	0	1							
ALCOHOL_BR	<1 DRINK/WEEK	1	0	0						
	>= 1 DRINK / WEEK	0	1	0						
	FORMER DRINKER	0	0	1						
	NON-DRINKER	0	0	0						

Summary of the Number of Event and Censored Values			
Total	Event	Censored	Percent Censored
60305	13538	46767	77.55

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	280051.27	277198.59
AIC	280051.27	277272.59
SBC	280051.27	277550.58

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	2852.6851	37	<.0001
Score	3256.6277	37	<.0001
Wald	3016.1876	37	<.0001

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
bmi_wc	9	1943.2669	<.0001
AGE	1	1.3537	0.2446
RACE_BR	3	168.5401	<.0001
ETHNICITY_BR	1	28.9867	<.0001
MARITAL_BR	3	9.1074	0.0279
EDUC_BR	3	8.5502	0.0359
OCCUPATION	6	7.7257	0.2589
INCOME_BR	4	6.3299	0.1758
SMOKING_BR	2	30.0835	<.0001
ALCOHOL_BR	3	63.3592	<.0001
HEI2015_TOTAL_SCORE	1	11.6669	0.0006
PHYSICAL_ACTIVITY_ME	1	1.1071	0.2927

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
bmi_wc	< 105 cm (obesity-1)	1	0.77756	0.02891	723.4687	<.0001	2.176	2.056	2.303	bmi_wc < 105 cm (obesity-1)
bmi_wc	< 115 cm (obesity-2)	1	1.03187	0.03668	791.5546	<.0001	2.806	2.612	3.015	bmi_wc < 115 cm (obesity-2)
bmi_wc	< 115 cm (obesity-3)	1	1.06913	0.05946	323.3052	<.0001	2.913	2.592	3.273	bmi_wc < 115 cm (obesity-3)
bmi_wc	< 90 cm (overweight)	1	0.35742	0.02690	176.5749	<.0001	1.430	1.356	1.507	bmi_wc < 90 cm (overweight)
bmi_wc	≥ 105 cm (obesity-1)	1	1.19850	0.04863	607.3667	<.0001	3.315	3.014	3.647	bmi_wc ≥ 105 cm (obesity-1)
bmi_wc	≥ 115 cm (obesity-2)	1	1.35150	0.07149	357.3500	<.0001	3.863	3.358	4.444	bmi_wc ≥ 115 cm (obesity-2)
bmi_wc	≥ 115 cm (obesity-3)	1	1.54803	0.05328	844.1240	<.0001	4.702	4.236	5.220	bmi_wc ≥ 115 cm (obesity-3)
bmi_wc	≥ 80 cm (normal weight)	1	0.36106	0.03879	86.6484	<.0001	1.435	1.330	1.548	bmi_wc ≥ 80 cm (normal weight)
bmi_wc	≥ 90 cm (overweight)	1	0.75658	0.03282	531.5625	<.0001	2.131	1.998	2.273	bmi_wc ≥ 90 cm (overweight)
AGE		1	-0.00367	0.00315	1.3537	0.2446	0.996	0.990	1.003	Age at screening
RACE_BR	2	1	-0.35352	0.03165	124.7992	<.0001	0.702	0.660	0.747	RACE_BR 2
RACE_BR	3	1	0.05659	0.06353	0.7935	0.3731	1.058	0.934	1.199	RACE_BR 3
RACE_BR	4	1	-0.21171	0.08002	7.0004	0.0081	0.809	0.692	0.947	RACE_BR 4
ETHNICITY_BR	1	1	0.27295	0.05070	28.9867	<.0001	1.314	1.190	1.451	ETHNICITY_BR 1
MARITAL_BR	DIVORCED	1	0.07832	0.02662	8.6572	0.0033	1.081	1.026	1.139	MARITAL_BR DIVORCED
MARITAL_BR	SINGLE	1	-0.00237	0.04750	0.0025	0.9602	0.998	0.909	1.095	MARITAL_BR SINGLE
MARITAL_BR	WIDOWED	1	0.02982	0.02564	1.3529	0.2448	1.030	0.980	1.083	MARITAL_BR WIDOWED
EDUC_BR	COMPLETED COLLEGE OR HIGHER	1	-0.12076	0.04641	6.7707	0.0093	0.886	0.809	0.971	EDUC_BR COMPLETED COLLEGE OR HIGHER
EDUC_BR	HS	1	-0.12960	0.04625	7.8528	0.0051	0.878	0.802	0.962	EDUC_BR HS
EDUC_BR	SOME COLLEGE	1	-0.12533	0.04449	7.9379	0.0048	0.882	0.809	0.963	EDUC_BR SOME COLLEGE
OCCUPATION	Homemaker	1	-0.00889	0.03258	0.0744	0.7851	0.991	0.930	1.057	OCCUPATION Homemaker
OCCUPATION	Missing	1	-0.07667	0.05439	1.9871	0.1586	0.926	0.833	1.030	OCCUPATION Missing
OCCUPATION	Not working/Retired/Disabled	1	-0.03624	0.02962	1.4970	0.2211	0.964	0.910	1.022	OCCUPATION Not working/Retired/Disabled
OCCUPATION	Other	1	0.00591	0.04322	0.0187	0.8911	1.006	0.924	1.095	OCCUPATION Other
OCCUPATION	Service/labor	1	-0.02496	0.03945	0.4001	0.5270	0.975	0.903	1.054	OCCUPATION Service/labor
OCCUPATION	Technical/sales/administrative	1	-0.05912	0.03010	3.8584	0.0495	0.943	0.889	1.000	OCCUPATION Technical/sales/administrative
INCOME_BR	20,000-49,999	1	-0.04730	0.03567	1.7586	0.1848	0.954	0.889	1.023	INCOME_BR 20,000-49,999
INCOME_BR	50,000-99,999	1	-0.01551	0.03541	0.1918	0.6614	0.985	0.919	1.055	INCOME_BR 50,000-99,999
INCOME_BR	<20,000	1	-0.0004995	0.04413	0.0001	0.9910	1.000	0.917	1.090	INCOME_BR <20,000
INCOME_BR	Missing	1	0.01633	0.04811	0.1153	0.7342	1.016	0.925	1.117	INCOME_BR Missing
SMOKING_BR	CURRENT SMOKER	1	0.21251	0.03914	29.4773	<.0001	1.237	1.145	1.335	SMOKING_BR CURRENT SMOKER
SMOKING_BR	PAST SMOKER	1	0.03819	0.01856	4.2349	0.0396	1.039	1.002	1.077	SMOKING_BR PAST SMOKER
ALCOHOL_BR	<1 DRINK/WEEK	1	-0.04005	0.03162	1.6040	0.2053	0.961	0.903	1.022	ALCOHOL_BR <1 DRINK/WEEK
ALCOHOL_BR	>= 1 DRINK / WEEK	1	-0.16723	0.03273	26.1056	<.0001	0.846	0.793	0.902	ALCOHOL_BR >= 1 DRINK / WEEK
ALCOHOL_BR	FORMER DRINKER	1	0.00865	0.03482	0.0617	0.8039	1.009	0.942	1.080	ALCOHOL_BR FORMER DRINKER
HEI2015_TOTAL_SCORE		1	-0.00304	0.0008886	11.6669	0.0006	0.997	0.995	0.999	TOTAL HEI-2015 SCORE
PHYSICAL_ACTIVITY_ME		1	-0.0007303	0.0006940	1.1071	0.2927	0.999	0.998	1.001	

Harrell's Concordance Statistic					
		Comparable Pairs			
Source	Estimate	Concordance	Discordance	Tied in Predictor	Tied in Time
Model	0.6576	312185252	162523103	0	28856

table 6

The PHREG Procedure

AGE_BR=70-79+

Model Information		
Data Set	VA7.MERGED_MAN7_VF	
Dependent Variable	TTE_DIABETES	
Censoring Variable	INCIDENT_DIABETES	
Censoring Value(s)	0	
Ties Handling	BRESLOW	
ROC Method	NNE	Nearest Neighbors

Number of Observations Read	29332
Number of Observations Used	29332

Class Level Information										
Class	Value	Design Variables								
bmi_wc	< 105 cm (obesity-1)	1	0	0	0	0	0	0	0	
	< 115 cm (obesity-2)	0	1	0	0	0	0	0	0	
	< 115 cm (obesity-3)	0	0	1	0	0	0	0	0	
	< 80 cm (normal weight)	0	0	0	0	0	0	0	0	
	< 90 cm (overweight)	0	0	0	1	0	0	0	0	
	≥ 105 cm (obesity-1)	0	0	0	0	1	0	0	0	
	≥ 115 cm (obesity-2)	0	0	0	0	0	1	0	0	
	≥ 115 cm (obesity-3)	0	0	0	0	0	0	1	0	
	≥ 80 cm (normal weight)	0	0	0	0	0	0	0	1	
	≥ 90 cm (overweight)	0	0	0	0	0	0	0	0	1
RACE_BR	1	0	0	0						
	2	1	0	0						
	3	0	1	0						
	4	0	0	1						
ETHNICITY_BR	0	0								
	1	1								
MARITAL_BR	DIVORCED	1	0	0						
	MARRIED / PARTNERED	0	0	0						
	SINGLE	0	1	0						
	WIDOWED	0	0	1						
EDUC_BR	< HS	0	0	0						
	COMPLETED COLLEGE OR HIGHER	1	0	0						
	HS	0	1	0						
	SOME COLLEGE	0	0	1						
OCCUPATION	Homemaker	1	0	0	0	0	0			
	Managerial/professional	0	0	0	0	0	0			
	Missing	0	1	0	0	0	0			
	Not working/Retired/Disabled	0	0	1	0	0	0			
	Other	0	0	0	1	0	0			
	Service/labor	0	0	0	0	1	0			
	Technical/sales/administrative	0	0	0	0	0	1			
INCOME_BR	100,000+	0	0	0	0					
	20,000-49,999	1	0	0	0					
	50,000-99,999	0	1	0	0					
	<20,000	0	0	1	0					
	Missing	0	0	0	1					
SMOKING_BR	CURRENT SMOKER	1	0							
	NEVER SMOKER	0	0							
	PAST SMOKER	0	1							
ALCOHOL_BR	<1 DRINK/WEEK	1	0	0						
	>= 1 DRINK / WEEK	0	1	0						
	FORMER DRINKER	0	0	1						
	NON-DRINKER	0	0	0						

Summary of the Number of Event and Censored Values			
Total	Event	Censored	Percent Censored
29332	3979	25353	86.43

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	75501.818	74979.297
AIC	75501.818	75053.297
SBC	75501.818	75285.982

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	522.5219	37	<.0001
Score	570.7694	37	<.0001
Wald	549.1535	37	<.0001

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
bmi_wc	9	318.9813	<.0001
AGE	1	4.7094	0.0300
RACE_BR	3	41.6282	<.0001
ETHNICITY_BR	1	4.4861	0.0342
MARITAL_BR	3	1.1556	0.7637
EDUC_BR	3	11.8005	0.0081
OCCUPATION	6	9.4932	0.1477
INCOME_BR	4	3.5163	0.4754
SMOKING_BR	2	1.0110	0.6032
ALCOHOL_BR	3	24.2959	<.0001
HEI2015_TOTAL_SCORE	1	4.5270	0.0334
PHYSICAL_ACTIVITY_ME	1	0.5693	0.4506

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
bmi_wc	< 105 cm (obesity-1)	1	0.59703	0.05257	128.9983	<.0001	1.817	1.639	2.014	bmi_wc < 105 cm (obesity-1)
bmi_wc	< 115 cm (obesity-2)	1	0.88840	0.07243	150.4543	<.0001	2.431	2.109	2.802	bmi_wc < 115 cm (obesity-2)
bmi_wc	< 115 cm (obesity-3)	1	0.79160	0.13284	35.5094	<.0001	2.207	1.701	2.863	bmi_wc < 115 cm (obesity-3)
bmi_wc	< 90 cm (overweight)	1	0.25507	0.04698	29.4740	<.0001	1.291	1.177	1.415	bmi_wc < 90 cm (overweight)
bmi_wc	≥ 105 cm (obesity-1)	1	0.94901	0.09434	101.1892	<.0001	2.583	2.147	3.108	bmi_wc ≥ 105 cm (obesity-1)
bmi_wc	≥ 115 cm (obesity-2)	1	1.13132	0.16708	45.8492	<.0001	3.100	2.234	4.301	bmi_wc ≥ 115 cm (obesity-2)
bmi_wc	≥ 115 cm (obesity-3)	1	0.98988	0.15621	40.1559	<.0001	2.691	1.981	3.655	bmi_wc ≥ 115 cm (obesity-3)
bmi_wc	≥ 80 cm (normal weight)	1	0.17829	0.06525	7.4666	0.0063	1.195	1.052	1.358	bmi_wc ≥ 80 cm (normal weight)
bmi_wc	≥ 90 cm (overweight)	1	0.55107	0.05621	96.1008	<.0001	1.735	1.554	1.937	bmi_wc ≥ 90 cm (overweight)
AGE		1	-0.01487	0.00685	4.7094	0.0300	0.985	0.972	0.999	Age at screening
RACE_BR	2	1	-0.31569	0.06690	22.2690	<.0001	0.729	0.640	0.831	RACE_BR 2
RACE_BR	3	1	0.15627	0.11903	1.7237	0.1892	1.169	0.926	1.476	RACE_BR 3
RACE_BR	4	1	-0.20404	0.16897	1.4581	0.2272	0.815	0.586	1.136	RACE_BR 4
ETHNICITY_BR	1	1	0.23662	0.11172	4.4861	0.0342	1.267	1.018	1.577	ETHNICITY_BR 1
MARITAL_BR	DIVORCED	1	0.04159	0.05677	0.5367	0.4638	1.042	0.933	1.165	MARITAL_BR DIVORCED
MARITAL_BR	SINGLE	1	-0.05552	0.08679	0.4091	0.5224	0.946	0.798	1.121	MARITAL_BR SINGLE
MARITAL_BR	WIDOWED	1	-0.00127	0.03803	0.0011	0.9733	0.999	0.927	1.076	MARITAL_BR WIDOWED

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
EDUC_BR	COMPLETED COLLEGE OR HIGHER	1	0.03343	0.07776	0.1848	0.6673	1.034	0.888	1.204	EDUC_BR COMPLETED COLLEGE OR HIGHER
EDUC_BR	HS	1	-0.14212	0.07858	3.2709	0.0705	0.868	0.744	1.012	EDUC_BR HS
EDUC_BR	SOME COLLEGE	1	-0.00910	0.07411	0.0151	0.9023	0.991	0.857	1.146	EDUC_BR SOME COLLEGE
OCCUPATION	Homemaker	1	0.01697	0.07868	0.0465	0.8292	1.017	0.872	1.187	OCCUPATION Homemaker
OCCUPATION	Missing	1	0.11246	0.11941	0.8870	0.3463	1.119	0.886	1.414	OCCUPATION Missing
OCCUPATION	Not working/Retired/Disabled	1	-0.04374	0.07653	0.3266	0.5677	0.957	0.824	1.112	OCCUPATION Not working/Retired/Disabled
OCCUPATION	Other	1	0.0002116	0.09309	0.0000	0.9982	1.000	0.833	1.200	OCCUPATION Other
OCCUPATION	Service/labor	1	0.04430	0.09424	0.2210	0.6383	1.045	0.869	1.257	OCCUPATION Service/labor
OCCUPATION	Technical/sales/administrative	1	-0.08626	0.07897	1.1929	0.2747	0.917	0.786	1.071	OCCUPATION Technical/sales/administrative
INCOME_BR	20,000-49,999	1	-0.02840	0.07981	0.1266	0.7220	0.972	0.831	1.137	INCOME_BR 20,000-49,999
INCOME_BR	50,000-99,999	1	-0.02165	0.08254	0.0688	0.7931	0.979	0.832	1.150	INCOME_BR 50,000-99,999
INCOME_BR	<20,000	1	0.05067	0.08867	0.3265	0.5677	1.052	0.884	1.252	INCOME_BR <20,000
INCOME_BR	Missing	1	-0.04234	0.09758	0.1883	0.6643	0.959	0.792	1.161	INCOME_BR Missing
SMOKING_BR	CURRENT SMOKER	1	0.05910	0.09594	0.3795	0.5379	1.061	0.879	1.280	SMOKING_BR CURRENT SMOKER
SMOKING_BR	PAST SMOKER	1	-0.02353	0.03452	0.4647	0.4954	0.977	0.913	1.045	SMOKING_BR PAST SMOKER
ALCOHOL_BR	<1 DRINK/WEEK	1	-0.00663	0.05392	0.0151	0.9021	0.993	0.894	1.104	ALCOHOL_BR <1 DRINK/WEEK
ALCOHOL_BR	>= 1 DRINK / WEEK	1	-0.17406	0.05630	9.5591	0.0020	0.840	0.752	0.938	ALCOHOL_BR >= 1 DRINK / WEEK
ALCOHOL_BR	FORMER DRINKER	1	0.01447	0.05885	0.0604	0.8058	1.015	0.904	1.139	ALCOHOL_BR FORMER DRINKER
HEI2015_TOTAL_SCORE		1	-0.00349	0.00164	4.5270	0.0334	0.997	0.993	1.000	TOTAL HEI-2015 SCORE
PHYSICAL_ACTIVITY_ME		1	-0.0009546	0.00127	0.5693	0.4506	0.999	0.997	1.002	

Harrell's Concordance Statistic					
		Comparable Pairs			
Source	Estimate	Concordance	Discordance	Tied in Predictor	Tied in Time
Model	0.6362	41557297	23767380	0	2556

table 6

The PHREG Procedure

Model Information		
Data Set	WORK.INTERACT5	
Dependent Variable	TTE_DIABETES	
Censoring Variable	INCIDENT_DIABETES	
Censoring Value(s)	0	
Ties Handling	BRESLOW	
ROC Method	NNE	Nearest Neighbors

Number of Observations Read	133620
Number of Observations Used	133620

Class Level Information										
Class	Value	Design Variables								
bmi_wc	< 105 cm (obesity-1)	1	0	0	0	0	0	0	0	0
	< 115 cm (obesity-2)	0	1	0	0	0	0	0	0	0
	< 115 cm (obesity-3)	0	0	1	0	0	0	0	0	0
	< 80 cm (normal weight)	0	0	0	0	0	0	0	0	0
	< 90 cm (overweight)	0	0	0	1	0	0	0	0	0
	≥ 105 cm (obesity-1)	0	0	0	0	1	0	0	0	0

Class Level Information										
Class	Value	Design Variables								
	≥ 115 cm (obesity-2)	0	0	0	0	0	1	0	0	0
	≥ 115 cm (obesity-3)	0	0	0	0	0	0	1	0	0
	≥ 80 cm (normal weight)	0	0	0	0	0	0	0	1	0
	≥ 90 cm (overweight)	0	0	0	0	0	0	0	0	1
ETHNICITY_BR	0	0								
	1	1								
MARITAL_BR	DIVORCED	1	0	0						
	MARRIED / PARTNERED	0	0	0						
	SINGLE	0	1	0						
	WIDOWED	0	0	1						
EDUC_BR	< HS	0	0	0						
	COMPLETED COLLEGE OR HIGHER	1	0	0						
	HS	0	1	0						
	SOME COLLEGE	0	0	1						
OCCUPATION	Homemaker	1	0	0	0	0	0			
	Managerial/professional	0	0	0	0	0	0			
	Missing	0	1	0	0	0	0			
	Not working/Retired/Disabled	0	0	1	0	0	0			
	Other	0	0	0	1	0	0			
	Service/labor	0	0	0	0	1	0			
	Technical/sales/administrative	0	0	0	0	0	1			
INCOME_BR	100,000+	0	0	0	0					
	20,000-49,999	1	0	0	0					
	50,000-99,999	0	1	0	0					
	<20,000	0	0	1	0					
	Missing	0	0	0	1					
SMOKING_BR	CURRENT SMOKER	1	0							
	NEVER SMOKER	0	0							
	PAST SMOKER	0	1							
ALCOHOL_BR	<1 DRINK/WEEK	1	0	0						
	>= 1 DRINK / WEEK	0	1	0						
	FORMER DRINKER	0	0	1						
	NON-DRINKER	0	0	0						

Summary of the Number of Event and Censored Values			
Total	Event	Censored	Percent Censored
133620	29717	103903	77.76

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	659483.73	653156.41
AIC	659483.73	653280.41
SBC	659483.73	653794.98

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	6327.3215	62	<.0001
Score	7300.6200	62	<.0001
Wald	6694.8050	62	<.0001

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
bmi_wc	9	832.1488	<.0001
AGE	1	0.5279	0.4675
RACE_BR	1	5.3319	0.0209
ETHNICITY_BR	1	95.2478	<.0001
MARITAL_BR	3	42.2031	<.0001
EDUC_BR	3	21.6954	<.0001
OCCUPATION	6	6.8281	0.3370
INCOME_BR	4	19.6240	0.0006
SMOKING_BR	2	54.3743	<.0001
ALCOHOL_BR	3	124.2074	<.0001
HEI2015_TOTAL_SCORE	1	21.9585	<.0001
PHYSICAL_ACTIVITY_ME	1	8.3624	0.0038
race2bmiwc1	1	24.3797	<.0001
race3bmiwc1	1	1.3400	0.2470
race4bmiwc1	1	5.5108	0.0189
race2bmiwc2	1	39.3991	<.0001
race3bmiwc2	1	0.0191	0.8900
race4bmiwc2	1	5.3505	0.0207
race2bmiwc3	1	16.2684	<.0001
race3bmiwc3	1	0.8263	0.3633
race4bmiwc3	1	1.1480	0.2840
race2bmiwc4	1	1.0778	0.2992
race3bmiwc4	1	2.7488	0.0973
race4bmiwc4	1	0.0869	0.7682
race2bmiwc5	1	9.4591	0.0021
race3bmiwc5	1	4.4233	0.0355
race4bmiwc5	1	3.5135	0.0609
race2bmiwc7	1	69.0103	<.0001
race3bmiwc7	1	0.4294	0.5123
race4bmiwc7	1	2.7264	0.0987
race2bmiwc8	1	52.8063	<.0001
race3bmiwc8	1	0.0005	0.9826
race4bmiwc8	1	10.5530	0.0012
race2bmiwc9	1	20.6683	<.0001
race3bmiwc9	1	1.4500	0.2285
race4bmiwc9	1	6.0741	0.0137
race2bmiwc10	1	25.4988	<.0001
race3bmiwc10	1	1.9780	0.1596
race4bmiwc10	1	4.0928	0.0431

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
bmi_wc	< 105 cm (obesity-1)	1	1.16172	0.05600	430.3395	<.0001	3.195	2.863	3.566	bmi_wc < 105 cm (obesity-1)
bmi_wc	< 115 cm (obesity-2)	1	1.32834	0.06616	403.0624	<.0001	3.775	3.316	4.297	bmi_wc < 115 cm (obesity-2)
bmi_wc	< 115 cm (obesity-3)	1	1.50295	0.08461	315.5129	<.0001	4.495	3.808	5.306	bmi_wc < 115 cm (obesity-3)
bmi_wc	< 90 cm (overweight)	1	0.80101	0.05748	194.2268	<.0001	2.228	1.990	2.493	bmi_wc < 90 cm (overweight)
bmi_wc	≥ 105 cm (obesity-1)	1	1.62890	0.11395	204.3556	<.0001	5.098	4.078	6.374	bmi_wc ≥ 105 cm (obesity-1)
bmi_wc	≥ 115 cm (obesity-2)	1	1.57701	0.16603	90.2196	<.0001	4.840	3.496	6.702	bmi_wc ≥ 115 cm (obesity-2)
bmi_wc	≥ 115 cm (obesity-3)	1	1.76610	0.08778	404.8447	<.0001	5.848	4.924	6.946	bmi_wc ≥ 115 cm (obesity-3)
bmi_wc	≥ 80 cm (normal weight)	1	0.82122	0.10787	57.9582	<.0001	2.273	1.840	2.808	bmi_wc ≥ 80 cm (normal weight)
bmi_wc	≥ 90 cm (overweight)	1	1.20846	0.07607	252.3818	<.0001	3.348	2.885	3.887	bmi_wc ≥ 90 cm (overweight)
AGE		1	-0.0007442	0.00102	0.5279	0.4675	0.999	0.997	1.001	Age at screening
RACE_BR		1	0.08944	0.03873	5.3319	0.0209	1.094	1.014	1.180	

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
ETHNICITY_BR	1	1	0.31036	0.03180	95.2478	<.0001	1.364	1.281	1.452	ETHNICITY_BR 1
MARITAL_BR	DIVORCED	1	0.10352	0.01737	35.5147	<.0001	1.109	1.072	1.147	MARITAL_BR DIVORCED
MARITAL_BR	SINGLE	1	-0.03934	0.03036	1.6788	0.1951	0.961	0.906	1.020	MARITAL_BR SINGLE
MARITAL_BR	WIDOWED	1	0.03950	0.01862	4.4980	0.0339	1.040	1.003	1.079	MARITAL_BR WIDOWED
EDUC_BR	COMPLETED COLLEGE OR HIGHER	1	-0.10961	0.03286	11.1266	0.0009	0.896	0.840	0.956	EDUC_BR COMPLETED COLLEGE OR HIGHER
EDUC_BR	HS	1	-0.15047	0.03317	20.5780	<.0001	0.860	0.806	0.918	EDUC_BR HS
EDUC_BR	SOME COLLEGE	1	-0.10431	0.03164	10.8698	0.0010	0.901	0.847	0.959	EDUC_BR SOME COLLEGE
OCCUPATION	Homemaker	1	0.00833	0.02162	0.1487	0.6998	1.008	0.967	1.052	OCCUPATION Homemaker
OCCUPATION	Missing	1	-0.06530	0.03330	3.8449	0.0499	0.937	0.878	1.000	OCCUPATION Missing
OCCUPATION	Not working/Retired/Disabled	1	-0.00384	0.02011	0.0364	0.8487	0.996	0.958	1.036	OCCUPATION Not working/Retired/Disabled
OCCUPATION	Other	1	0.01309	0.02829	0.2143	0.6434	1.013	0.959	1.071	OCCUPATION Other
OCCUPATION	Service/labor	1	-0.00187	0.02560	0.0053	0.9418	0.998	0.949	1.049	OCCUPATION Service/labor
OCCUPATION	Technical/sales/administrative	1	-0.01935	0.01864	1.0775	0.2993	0.981	0.946	1.017	OCCUPATION Technical/sales/administrative
INCOME_BR	20,000-49,999	1	-0.07726	0.02205	12.2725	0.0005	0.926	0.886	0.967	INCOME_BR 20,000-49,999
INCOME_BR	50,000-99,999	1	-0.06331	0.02098	9.1056	0.0025	0.939	0.901	0.978	INCOME_BR 50,000-99,999
INCOME_BR	<20,000	1	-0.02296	0.02865	0.6421	0.4229	0.977	0.924	1.034	INCOME_BR <20,000
INCOME_BR	Missing	1	-0.04144	0.03169	1.7104	0.1909	0.959	0.902	1.021	INCOME_BR Missing
SMOKING_BR	CURRENT SMOKER	1	0.18483	0.02507	54.3740	<.0001	1.203	1.145	1.264	SMOKING_BR CURRENT SMOKER
SMOKING_BR	PAST SMOKER	1	0.02288	0.01254	3.3309	0.0680	1.023	0.998	1.049	SMOKING_BR PAST SMOKER
ALCOHOL_BR	<1 DRINK/WEEK	1	-0.02165	0.02167	0.9980	0.3178	0.979	0.938	1.021	ALCOHOL_BR <1 DRINK/WEEK
ALCOHOL_BR	>= 1 DRINK / WEEK	1	-0.14779	0.02243	43.4011	<.0001	0.863	0.826	0.901	ALCOHOL_BR >= 1 DRINK / WEEK
ALCOHOL_BR	FORMER DRINKER	1	0.01708	0.02380	0.5151	0.4730	1.017	0.971	1.066	ALCOHOL_BR FORMER DRINKER
HEI2015_TOTAL_SCORE		1	-0.00281	0.0006000	21.9585	<.0001	0.997	0.996	0.998	TOTAL HEI-2015 SCORE
PHYSICAL_ACTIVITY_ME		1	-0.00135	0.0004683	8.3624	0.0038	0.999	0.998	1.000	
race2bmiwc1		1	-0.54015	0.10940	24.3797	<.0001	0.583	0.470	0.722	
race3bmiwc1		1	0.20086	0.17352	1.3400	0.2470	1.222	0.870	1.718	
race4bmiwc1		1	-0.63577	0.27083	5.5108	0.0189	0.530	0.311	0.900	
race2bmiwc2		1	-0.48006	0.07648	39.3991	<.0001	0.619	0.533	0.719	
race3bmiwc2		1	-0.02233	0.16152	0.0191	0.8900	0.978	0.713	1.342	
race4bmiwc2		1	-0.47008	0.20322	5.3505	0.0207	0.625	0.420	0.931	
race2bmiwc3		1	-0.47355	0.11741	16.2684	<.0001	0.623	0.495	0.784	
race3bmiwc3		1	-0.31116	0.34230	0.8263	0.3633	0.733	0.375	1.433	
race4bmiwc3		1	-0.31636	0.29526	1.1480	0.2840	0.729	0.409	1.300	
race2bmiwc4		1	-0.17920	0.17261	1.0778	0.2992	0.836	0.596	1.172	
race3bmiwc4		1	-1.20918	0.72932	2.7488	0.0973	0.298	0.071	1.246	
race4bmiwc4		1	-0.11949	0.40539	0.0869	0.7682	0.887	0.401	1.964	
race2bmiwc5		1	-0.28607	0.09302	9.4591	0.0021	0.751	0.626	0.901	
race3bmiwc5		1	0.73651	0.35019	4.4233	0.0355	2.089	1.051	4.149	
race4bmiwc5		1	-0.49349	0.26327	3.5135	0.0609	0.610	0.364	1.023	
race2bmiwc7		1	-0.46876	0.05643	69.0103	<.0001	0.626	0.560	0.699	
race3bmiwc7		1	-0.07151	0.10913	0.4294	0.5123	0.931	0.752	1.153	
race4bmiwc7		1	-0.25864	0.15664	2.7264	0.0987	0.772	0.568	1.050	
race2bmiwc8		1	-0.40103	0.05519	52.8063	<.0001	0.670	0.601	0.746	
race3bmiwc8		1	0.00296	0.13572	0.0005	0.9826	1.003	0.769	1.309	
race4bmiwc8		1	-0.51084	0.15725	10.5530	0.0012	0.600	0.441	0.817	
race2bmiwc9		1	-0.30576	0.06726	20.6683	<.0001	0.737	0.646	0.840	
race3bmiwc9		1	-0.26531	0.22033	1.4500	0.2285	0.767	0.498	1.181	
race4bmiwc9		1	-0.48866	0.19827	6.0741	0.0137	0.613	0.416	0.905	
race2bmiwc10		1	-0.46722	0.09252	25.4988	<.0001	0.627	0.523	0.751	

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
race3bmiwc10		1	-0.59342	0.42194	1.9780	0.1596	0.552	0.242	1.263	
race4bmiwc10		1	-0.56387	0.27872	4.0928	0.0431	0.569	0.330	0.983	

Linear Hypotheses Testing Results				
	Label	Wald Chi-Square	DF	Pr > ChiSq
	Test 1	373.0902	27	<.0001

Harrell's Concordance Statistic					
		Comparable Pairs			
Source	Estimate	Concordance	Discordance	Tied in Predictor	Tied in Time
Model	0.6583	1.46781E9	761818881	0	131834

---

table 6

The PHREG Procedure

RACE_BR=1

Model Information		
Data Set	VA7.MERGED_MAN7_VF	
Dependent Variable	TTE_DIABETES	
Censoring Variable	INCIDENT_DIABETES	
Censoring Value(s)	0	
Ties Handling	BRESLOW	
ROC Method	NNE	Nearest Neighbors

Number of Observations Read	10884
Number of Observations Used	10884

Class Level Information										
Class	Value	Design Variables								
bmi_wc	< 105 cm (obesity-1)	1	0	0	0	0	0	0	0	0
	< 115 cm (obesity-2)	0	1	0	0	0	0	0	0	0
	< 115 cm (obesity-3)	0	0	1	0	0	0	0	0	0
	< 80 cm (normal weight)	0	0	0	0	0	0	0	0	0
	< 90 cm (overweight)	0	0	0	1	0	0	0	0	0
	≥ 105 cm (obesity-1)	0	0	0	0	1	0	0	0	0
	≥ 115 cm (obesity-2)	0	0	0	0	0	1	0	0	0
	≥ 115 cm (obesity-3)	0	0	0	0	0	0	1	0	0
	≥ 80 cm (normal weight)	0	0	0	0	0	0	0	1	0
	≥ 90 cm (overweight)	0	0	0	0	0	0	0	0	1
ETHNICITY_BR	0	0								
	1	1								
MARITAL_BR	DIVORCED	1	0	0						
	MARRIED / PARTNERED	0	0	0						
	SINGLE	0	1	0						
	WIDOWED	0	0	1						
EDUC_BR	< HS	0	0	0						
	COMPLETED COLLEGE OR HIGHER	1	0	0						
	HS	0	1	0						
	SOME COLLEGE	0	0	1						
OCCUPATION	Homemaker	1	0	0	0	0	0			
	Managerial/professional	0	0	0	0	0	0			
	Missing	0	1	0	0	0	0			

Class Level Information										
Class	Value	Design Variables								
	Not working/Retired/Disabled	0	0	1	0	0	0			
	Other	0	0	0	1	0	0			
	Service/labor	0	0	0	0	1	0			
	Technical/sales/administrative	0	0	0	0	0	1			
INCOME_BR	100,000+	0	0	0	0					
	20,000-49,999	1	0	0	0					
	50,000-99,999	0	1	0	0					
	<20,000	0	0	1	0					
	Missing	0	0	0	1					
SMOKING_BR	CURRENT SMOKER	1	0							
	NEVER SMOKER	0	0							
	PAST SMOKER	0	1							
ALCOHOL_BR	<1 DRINK/WEEK	1	0	0						
	>= 1 DRINK / WEEK	0	1	0						
	FORMER DRINKER	0	0	1						
	NON-DRINKER	0	0	0						

Summary of the Number of Event and Censored Values			
Total	Event	Censored	Percent Censored
10884	2924	7960	73.13

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	49838.882	49460.636
AIC	49838.882	49528.636
SBC	49838.882	49731.980

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	378.2459	34	<.0001
Score	391.5962	34	<.0001
Wald	374.6385	34	<.0001

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
bmi_wc	9	256.7721	<.0001
AGE	1	5.1155	0.0237
RACE_BR	0	.	.
ETHNICITY_BR	1	0.3453	0.5568
MARITAL_BR	3	6.2423	0.1004
EDUC_BR	3	6.9360	0.0740
OCCUPATION	6	1.2043	0.9767
INCOME_BR	4	0.4736	0.9760
SMOKING_BR	2	10.8881	0.0043
ALCOHOL_BR	3	4.6831	0.1965
HEI2015_TOTAL_SCORE	1	7.5528	0.0060
PHYSICAL_ACTIVITY_ME	1	0.0005	0.9824

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
bmi_wc	< 105 cm (obesity-1)	1	0.67817	0.07420	83.5338	<.0001	1.970	1.704	2.279	bmi_wc < 105 cm (obesity-1)
bmi_wc	< 115 cm (obesity-2)	1	0.81633	0.08285	97.0865	<.0001	2.262	1.923	2.661	bmi_wc < 115 cm (obesity-2)
bmi_wc	< 115 cm (obesity-3)	1	0.97551	0.09854	97.9952	<.0001	2.653	2.187	3.218	bmi_wc < 115 cm (obesity-3)
bmi_wc	< 90 cm (overweight)	1	0.34214	0.07497	20.8248	<.0001	1.408	1.216	1.631	bmi_wc < 90 cm (overweight)
bmi_wc	≥ 105 cm (obesity-1)	1	1.08979	0.12464	76.4459	<.0001	2.974	2.329	3.797	bmi_wc ≥ 105 cm (obesity-1)
bmi_wc	≥ 115 cm (obesity-2)	1	1.06378	0.17441	37.2034	<.0001	2.897	2.058	4.078	bmi_wc ≥ 115 cm (obesity-2)
bmi_wc	≥ 115 cm (obesity-3)	1	1.21001	0.10231	139.8676	<.0001	3.354	2.744	4.098	bmi_wc ≥ 115 cm (obesity-3)
bmi_wc	≥ 80 cm (normal weight)	1	0.36272	0.11826	9.4070	0.0022	1.437	1.140	1.812	bmi_wc ≥ 80 cm (normal weight)
bmi_wc	≥ 90 cm (overweight)	1	0.71858	0.09037	63.2206	<.0001	2.052	1.718	2.449	bmi_wc ≥ 90 cm (overweight)
AGE		1	-0.00739	0.00327	5.1155	0.0237	0.993	0.986	0.999	Age at screening
RACE_BR		0	0	.	.	.	.	.	.	
ETHNICITY_BR	1	1	-0.10326	0.17572	0.3453	0.5568	0.902	0.639	1.273	ETHNICITY_BR 1
MARITAL_BR	DIVORCED	1	0.04624	0.04700	0.9677	0.3253	1.047	0.955	1.148	MARITAL_BR DIVORCED
MARITAL_BR	SINGLE	1	-0.16479	0.08540	3.7237	0.0536	0.848	0.717	1.003	MARITAL_BR SINGLE
MARITAL_BR	WIDOWED	1	0.01324	0.05586	0.0561	0.8127	1.013	0.908	1.131	MARITAL_BR WIDOWED
EDUC_BR	COMPLETED COLLEGE OR HIGHER	1	-0.17656	0.07976	4.9006	0.0268	0.838	0.717	0.980	EDUC_BR COMPLETED COLLEGE OR HIGHER
EDUC_BR	HS	1	-0.09283	0.07969	1.3569	0.2441	0.911	0.780	1.065	EDUC_BR HS
EDUC_BR	SOME COLLEGE	1	-0.17704	0.07225	6.0035	0.0143	0.838	0.727	0.965	EDUC_BR SOME COLLEGE
OCCUPATION	Homemaker	1	0.00550	0.09165	0.0036	0.9521	1.006	0.840	1.203	OCCUPATION Homemaker
OCCUPATION	Missing	1	-0.00536	0.10257	0.0027	0.9583	0.995	0.814	1.216	OCCUPATION Missing
OCCUPATION	Not working/Retired/Disabled	1	0.05096	0.06201	0.6754	0.4112	1.052	0.932	1.188	OCCUPATION Not working/Retired/Disabled
OCCUPATION	Other	1	-0.02394	0.08966	0.0713	0.7894	0.976	0.819	1.164	OCCUPATION Other
OCCUPATION	Service/labor	1	0.02369	0.07465	0.1007	0.7510	1.024	0.885	1.185	OCCUPATION Service/labor
OCCUPATION	Technical/sales/administrative	1	0.01224	0.06460	0.0359	0.8497	1.012	0.892	1.149	OCCUPATION Technical/sales/administrative
INCOME_BR	20,000-49,999	1	-0.03849	0.09138	0.1774	0.6736	0.962	0.804	1.151	INCOME_BR 20,000-49,999
INCOME_BR	50,000-99,999	1	-0.03269	0.08813	0.1376	0.7107	0.968	0.814	1.150	INCOME_BR 50,000-99,999
INCOME_BR	<20,000	1	-0.01104	0.10324	0.0114	0.9148	0.989	0.808	1.211	INCOME_BR <20,000
INCOME_BR	Missing	1	-0.04153	0.11662	0.1268	0.7218	0.959	0.763	1.206	INCOME_BR Missing
SMOKING_BR	CURRENT SMOKER	1	0.16589	0.06501	6.5108	0.0107	1.180	1.039	1.341	SMOKING_BR CURRENT SMOKER
SMOKING_BR	PAST SMOKER	1	0.11713	0.04153	7.9561	0.0048	1.124	1.036	1.220	SMOKING_BR PAST SMOKER
ALCOHOL_BR	<1 DRINK/WEEK	1	-0.02783	0.05856	0.2258	0.6346	0.973	0.867	1.091	ALCOHOL_BR <1 DRINK/WEEK
ALCOHOL_BR	>= 1 DRINK / WEEK	1	-0.11818	0.06782	3.0367	0.0814	0.889	0.778	1.015	ALCOHOL_BR >= 1 DRINK / WEEK
ALCOHOL_BR	FORMER DRINKER	1	-0.00470	0.05955	0.0062	0.9371	0.995	0.886	1.119	ALCOHOL_BR FORMER DRINKER
HEI2015_TOTAL_SCORE		1	-0.00505	0.00184	7.5528	0.0060	0.995	0.991	0.999	TOTAL HEI-2015 SCORE
PHYSICAL_ACTIVITY_ME		1	0.0000334	0.00152	0.0005	0.9824	1.000	0.997	1.003	

Harrell's Concordance Statistic					
		Comparable Pairs			
Source	Estimate	Concordance	Discordance	Tied in Predictor	Tied in Time
Model	0.6234	10972305	6628421	0	1000

table 6

The PHREG Procedure

RACE_BR=2

Model Information		
Data Set	VA7.MERGED_MAN7_VF	

Model Information		
Dependent Variable	TTE_DIABETES	
Censoring Variable	INCIDENT_DIABETES	
Censoring Value(s)	0	
Ties Handling	BRESLOW	
ROC Method	NNE	Nearest Neighbors

Number of Observations Read	118018
Number of Observations Used	118018

Class Level Information											
Class	Value	Design Variables									
bmi_wc	< 105 cm (obesity-1)	1	0	0	0	0	0	0	0	0	
	< 115 cm (obesity-2)	0	1	0	0	0	0	0	0	0	
	< 115 cm (obesity-3)	0	0	1	0	0	0	0	0	0	
	< 80 cm (normal weight)	0	0	0	0	0	0	0	0	0	
	< 90 cm (overweight)	0	0	0	1	0	0	0	0	0	
	≥ 105 cm (obesity-1)	0	0	0	0	1	0	0	0	0	
	≥ 115 cm (obesity-2)	0	0	0	0	0	1	0	0	0	
	≥ 115 cm (obesity-3)	0	0	0	0	0	0	1	0	0	
	≥ 80 cm (normal weight)	0	0	0	0	0	0	0	1	0	
	≥ 90 cm (overweight)	0	0	0	0	0	0	0	0	1	
ETHNICITY_BR	0	0									
	1	1									
MARITAL_BR	DIVORCED	1	0	0							
	MARRIED / PARTNERED	0	0	0							
	SINGLE	0	1	0							
	WIDOWED	0	0	1							
EDUC_BR	< HS	0	0	0							
	COMPLETED COLLEGE OR HIGHER	1	0	0							
	HS	0	1	0							
	SOME COLLEGE	0	0	1							
OCCUPATION	Homemaker	1	0	0	0	0	0				
	Managerial/professional	0	0	0	0	0	0				
	Missing	0	1	0	0	0	0				
	Not working/Retired/Disabled	0	0	1	0	0	0				
	Other	0	0	0	1	0	0				
	Service/labor	0	0	0	0	1	0				
	Technical/sales/administrative	0	0	0	0	0	1				
INCOME_BR	100,000+	0	0	0	0						
	20,000-49,999	1	0	0	0						
	50,000-99,999	0	1	0	0						
	<20,000	0	0	1	0						
	Missing	0	0	0	1						
SMOKING_BR	CURRENT SMOKER	1	0								
	NEVER SMOKER	0	0								
	PAST SMOKER	0	1								
ALCOHOL_BR	<1 DRINK/WEEK	1	0	0							
	>= 1 DRINK / WEEK	0	1	0							
	FORMER DRINKER	0	0	1							
	NON-DRINKER	0	0	0							

Summary of the Number of Event and Censored Values			
Total	Event	Censored	Percent Censored
118018	25533	92485	78.37

Convergence Status

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	560498.78	555480.91
AIC	560498.78	555548.91
SBC	560498.78	555825.93

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	5017.8664	34	<.0001
Score	5724.6301	34	<.0001
Wald	5296.0853	34	<.0001

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
bmi_wc	9	3877.9153	<.0001
AGE	1	0.4013	0.5264
RACE_BR	0	.	.
ETHNICITY_BR	1	113.7009	<.0001
MARITAL_BR	3	33.1887	<.0001
EDUC_BR	3	16.2371	0.0010
OCCUPATION	6	10.8267	0.0939
INCOME_BR	4	20.0114	0.0005
SMOKING_BR	2	50.3254	<.0001
ALCOHOL_BR	3	105.1844	<.0001
HEI2015_TOTAL_SCORE	1	15.5703	<.0001
PHYSICAL_ACTIVITY_ME	1	6.3305	0.0119

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
bmi_wc	< 105 cm (obesity-1)	1	0.80084	0.02056	1517.3612	<.0001	2.227	2.139	2.319	bmi_wc < 105 cm (obesity-1)
bmi_wc	< 115 cm (obesity-2)	1	1.06674	0.02660	1607.9670	<.0001	2.906	2.758	3.061	bmi_wc < 115 cm (obesity-2)
bmi_wc	< 115 cm (obesity-3)	1	1.08034	0.04445	590.7632	<.0001	2.946	2.700	3.214	bmi_wc < 115 cm (obesity-3)
bmi_wc	< 90 cm (overweight)	1	0.36694	0.01883	379.8376	<.0001	1.443	1.391	1.498	bmi_wc < 90 cm (overweight)
bmi_wc	≥ 105 cm (obesity-1)	1	1.20018	0.03691	1057.2401	<.0001	3.321	3.089	3.570	bmi_wc ≥ 105 cm (obesity-1)
bmi_wc	≥ 115 cm (obesity-2)	1	1.44775	0.05331	737.6393	<.0001	4.254	3.832	4.722	bmi_wc ≥ 115 cm (obesity-2)
bmi_wc	≥ 115 cm (obesity-3)	1	1.53236	0.04007	1462.1613	<.0001	4.629	4.279	5.007	bmi_wc ≥ 115 cm (obesity-3)
bmi_wc	≥ 80 cm (normal weight)	1	0.31556	0.02832	124.1974	<.0001	1.371	1.297	1.449	bmi_wc ≥ 80 cm (normal weight)
bmi_wc	≥ 90 cm (overweight)	1	0.76730	0.02377	1041.8956	<.0001	2.154	2.056	2.257	bmi_wc ≥ 90 cm (overweight)
AGE		1	0.0007017	0.00111	0.4013	0.5264	1.001	0.999	1.003	Age at screening
RACE_BR		0	0	.	.	.	.	.	.	
ETHNICITY_BR	1	1	0.35933	0.03370	113.7009	<.0001	1.432	1.341	1.530	ETHNICITY_BR 1
MARITAL_BR	DIVORCED	1	0.10487	0.01927	29.6255	<.0001	1.111	1.069	1.153	MARITAL_BR DIVORCED
MARITAL_BR	SINGLE	1	-0.02564	0.03347	0.5870	0.4436	0.975	0.913	1.041	MARITAL_BR SINGLE
MARITAL_BR	WIDOWED	1	0.03797	0.02026	3.5119	0.0609	1.039	0.998	1.081	MARITAL_BR WIDOWED
EDUC_BR	COMPLETED COLLEGE OR HIGHER	1	-0.07066	0.03799	3.4587	0.0629	0.932	0.865	1.004	EDUC_BR COMPLETED COLLEGE OR HIGHER
EDUC_BR	HS	1	-0.12540	0.03823	10.7606	0.0010	0.882	0.818	0.951	EDUC_BR HS
EDUC_BR	SOME COLLEGE	1	-0.06312	0.03680	2.9427	0.0863	0.939	0.874	1.009	EDUC_BR SOME COLLEGE
OCCUPATION	Homemaker	1	0.01337	0.02277	0.3446	0.5572	1.013	0.969	1.060	OCCUPATION Homemaker
OCCUPATION	Missing	1	-0.08158	0.03606	5.1192	0.0237	0.922	0.859	0.989	OCCUPATION Missing
OCCUPATION	Not working/Retired/Disabled	1	-0.01622	0.02187	0.5502	0.4582	0.984	0.943	1.027	OCCUPATION Not working/Retired/Disabled

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
OCCUPATION	Other	1	0.02933	0.03053	0.9235	0.3366	1.030	0.970	1.093	OCCUPATION Other
OCCUPATION	Service/labor	1	-0.01229	0.02834	0.1880	0.6646	0.988	0.934	1.044	OCCUPATION Service/labor
OCCUPATION	Technical/sales/administrative	1	-0.02299	0.01997	1.3260	0.2495	0.977	0.940	1.016	OCCUPATION Technical/sales/administrative
INCOME_BR	20,000-49,999	1	-0.08140	0.02336	12.1456	0.0005	0.922	0.881	0.965	INCOME_BR 20,000-49,999
INCOME_BR	50,000-99,999	1	-0.06672	0.02221	9.0275	0.0027	0.935	0.896	0.977	INCOME_BR 50,000-99,999
INCOME_BR	<20,000	1	-0.01919	0.03101	0.3831	0.5359	0.981	0.923	1.042	INCOME_BR <20,000
INCOME_BR	Missing	1	-0.04300	0.03393	1.6056	0.2051	0.958	0.896	1.024	INCOME_BR Missing
SMOKING_BR	CURRENT SMOKER	1	0.19807	0.02796	50.1982	<.0001	1.219	1.154	1.288	SMOKING_BR CURRENT SMOKER
SMOKING_BR	PAST SMOKER	1	0.01831	0.01344	1.8566	0.1730	1.018	0.992	1.046	SMOKING_BR PAST SMOKER
ALCOHOL_BR	<1 DRINK/WEEK	1	-0.01279	0.02471	0.2680	0.6047	0.987	0.941	1.036	ALCOHOL_BR <1 DRINK/WEEK
ALCOHOL_BR	>= 1 DRINK / WEEK	1	-0.13596	0.02527	28.9601	<.0001	0.873	0.831	0.917	ALCOHOL_BR >= 1 DRINK / WEEK
ALCOHOL_BR	FORMER DRINKER	1	0.02742	0.02739	1.0027	0.3167	1.028	0.974	1.084	ALCOHOL_BR FORMER DRINKER
HEI2015_TOTAL_SCORE		1	-0.00256	0.0006494	15.5703	<.0001	0.997	0.996	0.999	TOTAL HEI-2015 SCORE
PHYSICAL_ACTIVITY_ME		1	-0.00127	0.0005054	6.3305	0.0119	0.999	0.998	1.000	

Harrell's Concordance Statistic					
		Comparable Pairs			
Source	Estimate	Concordance	Discordance	Tied in Predictor	Tied in Time
Model	0.6514	1.1026E9	590097902	0	102360

---

table 6

The PHREG Procedure

RACE_BR=3

Model Information		
Data Set	VA7.MERGED_MAN7_VF	
Dependent Variable	TTE_DIABETES	
Censoring Variable	INCIDENT_DIABETES	
Censoring Value(s)	0	
Ties Handling	BRESLOW	
ROC Method	NNE	Nearest Neighbors

Number of Observations Read	3164
Number of Observations Used	3164

Class Level Information										
Class	Value	Design Variables								
bmi_wc	< 105 cm (obesity-1)	1	0	0	0	0	0	0	0	0
	< 115 cm (obesity-2)	0	1	0	0	0	0	0	0	0
	< 115 cm (obesity-3)	0	0	1	0	0	0	0	0	0
	< 80 cm (normal weight)	0	0	0	0	0	0	0	0	0
	< 90 cm (overweight)	0	0	0	1	0	0	0	0	0
	≥ 105 cm (obesity-1)	0	0	0	0	1	0	0	0	0
	≥ 115 cm (obesity-2)	0	0	0	0	0	1	0	0	0
	≥ 115 cm (obesity-3)	0	0	0	0	0	0	1	0	0
	≥ 80 cm (normal weight)	0	0	0	0	0	0	0	1	0
	≥ 90 cm (overweight)	0	0	0	0	0	0	0	0	1
ETHNICITY_BR	0	0								
	1	1								

Class Level Information										
Class	Value	Design Variables								
MARITAL_BR	DIVORCED	1	0	0						
	MARRIED / PARTNERED	0	0	0						
	SINGLE	0	1	0						
	WIDOWED	0	0	1						
EDUC_BR	< HS	0	0	0						
	COMPLETED COLLEGE OR HIGHER	1	0	0						
	HS	0	1	0						
	SOME COLLEGE	0	0	1						
OCCUPATION	Homemaker	1	0	0	0	0	0			
	Managerial/professional	0	0	0	0	0	0			
	Missing	0	1	0	0	0	0			
	Not working/Retired/Disabled	0	0	1	0	0	0			
	Other	0	0	0	1	0	0			
	Service/labor	0	0	0	0	1	0			
	Technical/sales/administrative	0	0	0	0	0	1			
INCOME_BR	100,000+	0	0	0	0					
	20,000-49,999	1	0	0	0					
	50,000-99,999	0	1	0	0					
	<20,000	0	0	1	0					
	Missing	0	0	0	1					
SMOKING_BR	CURRENT SMOKER	1	0							
	NEVER SMOKER	0	0							
	PAST SMOKER	0	1							
ALCOHOL_BR	<1 DRINK/WEEK	1	0	0						
	>= 1 DRINK / WEEK	0	1	0						
	FORMER DRINKER	0	0	1						
	NON-DRINKER	0	0	0						

Summary of the Number of Event and Censored Values			
Total	Event	Censored	Percent Censored
3164	818	2346	74.15

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	11858.749	11715.460
AIC	11858.749	11783.460
SBC	11858.749	11943.493

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	143.2888	34	<.0001
Score	174.9232	34	<.0001
Wald	157.4594	34	<.0001

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
bmi_wc	9	112.1999	<.0001
AGE	1	0.1216	0.7273
RACE_BR	0	.	.
ETHNICITY_BR	1	0.0473	0.8278
MARITAL_BR	3	4.2548	0.2352

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
EDUC_BR	3	1.5148	0.6788
OCCUPATION	6	8.3499	0.2136
INCOME_BR	4	2.0297	0.7303
SMOKING_BR	2	0.7132	0.7001
ALCOHOL_BR	3	0.1971	0.9781
HEI2015_TOTAL_SCORE	1	0.0252	0.8740
PHYSICAL_ACTIVITY_ME	1	3.8311	0.0503

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
bmi_wc	< 105 cm (obesity-1)	1	0.86129	0.12480	47.6313	<.0001	2.366	1.853	3.022	bmi_wc < 105 cm (obesity-1)
bmi_wc	< 115 cm (obesity-2)	1	0.74249	0.21546	11.8758	0.0006	2.101	1.377	3.205	bmi_wc < 115 cm (obesity-2)
bmi_wc	< 115 cm (obesity-3)	1	0.66753	0.41641	2.5698	0.1089	1.949	0.862	4.409	bmi_wc < 115 cm (obesity-3)
bmi_wc	< 90 cm (overweight)	1	0.41176	0.08895	21.4290	<.0001	1.509	1.268	1.797	bmi_wc < 90 cm (overweight)
bmi_wc	≥ 105 cm (obesity-1)	1	1.05432	0.33097	10.1476	0.0014	2.870	1.500	5.490	bmi_wc ≥ 105 cm (obesity-1)
bmi_wc	≥ 115 cm (obesity-2)	1	0.04852	0.71483	0.0046	0.9459	1.050	0.259	4.261	bmi_wc ≥ 115 cm (obesity-2)
bmi_wc	≥ 115 cm (obesity-3)	1	2.14524	0.35115	37.3225	<.0001	8.544	4.293	17.004	bmi_wc ≥ 115 cm (obesity-3)
bmi_wc	≥ 80 cm (normal weight)	1	0.72541	0.13333	29.6034	<.0001	2.066	1.591	2.682	bmi_wc ≥ 80 cm (normal weight)
bmi_wc	≥ 90 cm (overweight)	1	0.90690	0.14450	39.3890	<.0001	2.477	1.866	3.287	bmi_wc ≥ 90 cm (overweight)
AGE		1	-0.00216	0.00619	0.1216	0.7273	0.998	0.986	1.010	Age at screening
RACE_BR		0	0	.	.	.	.	.	.	
ETHNICITY_BR	1	1	0.04557	0.20954	0.0473	0.8278	1.047	0.694	1.578	ETHNICITY_BR 1
MARITAL_BR	DIVORCED	1	0.14312	0.11482	1.5537	0.2126	1.154	0.921	1.445	MARITAL_BR DIVORCED
MARITAL_BR	SINGLE	1	0.01947	0.16979	0.0132	0.9087	1.020	0.731	1.422	MARITAL_BR SINGLE
MARITAL_BR	WIDOWED	1	0.20560	0.11054	3.4597	0.0629	1.228	0.989	1.525	MARITAL_BR WIDOWED
EDUC_BR	COMPLETED COLLEGE OR HIGHER	1	-0.17613	0.21605	0.6646	0.4149	0.839	0.549	1.281	EDUC_BR COMPLETED COLLEGE OR HIGHER
EDUC_BR	HS	1	-0.13189	0.22199	0.3530	0.5524	0.876	0.567	1.354	EDUC_BR HS
EDUC_BR	SOME COLLEGE	1	-0.22391	0.21032	1.1334	0.2871	0.799	0.529	1.207	EDUC_BR SOME COLLEGE
OCCUPATION	Homemaker	1	-0.26330	0.16048	2.6917	0.1009	0.769	0.561	1.053	OCCUPATION Homemaker
OCCUPATION	Missing	1	0.15227	0.21536	0.4999	0.4796	1.164	0.764	1.776	OCCUPATION Missing
OCCUPATION	Not working/Retired/Disabled	1	-0.09243	0.11586	0.6364	0.4250	0.912	0.727	1.144	OCCUPATION Not working/Retired/Disabled
OCCUPATION	Other	1	-0.30678	0.19128	2.5723	0.1087	0.736	0.506	1.070	OCCUPATION Other
OCCUPATION	Service/labor	1	0.09128	0.14633	0.3892	0.5327	1.096	0.822	1.459	OCCUPATION Service/labor
OCCUPATION	Technical/sales/administrative	1	0.00808	0.10778	0.0056	0.9403	1.008	0.816	1.245	OCCUPATION Technical/sales/administrative
INCOME_BR	20,000-49,999	1	-0.09558	0.12261	0.6078	0.4356	0.909	0.715	1.156	INCOME_BR 20,000-49,999
INCOME_BR	50,000-99,999	1	-0.09839	0.10886	0.8170	0.3661	0.906	0.732	1.122	INCOME_BR 50,000-99,999
INCOME_BR	<20,000	1	-0.10054	0.17193	0.3420	0.5587	0.904	0.646	1.267	INCOME_BR <20,000
INCOME_BR	Missing	1	-0.27976	0.20412	1.8785	0.1705	0.756	0.507	1.128	INCOME_BR Missing
SMOKING_BR	CURRENT SMOKER	1	0.00784	0.17168	0.0021	0.9636	1.008	0.720	1.411	SMOKING_BR CURRENT SMOKER
SMOKING_BR	PAST SMOKER	1	-0.07009	0.08549	0.6721	0.4123	0.932	0.788	1.102	SMOKING_BR PAST SMOKER
ALCOHOL_BR	<1 DRINK/WEEK	1	-0.03426	0.09120	0.1412	0.7071	0.966	0.808	1.155	ALCOHOL_BR <1 DRINK/WEEK
ALCOHOL_BR	>= 1 DRINK / WEEK	1	-0.02260	0.11793	0.0367	0.8480	0.978	0.776	1.232	ALCOHOL_BR >= 1 DRINK / WEEK
ALCOHOL_BR	FORMER DRINKER	1	0.00150	0.10445	0.0002	0.9885	1.002	0.816	1.229	ALCOHOL_BR FORMER DRINKER
HEI2015_TOTAL_SCORE		1	-0.0006155	0.00388	0.0252	0.8740	0.999	0.992	1.007	TOTAL HEI-2015 SCORE
PHYSICAL_ACTIVITY_ME		1	-0.00541	0.00276	3.8311	0.0503	0.995	0.989	1.000	

Harrell's Concordance Statistic					
		Comparable Pairs			
Source	Estimate	Concordance	Discordance	Tied in Predictor	Tied in Time
Model	0.6523	882934	470724	0	98

---

table 6

The PHREG Procedure

RACE_BR=4

Model Information		
Data Set	VA7.MERGED_MAN7_VF	
Dependent Variable	TTE_DIABETES	
Censoring Variable	INCIDENT_DIABETES	
Censoring Value(s)	0	
Ties Handling	BRESLOW	
ROC Method	NNE	Nearest Neighbors

Number of Observations Read	1554
Number of Observations Used	1554

Class Level Information										
Class	Value	Design Variables								
bmi_wc	< 105 cm (obesity-1)	1	0	0	0	0	0	0	0	0
	< 115 cm (obesity-2)	0	1	0	0	0	0	0	0	0
	< 115 cm (obesity-3)	0	0	1	0	0	0	0	0	0
	< 80 cm (normal weight)	0	0	0	0	0	0	0	0	0
	< 90 cm (overweight)	0	0	0	1	0	0	0	0	0
	≥ 105 cm (obesity-1)	0	0	0	0	1	0	0	0	0
	≥ 115 cm (obesity-2)	0	0	0	0	0	1	0	0	0
	≥ 115 cm (obesity-3)	0	0	0	0	0	0	1	0	0
	≥ 80 cm (normal weight)	0	0	0	0	0	0	0	1	0
	≥ 90 cm (overweight)	0	0	0	0	0	0	0	0	1
ETHNICITY_BR	0	0								
	1	1								
MARITAL_BR	DIVORCED	1	0	0						
	MARRIED / PARTNERED	0	0	0						
	SINGLE	0	1	0						
	WIDOWED	0	0	1						
EDUC_BR	< HS	0	0	0						
	COMPLETED COLLEGE OR HIGHER	1	0	0						
	HS	0	1	0						
	SOME COLLEGE	0	0	1						
OCCUPATION	Homemaker	1	0	0	0	0	0			
	Managerial/professional	0	0	0	0	0	0			
	Missing	0	1	0	0	0	0			
	Not working/Retired/Disabled	0	0	1	0	0	0			
	Other	0	0	0	1	0	0			
	Service/labor	0	0	0	0	1	0			
	Technical/sales/administrative	0	0	0	0	0	1			
INCOME_BR	100,000+	0	0	0	0					
	20,000-49,999	1	0	0	0					
	50,000-99,999	0	1	0	0					
	<20,000	0	0	1	0					
	Missing	0	0	0	1					
SMOKING_BR	CURRENT SMOKER	1	0							
	NEVER SMOKER	0	0							
	PAST SMOKER	0	1							

Class Level Information										
Class	Value	Design Variables								
ALCOHOL_BR	<1 DRINK/WEEK	1	0	0						
	>= 1 DRINK / WEEK	0	1	0						
	FORMER DRINKER	0	0	1						
	NON-DRINKER	0	0	0						

Summary of the Number of Event and Censored Values			
Total	Event	Censored	Percent Censored
1554	442	1112	71.56

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	5927.395	5833.546
AIC	5927.395	5901.546
SBC	5927.395	6040.651

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	93.8489	34	<.0001
Score	98.7120	34	<.0001
Wald	93.9113	34	<.0001

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
bmi_wc	9	54.0368	<.0001
AGE	1	4.1008	0.0429
RACE_BR	0	.	.
ETHNICITY_BR	1	1.5107	0.2190
MARITAL_BR	3	4.3113	0.2297
EDUC_BR	3	4.2605	0.2347
OCCUPATION	6	6.7568	0.3439
INCOME_BR	4	4.1798	0.3822
SMOKING_BR	2	0.6385	0.7267
ALCOHOL_BR	3	6.0361	0.1099
HEI2015_TOTAL_SCORE	1	0.8552	0.3551
PHYSICAL_ACTIVITY_ME	1	0.6070	0.4359

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
bmi_wc	< 105 cm (obesity-1)	1	0.67590	0.16110	17.6028	<.0001	1.966	1.434	2.696	bmi_wc < 105 cm (obesity-1)
bmi_wc	< 115 cm (obesity-2)	1	0.85543	0.20072	18.1633	<.0001	2.352	1.587	3.486	bmi_wc < 115 cm (obesity-2)
bmi_wc	< 115 cm (obesity-3)	1	0.94000	0.27784	11.4463	0.0007	2.560	1.485	4.413	bmi_wc < 115 cm (obesity-3)
bmi_wc	< 90 cm (overweight)	1	0.56401	0.15664	12.9643	0.0003	1.758	1.293	2.389	bmi_wc < 90 cm (overweight)
bmi_wc	≥ 105 cm (obesity-1)	1	1.35846	0.28566	22.6152	<.0001	3.890	2.222	6.810	bmi_wc ≥ 105 cm (obesity-1)
bmi_wc	≥ 115 cm (obesity-2)	1	1.60789	0.39060	16.9452	<.0001	4.992	2.322	10.734	bmi_wc ≥ 115 cm (obesity-2)
bmi_wc	≥ 115 cm (obesity-3)	1	1.30154	0.26931	23.3570	<.0001	3.675	2.168	6.230	bmi_wc ≥ 115 cm (obesity-3)
bmi_wc	≥ 80 cm (normal weight)	1	0.25708	0.25693	1.0012	0.3170	1.293	0.782	2.140	bmi_wc ≥ 80 cm (normal weight)
bmi_wc	≥ 90 cm (overweight)	1	0.79784	0.19975	15.9542	<.0001	2.221	1.501	3.285	bmi_wc ≥ 90 cm (overweight)
AGE		1	-0.01747	0.00863	4.1008	0.0429	0.983	0.966	0.999	Age at screening
RACE_BR		0	0	.	.	.	.	.	.	

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
ETHNICITY_BR	1	1	0.18211	0.14816	1.5107	0.2190	1.200	0.897	1.604	ETHNICITY_BR 1
MARITAL_BR	DIVORCED	1	0.08232	0.12908	0.4068	0.5236	1.086	0.843	1.398	MARITAL_BR DIVORCED
MARITAL_BR	SINGLE	1	-0.22204	0.25282	0.7713	0.3798	0.801	0.488	1.315	MARITAL_BR SINGLE
MARITAL_BR	WIDOWED	1	-0.26552	0.17180	2.3885	0.1222	0.767	0.548	1.074	MARITAL_BR WIDOWED
EDUC_BR	COMPLETED COLLEGE OR HIGHER	1	-0.45743	0.23325	3.8462	0.0499	0.633	0.401	1.000	EDUC_BR COMPLETED COLLEGE OR HIGHER
EDUC_BR	HS	1	-0.26569	0.23972	1.2283	0.2677	0.767	0.479	1.226	EDUC_BR HS
EDUC_BR	SOME COLLEGE	1	-0.37446	0.22033	2.8884	0.0892	0.688	0.447	1.059	EDUC_BR SOME COLLEGE
OCCUPATION	Homemaker	1	-0.02081	0.19243	0.0117	0.9139	0.979	0.672	1.428	OCCUPATION Homemaker
OCCUPATION	Missing	1	0.02350	0.27382	0.0074	0.9316	1.024	0.599	1.751	OCCUPATION Missing
OCCUPATION	Not working/Retired/Disabled	1	0.28070	0.16559	2.8735	0.0900	1.324	0.957	1.832	OCCUPATION Not working/Retired/Disabled
OCCUPATION	Other	1	-0.04821	0.22517	0.0458	0.8305	0.953	0.613	1.482	OCCUPATION Other
OCCUPATION	Service/labor	1	-0.06753	0.19640	0.1182	0.7310	0.935	0.636	1.374	OCCUPATION Service/labor
OCCUPATION	Technical/sales/administrative	1	-0.10148	0.15814	0.4118	0.5211	0.904	0.663	1.232	OCCUPATION Technical/sales/administrative
INCOME_BR	20,000-49,999	1	0.19284	0.21729	0.7876	0.3748	1.213	0.792	1.857	INCOME_BR 20,000-49,999
INCOME_BR	50,000-99,999	1	0.15251	0.21179	0.5185	0.4715	1.165	0.769	1.764	INCOME_BR 50,000-99,999
INCOME_BR	<20,000	1	0.05744	0.25682	0.0500	0.8230	1.059	0.640	1.752	INCOME_BR <20,000
INCOME_BR	Missing	1	0.44484	0.26647	2.7868	0.0950	1.560	0.925	2.630	INCOME_BR Missing
SMOKING_BR	CURRENT SMOKER	1	-0.05303	0.19020	0.0777	0.7804	0.948	0.653	1.377	SMOKING_BR CURRENT SMOKER
SMOKING_BR	PAST SMOKER	1	-0.08375	0.10518	0.6341	0.4259	0.920	0.748	1.130	SMOKING_BR PAST SMOKER
ALCOHOL_BR	<1 DRINK/WEEK	1	0.21178	0.17513	1.4624	0.2266	1.236	0.877	1.742	ALCOHOL_BR <1 DRINK/WEEK
ALCOHOL_BR	>= 1 DRINK / WEEK	1	-0.07759	0.18496	0.1760	0.6748	0.925	0.644	1.330	ALCOHOL_BR >= 1 DRINK / WEEK
ALCOHOL_BR	FORMER DRINKER	1	0.13481	0.18744	0.5173	0.4720	1.144	0.792	1.652	ALCOHOL_BR FORMER DRINKER
HEI2015_TOTAL_SCORE		1	0.00486	0.00526	0.8552	0.3551	1.005	0.995	1.015	TOTAL HEI-2015 SCORE
PHYSICAL_ACTIVITY_ME		1	-0.00295	0.00378	0.6070	0.4359	0.997	0.990	1.004	

Harrell's Concordance Statistic					
		Comparable Pairs			
Source	Estimate	Concordance	Discordance	Tied in Predictor	Tied in Time
Model	0.6519	263628	140779	0	25

table 6

The PHREG Procedure

Model Information		
Data Set	WORK.INTERACT6	
Dependent Variable	TTE_DIABETES	
Censoring Variable	INCIDENT_DIABETES	
Censoring Value(s)	0	
Ties Handling	BRESLOW	
ROC Method	NNE	Nearest Neighbors

Number of Observations Read	133620
Number of Observations Used	133620

Class Level Information										
Class	Value	Design Variables								
bmi_wc	< 105 cm (obesity-1)	1	0	0	0	0	0	0	0	0
	< 115 cm (obesity-2)	0	1	0	0	0	0	0	0	0

Class Level Information										
Class	Value	Design Variables								
	< 115 cm (obesity-3)	0	0	1	0	0	0	0	0	
	< 80 cm (normal weight)	0	0	0	0	0	0	0	0	
	< 90 cm (overweight)	0	0	0	1	0	0	0	0	
	≥ 105 cm (obesity-1)	0	0	0	0	1	0	0	0	
	≥ 115 cm (obesity-2)	0	0	0	0	0	1	0	0	
	≥ 115 cm (obesity-3)	0	0	0	0	0	0	1	0	
	≥ 80 cm (normal weight)	0	0	0	0	0	0	0	1	
	≥ 90 cm (overweight)	0	0	0	0	0	0	0	0	1
RACE_BR	1	0	0	0						
	2	1	0	0						
	3	0	1	0						
	4	0	0	1						
MARITAL_BR	DIVORCED	1	0	0						
	MARRIED / PARTNERED	0	0	0						
	SINGLE	0	1	0						
	WIDOWED	0	0	1						
EDUC_BR	< HS	0	0	0						
	COMPLETED COLLEGE OR HIGHER	1	0	0						
	HS	0	1	0						
	SOME COLLEGE	0	0	1						
OCCUPATION	Homemaker	1	0	0	0	0	0			
	Managerial/professional	0	0	0	0	0	0			
	Missing	0	1	0	0	0	0			
	Not working/Retired/Disabled	0	0	1	0	0	0			
	Other	0	0	0	1	0	0			
	Service/labor	0	0	0	0	1	0			
	Technical/sales/administrative	0	0	0	0	0	1			
INCOME_BR	100,000+	0	0	0	0					
	20,000-49,999	1	0	0	0					
	50,000-99,999	0	1	0	0					
	<20,000	0	0	1	0					
	Missing	0	0	0	1					
SMOKING_BR	CURRENT SMOKER	1	0							
	NEVER SMOKER	0	0							
	PAST SMOKER	0	1							
ALCOHOL_BR	<1 DRINK/WEEK	1	0	0						
	>= 1 DRINK / WEEK	0	1	0						
	FORMER DRINKER	0	0	1						
	NON-DRINKER	0	0	0						

Summary of the Number of Event and Censored Values			
Total	Event	Censored	Percent Censored
133620	29717	103903	77.76

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	659483.73	653118.67
AIC	659483.73	653210.67
SBC	659483.73	653592.45

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	6365.0646	46	<.0001
Score	7275.4653	46	<.0001
Wald	6728.8275	46	<.0001

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
bmi_wc	9	4071.9812	<.0001
AGE	1	0.3707	0.5426
RACE_BR	3	417.7910	<.0001
ETHNICITY_BR	1	8.6385	0.0033
MARITAL_BR	3	40.1515	<.0001
EDUC_BR	3	20.2283	0.0002
OCCUPATION	6	6.8969	0.3305
INCOME_BR	4	18.7048	0.0009
SMOKING_BR	2	52.6264	<.0001
ALCOHOL_BR	3	112.8226	<.0001
HEI2015_TOTAL_SCORE	1	20.8909	<.0001
PHYSICAL_ACTIVITY_ME	1	7.8971	0.0050
ethnicitybmiwc1	1	0.0005	0.9830
ethnicitybmiwc2	1	0.9358	0.3334
ethnicitybmiwc3	1	0.1706	0.6796
ethnicitybmiwc4	1	0.0324	0.8571
ethnicitybmiwc5	1	1.1100	0.2921
ethnicitybmiwc7	1	0.1390	0.7093
ethnicitybmiwc8	1	3.9347	0.0473
ethnicitybmiwc9	1	0.1595	0.6896
ethnicitybmiwc10	1	0.0192	0.8898

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
bmi_wc	< 105 cm (obesity-1)	1	0.78179	0.01953	1602.4008	<.0001	2.185	2.103	2.271	bmi_wc < 105 cm (obesity-1)
bmi_wc	< 115 cm (obesity-2)	1	1.02954	0.02496	1700.7247	<.0001	2.800	2.666	2.940	bmi_wc < 115 cm (obesity-2)
bmi_wc	< 115 cm (obesity-3)	1	1.07639	0.03951	742.2204	<.0001	2.934	2.715	3.170	bmi_wc < 115 cm (obesity-3)
bmi_wc	< 90 cm (overweight)	1	0.37121	0.01798	426.4312	<.0001	1.449	1.399	1.501	bmi_wc < 90 cm (overweight)
bmi_wc	≥ 105 cm (obesity-1)	1	1.19056	0.03518	1144.9944	<.0001	3.289	3.070	3.524	bmi_wc ≥ 105 cm (obesity-1)
bmi_wc	≥ 115 cm (obesity-2)	1	1.39612	0.05089	752.7279	<.0001	4.039	3.656	4.463	bmi_wc ≥ 115 cm (obesity-2)
bmi_wc	≥ 115 cm (obesity-3)	1	1.48316	0.03665	1638.0703	<.0001	4.407	4.101	4.735	bmi_wc ≥ 115 cm (obesity-3)
bmi_wc	≥ 80 cm (normal weight)	1	0.32882	0.02711	147.1662	<.0001	1.389	1.317	1.465	bmi_wc ≥ 80 cm (normal weight)
bmi_wc	≥ 90 cm (overweight)	1	0.76312	0.02277	1123.6568	<.0001	2.145	2.051	2.243	bmi_wc ≥ 90 cm (overweight)
AGE		1	-0.0006235	0.00102	0.3707	0.5426	0.999	0.997	1.001	Age at screening
RACE_BR	2	1	-0.33319	0.02056	262.7115	<.0001	0.717	0.688	0.746	RACE_BR 2
RACE_BR	3	1	0.14685	0.04040	13.2134	0.0003	1.158	1.070	1.254	RACE_BR 3
RACE_BR	4	1	-0.16352	0.05135	10.1392	0.0015	0.849	0.768	0.939	RACE_BR 4
ETHNICITY_BR		1	0.23383	0.07956	8.6385	0.0033	1.263	1.081	1.477	
MARITAL_BR	DIVORCED	1	0.09997	0.01737	33.1203	<.0001	1.105	1.068	1.143	MARITAL_BR DIVORCED
MARITAL_BR	SINGLE	1	-0.04327	0.03035	2.0324	0.1540	0.958	0.902	1.016	MARITAL_BR SINGLE
MARITAL_BR	WIDOWED	1	0.03646	0.01862	3.8343	0.0502	1.037	1.000	1.076	MARITAL_BR WIDOWED
EDUC_BR	COMPLETED COLLEGE OR HIGHER	1	-0.10491	0.03286	10.1909	0.0014	0.900	0.844	0.960	EDUC_BR COMPLETED COLLEGE OR HIGHER
EDUC_BR	HS	1	-0.14514	0.03318	19.1395	<.0001	0.865	0.810	0.923	EDUC_BR HS
EDUC_BR	SOME COLLEGE	1	-0.10024	0.03164	10.0351	0.0015	0.905	0.850	0.963	EDUC_BR SOME COLLEGE
OCCUPATION	Homemaker	1	0.01018	0.02162	0.2219	0.6376	1.010	0.968	1.054	OCCUPATION Homemaker
OCCUPATION	Missing	1	-0.06355	0.03330	3.6427	0.0563	0.938	0.879	1.002	OCCUPATION Missing

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
OCCUPATION	Not working/Retired/Disabled	1	-0.00636	0.02011	0.1002	0.7516	0.994	0.955	1.034	OCCUPATION Not working/Retired/Disabled
OCCUPATION	Other	1	0.01259	0.02828	0.1980	0.6563	1.013	0.958	1.070	OCCUPATION Other
OCCUPATION	Service/labor	1	-0.00339	0.02558	0.0176	0.8945	0.997	0.948	1.048	OCCUPATION Service/labor
OCCUPATION	Technical/sales/administrative	1	-0.02002	0.01863	1.1540	0.2827	0.980	0.945	1.017	OCCUPATION Technical/sales/administrative
INCOME_BR	20,000-49,999	1	-0.07453	0.02205	11.4207	0.0007	0.928	0.889	0.969	INCOME_BR 20,000-49,999
INCOME_BR	50,000-99,999	1	-0.06325	0.02098	9.0904	0.0026	0.939	0.901	0.978	INCOME_BR 50,000-99,999
INCOME_BR	<20,000	1	-0.02184	0.02865	0.5808	0.4460	0.978	0.925	1.035	INCOME_BR <20,000
INCOME_BR	Missing	1	-0.03995	0.03169	1.5893	0.2074	0.961	0.903	1.022	INCOME_BR Missing
SMOKING_BR	CURRENT SMOKER	1	0.18177	0.02506	52.6175	<.0001	1.199	1.142	1.260	SMOKING_BR CURRENT SMOKER
SMOKING_BR	PAST SMOKER	1	0.02385	0.01254	3.6183	0.0571	1.024	0.999	1.050	SMOKING_BR PAST SMOKER
ALCOHOL_BR	<1 DRINK/WEEK	1	-0.01064	0.02171	0.2401	0.6242	0.989	0.948	1.032	ALCOHOL_BR <1 DRINK/WEEK
ALCOHOL_BR	>= 1 DRINK / WEEK	1	-0.13295	0.02251	34.8717	<.0001	0.876	0.838	0.915	ALCOHOL_BR >= 1 DRINK / WEEK
ALCOHOL_BR	FORMER DRINKER	1	0.02497	0.02382	1.0993	0.2944	1.025	0.979	1.074	ALCOHOL_BR FORMER DRINKER
HEI2015_TOTAL_SCORE		1	-0.00274	0.0006000	20.8909	<.0001	0.997	0.996	0.998	TOTAL HEI-2015 SCORE
PHYSICAL_ACTIVITY_ME		1	-0.00132	0.0004680	7.8971	0.0050	0.999	0.998	1.000	
ethnicitybmiwc1		1	-0.00383	0.18032	0.0005	0.9830	0.996	0.700	1.418	
ethnicitybmiwc2		1	0.12636	0.13062	0.9358	0.3334	1.135	0.878	1.466	
ethnicitybmiwc3		1	0.08988	0.21762	0.1706	0.6796	1.094	0.714	1.676	
ethnicitybmiwc4		1	-0.05684	0.31578	0.0324	0.8571	0.945	0.509	1.754	
ethnicitybmiwc5		1	0.21569	0.20472	1.1100	0.2921	1.241	0.831	1.853	
ethnicitybmiwc7		1	0.03687	0.09889	0.1390	0.7093	1.038	0.855	1.259	
ethnicitybmiwc8		1	0.20164	0.10165	3.9347	0.0473	1.223	1.002	1.493	
ethnicitybmiwc9		1	0.05149	0.12893	0.1595	0.6896	1.053	0.818	1.356	
ethnicitybmiwc10		1	-0.02609	0.18826	0.0192	0.8898	0.974	0.674	1.409	

Linear Hypotheses Testing Results				
	Label	Wald Chi-Square	DF	Pr > ChiSq
	Test 1	6.8784	9	0.6498

Harrell's Concordance Statistic					
		Comparable Pairs			
Source	Estimate	Concordance	Discordance	Tied in Predictor	Tied in Time
Model	0.6594	1.47013E9	759495746	0	131834

table 6

The PHREG Procedure

ETHNICITY_BR=0

Model Information		
Data Set	VA7.MERGED_MAN7_VF	
Dependent Variable	TTE_DIABETES	
Censoring Variable	INCIDENT_DIABETES	
Censoring Value(s)	0	
Ties Handling	BRESLOW	
ROC Method	NNE	Nearest Neighbors

Number of Observations Read	129669
Number of Observations Used	129669

Class Level Information										
Class	Value	Design Variables								
bmi_wc	< 105 cm (obesity-1)	1	0	0	0	0	0	0	0	0
	< 115 cm (obesity-2)	0	1	0	0	0	0	0	0	0
	< 115 cm (obesity-3)	0	0	1	0	0	0	0	0	0
	< 80 cm (normal weight)	0	0	0	0	0	0	0	0	0
	< 90 cm (overweight)	0	0	0	1	0	0	0	0	0
	≥ 105 cm (obesity-1)	0	0	0	0	1	0	0	0	0
	≥ 115 cm (obesity-2)	0	0	0	0	0	1	0	0	0
	≥ 115 cm (obesity-3)	0	0	0	0	0	0	1	0	0
	≥ 80 cm (normal weight)	0	0	0	0	0	0	0	1	0
	≥ 90 cm (overweight)	0	0	0	0	0	0	0	0	1
RACE_BR	1	0	0	0						
	2	1	0	0						
	3	0	1	0						
	4	0	0	1						
MARITAL_BR	DIVORCED	1	0	0						
	MARRIED / PARTNERED	0	0	0						
	SINGLE	0	1	0						
	WIDOWED	0	0	1						
EDUC_BR	< HS	0	0	0						
	COMPLETED COLLEGE OR HIGHER	1	0	0						
	HS	0	1	0						
	SOME COLLEGE	0	0	1						
OCCUPATION	Homemaker	1	0	0	0	0	0			
	Managerial/professional	0	0	0	0	0	0			
	Missing	0	1	0	0	0	0			
	Not working/Retired/Disabled	0	0	1	0	0	0			
	Other	0	0	0	1	0	0			
	Service/labor	0	0	0	0	1	0			
	Technical/sales/administrative	0	0	0	0	0	1			
INCOME_BR	100,000+	0	0	0	0					
	20,000-49,999	1	0	0	0					
	50,000-99,999	0	1	0	0					
	<20,000	0	0	1	0					
	Missing	0	0	0	1					
SMOKING_BR	CURRENT SMOKER	1	0							
	NEVER SMOKER	0	0							
	PAST SMOKER	0	1							
ALCOHOL_BR	<1 DRINK/WEEK	1	0	0						
	>= 1 DRINK / WEEK	0	1	0						
	FORMER DRINKER	0	0	1						
	NON-DRINKER	0	0	0						

Summary of the Number of Event and Censored Values			
Total	Event	Censored	Percent Censored
129669	28655	101014	77.90

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	634165.12	628146.65

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
AIC	634165.12	628218.65
SBC	634165.12	628516.12

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	6018.4674	36	<.0001
Score	6862.9444	36	<.0001
Wald	6360.9299	36	<.0001

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
bmi_wc	9	4076.4104	<.0001
AGE	1	0.0158	0.9001
RACE_BR	3	439.3613	<.0001
ETHNICITY_BR	0	.	.
MARITAL_BR	3	39.7076	<.0001
EDUC_BR	3	12.7768	0.0051
OCCUPATION	6	8.7630	0.1874
INCOME_BR	4	16.7190	0.0022
SMOKING_BR	2	45.3644	<.0001
ALCOHOL_BR	3	99.5078	<.0001
HEI2015_TOTAL_SCORE	1	17.2425	<.0001
PHYSICAL_ACTIVITY_ME	1	8.0148	0.0046

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
bmi_wc	< 105 cm (obesity-1)	1	0.78379	0.01956	1606.2809	<.0001	2.190	2.107	2.275	bmi_wc < 105 cm (obesity-1)
bmi_wc	< 115 cm (obesity-2)	1	1.03289	0.02500	1706.7505	<.0001	2.809	2.675	2.950	bmi_wc < 115 cm (obesity-2)
bmi_wc	< 115 cm (obesity-3)	1	1.07992	0.03954	746.0813	<.0001	2.944	2.725	3.182	bmi_wc < 115 cm (obesity-3)
bmi_wc	< 90 cm (overweight)	1	0.37193	0.01798	427.7243	<.0001	1.451	1.400	1.503	bmi_wc < 90 cm (overweight)
bmi_wc	≥ 105 cm (obesity-1)	1	1.19417	0.03521	1150.4653	<.0001	3.301	3.081	3.537	bmi_wc ≥ 105 cm (obesity-1)
bmi_wc	≥ 115 cm (obesity-2)	1	1.40128	0.05091	757.6036	<.0001	4.060	3.675	4.486	bmi_wc ≥ 115 cm (obesity-2)
bmi_wc	≥ 115 cm (obesity-3)	1	1.48900	0.03669	1646.8881	<.0001	4.433	4.125	4.763	bmi_wc ≥ 115 cm (obesity-3)
bmi_wc	≥ 80 cm (normal weight)	1	0.32960	0.02711	147.8108	<.0001	1.390	1.318	1.466	bmi_wc ≥ 80 cm (normal weight)
bmi_wc	≥ 90 cm (overweight)	1	0.76504	0.02278	1127.6840	<.0001	2.149	2.055	2.247	bmi_wc ≥ 90 cm (overweight)
AGE		1	-0.0001312	0.00105	0.0158	0.9001	1.000	0.998	1.002	Age at screening
RACE_BR	2	1	-0.34579	0.02075	277.8413	<.0001	0.708	0.679	0.737	RACE_BR 2
RACE_BR	3	1	0.15342	0.04098	14.0179	0.0002	1.166	1.076	1.263	RACE_BR 3
RACE_BR	4	1	-0.15901	0.05426	8.5862	0.0034	0.853	0.767	0.949	RACE_BR 4
ETHNICITY_BR		0	0	.	.	.	.	.	.	
MARITAL_BR	DIVORCED	1	0.10129	0.01778	32.4470	<.0001	1.107	1.069	1.146	MARITAL_BR DIVORCED
MARITAL_BR	SINGLE	1	-0.04444	0.03092	2.0665	0.1506	0.957	0.900	1.016	MARITAL_BR SINGLE
MARITAL_BR	WIDOWED	1	0.03937	0.01895	4.3176	0.0377	1.040	1.002	1.080	MARITAL_BR WIDOWED
EDUC_BR	COMPLETED COLLEGE OR HIGHER	1	-0.07675	0.03521	4.7506	0.0293	0.926	0.864	0.992	EDUC_BR COMPLETED COLLEGE OR HIGHER
EDUC_BR	HS	1	-0.11488	0.03556	10.4394	0.0012	0.891	0.831	0.956	EDUC_BR HS
EDUC_BR	SOME COLLEGE	1	-0.06909	0.03408	4.1095	0.0426	0.933	0.873	0.998	EDUC_BR SOME COLLEGE
OCCUPATION	Homemaker	1	0.00447	0.02203	0.0411	0.8394	1.004	0.962	1.049	OCCUPATION Homemaker
OCCUPATION	Missing	1	-0.06500	0.03393	3.6709	0.0554	0.937	0.877	1.001	OCCUPATION Missing
OCCUPATION	Not working/Retired/Disabled	1	-0.00346	0.02037	0.0289	0.8651	0.997	0.958	1.037	OCCUPATION Not working/Retired/Disabled
OCCUPATION	Other	1	0.03221	0.02881	1.2499	0.2636	1.033	0.976	1.093	OCCUPATION Other
OCCUPATION	Service/labor	1	-0.00777	0.02621	0.0879	0.7668	0.992	0.943	1.045	OCCUPATION Service/labor

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
OCCUPATION	Technical/sales/administrative	1	-0.02350	0.01894	1.5390	0.2148	0.977	0.941	1.014	OCCUPATION Technical/sales/administrative
INCOME_BR	20,000-49,999	1	-0.07186	0.02233	10.3530	0.0013	0.931	0.891	0.972	INCOME_BR 20,000-49,999
INCOME_BR	50,000-99,999	1	-0.06467	0.02121	9.2988	0.0023	0.937	0.899	0.977	INCOME_BR 50,000-99,999
INCOME_BR	<20,000	1	-0.02291	0.02929	0.6115	0.4342	0.977	0.923	1.035	INCOME_BR <20,000
INCOME_BR	Missing	1	-0.04833	0.03236	2.2306	0.1353	0.953	0.894	1.015	INCOME_BR Missing
SMOKING_BR	CURRENT SMOKER	1	0.17270	0.02565	45.3273	<.0001	1.189	1.130	1.250	SMOKING_BR CURRENT SMOKER
SMOKING_BR	PAST SMOKER	1	0.01906	0.01275	2.2358	0.1348	1.019	0.994	1.045	SMOKING_BR PAST SMOKER
ALCOHOL_BR	<1 DRINK/WEEK	1	-0.00216	0.02229	0.0094	0.9229	0.998	0.955	1.042	ALCOHOL_BR <1 DRINK/WEEK
ALCOHOL_BR	>= 1 DRINK / WEEK	1	-0.12009	0.02306	27.1099	<.0001	0.887	0.848	0.928	ALCOHOL_BR >= 1 DRINK / WEEK
ALCOHOL_BR	FORMER DRINKER	1	0.03094	0.02443	1.6045	0.2053	1.031	0.983	1.082	ALCOHOL_BR FORMER DRINKER
HEI2015_TOTAL_SCORE		1	-0.00254	0.0006117	17.2425	<.0001	0.997	0.996	0.999	TOTAL HEI-2015 SCORE
PHYSICAL_ACTIVITY_ME		1	-0.00135	0.0004778	8.0148	0.0046	0.999	0.998	1.000	

Harrell's Concordance Statistic					
		Comparable Pairs			
Source	Estimate	Concordance	Discordance	Tied in Predictor	Tied in Time
Model	0.6581	1.37204E9	712918159	0	122866

---

table 6

The PHREG Procedure

ETHNICITY_BR=1

Model Information		
Data Set	VA7.MERGED_MAN7_VF	
Dependent Variable	TTE_DIABETES	
Censoring Variable	INCIDENT_DIABETES	
Censoring Value(s)	0	
Ties Handling	BRESLOW	
ROC Method	NNE	Nearest Neighbors

Number of Observations Read	3951
Number of Observations Used	3951

Class Level Information										
Class	Value	Design Variables								
bmi_wc	< 105 cm (obesity-1)	1	0	0	0	0	0	0	0	0
	< 115 cm (obesity-2)	0	1	0	0	0	0	0	0	0
	< 115 cm (obesity-3)	0	0	1	0	0	0	0	0	0
	< 80 cm (normal weight)	0	0	0	0	0	0	0	0	0
	< 90 cm (overweight)	0	0	0	1	0	0	0	0	0
	≥ 105 cm (obesity-1)	0	0	0	0	1	0	0	0	0
	≥ 115 cm (obesity-2)	0	0	0	0	0	1	0	0	0
	≥ 115 cm (obesity-3)	0	0	0	0	0	0	1	0	0
	≥ 80 cm (normal weight)	0	0	0	0	0	0	0	1	0
	≥ 90 cm (overweight)	0	0	0	0	0	0	0	0	1
RACE_BR	1	0	0	0						
	2	1	0	0						
	3	0	1	0						
	4	0	0	1						

Class Level Information										
Class	Value	Design Variables								
MARITAL_BR	DIVORCED	1	0	0						
	MARRIED / PARTNERED	0	0	0						
	SINGLE	0	1	0						
	WIDOWED	0	0	1						
EDUC_BR	< HS	0	0	0						
	COMPLETED COLLEGE OR HIGHER	1	0	0						
	HS	0	1	0						
	SOME COLLEGE	0	0	1						
OCCUPATION	Homemaker	1	0	0	0	0	0			
	Managerial/professional	0	0	0	0	0	0			
	Missing	0	1	0	0	0	0			
	Not working/Retired/Disabled	0	0	1	0	0	0			
	Other	0	0	0	1	0	0			
	Service/labor	0	0	0	0	1	0			
	Technical/sales/administrative	0	0	0	0	0	1			
INCOME_BR	100,000+	0	0	0	0					
	20,000-49,999	1	0	0	0					
	50,000-99,999	0	1	0	0					
	<20,000	0	0	1	0					
	Missing	0	0	0	1					
SMOKING_BR	CURRENT SMOKER	1	0							
	NEVER SMOKER	0	0							
	PAST SMOKER	0	1							
ALCOHOL_BR	<1 DRINK/WEEK	1	0	0						
	>= 1 DRINK / WEEK	0	1	0						
	FORMER DRINKER	0	0	1						
	NON-DRINKER	0	0	0						

Summary of the Number of Event and Censored Values			
Total	Event	Censored	Percent Censored
3951	1062	2889	73.12

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics		
Criterion	Without Covariates	With Covariates
-2 LOG L	16077.154	15795.057
AIC	16077.154	15867.057
SBC	16077.154	16045.902

Testing Global Null Hypothesis: BETA=0			
Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	282.0973	36	<.0001
Score	301.2920	36	<.0001
Wald	283.0926	36	<.0001

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
bmi_wc	9	154.8403	<.0001
AGE	1	2.0470	0.1525
RACE_BR	3	0.4003	0.9402
ETHNICITY_BR	0	.	.
MARITAL_BR	3	1.0160	0.7974

Type 3 Tests			
Effect	DF	Wald Chi-Square	Pr > ChiSq
EDUC_BR	3	7.5271	0.0569
OCCUPATION	6	15.2266	0.0186
INCOME_BR	4	5.4104	0.2477
SMOKING_BR	2	15.4300	0.0004
ALCOHOL_BR	3	16.4424	0.0009
HEI2015_TOTAL_SCORE	1	7.8919	0.0050
PHYSICAL_ACTIVITY_ME	1	0.0020	0.9642

Analysis of Maximum Likelihood Estimates										
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
bmi_wc	< 105 cm (obesity-1)	1	0.92254	0.10332	79.7211	<.0001	2.516	2.055	3.080	bmi_wc < 105 cm (obesity-1)
bmi_wc	< 115 cm (obesity-2)	1	1.02694	0.13063	61.8015	<.0001	2.793	2.162	3.607	bmi_wc < 115 cm (obesity-2)
bmi_wc	< 115 cm (obesity-3)	1	1.00328	0.18820	28.4198	<.0001	2.727	1.886	3.944	bmi_wc < 115 cm (obesity-3)
bmi_wc	< 90 cm (overweight)	1	0.38139	0.09850	14.9933	0.0001	1.464	1.207	1.776	bmi_wc < 90 cm (overweight)
bmi_wc	≥ 105 cm (obesity-1)	1	1.33163	0.21792	37.3386	<.0001	3.787	2.471	5.805	bmi_wc ≥ 105 cm (obesity-1)
bmi_wc	≥ 115 cm (obesity-2)	1	1.33999	0.31725	17.8399	<.0001	3.819	2.051	7.112	bmi_wc ≥ 115 cm (obesity-2)
bmi_wc	≥ 115 cm (obesity-3)	1	1.47967	0.20757	50.8176	<.0001	4.391	2.924	6.596	bmi_wc ≥ 115 cm (obesity-3)
bmi_wc	≥ 80 cm (normal weight)	1	0.34498	0.17916	3.7077	0.0542	1.412	0.994	2.006	bmi_wc ≥ 80 cm (normal weight)
bmi_wc	≥ 90 cm (overweight)	1	0.87137	0.13127	44.0658	<.0001	2.390	1.848	3.091	bmi_wc ≥ 90 cm (overweight)
AGE		1	-0.00759	0.00530	2.0470	0.1525	0.992	0.982	1.003	Age at screening
RACE_BR	2	1	0.10560	0.18042	0.3426	0.5583	1.111	0.780	1.583	RACE_BR 2
RACE_BR	3	1	0.13031	0.26823	0.2360	0.6271	1.139	0.673	1.927	RACE_BR 3
RACE_BR	4	1	0.12954	0.22322	0.3368	0.5617	1.138	0.735	1.763	RACE_BR 4
ETHNICITY_BR		0	0	.	.	.	.	.	.	
MARITAL_BR	DIVORCED	1	0.03982	0.08233	0.2339	0.6287	1.041	0.886	1.223	MARITAL_BR DIVORCED
MARITAL_BR	SINGLE	1	-0.05865	0.15986	0.1346	0.7137	0.943	0.689	1.290	MARITAL_BR SINGLE
MARITAL_BR	WIDOWED	1	-0.06531	0.10227	0.4078	0.5231	0.937	0.767	1.145	MARITAL_BR WIDOWED
EDUC_BR	COMPLETED COLLEGE OR HIGHER	1	-0.12381	0.11579	1.1434	0.2849	0.884	0.704	1.109	EDUC_BR COMPLETED COLLEGE OR HIGHER
EDUC_BR	HS	1	-0.25880	0.11061	5.4747	0.0193	0.772	0.622	0.959	EDUC_BR HS
EDUC_BR	SOME COLLEGE	1	-0.22435	0.09741	5.3041	0.0213	0.799	0.660	0.967	EDUC_BR SOME COLLEGE
OCCUPATION	Homemaker	1	0.12167	0.12082	1.0141	0.3139	1.129	0.891	1.431	OCCUPATION Homemaker
OCCUPATION	Missing	1	-0.05470	0.17753	0.0949	0.7580	0.947	0.669	1.341	OCCUPATION Missing
OCCUPATION	Not working/Retired/Disabled	1	-0.18584	0.13020	2.0373	0.1535	0.830	0.643	1.072	OCCUPATION Not working/Retired/Disabled
OCCUPATION	Other	1	-0.29959	0.14875	4.0563	0.0440	0.741	0.554	0.992	OCCUPATION Other
OCCUPATION	Service/labor	1	0.09038	0.12654	0.5102	0.4750	1.095	0.854	1.403	OCCUPATION Service/labor
OCCUPATION	Technical/sales/administrative	1	0.08920	0.10646	0.7021	0.4021	1.093	0.887	1.347	OCCUPATION Technical/sales/administrative
INCOME_BR	20,000-49,999	1	-0.15626	0.14538	1.1552	0.2825	0.855	0.643	1.137	INCOME_BR 20,000-49,999
INCOME_BR	50,000-99,999	1	-0.02332	0.14514	0.0258	0.8723	0.977	0.735	1.298	INCOME_BR 50,000-99,999
INCOME_BR	<20,000	1	-0.05380	0.16077	0.1120	0.7379	0.948	0.691	1.299	INCOME_BR <20,000
INCOME_BR	Missing	1	0.07280	0.17895	0.1655	0.6841	1.076	0.757	1.527	INCOME_BR Missing
SMOKING_BR	CURRENT SMOKER	1	0.44234	0.11828	13.9854	0.0002	1.556	1.234	1.962	SMOKING_BR CURRENT SMOKER
SMOKING_BR	PAST SMOKER	1	0.14287	0.06932	4.2481	0.0393	1.154	1.007	1.321	SMOKING_BR PAST SMOKER
ALCOHOL_BR	<1 DRINK/WEEK	1	-0.08664	0.09987	0.7526	0.3857	0.917	0.754	1.115	ALCOHOL_BR <1 DRINK/WEEK
ALCOHOL_BR	>= 1 DRINK / WEEK	1	-0.34226	0.11077	9.5476	0.0020	0.710	0.572	0.882	ALCOHOL_BR >= 1 DRINK / WEEK
ALCOHOL_BR	FORMER DRINKER	1	-0.00534	0.11048	0.0023	0.9614	0.995	0.801	1.235	ALCOHOL_BR FORMER DRINKER
HEI2015_TOTAL_SCORE		1	-0.00879	0.00313	7.8919	0.0050	0.991	0.985	0.997	TOTAL HEI-2015 SCORE
PHYSICAL_ACTIVITY_ME		1	0.0001064	0.00237	0.0020	0.9642	1.000	0.995	1.005	

Harrell's Concordance Statistic					
		Comparable Pairs			
Source	Estimate	Concordance	Discordance	Tied in Predictor	Tied in Time
Model	0.6702	1588266	781528	0	167