

NRMSE

|             | $V$   | $V_{\text{diff}}$ | $a$   | $\tau$ | $S_V$ | $S_\tau$ |
|-------------|-------|-------------------|-------|--------|-------|----------|
| 1           | 0.162 | 0.117             | 0.115 | 0.049  | 0.232 | 0.110    |
| $u_1$       | N/A   | N/A               | N/A   | N/A    | N/A   | N/A      |
| $u_2$       | N/A   | N/A               | N/A   | N/A    | N/A   | N/A      |
| $u_1 : u_2$ | N/A   | N/A               | N/A   | N/A    | N/A   | N/A      |

Posterior Contraction

|             | $V$   | $V_{\text{diff}}$ | $a$   | $\tau$ | $S_V$ | $S_\tau$ |
|-------------|-------|-------------------|-------|--------|-------|----------|
| 1           | 0.557 | 0.791             | 0.808 | 0.975  | 0.032 | 0.802    |
| $u_1$       | N/A   | N/A               | N/A   | N/A    | N/A   | N/A      |
| $u_2$       | N/A   | N/A               | N/A   | N/A    | N/A   | N/A      |
| $u_1 : u_2$ | N/A   | N/A               | N/A   | N/A    | N/A   | N/A      |

Calibration Error

|             | $V$   | $V_{\text{diff}}$ | $a$   | $\tau$ | $S_V$ | $S_\tau$ |
|-------------|-------|-------------------|-------|--------|-------|----------|
| 1           | 0.021 | 0.071             | 0.012 | 0.011  | 0.057 | 0.030    |
| $u_1$       | N/A   | N/A               | N/A   | N/A    | N/A   | N/A      |
| $u_2$       | N/A   | N/A               | N/A   | N/A    | N/A   | N/A      |
| $u_1 : u_2$ | N/A   | N/A               | N/A   | N/A    | N/A   | N/A      |