

NRMSE

|             | $V$   | $V_{\text{diff}}$ | $a$   | $\tau$ | $S_V$ | $S_\tau$ |
|-------------|-------|-------------------|-------|--------|-------|----------|
| 1           | 0.188 | 0.085             | 0.096 | 0.059  | N/A   | N/A      |
| $u_1$       | N/A   | N/A               | N/A   | N/A    | N/A   | N/A      |
| $u_2$       | N/A   | N/A               | N/A   | N/A    | N/A   | N/A      |
| $u_1 : u_2$ | N/A   | N/A               | N/A   | N/A    | N/A   | N/A      |

Posterior Contraction

|             | $V$   | $V_{\text{diff}}$ | $a$   | $\tau$ | $S_V$ | $S_\tau$ |
|-------------|-------|-------------------|-------|--------|-------|----------|
| 1           | 0.478 | 0.803             | 0.856 | 0.953  | N/A   | N/A      |
| $u_1$       | N/A   | N/A               | N/A   | N/A    | N/A   | N/A      |
| $u_2$       | N/A   | N/A               | N/A   | N/A    | N/A   | N/A      |
| $u_1 : u_2$ | N/A   | N/A               | N/A   | N/A    | N/A   | N/A      |

Calibration Error

|             | $V$   | $V_{\text{diff}}$ | $a$   | $\tau$ | $S_V$ | $S_\tau$ |
|-------------|-------|-------------------|-------|--------|-------|----------|
| 1           | 0.025 | 0.036             | 0.029 | 0.012  | N/A   | N/A      |
| $u_1$       | N/A   | N/A               | N/A   | N/A    | N/A   | N/A      |
| $u_2$       | N/A   | N/A               | N/A   | N/A    | N/A   | N/A      |
| $u_1 : u_2$ | N/A   | N/A               | N/A   | N/A    | N/A   | N/A      |

Log Gamma

|             | $V$   | $V_{\text{diff}}$ | $a$   | $\tau$ | $S_V$ | $S_\tau$ |
|-------------|-------|-------------------|-------|--------|-------|----------|
| 1           | 1.647 | 1.566             | 2.394 | 2.335  | N/A   | N/A      |
| $u_1$       | N/A   | N/A               | N/A   | N/A    | N/A   | N/A      |
| $u_2$       | N/A   | N/A               | N/A   | N/A    | N/A   | N/A      |
| $u_1 : u_2$ | N/A   | N/A               | N/A   | N/A    | N/A   | N/A      |