

NRMSE

|             | $V$   | $V_{\text{diff}}$ | $a$   | $\tau$ | $S_V$ | $S_\tau$ |
|-------------|-------|-------------------|-------|--------|-------|----------|
| 1           | 0.551 | 0.567             | 0.415 | 0.806  | N/A   | N/A      |
| $u_1$       | N/A   | N/A               | N/A   | N/A    | N/A   | N/A      |
| $u_2$       | N/A   | N/A               | N/A   | N/A    | N/A   | N/A      |
| $u_1 : u_2$ | N/A   | N/A               | N/A   | N/A    | N/A   | N/A      |

Posterior Contraction

|             | $V$   | $V_{\text{diff}}$ | $a$   | $\tau$ | $S_V$ | $S_\tau$ |
|-------------|-------|-------------------|-------|--------|-------|----------|
| 1           | 0.000 | 0.000             | 0.000 | 0.000  | N/A   | N/A      |
| $u_1$       | N/A   | N/A               | N/A   | N/A    | N/A   | N/A      |
| $u_2$       | N/A   | N/A               | N/A   | N/A    | N/A   | N/A      |
| $u_1 : u_2$ | N/A   | N/A               | N/A   | N/A    | N/A   | N/A      |

Calibration Error

|             | $V$   | $V_{\text{diff}}$ | $a$   | $\tau$ | $S_V$ | $S_\tau$ |
|-------------|-------|-------------------|-------|--------|-------|----------|
| 1           | 0.042 | 0.125             | 0.130 | 0.281  | N/A   | N/A      |
| $u_1$       | N/A   | N/A               | N/A   | N/A    | N/A   | N/A      |
| $u_2$       | N/A   | N/A               | N/A   | N/A    | N/A   | N/A      |
| $u_1 : u_2$ | N/A   | N/A               | N/A   | N/A    | N/A   | N/A      |