

NRMSE

|             | $V$   | $V_{\text{diff}}$ | $a$   | $\tau$ | $S_V$ | $S_\tau$ |
|-------------|-------|-------------------|-------|--------|-------|----------|
| 1           | 0.142 | 0.137             | 0.123 | 0.061  | N/A   | N/A      |
| $u_1$       | N/A   | 0.092             | 0.034 | N/A    | N/A   | N/A      |
| $u_2$       | N/A   | 0.105             | 0.037 | N/A    | N/A   | N/A      |
| $u_1 : u_2$ | N/A   | N/A               | N/A   | N/A    | N/A   | N/A      |

Posterior Contraction

|             | $V$   | $V_{\text{diff}}$ | $a$   | $\tau$ | $S_V$ | $S_\tau$ |
|-------------|-------|-------------------|-------|--------|-------|----------|
| 1           | 0.771 | 0.735             | 0.919 | 0.980  | N/A   | N/A      |
| $u_1$       | N/A   | 0.906             | 0.990 | N/A    | N/A   | N/A      |
| $u_2$       | N/A   | 0.915             | 0.989 | N/A    | N/A   | N/A      |
| $u_1 : u_2$ | N/A   | N/A               | N/A   | N/A    | N/A   | N/A      |

Calibration Error

|             | $V$   | $V_{\text{diff}}$ | $a$   | $\tau$ | $S_V$ | $S_\tau$ |
|-------------|-------|-------------------|-------|--------|-------|----------|
| 1           | 0.099 | 0.039             | 0.140 | 0.227  | N/A   | N/A      |
| $u_1$       | N/A   | 0.100             | 0.076 | N/A    | N/A   | N/A      |
| $u_2$       | N/A   | 0.113             | 0.095 | N/A    | N/A   | N/A      |
| $u_1 : u_2$ | N/A   | N/A               | N/A   | N/A    | N/A   | N/A      |