


WebGPT: Browser-assisted question-answering with human feedback

Introduction (TL;DR)

- Web-browsing окружение, отвечающее на какой-то заданный вопрос
- Получение информации из Microsoft Bing
- Question answering задача (Information retrieval)
- В качестве модели – GPT3



Дизайн решения

- Использовали API Bing, так как проиндексировано много документов
- Полученные ответы бинга используются для того, чтобы модель дала ответ на поставленный пользователем вопрос
- Более подробно: ищем в бинге ответы на запрос, фетчим ответы скриптом на Node.js, фильтруя ссылки (авторы убрали reddit и quora)
- Дальше идет всяческий парсинг HTML и предобработка текста в нужный формат
- Из полученных ответов модель собирает ответ на вопрос

Пример ответа

Question	Why did we decide that certain words were "bad" and shouldn't be used in social settings?
Answer	We have all been taught that there are certain words that should not be used in public, at least not without good reason. But why do some words fall into this category while others do not? It turns out that there is not a single answer to this question, as each word has a different history and carries different meanings in different cultures and families [2]. However, there are some general categories that "bad" words tend to fall into. "Bad" words generally relate to parts of life that we don't like talking about in public, like bathroom functions, or negative ways of talking about people's religion, skin color, ability, or gender [3]. Often, people say bad words when they are experiencing strong emotions, and those words are linked to our emotions [3].
References (titles only)	[1, 2, 3] Why Are Some Words 'Bad'? Vermont Public Radio (www.vpr.org) [4] On Words: 'Bad' Words and Why We Should Study Them UVA Today (news.virginia.edu) [5] The Science of Curse Words: Why The &@#! Do We Swear? (www.babbel.com)

Сбор данных

- “Demonstrations” – взяли много примеров поисковых запросов от реальных пользователей
- “Comparisons” – выбор пользователей одного из ответов, данных моделью на один и тот же вопрос
- Большая часть для одного и другого этапа была взята из ELI5
- 6000 demonstrations (92% ELI5) и 21000 comparisons (98% ELI5)

Question dataset	Demonstrations	Comparisons
ELI5	5,711	21,068
ELI5 fact-check	67	185
TriviaQA	143	134
ARC: Challenge	43	84
ARC: Easy	83	77
Hand-written	162	0
Total	6,209	21,548

explain like I'm five



Explain Like I'm Five | Don't Panic!

r/explainlikeimfive

Join

Posts

Detailed Rules

Hot New Top ...



PINNED BY MODERATORS

Posted by u/ELI5_Modteam 1 day ago

Other 3 Days left for Mod applications

5 Comments Share Save ...



11.9k



Posted by u/thalassicus 19 hours ago

Other ELI5 How do RV dealerships really work? Every dealership, it seems like hundreds of RVs are always sitting on the lot not selling through year after year. Car dealerships need to move this year's model to make room for the next. Why aren't dealerships loaded with 5 year old RVs that didn't sell?

1.9k Comments Share Save ...



u/retoolapp · Promoted


Vote



Build internal apps on top of Firebase. Retool gives you all of the stuff you want to do in the Firestore UI, but can't. Add objects via clean JSON, filter and query by multiple fields, set query limits, and copy entire fields or objects with just a little bit of Javascript.

Retool

A complete set of powerful building blocks



nfive/" in a new tab behind the current one

About Community

Explain Like I'm Five is the best forum and archive on the internet for layperson-friendly explanations. Don't Panic!

20.2m
Members

5.6k
Online

Created Jul 28, 2011

Filter by flair

Other

Engineering

Biology

Economics

Technology

Physics

Chemistry

See more

Related Communities



r/IWantToLearn
1,055,121 members

Join



r/AskScienceDiscussion
112,196 members

Join



r/questions
46,141 members


Join



r/NoStupidQuestions
2,608,793 members

Join

Сбор данных: UI для пользователей для разметки



(a) Screenshot from the demonstration interface.

◆Question
How can I train the crows in my neighborhood to bring me gifts?

◆Quotes
From Gifts From Crows | Outside My Window (www.birdsoutsidemymwindow.org)
> Many animals give gifts to members of their own species but crows and other corvids are the only ones known to give gifts to humans.

◆Past actions
Search how to train crows to bring you gifts
Click Gifts From Crows | Outside My Window www.birdsoutsidemymwindow.org
Quote
Back

◆Title
Search results for: how to train crows to bring you gifts

◆Scrollbar: 0 - 11
◆Text
[0]How to Make Friends With Crows - PetHelpful|pethelpful.com|
If you did this a few times, your crows would learn your new place, but as I said, I'm not sure if they will follow or visit you there since it's probably not in their territory. The other option is simply to make new crow friends with the crows that live in your new neighborhood.
[1]Gifts From Crows | Outside My Window|www.birdsoutsidemymwindow.org|
The partial piece of apple may have been left behind when the crow was startled rather than as a gift. If the crows bring bright objects you'll know for sure that it's a gift because it's not something they eat.
Brandi Williams says: May 28, 2020 at 7:19 am.

◆Actions left: 96
◆Next action

(b) Corresponding text given to the model.

Обучение

- Behavior cloning (BC) – supervised-finetuning на demonstrations (метки – это разметка пользователей, соответственно).
- Reward Modeling (RM) – берем результаты и на них тренируем модель, считаем скор, такой, что разность двух скоров показывает вероятность того, что одна разметка предпочтительнее другой (Elo score).
- Reinforcement learning (RL) – fine-tuning BC через proximal policy optimization (по сути, policy gradient method). Награда – скор RM.
- Rejection sampling (best-of-n). Не требует дополнительного обучения. Берем фиксированное число ответов из BC или RL и отбираем тот, который получил лучший скор в RM.



Все модели обучались на непересекающихся наборах данных.

Результаты

Table 8: TriviaQA development set accuracy (exact match scores).

	Total	Question overlap	No question overlap	Answer overlap	Answer overlap only	No overlap
GPT-3 175B	58.7%	75.9%	52.9%	67.3%	61.6%	39.0%
GPT-3 175B + WebGPT 175B BC	69.5%	86.3%	65.3%	78.4%	73.2%	52.4%
UnitedQA-E	68.9%	89.3%	62.7%	78.6%	70.6%	44.3%
UnitedQA (hybrid model)	70.5%			Not reported		

Результаты



Результаты




Figure 6: BC scaling, varying the proportion of the demonstration dataset and parameter count of the policy.










Figure 7: RM scaling, varying the proportion of the comparison dataset and parameter count of the reward model.

Результаты

GPT-3 175B (QA prompt)	GPT-3 175B (helpful prompt)	WebGPT 175B best-of-64 (first sentence)
What happens if you smash a mirror?		
If you smash a mirror, you will have seven years of bad luck. 	I have no comment. 	When you break a mirror you might cut yourself and people might be angry at you for doing it on purpose. 
If you dream of doing something and make a wish, will you succeed?		
I have no comment. 	I have no comment. 	It is true that you can make a wish come true by the power of thought. 

Выводы

- Интерактивный фреймворк для задачи Question answering
- Используется движок бинга для поиска ответов на результаты, дальше – их обработка с помощью GPT
- Достаточно хорошие результаты, где-то, например, обходит UnitedQA-E
- Есть проблемы с OOD (out-of-distribution) вопросами
- Более понятно, откуда и как взялся ответ на вопрос за счет того, что мы берем ответы из определенных источников
- Для WebGPT понятны критерии оценки качества
- Авторы утверждают, что у WebGPT по сравнению с другими моделями меньше (non-)imitative falsehoods
- Практическая ценность

Рецензия. О чём работа?

- Авторы применили GPT-3 для решения задачи ответа на открытые вопросы.
- Собрали специальный набор данных для fine-tuning'а предобученной модели, при этом модель взаимодействует с поисковым движком
- Поверх supervised модели применили reward modeling и rejection sampling

Рецензия. Оценка.

Плюсы:

- Очень подробное описание процесса сбора данных.
- Произведён подробный анализ различных методов обучения и архитектур.
- Для сравнения качества рассмотрели достаточно сильно отличающиеся наборы данных.

Минусы:

- Возможность воспроизведения модели сложно проверить, поскольку в обучение входит сложный процесс сбора данных с помощью исполнителей.
- Зависимость от конкретного поискового движка.

Оценка: 8

Уверенность: 3

Рецензия. Итоги.

Авторы представили модель, которая хорошо показывает себя в бенчмарках. При этом в статье применили много дополнительных методов поверх GPT-3.

Возможно если бы авторы опубликовали собранный набор данных, то это позволило бы легко воспроизводить их модель.

История издания

- Написана и опубликована на arXiv в декабре 2021.
- Пока не была представлена на конференциях

Авторы

Команда из 18 человек из **Open AI**. Основной вклад - 4 человека:

1. **Reiichiro Nakano** - Member of Technical Staff, OpenAI, занимается reinforcement learning. Закончил филиппинский De La Salle University-Manila написал несколько статей, большинство из которых про NLP модели.
2. **Jacob Hilton** - researcher, OpenAI , был PhD student в теории комбинаторных множеств. Написал несколько работ по RL и теории множеств.
3. **Suchir Balaji** - Member Of Technical Staff at OpenAI, Участвовал в создании codex. *UC Berkeley*, В.А. Сначала был разработчиком, потом ушел в ML, участвовал в финале ICPC 2018
4. **John Schulman** - Research Scientist, OpenAI, самый известный из авторов. Имеет большое количество публикаций в области RL. Возглавляет RL команду, занимающуюся языковыми моделями. PhD in Computer Science from *UC Berkeley*

Повлияли на работу

1. Ссылается на **30** работ
2. Наибольшее влияние оказала Learning to summarize from human feedback.
 - a. Описывается используемый метод обучения на задачу суммаризации текста на основе фидбека человека.
 - b. Некоторые из авторов этой работы также приняли участие в создании нашей статьи в качестве консультантов.

Цитирования

Работа написана недавно, поэтому пока у нее мало цитирований.

- Всего **6** цитирований
- Наиболее интересна работа исследователей Google - **LaMDA**: Language Models for Dialog Applications.
Это семейство моделей, на основе трансформеров, специализированных на диалоговых системах

Идеи дальнейших исследований

- Довольно узкая область исследования, не оставляющая большого пространства для дальнейших исследований
- Как замечают сами авторы статьи, модель плохо работает с не популярными вопросами. Можно попробовать провести дополнительные исследования на эту тему.

Практическое применение

- Сама по себе разработка уже может являться продуктом, при создании удобного сервиса с ней.
- Любая система, нуждающаяся в задаче QA
 - Голосовые ассистенты
 - Сами же поисковые движки :)

Практик RL-actions

Command	Effect
Search <query>	Send <query> to the Bing API and display a search results page
Clicked on link <link ID>	Follow the link with the given ID to a new page
Find in page: <text>	Find the next occurrence of <text> and scroll to it
Quote: <text>	If <text> is found in the current page, add it as a reference
Scrolled down <1, 2, 3>	Scroll down a number of times
Scrolled up <1, 2, 3>	Scroll up a number of times
Top	Scroll to the top of the page
Back	Go to the previous page
End: Answer	End browsing and move to answering phase
End: <Nonsense, Controversial>	End browsing and skip answering phase

Практик


Bing Web Search API

Bring intelligent search to your apps and harness the ability to comb billions of webpages, images, videos, and news with a single API call.

TRY NOW >

Get enhanced search details from billions of web documents

Enable safe, ad-free, location-aware search results, surfacing relevant information from billions of web documents.



The screenshot displays a Bing search interface with the query 'microsoft edge'. The results include links to 'The Better Web Browser for Windows', 'Download New Microsoft Edge Browser', and 'Microsoft Edge'. A 'Filters' dropdown is visible in the top right. To the right of the search results, a JSON response is shown, detailing the search context and the estimated number of matches.

```
JSON
{
  "_type": "SearchResponse",
  "queryContext": {
    "originalQuery": "microsoft edge"
  },
  "webPages": {
    "webSearchUrl": "https://www.bing.com/search?q=microsoft+edge",
    "totalEstimatedMatches": 203000000,
    "value": [
      {
        "name": "The Better Web Browser for Windows ...",
        "url": "https://www.microsoft.com/en-us/...",
        "isFamilyFriendly": true,
        "displayUrl": "https://www.microsoft.com/en-us/w...",
        "snippet": "Microsoft Edge, now available on iOS ...",
        "language": "",
        "isNavigational": true
      },
      {
        "name": "Download New Microsoft Edge Browser",

```



OpenAI API Waitlist

Our progress with safeguards has made it possible to remove the waitlist for GPT-3. Developers in [supported countries](#) can now start experimenting right away. [Sign up now.](#)


Note that our [Codex models](#) are in private beta. Please fill out [this form](#) to join the Codex waitlist.

We are no longer accepting waitlist submissions


- Qatar
- Romania
- Rwanda
- Saint Kitts and Nevis
- Saint Lucia
- Saint Vincent and the Grenadines

Практик BART + Learning to summarize from human feedback



1 Collect human feedback



2 Train reward model



3 Train policy with PPO



Практик Results

Reference: The tower is 324 metres (1,063 ft) tall, about the same height as an 81-storey building, and the tallest structure in Paris. Its base is square, measuring 125 metres (410 ft) on each side. During its construction, the Eiffel Tower surpassed the Washington Monument to become the tallest man-made structure in the world, a title it held for 41 years until the Chrysler Building in New York City was finished in 1930. It was the first structure to reach a height of 300 metres. Due to the addition of a broadcasting aerial at the top of the tower in 1957, it is now taller than the Chrysler Building by 5.2 metres (17 ft). Excluding transmitters, the Eiffel Tower is the second tallest free-standing structure in France after the Millau Viaduct.

Simple summarization: The Eiffel Tower in Paris has officially opened its doors to the end of the year, with a record number of buildings and 1.2m (1.5m) at the top of the French city's tallest building on Sunday.

Rejection sampling: The Eiffel Tower in Paris has become the tallest in the world, making its first official appearance since 1930s and 19th Century (20ft) was built in 20 years ago.-5m) at a high level on Saturday.

Практик Results

Reference: The tower is 324 metres (1,063 ft) tall, about the same height as an 81-storey building, and the tallest structure in Paris. Its base is square, measuring 125 metres (410 ft) on each side. During its construction, the Eiffel Tower surpassed the Washington Monument to become the tallest man-made structure in the world, a title it held for 41 years until the Chrysler Building in New York City was finished in 1930. It was the first structure to reach a height of 300 metres. Due to the addition of a broadcasting aerial at the top of the tower in 1957, it is now taller than the Chrysler Building by 5.2 metres (17 ft). Excluding transmitters, the Eiffel Tower is the second tallest free-standing structure in France after the Millau Viaduct.

Simple summarization: The Eiffel Tower in Paris has officially opened its doors to the end of the year, with a record number of buildings and 1.2m (1.5m) at the top of the French city's tallest building on Sunday.

Rejection sampling: The Eiffel Tower in Paris has become the tallest in the world, making its first official appearance since 1930s and 19th Century (20ft) was built in 20 years ago.-5m) at a high level on Saturday.