Forecasted deaths (grey) vs actual deaths (blue) Female, February 2008 to January 2013 1-4 5-9 20 -7.5 -7.5 -15 -5.0 -5.0 -2.5 5 -0 -10-14 15-19 20-24 12.5 -6 -15 -10.0 -10 -4 -7.5 5.0 2 -30-34 25-29 35-39 25 -20 -20 -20 -15 **-**15 **-**15 -10 -10 -0 -40-44 45-49 50-54 40 -30 -30 -20 20 10 -10 -0 -0 -0 -55-59 60-64 65-69 100 -60 -75 -40 50 20 · 25 -25 -0 -0 -0 -70-74 80-84 75-79 200 100 100 -100 -50 **-**50 -0 0 -0 -85-89 90-94 95+ 300 150 -300 -200 -100 -200 100 -100 -50 -0 **-** 2008 0 **-**2008 0 -2008 2010 2012 2010 2012 2010 2012

Forecasted deaths (grey) vs actual deaths (blue) Male, February 2008 to January 2013 1-4 5-9 12.5 -10.0 -7.5 **-**20 -7.5 -5.0 -5.0 -10 2.5 2.5 -0.0 0 -10-14 15-19 20-24 20 -7.5 -20 -15 -5.0 -10 10 2.5 0 -0.0 0 -30-34 35-39 25-29 20 -15 -20 15 -10 10 0 -0 -0 -40-44 45-49 50-54 50 60 **-**40 30 -20 20 -20 -10-10 -0 -0 -0 -55-59 60-64 65-69 120 -150 -80 -90 60 100 60 -40 50 -30 -20 -0 -0 -0 -70-74 75-79 80-84 250 -300 -200 -200 -150 -200 -150 -100 -100 -100 -50 -50 **-**0 -0 -0 -85-89 90-94 95+ 300 150 **-**200 40 -100 -100 -50 **-**0 **- .** 2008 0 **-** 2008 0 -2010 2012 2010 2012 2008 2010 2012

Forecasted deaths (grey) vs actual deaths (blue) Female, February 2009 to January 2014 1-4 5-9 6 -20 -7.5 -15 5.0 -0 -10-14 15-19 12.5 -6 -15 -10.0 -10 -4 -7.5 -5.0 25-29 30-34 35-39 25 -20 -20 -20 -15 **-**15 **-**15 -10 -10 -0 -40-44 45-49 50-54 30 -30 -20 10 -10 0 -0 -0 -55-59 60-64 65-69 75 -60 -90 -60 20 -25 -30 -0 -0 -0 -70-74 75-79 80-84 150 200 100 -100 -100 -50 -50 -0 0 0 -85-89 90-94 95+ 300 -300 -150 **-**200 -200 100 100 -100 -50 -0 -0 -0 -2010 2012 2014 2010 2012 2014 2010 2012 2014

Forecasted deaths (grey) vs actual deaths (blue) Male, February 2009 to January 2014 1-4 5-9 12.5 -10.0 -7.5 **-**20 -7.5 -5.0 -5.0 -10 -2.5 2.5 -0.0 0 -10-14 15-19 20-24 20 -7.5 -20 -15 -5.0 -10 0 -0.0 0 -25-29 30-34 35-39 20 -15 -20 -15 10 10-0 0 -0 -40-44 45-49 50-54 60 -30 -40 30 20 20 -20 -10 -10 -0 -0 -0 -55-59 60-64 65-69 120 -150 **-**75 -90 100 50 -60 -50 -25 -30 -0 -0 -0 -70-74 75-79 80-84 250 -300 200 200 -150 200 150 -100 -100 -100 -50 -50 -0 -0 -0 -85-89 90-94 95+ 300 150 -200 100 -100 -50 -0 -0 -2014 2010 2010 2012 2012 2014 2010 2012 2014

Forecasted deaths (grey) vs actual deaths (blue) Female, February 2010 to January 2015 1-4 5-9 20 -6 -7.5 -15 -4 -5.0 -2.5 0 -10-14 15-19 20-24 12.5 -6 -15 -10.0 -10 -4 -7.5 -5.0 2 -30-34 25-29 35-39 25 -20 -20 -20 -15 **-**15 **-**15 -10 -10 -0 -40-44 45-49 50-54 30 -20 10 -10 -0 -0 -0 -55-59 60-64 65-69 60 **-**75 -90 -40 -60 20 -25 **-**30 -0 -0 -0 -70-74 80-84 75-79 150 -200 100 100 -100 -50 -50 -0 0 0 -85-89 95+ 90-94 300 -150 **-**300 -200 -100 200 -100 -100 -50 -0 **-** 2010 0 **-** 2010 0 **-**2010 2012 2014 2012 2014 2012 2014

Forecasted deaths (grey) vs actual deaths (blue) Male, February 2010 to January 2015 1-4 5-9 25 12.5 -20 -10.0 -7.5 **-**7.5 -5.0 -5.0 -10 5 -2.5 -0.0 0 -10-14 15-19 20-24 20 -7.5 -20 -15 -5.0 -10 10 0 -0.0 0 -30-34 25-29 35-39 25 20 -20 -15 -15 -10 0 -0 -0 -40-44 45-49 50-54 30 -60 -30 20 20 · 10 -20 -10 -0 -0 -0 -55-59 60-64 65-69 80 -150 -60 100 60 -40 50 -30 -20 -0 -0 -0 -70-74 75-79 80-84 300 -200 -200 -150 -200 150 -100 100 -100 -50 -50 -0 -0 -0 -85-89 90-94 95+ 300 -150 -200 100 -100 -50 -0 **-** 2010 0 -0 -2012 2014 2010 2012 2014 2010 2012 2014

Forecasted deaths (grey) vs actual deaths (blue) Female, February 2011 to January 2016 1-4 5-9 6 -20 -7.5 -15 -5.0 -2.5 -0 -10-14 15-19 20-24 12.5 -6 -15 -10.0 -10-4 -7.5 -25-29 30-34 35-39 25 -20 -20 -20 -15 **-**15 **-**15 -10 -0 -40-44 45-49 50-54 40 -30 -20 -20 10 10 -0 -0 -0 -55-59 60-64 65-69 60 -75 40 60 -20 · 25 -30 -0 -0 -0 -70-74 75-79 80-84 150 -200 100 100 -50 **-**100 -50 -0 -0 0 -85-89 90-94 95+ 300 -300 -150 -200 -200 -100 -100 -100 -50 -0 -0 -0 -2012 2014 2016 2012 2014 2016 2012 2014 2016

Forecasted deaths (grey) vs actual deaths (blue) Male, February 2011 to January 2016 1-4 5-9 25 12.5 20 -10.0 -7.5 **-**15 7.5 -5.0 -5.0 -10 2.5 5 -2.5 -0.0 0 -10-14 15-19 20-24 20 -7.5 -20 15 5.0 -2.5 0 -0.0 0 -25-29 30-34 35-39 25 -20 -20 -15 -15 **-**15 10 0 -0 -0 -40-44 45-49 50-54 30 -40 -60 -30 20 20 -10 -20 -10 -0 -0 -0 -55-59 60-64 65-69 80 -150 -90 60 100 60 -40 50 -30 -20 -0 -0 -70-74 75-79 80-84 200 -150 200 150 -100 -100 -100 -50 -50 -0 -0 0 -85-89 90-94 95+ 150 **-**200 100 -100 -50 -0 -0 -2012 2014 2016 2012 2014 2016 2012 2014 2016

Forecasted deaths (grey) vs actual deaths (blue) Female, February 2012 to January 2017 1-4 5-9 6 -7.5 **-**15 **-**4 -5.0 -2.5 0 -10-14 15-19 20-24 12.5 12.5 -6 -10.0 -10.0 -4 -7.5 7.5 **-**5.0 -25-29 30-34 35-39 12.5 -15 10.0 -15 -10 -7.5 -10 5.0 -0 -40-44 45-49 50-54 40 -30 20 -20 10 · 0 -0 -0 -55-59 60-64 65-69 125 -80. 60 **-**100 -75 50 -20 20 · 25 -0 -0 0 -70-74 75-79 80-84 200 100 100 -50 -50 -0 0 -0 95+ 85-89 90-94 300 -150 **-**300 200 -100 -200 100 -100 -50 -0 **-**2012 0 -0 -2014 2016 2014 2016 2014 2016 2012 2012

Forecasted deaths (grey) vs actual deaths (blue) Male, February 2012 to January 2017 1-4 5-9 25 20 -7.5 **-**7.5 **-**5.0 -5.0 -10 5 -0 -10-14 15-19 20-24 7.5 -15 -20 5.0 -0.0 0 0 25-29 30-34 35-39 25 -20 -15 -20 15 **-**15 10 0 -0 -0 40-44 45-49 50-54 40 30 -60 20 20 10 -20 10 -0 -0 -0 55-59 60-64 65-69 80 -150 -60 100 60 -40 50 30 -20 -0 -0 -70-74 75-79 80-84 200 150 150 100 -100 -100 50 -50 -0 -0 -0 85-89 90-94 95+ 300 -60 -150 -200 100 -100 -50 **-**0 **-** 2012 0 -2014 2016 2012 2014 2016 2014 2016 2012

Forecasted deaths (grey) vs actual deaths (blue) Female, February 2013 to January 2018 1-4 5-9 15 **-**7.5 **-**4 -5.0 -2 -2.5 0 -10-14 15-19 20-24 12.5 6 -15 -10.0 -10-4 -7.5 -5.0 25-29 30-34 35-39 12.5 12.5 **-**10.0 -10.0 -15 **-**7.5 -7.5 -10 5.0 -5.0 0.0 0 -40-44 50-54 40 50 -30 20 -20 -10 -10-0 -0 -0 -55-59 60-64 65-69 80 60 **-**90 40 60 20 -30 -20 0 0 -70-74 75-79 80-84 200 -150 **-**200 -100 100 -100 -50 -50 -0 -0 0 -85-89 90-94 95+ 300 -300 150 -200 200 100 100 -100 -50 **-**0 -0 2014 2016 2018 2014 2016 2018 2016 2018

Forecasted deaths (grey) vs actual deaths (blue) Male, February 2013 to January 2018 1-4 5-9 25 -20 -7.5 -7.5 -15 -5.0 -5.0 -10 5 -0 -0.0 10-14 20-24 15-19 7.5 -15 -20 5.0 -10 2.5 0.0 0 0 25-29 30-34 35-39 25 20 -20 -20 15 **-**15 · 10 5. 0 -0 -0 40-44 45-49 50-54 30 -40 60 -30 20 20 10 -20 10 -0 -0 -0 55-59 60-64 65-69 150 -80 -60 100 60 40 50 30 -20 -0 -0 -70-74 75-79 80-84 200 250 -200 -150 150 **-**100 100 -100 50 -50 -0 -0 -0 85-89 90-94 95+ 200 -300 -60 150 **-**200 -100 -50 -20 0 -0 -0 2018 2014 2016 2018 2014 2016 2014 2016 2018

Forecasted deaths (grey) vs actual deaths (blue) Female, February 2014 to January 2019 1-4 5-9 6 -7.5 -15 **-**5.0 -10 -2.5 0 -10-14 15-19 20-24 12.5 -6 -15 -10.0 -10 -4 -7.5 -5.0 -30-34 35-39 25-29 12.5 15 **-**10.0 -15 -10-7.5 -10-5 -0.0 0 -40-44 45-49 50-54 40 -50 -40 30 . 20 -30 20 -10 -10 -10-0 -0 -0 -55-59 60-64 65-69 80 -60 -60 -40 60 40 -20 -30 -20 -0 -0 -70-74 75-79 80-84 150 -200 -150 -200 100 100 -100 -50 -50 -0 -0 -0 -90-94 95+ 85-89 200 -300 -300 -150 **-**200 -200 100 -100 -100 -50 -0 **-** 2014 0 **-** 2014 0 -2014 2016 2018 2016 2018 2016 2018

Forecasted deaths (grey) vs actual deaths (blue) Male, February 2014 to January 2019 1-4 5-9 6 -20 -7.5 -15 -5.0 -5 -0 -0.0 10-14 15-19 20-24 25 15 -7.5 -20 15 5.0 -10 -2.5 0.0 0 30-34 35-39 25-29 20 -20 -20 15 **-**15 **-**15 10 10 0 -0 -0 40-44 45-49 50-54 30 -40 60 · 30 20 20 10 -20 10 -0 -0 -0 55-59 60-64 65-69 150 75 -100 -50 -60 -50 25 **-**30 -0 -0 -70-74 75-79 80-84 200 -250 -200 -150 -150 -100 -100 -100 50 -50 -0 -0 -0 85-89 90-94 95+ 200 -300 -60 -150 -200 100 100 -50 -20 0 **-** 2014 0 -0 -2016 2016 2018 2014 2018 2014 2016 2018

Forecasted deaths (grey) vs actual deaths (blue) Female, February 2015 to January 2020 1-4 5-9 7.5 -15 **-**5.0 -10 -2 -2.5 0 -10-14 15-19 20-24 12.5 -15 -6 -10.0 -10 -4 -7.5 -2 -25-29 30-34 35-39 12.5 15**-**10.0 -15 -10-7.5 5 -0.0 0 -40-44 50-54 45-49 25 -40 -50 -20 -40 30 -15 30 -20 -10-20 -10 -5 -10-0 -0 -0 -55-59 60-64 65-69 80 -60 -60 -40 60 -40 -20 -30 -20 -0 -0 -70-74 75-79 80-84 150 -200 -150 -200 100 100 -100 -50 -50 -0 0 0 -85-89 90-94 95+ 200 -300 -300 -150 **-**200 -200 100 -100 -100 -50 -0 -0 -0 -2016 2018 2020 2016 2018 2020 2016 2018 2020

Forecasted deaths (grey) vs actual deaths (blue) Male, February 2015 to January 2020 1-4 5-9 6 -20 -7.5 **-**15 -5.0 -2 5 -0 -10-14 15-19 20-24 25 7.5 -20 15 -15 5.0 -10 2.5 0.0 0 -0 30-34 25-29 35-39 25 -20 -20 -20 -15 **-**15 · 15 10 5 -0 -0 -0 40-44 45-49 50-54 50 30 -60 · 40 -20 · 20 -10 -20 -10 -0 -0 -0 55-59 60-64 65-69 120 150 75 -100 50 -60 -50 25 -30 -0 -0 -0 70-74 75-79 80-84 300 -200 -200 150 · 200 100 -100 -100 -50 -0 -0 0 85-89 90-94 95+ 80 -300 -200 -60 -150 -200 -100 -100 -50 **-**20 -0 -0 -0 -2018 2020 2020 2016 2018 2020 2016 2016 2018