

Tables (11)

Name	Type	Schema
Admin		CREATE TABLE Admin (id INTEGER PRIMARY KEY AUTOINCREMENT, email TEXT UNIQUE NOT NULL, name TEXT NOT NULL, hashed_password TEXT NOT NULL, created_at DATETIME DEFAULT CURRENT_TIMESTAMP)
id	INTEGER	"id" INTEGER
email	TEXT	"email" TEXT NOT NULL UNIQUE
name	TEXT	"name" TEXT NOT NULL
hashed_password	TEXT	"hashed_password" TEXT NOT NULL
created_at	DATETIME	"created_at" DATETIME DEFAULT CURRENT_TIMESTAMP
alembic_version		CREATE TABLE alembic_version (version_num VARCHAR(32) NOT NULL, CONSTRAINT alembic_version_pkc PRIMARY KEY (version_num))
version_num	VARCHAR(32)	"version_num" VARCHAR(32) NOT NULL
cartitem		CREATE TABLE cartitem (id INTEGER NOT NULL, quantity INTEGER NOT NULL, user_id INTEGER, product_id INTEGER, PRIMARY KEY (id), FOREIGN KEY(product_id) REFERENCES product (id), FOREIGN KEY(user_id) REFERENCES user (id))
id	INTEGER	"id" INTEGER NOT NULL
quantity	INTEGER	"quantity" INTEGER NOT NULL
user_id	INTEGER	"user_id" INTEGER
product_id	INTEGER	"product_id" INTEGER
comment		CREATE TABLE comment (id INTEGER NOT NULL, content VARCHAR NOT NULL, created_at DATETIME NOT NULL, user_id INTEGER, post_id INTEGER, PRIMARY KEY (id), FOREIGN KEY(post_id) REFERENCES post (id), FOREIGN KEY(user_id) REFERENCES user (id))
id	INTEGER	"id" INTEGER NOT NULL
content	VARCHAR	"content" VARCHAR NOT NULL
created_at	DATETIME	"created_at" DATETIME NOT NULL
user_id	INTEGER	"user_id" INTEGER
post_id	INTEGER	"post_id" INTEGER
order		CREATE TABLE "order" (id INTEGER NOT NULL, user_id INTEGER, total_price FLOAT NOT NULL, status VARCHAR NOT NULL, created_at DATETIME NOT NULL, PRIMARY KEY (id), FOREIGN KEY(user_id) REFERENCES user (id))
id	INTEGER	"id" INTEGER NOT NULL
user_id	INTEGER	"user_id" INTEGER
total_price	FLOAT	"total_price" FLOAT NOT NULL
status	VARCHAR	"status" VARCHAR NOT NULL
created_at	DATETIME	"created_at" DATETIME NOT NULL

Name	Type	Schema
orderitem		CREATE TABLE orderitem (id INTEGER NOT NULL, order_id INTEGER, product_id INTEGER, quantity INTEGER NOT NULL, price FLOAT NOT NULL, PRIMARY KEY (id), FOREIGN KEY(order_id) REFERENCES "order" (id), FOREIGN KEY(product_id) REFERENCES product (id))
id	INTEGER	"id" INTEGER NOT NULL
order_id	INTEGER	"order_id" INTEGER
product_id	INTEGER	"product_id" INTEGER
quantity	INTEGER	"quantity" INTEGER NOT NULL
price	FLOAT	"price" FLOAT NOT NULL
post		CREATE TABLE post (id INTEGER NOT NULL, title VARCHAR NOT NULL, content VARCHAR NOT NULL, category VARCHAR, likes INTEGER NOT NULL, user_id INTEGER, PRIMARY KEY (id), FOREIGN KEY(user_id) REFERENCES user (id))
id	INTEGER	"id" INTEGER NOT NULL
title	VARCHAR	"title" VARCHAR NOT NULL
content	VARCHAR	"content" VARCHAR NOT NULL
category	VARCHAR	"category" VARCHAR
likes	INTEGER	"likes" INTEGER NOT NULL
user_id	INTEGER	"user_id" INTEGER
product		CREATE TABLE product (id INTEGER NOT NULL, name VARCHAR NOT NULL, description VARCHAR NOT NULL, price FLOAT NOT NULL, quantity INTEGER NOT NULL, image_path VARCHAR NOT NULL, category VARCHAR, user_id INTEGER, PRIMARY KEY (id), FOREIGN KEY(user_id) REFERENCES user (id))
id	INTEGER	"id" INTEGER NOT NULL
name	VARCHAR	"name" VARCHAR NOT NULL
description	VARCHAR	"description" VARCHAR NOT NULL
price	FLOAT	"price" FLOAT NOT NULL
quantity	INTEGER	"quantity" INTEGER NOT NULL
image_path	VARCHAR	"image_path" VARCHAR NOT NULL
category	VARCHAR	"category" VARCHAR
user_id	INTEGER	"user_id" INTEGER
review		CREATE TABLE review (id INTEGER NOT NULL, rating INTEGER NOT NULL, comment VARCHAR, created_at DATETIME NOT NULL, user_id INTEGER, product_id INTEGER, PRIMARY KEY (id), FOREIGN KEY(product_id) REFERENCES product (id), FOREIGN KEY(user_id) REFERENCES user (id))
id	INTEGER	"id" INTEGER NOT NULL
rating	INTEGER	"rating" INTEGER NOT NULL
comment	VARCHAR	"comment" VARCHAR
created_at	DATETIME	"created_at" DATETIME NOT NULL

Name	Type	Schema
user_id	INTEGER	"user_id" INTEGER
product_id	INTEGER	"product_id" INTEGER
sqlite_sequence		CREATE TABLE sqlite_sequence(name,seq)
name		"name"
seq		"seq"
user		CREATE TABLE user (id INTEGER NOT NULL, name VARCHAR NOT NULL, email VARCHAR NOT NULL, hashed_password VARCHAR NOT NULL, is_admin BOOLEAN NOT NULL, bio VARCHAR, avatar_url VARCHAR, PRIMARY KEY (id))
id	INTEGER	"id" INTEGER NOT NULL
name	VARCHAR	"name" VARCHAR NOT NULL
email	VARCHAR	"email" VARCHAR NOT NULL
hashed_password	VARCHAR	"hashed_password" VARCHAR NOT NULL
is_admin	BOOLEAN	"is_admin" BOOLEAN NOT NULL
bio	VARCHAR	"bio" VARCHAR
avatar_url	VARCHAR	"avatar_url" VARCHAR

Indices (1)

Name	Type	Schema
ix_user_email		CREATE UNIQUE INDEX ix_user_email ON user (email)
email		"email"

Views (0)

Name	Type	Schema
------	------	--------

Triggers (0)

Name	Type	Schema
------	------	--------