

SAMSUNG

WISENET



Security Solutions Product Line-Up Catalog



 Hanwha
Techwin

NETWORK

| | | | | |
|--|--|--|--|--|
| UK | PNM-9020V | PNO-9080R | PND-9080R | PNV-9080R |
| SNB-9000  4K UHD & 12MP Box <ul style="list-style-type: none"> • 12MP @ 20fps / 4K @ 30fps • Dual Codec H.264/MJPEG • Simple Focus • Day & Night (ICR) | NEW  WiseStream 2MP x4 Panoramic 180° View Multi-Sensor <ul style="list-style-type: none"> • 7.6MP @ 30fps / Stitched Video • Triple Codec H.265/H.264/MJPEG • 2.2x Motorized Vari-focal Lens, Simple Focus • PTZ Hand-over • Wide Dynamic Range 120dB • On-board Analytics/Hallway View • IP66/K10 | NEW  WiseStream 4K IR Bullet <ul style="list-style-type: none"> • 12MP @ 20fps / 4K @ 30fps • Triple Codec H.265/H.264/MJPEG • 2.2x Motorized Vari-focal Lens, Simple Focus • PTZ Hand-over • Wide Dynamic Range 120dB • On-board Analytics/Hallway View • IP66/K10 | NEW  WiseStream 4K IR Dome <ul style="list-style-type: none"> • 12MP @ 20fps / 4K @ 30fps • Triple Codec H.265/H.264/MJPEG • 2.2x Motorized Vari-focal Lens, Simple Focus • PTZ Hand-over • Wide Dynamic Range 120dB • On-board Analytics/Hallway View • IK08 | NEW  WiseStream 4K IR Vandal Dome <ul style="list-style-type: none"> • 12MP @ 20fps / 4K @ 30fps • Triple Codec H.265/H.264/MJPEG • 2.2x Motorized Vari-focal Lens, Simple Focus • PTZ Hand-over • Wide Dynamic Range 120dB • On-board Analytics/Hallway View • IP66/IP67/K10 |
| PNF-9010R/RV/RVM  WiseStream 4K IR Fisheye <ul style="list-style-type: none"> • 12MP @ 20fps / 9MP @ 25fps • Triple Codec H.265/H.264/MJPEG • Simple Focus • Wide Dynamic Range 120dB • On-board Analytics • M12 Mobile Connector (PNF-9010RVM) • IP66 (PNF-9010RV/RVM) • IK10 | NEW  WiseStream 4K 20x IR PTZ <ul style="list-style-type: none"> • 12MP @ 20fps / 4K @ 30fps • Triple Codec H.265/H.264/MJPEG • 20x Optical Zoom • Wide Dynamic Range 120dB • On-board Analytics • IP66/K10 | 5MP  SNB-8000 5MP Box <ul style="list-style-type: none"> • 5MP @ 20fps, 1080p @ 30fps • Dual Codec H.264/MJPEG • Simple Focus, P-Iris • Built-in Mic • Tampering, Audio Detection | SNO-8081R  WiseStream 5MP IR Bullet <ul style="list-style-type: none"> • 30fps@all resolutions • Triple Codec H.265/H.264/MJPEG • 2.4x Motorized Vari-focal Lens • WDR 120dB • Hallway View (Rotate 90° / 270°) • IK10, IP66 | SNV-8081R  WiseStream 5MP IR Vandal Dome <ul style="list-style-type: none"> • 30fps@all resolutions • Triple Codec H.265/H.264/MJPEG • 2.4x Motorized Vari-focal Lens • WDR 120dB • Hallway View (Rotate 90° / 270°) • IK10, IP66 |
| SNV-8080  WiseStream 5MP Vandal Dome <ul style="list-style-type: none"> • 5MP @ 20fps, 1080p @ 30fps • Dual Codec H.264/MJPEG • 2.6x Motorized Vari-focal Lens • Heater by PoE (-40°F) • IK10, IP66 | SNF-8010/8010VM  WiseStream 5MP Fisheye <ul style="list-style-type: none"> • 5MP @ 20fps • Dual Codec H.264/MJPEG • 6 Dewarping View Modes • Digital PTZ / Bi-Directional Audio • M12 & RJ-45 Connector (SNF-8010VM) • IK10, IP66 (SNF-8010VM) | 4MP  WiseStream QNO-7080R 4MP IR Bullet <ul style="list-style-type: none"> • 20fps@4MP, 30fps@2MP • Triple Codec H.265/H.264/MJPEG • 4.3x Motorized Vari-focal Lens • Wide Dynamic Range 120dB • Hallway View, Defocus Detection, LDC • True Day & Night, Built-in IR • IP66/K10 | NEW  WiseStream QNO-7030R 4MP IR Bullet <ul style="list-style-type: none"> • 20fps@4MP, 30fps@2MP • Triple Codec H.265/H.264/MJPEG • 6mm Fixed Lens • Wide Dynamic Range 120dB • Hallway View, Defocus Detection, LDC • True Day & Night, Built-in IR • IP66/K10 | NEW  WiseStream QNO-7020R 4MP IR Bullet <ul style="list-style-type: none"> • 20fps@4MP, 30fps@2MP • Triple Codec H.265/H.264/MJPEG • 3.6mm Fixed Lens • Wide Dynamic Range 120dB • Hallway View, Defocus Detection, LDC • True Day & Night, Built-in IR • IP66/K10 |
| NEW  WiseStream 4MP IR Bullet <ul style="list-style-type: none"> • 20fps@4MP, 30fps@2MP • Triple Codec H.265/H.264/MJPEG • 2.8mm Fixed Lens • Wide Dynamic Range 120dB • Hallway View, Defocus Detection, LDC • True Day & Night, Built-in IR • IP66/K10 | NEW  WiseStream 4MP IR Dome <ul style="list-style-type: none"> • 20fps@4MP, 30fps@2MP • Triple Codec H.265/H.264/MJPEG • 4.3x Motorized Vari-focal Lens • Wide Dynamic Range 120dB • Hallway View, Defocus Detection, LDC • True Day & Night, Built-in IR | NEW  WiseStream QND-7030R 4MP IR Dome <ul style="list-style-type: none"> • 20fps@4MP, 30fps@2MP • Triple Codec H.265/H.264/MJPEG • 6mm Fixed Lens • Wide Dynamic Range 120dB • Hallway View, Defocus Detection, LDC • True Day & Night, Built-in IR • IK08 | NEW  WiseStream QND-7020R 4MP IR Dome <ul style="list-style-type: none"> • 20fps@4MP, 30fps@2MP • Triple Codec H.265/H.264/MJPEG • 3.6mm Fixed Lens • Wide Dynamic Range 120dB • Hallway View, Defocus Detection, LDC • True Day & Night, Built-in IR • IK08 | NEW  WiseStream QND-7010R 4MP IR Dome <ul style="list-style-type: none"> • 20fps@4MP, 30fps@2MP • Triple Codec H.265/H.264/MJPEG • 2.8mm Fixed Lens • Wide Dynamic Range 120dB • Hallway View, Defocus Detection, LDC • True Day & Night, Built-in IR • IK08 |
| NEW  WiseStream 4MP IR Vandal Dome <ul style="list-style-type: none"> • 20fps@4MP, 30fps@2MP • Triple Codec H.265/H.264/MJPEG • 4.3x Motorized Vari-focal Lens • Wide Dynamic Range 120dB • Hallway View, Defocus Detection, LDC • True Day & Night, Built-in IR • IP66/K10 | NEW  WiseStream 4MP IR Vandal Dome <ul style="list-style-type: none"> • 20fps@4MP, 30fps@2MP • Triple Codec H.265/H.264/MJPEG • 6mm Fixed Lens • Wide Dynamic Range 120dB • Hallway View, Defocus Detection, LDC • True Day & Night, Built-in IR • IP66/K10 | NEW  WiseStream 4MP IR Vandal Dome <ul style="list-style-type: none"> • 20fps@4MP, 30fps@2MP • Triple Codec H.265/H.264/MJPEG • 3.6mm Fixed Lens • Wide Dynamic Range 120dB • Hallway View, Defocus Detection, LDC • True Day & Night, Built-in IR • IP66/K10 | NEW  WiseStream 4MP IR Vandal Dome <ul style="list-style-type: none"> • 20fps@4MP, 30fps@2MP • Triple Codec H.265/H.264/MJPEG • 2.8mm Fixed Lens • Wide Dynamic Range 120dB • Hallway View, Defocus Detection, LDC • True Day & Night, Built-in IR • IP66/K10 | 3MP  WiseStream SNB-7004 3MP Box <ul style="list-style-type: none"> • 3MP @ 30fps • Dual Codec H.264/MJPEG • Simple Focus, P-Iris • Wide Dynamic Range 120dB • On-board Analytics • Digital Image Stabilization |

NETWORK

| | | | | | |
|---|---|--|--|--|--|
| SNO-7084R | SND-7084/7084R | SNV-7084/7084R | 2MP | SNB-6011B | SNB-6010A/6010B |
| <p>IK10 IP66 WISENET III 3MP IR Bullet<ul style="list-style-type: none">• 3MP @ 30fps• Dual Codec H.264/MJPEG• 2.8x Motorized Vari-focal Lens• Wide Dynamic Range 120dB• On-board Analytics• Digital Image Stabilization• IK10/IP66</p> | <p>IK08 WISENET III 3MP Dome/IR<ul style="list-style-type: none">• 3MP @ 30fps• Dual Codec H.264/MJPEG• 2.8x Motorized Vari-focal Lens• Wide Dynamic Range 120dB• On-board Analytics• Digital Image Stabilization• IK08 (SND-7084R)</p> | <p>IK10 IP66 WISENET III 3MP Vandal Dome/IR<ul style="list-style-type: none">• 3MP @ 30fps• Dual Codec H.264/MJPEG• 2.8x Motorized Vari-focal Lens• Wide Dynamic Range 120dB• On-board Analytics• Digital Image Stabilization• IK10/IP66</p> | 2MP | <p>WISENET III 2MP 2.4mm Covert<ul style="list-style-type: none">• 1080p @ 30fps• Dual Codec H.264/MJPEG• 134° Wide Angle View• Wide Dynamic Range 120dB• Analog BNC Output• On-board Analytics• Multi-crop Streaming• Audio</p> | <p>WISENET III 2MP 4.6mm Covert<ul style="list-style-type: none">• 1080p @ 30fps• Dual Codec H.264/MJPEG• 71° Wide Angle View• Wide Dynamic Range 120dB• Analog BNC Output• On-board Analytics• Multi-crop Streaming• Audio (SNB-6010B)</p> |
| SNB-H-6010A | SNB-J-6010 | SNB-6005 | SNB-6004/6003 | | SNZ-6320 |
| <p>WISENET III 2MP Height Strip<ul style="list-style-type: none">• 1080p @ 30fps• Dual Codec H.264/MJPEG• 71° Wide Angle View• Wide Dynamic Range 120dB• On-board Analytics• Multi-crop Streaming• Durable Steel Construction• Visible Color Coded Height Levels</p> | <p>WISENET III 2MP Doorjamb Camera<ul style="list-style-type: none">• 1080p @ 30fps• Dual Codec H.264/MJPEG• 71° Wide Angle View• Wide Dynamic Range 120dB• On-board Analytics• Multi-crop Streaming• Durable Steel Construction• Fits Most Standard Door Frames</p> | <p>WISENET III 2MP Super Low Light Box<ul style="list-style-type: none">• 1080P @ 60fps• 1/1.9" PS 2.4M CMOS• Dual Codec H.264/MJPEG• Simple Focus, P-Iris (SNB-6004)• Wide Dynamic Range 120dB• On-board Analytics• Digital Image Stabilization</p> | <p>WISENET III 2MP Box<ul style="list-style-type: none">• 1080P @ 60fps• Dual Codec H.264/MJPEG• Simple Focus, P-Iris• Wide Dynamic Range 120dB• On-board Analytics• Digital Image Stabilization</p> | | <p>WISENET III 2MP Zoom Box<ul style="list-style-type: none">• 1080P @ 60fps• Dual Codec H.264/MJPEG• 32x Optical Zoom• Auto Focus, P-Iris• Wide Dynamic Range 120dB• On-board Analytics• Digital Image Stabilization</p> |
| SNO-6084R | SNO-6011R | NEW QNO-6070R | NEW QNO-6030R | NEW QNO-6020R | |
| <p>IK10 IP66 WISENET III 2MP IR Bullet<ul style="list-style-type: none">• 1080p @ 60fps• Dual Codec H.264/MJPEG• 2.8x Motorized Vari-focal Lens• Wide Dynamic Range 120dB• On-board Analytics• Digital Image Stabilization• IK10/IP66</p> | <p>IP66 WISENET III 2MP IR Bullet<ul style="list-style-type: none">• 1080p @ 60fps• Dual Codec H.264/MJPEG• 3.8mm Fixed Lens• Wide Dynamic Range 120dB• On-board Analytics• Digital Image Stabilization• IP66</p> | <p>IK10 IP66 WISENET Q 2MP IR Bullet<ul style="list-style-type: none">• 1080p @ 30fps• Triple Codec H.265/H.264/MJPEG• 4.3x Vari-focal Lens• Wide Dynamic Range 120dB• Hallway View, Defocus Detection, LDC• True Day & Night, Built-in IR• IP66/IK10</p> | <p>IK10 IP66 WISENET Q 2MP IR Bullet<ul style="list-style-type: none">• 1080p @ 30fps• Triple Codec H.265/H.264/MJPEG• 6mm Fixed Lens• Wide Dynamic Range 120dB• Hallway View, Defocus Detection, LDC• True Day & Night, Built-in IR• IP66/IK10</p> | <p>IK10 IP66 WISENET Q 2MP IR Bullet<ul style="list-style-type: none">• 1080p @ 30fps• Triple Codec H.265/H.264/MJPEG• 3.6mm Fixed Lens• Wide Dynamic Range 120dB• Hallway View, Defocus Detection, LDC• True Day & Night, Built-in IR• IP66/IK10</p> | |
| NEW QNO-6010R | SNO-L6083R | SNO-L6013R | SND-6084R | SND-6084/6083 | |
| <p>IK10 IP66 WISENET Q 2MP IR Bullet<ul style="list-style-type: none">• 1080p @ 30fps• Triple Codec H.265/H.264/MJPEG• 2.8mm Fixed Lens• Wide Dynamic Range 120dB• Hallway View, Defocus Detection, LDC• True Day & Night, Built-in IR• IP66/IK10</p> | <p>IK10 IP66 WISENET Lite 2MP IR Bullet<ul style="list-style-type: none">• 1080p @ 30fps• Dual Codec H.264/MJPEG• 4.3x Vari-focal Lens• Motion Detection, Tampering• Built-in IR• Hallway View, LDC• IK10, IP66</p> | <p>IP66 WISENET Lite 2MP IR Bullet<ul style="list-style-type: none">• 1080p @ 30fps• Dual Codec H.264/MJPEG• 3.6mm Fixed Lens• Motion Detection, Tampering• Built-in IR• Hallway View, LDC• IP66</p> | <p>WISENET III 2MP IR Dome<ul style="list-style-type: none">• 1080p @ 60fps• Dual Codec H.264/MJPEG• 2.8x Motorized Vari-focal Lens• Wide Dynamic Range 120dB• On-board Analytics• Digital Image Stabilization</p> | <p>WISENET III 2MP Dome<ul style="list-style-type: none">• 1080p @ 60fps• Dual Codec H.264/MJPEG• 2.8x Motorized Vari-focal Lens (SND-6084)• Wide Dynamic Range 120dB• On-board Analytics• Digital Image Stabilization</p> | |
| SND-6011R | NEW QND-6070R | NEW QND-6030R | NEW QND-6020R | NEW QND-6010R | |
| <p>WISENET III 2MP IR Dome<ul style="list-style-type: none">• 1080p @ 60fps• Dual Codec H.264/MJPEG• 3.8mm Fixed Lens• Wide Dynamic Range 120dB• On-board Analytics• Digital Image Stabilization</p> | <p>IK08 WISENET Q 2MP IR Dome<ul style="list-style-type: none">• 1080p @ 30fps• Triple Codec H.265/H.264/MJPEG• 4.3x Vari-focal Lens• Wide Dynamic Range 120dB• Hallway View, Defocus Detection, LDC• True Day & Night, Built-in IR• IK08</p> | <p>IK08 WISENET Q 2MP IR Dome<ul style="list-style-type: none">• 1080p @ 30fps• Triple Codec H.265/H.264/MJPEG• 6mm Fixed Lens• Wide Dynamic Range 120dB• Hallway View, Defocus Detection, LDC• True Day & Night, Built-in IR• IK08</p> | <p>IK08 WISENET Q 2MP IR Dome<ul style="list-style-type: none">• 1080p @ 30fps• Triple Codec H.265/H.264/MJPEG• 3.6mm Fixed Lens• Wide Dynamic Range 120dB• Hallway View, Defocus Detection, LDC• True Day & Night, Built-in IR• IK08</p> | <p>IK08 WISENET Q 2MP IR Dome<ul style="list-style-type: none">• 1080p @ 30fps• Triple Codec H.265/H.264/MJPEG• 2.8mm Fixed Lens• Wide Dynamic Range 120dB• Hallway View, Defocus Detection, LDC• True Day & Night, Built-in IR• IK08</p> | |

NETWORK

| | | | | |
|--|---|---|---|---|
| SND-L6083R  WISERET Lite 2MP IR Dome <ul style="list-style-type: none">• 1080p @ 30fps• Dual Codec H.264/MJPEG• 4.3x Vari-focal Lens• Motion Detection, Tampering• Built-in IR• Hallway View, LDC | SND-L6013R  WISERET Lite 2MP IR Dome <ul style="list-style-type: none">• 1080p @ 30fps• Dual Codec H.264/MJPEG• 3.6mm Fixed Lens• Motion Detection, Tampering• Built-in IR• Hallway View, LDC | SND-L6013/L6012  WISERET Lite 2MP Dome <ul style="list-style-type: none">• 1080p @ 30fps• Dual Codec H.264/MJPEG• SND-L6013: 3.6mm Fixed Lens• SND-L6012: 2.8mm Fixed Lens• Motion Detection, Tampering• Hallway View, LDC | SNV-6085R  IK10 IP66 WISERET III 2MP IR Vandal Dome <ul style="list-style-type: none">• 1080p @ 60fps• Dual Codec H.264/MJPEG• 2.3x Motorized Vari-focal Lens (10-23mm)• Wide Dynamic Range 120dB• On-board Analytics• Digital Image Stabilization• IK10/IP66 | SNV-6084/6084R  IK10 IP66 WISERET III 2MP Vandal Dome/IR <ul style="list-style-type: none">• 1080p @ 60fps• Dual Codec H.264/MJPEG• 2.8x Motorized Vari-focal Lens• Wide Dynamic Range 120dB• Built-in IR (SNV-6084R)• On-board Analytics• Digital Image Stabilization• IK10/IP66 |
| SNV-6013  IK10 IP66 WISERET III 2MP IR Vandal Dome <ul style="list-style-type: none">• 1080p @ 60fps• Dual Codec H.264/MJPEG• 2.8mm Fixed Lens• Wide Dynamic Range 120dB• On-board Analytics• Digital Image Stabilization• IK10/IP66 | SNV-6012M  IK10 IP66 WISERET III 2MP Mobile Vandal Dome <ul style="list-style-type: none">• 1080p @ 60fps• Dual Codec H.264/MJPEG• 3mm Fixed Lens (103.1° view)• Wide Dynamic Range 120dB• On-board Analytics• Digital Image Stabilization• IP66/IK10 | NEW QNV-6070R  IK10 IP66 WISERET Q WiseStream 2MP IR Vandal Dome <ul style="list-style-type: none">• 1080p @ 30fps• Triple Codec H.265/H.264/MJPEG• 4.3x Vari-focal Lens• Wide Dynamic Range 120dB• Hallway View, Defocus Detection, LDC• True Day & Night, Built-in IR• IP66/IK10 | NEW QNV-6030R  IK10 IP66 WISERET Q WiseStream 2MP IR Vandal Dome <ul style="list-style-type: none">• 1080p @ 30fps• Triple Codec H.265/H.264/MJPEG• 6mm Fixed Lens• Wide Dynamic Range 120dB• Hallway View, Defocus Detection, LDC• True Day & Night, Built-in IR• IP66/IK10 | NEW QNV-6020R  IK10 IP66 WISERET Q WiseStream 2MP IR Vandal Dome <ul style="list-style-type: none">• 1080p @ 30fps• Triple Codec H.265/H.264/MJPEG• 3.6mm Fixed Lens• Wide Dynamic Range 120dB• Hallway View, Defocus Detection, LDC• True Day & Night, Built-in IR• IP66/IK10 |
| NEW QNV-6010R  IK10 IP66 WISERET Q WiseStream 2MP IR Vandal Dome <ul style="list-style-type: none">• 1080p @ 30fps• Triple Codec H.265/H.264/MJPEG• 2.8mm Fixed Lens• Wide Dynamic Range 120dB• Hallway View, Defocus Detection, LDC• True Day & Night, Built-in IR• IP66/IK10 | SNV-L6083R  IK10 IP66 WISERET Lite 2MP IR Vandal Dome <ul style="list-style-type: none">• 1080p @ 30fps• Dual Codec H.264/MJPEG• 4.3x Vari-focal Lens• Motion Detection, Tampering• Built-in IR• Hallway View, LDC• IP66/IK10 | SNV-L6013R  IK10 IP66 WISERET Lite 2MP IR Mini Vandal Dome <ul style="list-style-type: none">• 1080p @ 30fps• Dual Codec H.264/MJPEG• 3.6mm Fixed Lens• Motion Detection, Tampering• Built-in IR• Hallway View, LDC• IP66/IK10/EN50155/EN50121 | SNV-L6014RM  IK10 IP66 WISERET Lite 2MP IR Mobile Vandal Dome <ul style="list-style-type: none">• 1080p @ 30fps• Dual Codec H.264/MJPEG• 3.6mm Fixed Lens• Motion Detection, Tampering• Built-in IR• Hallway View, LDC• Built-in Mic• IP66/IK10/M12/EN50155/EN50121 | SNP-6320/6320H  IK10 IP66 WISERET plus 2MP 32x Indoor/Outdoor PTZ <ul style="list-style-type: none">• 1080p @ 60fps• Dual Codec H.264/MJPEG• 32x Optical Zoom• IR Distance 493ft• Wide Dynamic Range (120dB)• Digital Image Stabilization• On-board Analytics• Auto Tracking• IP66/IK10 |
| SNP-6320RH  IK10 IP66 WISERET plus 2MP 32x Outdoor IR PTZ <ul style="list-style-type: none">• 1080p @ 60fps• Dual Codec H.264/MJPEG• 32x Optical Zoom• IR Distance 493ft• Wide Dynamic Range (120dB)• Digital Image Stabilization• On-board Analytics• Auto Tracking• IP66/IK10 | SNP-6321/6321H  IK10 IP66 WISERET III 2MP 32x Indoor/Outdoor PTZ <ul style="list-style-type: none">• 1080p @ 60fps• Dual Code H.264/MJPEG• 32x Optical Zoom• On-board Analytics• Wide Dynamic Range 120dB• Bi-directional Audio Support• SNP-6321H: IK10/IP66 | SNP-L6233/6233H  IK10 IP66 WISERET Lite 2MP 23x Indoor/Outdoor PTZ <ul style="list-style-type: none">• 1080p @ 30fps• Dual Code H.264/MJPEG• 23x Optical Zoom• On-board Analytics• Wide Dynamic Range 100dB• Bi-directional Audio Support• SNP-L6233H: IK10/IP66 | SNP-L6233RH  IK10 IP66 WISERET Lite 2MP 23x Outdoor IR PTZ <ul style="list-style-type: none">• 1080p @ 30fps• Dual Code H.264/MJPEG• 23x Optical Zoom• IR Distance 328ft• Wide Dynamic Range 100dB• Digital Image Stabilization• On-board Analytics• IP66/IK10 | IP Kits SRK-3040S-1TB  |
| SNP-6321/6321H  IK10 IP66 WISERET III 2MP 32x Indoor/Outdoor PTZ <ul style="list-style-type: none">• 1080p @ 60fps• Dual Code H.264/MJPEG• 32x Optical Zoom• On-board Analytics• Wide Dynamic Range 120dB• Bi-directional Audio Support• SNP-6321H: IK10/IP66 | SNP-L6233/6233H  IK10 IP66 WISERET Lite 2MP 23x Indoor/Outdoor PTZ <ul style="list-style-type: none">• 1080p @ 30fps• Dual Code H.264/MJPEG• 23x Optical Zoom• On-board Analytics• Wide Dynamic Range 100dB• Bi-directional Audio Support• SNP-L6233H: IK10/IP66 | SNP-L6233RH  IK10 IP66 WISERET Lite 2MP 23x Outdoor IR PTZ <ul style="list-style-type: none">• 1080p @ 30fps• Dual Code H.264/MJPEG• 23x Optical Zoom• IR Distance 328ft• Wide Dynamic Range 100dB• Bi-directional Audio Support• IP66/IK10 | 4CH/4CAM • 1080p Full HD Recording & Display • Plug-n-Play with Setup Wizard • PoE+ Switch Built-in NVR • ONVIF Camera Compliant • SND-L6013R (Qty 4), SRN-473S (NVR) • 1TB Hard Drive Included | SRK-3040S-1TB  |
| SRK-3030S-1TB  IK10 IP66 WISERET plus 4CH/3CAM (w/5MP fisheye) <ul style="list-style-type: none">• 5MP Recording & Display• Plug-n-Play with Setup Wizard• PoE+ Switch Built-in NVR• Dewarped on Camera 180/360 Panoramic View• ONVIF Camera Compliant• SND-L6013R (Qty 2), SNF-8010 (Fisheye), SRN-473S (NVR)• 1TB Hard Drive Included | SRK-4060S-2TB  IK10 IP66 WISERET plus 8CH/6CAM <ul style="list-style-type: none">• 1080p Full HD Recording & Display• Plug-n-Play with Setup Wizard• PoE+ Switch Built-in NVR• ONVIF Camera Compliant• SND-L6013R (Qty 6), SRN-873S (NVR)• 2TB Hard Drive Included | SRK-5120S-3TB  IK10 IP66 WISERET plus 16CH/12CAM <ul style="list-style-type: none">• 1080p Full HD Recording & Display• Plug-n-Play with Setup Wizard• PoE+ Switch Built-in NVR• ONVIF Camera Compliant• SND-L6013R (Qty 12), SRN-1673S (NVR)• 3TB Hard Drive Included | 1.3MP SNB-5004  WISERET III 1.3MP Box <ul style="list-style-type: none">• 1.3MP @ 60fps• Dual Codec H.264/MJPEG• Simple Focus, P-Iris• Wide Dynamic Range 130dB• On-board Analytics• Digital Image Stabilization | SNO-5084R  IK10 IP66 WISERET plus 1.3MP IR Bullet <ul style="list-style-type: none">• 1.3MP @ 60fps• Dual Codec H.264/MJPEG• 2.8x Motorized Vari-focal Lens• Wide Dynamic Range 130dB• On-board Analytics• Digital Image Stabilization• IK10/IP66 |

NETWORK

| | | | | |
|--|--|---|--|---|
| SNO-L5083R | SND-5084/5084R | SND-L5083R | SND-L5013 | SNV-5084/5084R |
|  <p>IK10 IP66 WISENET Lite</p> <p>1.3MP IR Bullet</p> <ul style="list-style-type: none"> • 1.3MP @ 30fps • Dual Codec H.264/MJPEG • 4.3x Vari-focal Lens • Motion Detection, Tampering • IR Viewable Length 65ft • Hallway View, LDC • IK10/IP66 |  <p>IK08 WISENET III</p> <p>1.3MP Dome/IR</p> <ul style="list-style-type: none"> • 1.3MP @ 60fps • Dual Codec H.264/MJPEG • 2.8x Motorized Vari-focal Lens • Wide Dynamic Range 130dB • Built-in IR (SND-5084R) • On-board Analytics • Digital Image Stabilization • IK08 (SND-5084R) |  <p>WISENET Lite</p> <p>1.3MP IR Dome</p> <ul style="list-style-type: none"> • 1.3MP @ 30fps • Dual Codec H.264/MJPEG • 4.3x Vari-focal Lens • Motion Detection, Tampering • Built-in IR • Hallway View, LDC |  <p>WISENET Lite</p> <p>1.3MP Dome</p> <ul style="list-style-type: none"> • 1.3MP @ 30fps • Dual Codec H.264/MJPEG • 3.6mm Fixed Lens • Motion Detection, Tampering • Hallway View, LDC |  <p>IK10 IP66 WISENET III</p> <p>1.3MP Vandal Dome/IR</p> <ul style="list-style-type: none"> • 1.3MP @ 60fps • Dual Codec H.264/MJPEG • 2.8x Motorized Vari-focal Lens • Wide Dynamic Range 130dB • Built-in IR (SNV-5084R) • On-board Analytics • Digital Image Stabilization • IK10/IP66 |
| SNV-L5083R | SNP-5321/5321H | SNP-L5233H/L5233 | SNP-5430/5430H | NVRs |
|  <p>IK10 IP66 WISENET Lite</p> <p>1.3MP IR Vandal Dome</p> <ul style="list-style-type: none"> • 1.3MP @ 30fps • Dual Codec H.264/MJPEG • 4.3x Vari-focal Lens • Motion Detection, Tampering • Built-in IR • Hallway View, LDC • IP66/IK10 |  <p>IK10 IP66 WISENET III</p> <p>1.3MP 32x PTZ</p> <ul style="list-style-type: none"> • 1.3MP @ 60fps • Dual Code H.264/MJPEG • 32x Optical Zoom • On-board Analytics • Wide Dynamic Range 120dB • Bi-directional Audio Support • SNP-5321H: IK10/IP66 |  <p>WISENET Lite</p> <p>1.3MP 23x PTZ</p> <ul style="list-style-type: none"> • 1.3MP @ 30fps • Dual Code H.264/MJPEG • 23x Optical Zoom • On-board Analytics • Wide Dynamic Range 100dB • Bi-directional Audio Support • SNP-L5233H: IK10/IP66 |  <p>IK10 IP66 WISENET III plus</p> <p>1.3MP 43x PTZ</p> <ul style="list-style-type: none"> • 1.3MP @ 60fps • Dual Code H.264/MJPEG • 43x Optical Zoom • On-board Analytics • Auto Tracking • Wide Dynamic Range 120dB • Bi-directional Audio Support • SNP-5430H: IK10/IP66 |  <p>NEW</p> <p>PRN-4011</p> <p>64CH 4K 400Mbps NVR</p> <ul style="list-style-type: none"> • Up to 64CH @12MP Each • Supports H.265/H.264/MJPEG • Max 12 Hot-Swap HDDs (RAID 5/6) • HDMI/VGA Local Monitor • HDMI up to UHD (4K) Resolution • iSCSI Storage Supported • ONVIF Camera Compliant |
| NEW XRN-3010 | SRN-4000 | NEW XRN-2011 | NEW XRN-2010 | NEW XRN-1610S |
|  <p>64CH 4K 300Mbps NVR</p> <ul style="list-style-type: none"> • Up to 64CH @12MP Each • Supports H.265/H.264/MJPEG • Max 8 HDD • HDMI/VGA Local Monitor • HDMI up to UHD (4K) Resolution • iSCSI Storage Supported • ONVIF Camera Compliant |  <p>64CH 400Mbps NVR</p> <ul style="list-style-type: none"> • Up to 64CH @12MP Each • Supports H.264/MJPEG • Max 12 Hot-Swap HDDs (RAID 5/6) • HDMI/VGA Local Monitor • iSCSI Storage Supported • Redundant Hot-Swap Power • ONVIF Camera Compliant |  <p>NEW</p> <p>XRN-2011</p> <p>32CH 4K 256Mbps NVR</p> <ul style="list-style-type: none"> • Up to 32CH @12MP Each • Supports H.265/H.264/MJPEG • Max 8 Hot-Swap HDDs (RAID 5/6) • HDMI/VGA Local Dual Monitor • HDMI up to UHD (4K) Resolution • iSCSI Storage Supported • ONVIF Camera Compliant |  <p>NEW</p> <p>XRN-2010</p> <p>32CH 4K 256Mbps NVR</p> <ul style="list-style-type: none"> • Up to 32CH @12MP Each • Supports H.265/H.264/MJPEG • Max 8 HDDS • HDMI/VGA Local Dual Monitor • HDMI up to UHD (4K) Resolution • iSCSI Storage Supported • ONVIF Camera Compliant |  <p>NEW</p> <p>XRN-1610S</p> <p>16CH 4K 180Mbps PoE NVR</p> <ul style="list-style-type: none"> • Up to 16CH @12MP Each • Supports H.265/H.264/MJPEG • Max 4 HDDS • HDMI/VGA Local Dual Monitor • HDMI up to UHD (4K) Resolution • 16 PoE/PoE+ Ports • ONVIF Camera Compliant |
| NEW XRN-1610 | SRN-1673S | SRN-873S | SRN-473S | SRM-872 |
|  <p>16CH 4K 180Mbps NVR</p> <ul style="list-style-type: none"> • Up to 16CH @12MP Each • Supports H.265/H.264/MJPEG • Max 8 HDDS • HDMI/VGA Local Dual Monitor • HDMI up to UHD (4K) Resolution • ONVIF Camera Compliant |  <p>16CH 80Mbps PoE NVR</p> <ul style="list-style-type: none"> • Up to 16CH @ 8MP Each • Supports H.264/MJPEG • Max 4 HDDS • HDMI/VGA Local Monitor • 16 PoE/PoE+ Ports • ONVIF Camera Compliant |  <p>8CH 64Mbps PoE NVR</p> <ul style="list-style-type: none"> • Up to 8CH @ 8MP Each • Supports H.264/MJPEG • Max 2 HDDS • HDMI/VGA Local Monitor • 8 PoE/PoE+ Ports • ONVIF Camera Compliant |  <p>4CH 32Mbps PoE NVR</p> <ul style="list-style-type: none"> • Up to 4CH @ 8MP Each • Supports H.264/MJPEG • Max 1 HDDS • HDMI/VGA Local Monitor • 4 PoE/PoE+ Ports • ONVIF Camera Compliant |  <p>8CH 64Mbps Mobile PoE NVR</p> <ul style="list-style-type: none"> • Up to 8CH @ 5MP Each • Supports H.264/MJPEG • Max 1 HDDS (2.5") • HDMI/VGA Local Monitor • 8 PoE/PoE+ Ports • ONVIF Camera Compliant • GPS Supported |
| Encoders/Decoders | SPE-400B/1600R | SPE-400/101/100 | Network Software | SSM |
| SPD-400  <p>4CH Video Decoder</p> <ul style="list-style-type: none"> • Full HD (1080p) Video Output • H.264, MPEG-4, MJPEG Decoding • Single and Quad View • Sequence Mode for Multiple Video Sources |  <p>4CH Encoder Blades/16CH Encoder Rack</p> <ul style="list-style-type: none"> • 4CIF Resolution @ 30fps • Multiple Streaming Simultaneously • 10/100/1000BASE-T : SPE-400 PoE, 10/100BASE-T : SPE-101/100 • 4 Slots (SPE-1600R) |  <p>4CH/1CH Video Encoder</p> <ul style="list-style-type: none"> • 4CIF @ 30fps • H.264, MPEG-4, MJPEG Multiple Codec • Multiple Streaming Simultaneously • SD Memory, Bi-directional Audio Support: SPE-400/100 | SmartViewer  <p>Central Management</p> <ul style="list-style-type: none"> • Simple Management Software • Supports H.265, H.264, MPEG-4, & MJPEG Video Formats • Multi-site Monitoring, Multi-client Connection • Live/Map Monitoring & Playback • Viewer Simultaneously |  <p>Central Management Software</p> <ul style="list-style-type: none"> • Supports H.265, H.264, MPEG-4, & MJPEG Video Formats • Multi-site Monitoring, Multi-client Connection • Live/Map Monitoring & Playback • Viewer Simultaneously |

ANALOG


| | | | | |
|--|--|---|---|---|
|  <p>SSM Virtual Matrix Add-on Module for SSM</p> <ul style="list-style-type: none"> • Monitor Layout (4:3, 16:9, Full Screen Mode -100 Channel) Supported • Split Layout Supported • Wall OSD On/Off Supported • Event Salvo Switching • Controls 16/36 Monitors (VM10L/20L) • VM00: Free for SPD-400 |  <p>SSM Recording Server</p> <ul style="list-style-type: none"> • Works with SSM • RS00: 16CH Free • RS10/20/30: 36CH/72CH/128CH • 400Mbps Recording Throughput • ONVIF Compatible (Only on SSM-RS10/20/30) |  <p>SSM mobile</p> <ul style="list-style-type: none"> • View Layout/Device List by User • View Live Streaming Video with PTZ Control • H.265/H.264/MJPEG • Video Image Flip/Mirror, Video Image Capture • Quick & Easy Access at Mobile, WIFI Networks |  <p>iPOLiS mobile</p> <ul style="list-style-type: none"> • Smartphone App for Samsung Network Device Monitoring • View Live Streaming Video with PTZ Control • H.265, H.264, MJPEG • Video Image Flip/Mirror, Video Image Capture • Calendar Search/Playback/ Bookmark Functions for DVRs/NVRs |  <p>WiseNet HD+ SCB-6003</p> <p>2MP Analog Box</p> <ul style="list-style-type: none"> • 1080p @ AHD (Default) • Composite Video Output (Switchable) • Day & Night (ICR), DWDR, SSNRIV, Motion Detection • Dual Power, RS-485 |
|  <p>SCO-6083R</p> <p>2MP Analog IR Bullet</p> <ul style="list-style-type: none"> • 1080p @ AHD (Default) • Composite Video Output (Switchable) • 4.3x Vari-focal Lens • Day & Night (ICR), DWDR, SSNRIV, Motion Detection • Built-in IR • IP66/IK10/ Dual Power |  <p>SCO-6023R</p> <p>2MP Analog IR Bullet</p> <ul style="list-style-type: none"> • 1080p @ AHD (Default) • Composite Video Output (Switchable) • 4mm Fixed Lens • Day & Night (ICR), DWDR, SSNRIV, Motion Detection • Built-in IR • IP66/12VDC Only |  <p>SCD-6083R</p> <p>2MP Analog IR Dome</p> <ul style="list-style-type: none"> • 1080p @ AHD (Default) • Composite Video Output (Switchable) • 4.3x Vari-focal Lens • Day & Night (ICR), DWDR, SSNRIV, Motion Detection • Built-in IR • Dual Power |  <p>SCD-6023R</p> <p>2MP Analog IR Dome</p> <ul style="list-style-type: none"> • 1080p @ AHD (Default) • Composite Video Output (Switchable) • 4mm Fixed Lens • Day & Night (ICR), DWDR, SSNRIV, Motion Detection • Built-in IR • 12VDC Only |  <p>SCV-6083R</p> <p>2MP Analog Vandal Dome</p> <ul style="list-style-type: none"> • 1080p @ AHD (Default) • Composite Video Output (Switchable) • 4.3x Vari-focal Lens • Day & Night (ICR), DWDR, SSNRIV, Motion Detection • Built-in IR • IK10, IP66, Dual Power |
|  <p>SCV-6023R</p> <p>2MP Analog Vandal Dome</p> <ul style="list-style-type: none"> • 1080p @ AHD (Default) • Composite Video Output (Switchable) • 4mm Fixed Lens • Day & Night (ICR), DWDR, SSNRIV, Motion Detection • Built-in IR • IP66/IK10/12VDC Only |  <p>HCP-6320</p> <p>2MP 32x Analog Indoor PTZ</p> <ul style="list-style-type: none"> • 1080p @ AHD • Composite Video Output (Switchable) • 32x Optical Zoom • Wide Dynamic Range 120dB |  <p>HCP-6320H</p> <p>2MP 32x Analog Outdoor PTZ</p> <ul style="list-style-type: none"> • 1080p @ AHD • Composite Video Output (Switchable) • 32x Optical Zoom • Wide Dynamic Range 120dB • IK10, IP66 | <p>1280H (1,000TVL)</p> <p>SCB-5000/5003/5005</p> <p>BEYOND</p> <p>1280H Box</p> <ul style="list-style-type: none"> • 1,000TV Lines High Resolution • 0.03Lux@F1.2, 50IRE, 0.01Lux@ F1.2, 30IRE • SCB-5003/5005: Wide Dynamic Range 120dB • SSDR, Defog • Simple Focus (SCB-5005) • Over Coax Control |  <p>SCO-5083R</p> <p>1280H IR Bullet</p> <ul style="list-style-type: none"> • 1,000TV lines High Resolution • Wide Dynamic Range 120dB • SSDR SSNRIV, Defog • Over Coax Control • IK10, IP66 |
| <p>BEYOND</p> <p>1280H Dome</p> <ul style="list-style-type: none"> • 1000TV Lines High Resolution • SCD-5083: Wide Dynamic Range 120dB • SSDR SSNRIV, Defog • Over Coax Control • Black Version Available (SCD-5083B) | <p>BEYOND</p> <p>1280H Dome</p> <ul style="list-style-type: none"> • 1000TV Lines High Resolution • SSDR SSNRIV, Defog • Over Coax Control | <p>BEYOND</p> <p>1280H IR Dome</p> <ul style="list-style-type: none"> • 1,000TV Lines High Resolution • 0.03Lux@F1.2, 50IRE (Color), 0.01Lux@F1.2, 30IRE (Color), 0Lux (IR LED on) (B/W) • 2.8x Vari-focal Lens • Wide Dynamic Range 120dB, Day & Night (ICR) • Over Coax Control |  <p>SCV-5085</p> <p>1280H Vandal Dome</p> <ul style="list-style-type: none"> • 1000TV lines high resolution • 0.03Lux@F1.2, 50IRE (Color), 0.003Lux@F1.2 50IRE (B/W) • 2.8x Simple Focus • Wide Dynamic Range 120dB • Over Coax Control • IK10, IP66 |  <p>SCV-5083/SCV-5082</p> <p>1280H Vandal Dome</p> <ul style="list-style-type: none"> • 1000TV lines high resolution • SCV-5083: Wide Dynamic Range 120dB • SSDR SSNRIV, Defog • Coaxial Communication • IK10, IP66 |
|  <p>SCV-5083R</p> <p>1280H IR Vandal Dome</p> <ul style="list-style-type: none"> • 1,000TV Lines High Resolution • 0.03Lux@F1.2, 50IRE (Color), 0.01Lux@F1.2, 30IRE (Color), 0Lux (IR LED on) (B/W) • 2.8x Vari-focal Lens • Wide Dynamic Range 120dB • Defog • Over Coax Control • IK10, IP66 | <p>960H (700TVL)</p> <p>SCB-3003/3001</p> <p>700TV Lines Box</p> <ul style="list-style-type: none"> • 700TVL (Color), 700TVL (B/W): SCB-3003 • 650TVL (Color), 700TVL (B/W): SCB-3001 • 0.1Lux@F1.2 (Color), 0.01Lux (B/W) • Wide Dynamic Range, Virtual Progressive Scan, Day & Night (ICR), Intelligent video • Simple Focus (SCB-3003) • Over Coax Control |  <p>SCB-2000/2005</p> <p>700TV Lines Box</p> <ul style="list-style-type: none"> • 600TVL, Electronic D/N: SCB-2000 • 700TVL, True D/N: SCB-2005 • BLC/HLC • Over Coax Control |  <p>SCZ-2373</p> <p>680TV Lines, 37x Zoom Box</p> <ul style="list-style-type: none"> • 680TVL (Color) • Min. 0.2Lux @ F1.6 (Color), 0.01Lux (B/W) • Over Coax Control, RS-485 |  <p>SCZ-2273</p> <p>680TV Lines, 27x Zoom Box</p> <ul style="list-style-type: none"> • 680TVL (Color) • Min. 0.2Lux @ F1.6 (Color), 0.01Lux (B/W) • Over Coax Control, RS-485 |

LENSES

| Lenses | SLA-F-M226DN | SLA-M-M21D/M36D/60D | SLA-3580DN/2812DN | SLA-M2890DN/2890PN | SLA-M3180PN |
|--|---|--|---|---|-------------|
| SLA-F-M226DN  3MP Day/Night Vari-focal 1/2.7" <ul style="list-style-type: none">• SLA-F-M226DN: f2.2~6mm / F1.3• F1.0/F1.3/F1.3 DC Type Auto Iris• Auto Iris (DC type)• ND Filter• Aspherical Lens• RoHS Compliant |  MegaPixel Fixed Lens <ul style="list-style-type: none">• SLA-M-M21D: Super Wide Angle f2.1mm; SLA-M-M36D: 3.6mm; SLA-M-M60D: f6.0mm• High Quality Megapixel Resolution• SLA-M-M21D: Compatible with SNV-6013, SNV-6012M; SLA-M-M36D/60D: Compatible with SNV-6013 |  CS-mount Auto Iris Lens <ul style="list-style-type: none">• F1.0/F1.4/F1.3/F1.6 DC Type Auto Iris• Vari-focal Lens : (SLA-3580DN: 3.5 ~ 8mm / 0.14" ~ 0.31"; SLA-2812DN: 2.8 ~ 12mm / 0.11" ~ 0.47" |  3MP 1/2.8" CS-mount Auto Iris Megapixel Lens <ul style="list-style-type: none">• F1.2 DC & P-Iris Type Auto Iris• Vari-focal Lens : 3.1 ~ 8mm / 0.12" ~ 0.31"• P-Iris |  CS-mount Auto Iris Megapixel <ul style="list-style-type: none">• F1.4/F1.2 DC Type Auto Iris• Vari-focal Lens : 3.1 ~ 8mm / 0.12" ~ 0.31"• P-Iris | |
| SLA-880  1/2" C-mount Motorized 10x Zoom Lens <ul style="list-style-type: none">• VGA resolution• 8-80mm Motorized Zoom Lens• F.12 Auto Iris | SLA-550DV  1/3" CS-mount Auto Iris Lens <ul style="list-style-type: none">• 5-50mm Vari-focal Lens• Auto Iris• F1.3 DC Auto Iris | | | | |


ACCESSORIES CONFIGURATION

| TYPE | OUTDOOR PTZ | | | | | |
|-------|---|---|---|---|--------------------------|---|
| | Shape | A | B | C | D | E |
| Model | SCP-2370RH SNP-6200RH SNP-6230RH SNP-6320RH SNP-L6233RH PNP-9200RH | SCP-3430H SCP-3250H SCP-2430H SCP-2250H SCP-2251H | SCP-3370TH/3370H SCP-2370TH/2370H SCP-2330H/2270H SCP-6200H/5200H SNP-3371TH/3371H SNP-3302H/3301H SNP-3370TH SNP-6200TH | SCP-3371H/2373H SCP-2371H/2273H SCP-2271H HCP-6320H SNP-6321H/6320H SNP-6201H/5430H SNP-5321H/5320H SNP-5300H SNP-L5233H/L6233H | SCP-3120VH SNP-3120VH | |




ACCESSORIES CONFIGURATION

| TYPE | INDOOR PTZ | | | | |
|-------|--|--|--|----------------------------------|--|
| Shape | F | G | H | I | |
| Model | SCP-3430 SCP-3250 SCP-2430 SCP-2250 | SCP-3370 SCP-2370 SCP-2330 SCP-2270 SNP-6200 SNP-5200 SNP-3371 SNP-3302 | SCP-3371/2373 SCP-2371/2273 SCP-2271 HCP-6320 SNP-6321/6320 SNP-6201/5430 SNP-5321/5320 SNP-5300 SNP-L5233/L6233 | SCP-3120 SCP-2120 SNP-3120 | |




| TYPE | VANDAL-RESISTANT | | | | | | | |
|-------|-----------------------|--|---|--|---|----------|--|--|
| Shape | J | K | L | M | N | O | Y | |
| Model | SCV-2120 SCV-2080R | SCV-3120/3080 SCV-2080/2060 SNV-7082 SNV-7080R/7080 SNV-5080R/5080 SNV-3120 SNV-3082 | SCV-3083 SCV-3082 SCV-3081 SCV-2082R SCV-2081R SCV-2081 SNV-1080R SNV-1080 | SCV-6081R PNV-9080R SNV-8081R SNV-8080 SNV-7084R SNV-7084 SNV-6085R SNV-6084R SNV-6084 SNV-5084R SNV-5084 PNV-9080R | SCV-6083R SCV-6023R SCV-5085 SCV-5083R SCV-5083 SCV-5082 SNV-L6083R SNV-L5083R QNV-7080R QNV-6070R | SNV-6013 | QNV-7010R QNV-7020R QNV-7030R QNV-6010R QNV-6020R QNV-6030R | |




ACCESSORIES CONFIGURATION

| TYPE | INDOOR DOME | | | | | | | | | |
|-------|--|--|--|---|----------|--|--|------------------------|-----------|--|
| Shape | P | Q | T | U | V | W | X | Y | K | |
| Model | SCD-6021 SCD-6081R SND-7084R SND-6084R SND-6084 SND-6083 SND-5084R SND-5084 SND-5083 | SCD-6080 SND-7082 SND-5080 SND-3082 | SCD-3082 SCD-3082E SCD-3081 SCD-2042R SCD-3080 SCD-2082 SCD-2081 SCD-2080R SCD-2080E SCD-7061 SND-5061 SND-1080 | SCD-5030 SCD-5020 SCD-3081 SCD-2042R SCD-2080 SCD-2022R SCD-2081 SCD-2021 SCD-2020 SCD-2020 SND-7011 SND-5011 SND-1011 SUD-202 | SUD-2010 | SCD-6023R SND-L5013 SND-L6012 SND-L6013 SND-L6013R QND-7010R QND-7020R QND-7030R QND-6010R QND-6020R QND-6030R | SCD-6023R SND-L5013 SND-L6012 SND-L6013 SND-L6013R QND-7010R QND-7020R QND-7030R QND-6010R QND-6020R QND-6030R | QND-7080R QND-6070R | PND-9080R | |



| Type | 3M Fisheye | 5M Fisheye | |
|-------|-------------------------------------|------------------------|--|
| Shape | R | S | K |
| Model | SNF-7010 SNF-7010V SNF-7010VM | SNF-8010 SNF-8010VM | PNF-9010R PNF-9010RV PNF-9010RVM |



SAMSUNG
wisenet