

## Java Exercise 1:

### Introduction to Java Application

**Duration:** 120 minutes

**Instructions:** Thoroughly read what is asked on items 1 to 5. Answer in a separate sheet.

1. **Application.** Write declarations, statements or comments that accomplish each of the following tasks:
  - a. State that a program will calculate the product of three integers.
  - b. Create a Scanner called input that reads values from the standard input.
  - c. Declare the variables x, y, z and result to be of type int.
  - d. Prompt the user to enter the first integer.
  - e. Read the first integer from the user and store it in the variable x.
  - f. Prompt the user to enter the second integer.
  - g. Read the second integer from the user and store it in the variable y.
  - h. Prompt the user to enter the third integer.
  - i. Read the third integer from the user and store it in the variable z.
  - j. Compute the product of the three integers contained in variables x, y and z, and assign the result to the variable result.
  - k. Display the message "Product is" followed by the value of the variable result
2. **Evaluation.** Assuming that x=2 and y=3, what does each of the following statements display?
  - a. `System.out.printf( "x = %d\n", x );`  
**X = 2**
  - b. `System.out.printf( "Value of %d + %d is %d\n", x, x, ( x + x ) );`  
**Value of 2 + 2 is 4**
  - c. `System.out.printf( "x =" );`  
**x =**
  - d. `System.out.printf( "%d = %d\n", ( x + y ), ( y + x ) );`  
**5 = 5**
3. **Multiple Choice.** Which of the following Java statements contain variables whose values are modified?
  - a. `p=i+j+k+ 7;`
  - b. `System.out.println( "variables whose values are modified" );`
  - c. `System.out.println( "a = 5" );`
  - d. `value = input.nextInt();`

AWS Internal Use Only
4. **Multiple Choice.** Given that  $y = ax^3 + 7$ , which of the following are correct Java statements for this equation?
  - a. `y=a*x*x*x+ 7;`
  - b. `y=a*x*x*(x+ 7 );`
  - c. `y=(a*x)*x*(x+ 7 );`
  - d. `y=(a*x)*x*x+ 7;`
  - e. `y=a*(x*x*x)+ 7;`
  - f. `y=a*x*(x*x+ 7 );`
5. **Application.** State the order of evaluation of the operators in each of the following Java statements, and show the value of x after each statement is performed:
  - a. `x = 7 + 3 * 6 / 2 - 1;`

$$x = 7 + 18 / 2 - 1$$

$$x = 7 + 9 - 1$$

$$x = 16 - 1$$

$$x = 15$$

b.  $x = 2 \% 2 + 2 * 2 - 2 / 2;$

$$x = 2 \% 2 + 4 - 1$$

$$x = 0 + 4 - 1$$

$$x = 5$$

c.  $x = ( 3 * 9 * ( 3 + ( 9 * 3 / ( 3 ) ) ) );$

$$x = (3 * 9 * (3 + (27 / 3)))$$

$$x = (3 * 9 * (3 + 9))$$

$$x = 3 * 9 * (12)$$

$$x = 27 * 12$$

$$x = 324$$

AWS Internal Use Only