

GEOMETRY (from designer vector file)
- R41.68 centre: (41.70, 41.70)
- R12.68 centres: (91.68, 41.69), (41.69, 91.68)

SLIT COORDINATES (origin = bottom-left 0,0)
S1: (33.05, 11.18) -> (50.32, 11.18) L = 17.27
S2: (11.18, 50.32) -> (11.18, 33.05) L = 17.27

CUT - outline, full-cut rule
SLIT - through-cut slit / slot
Dimension - not cut

NOTES
- Bear rotated 45 deg vs 20261013: ears at top and right; slits vertical (left) and horizontal (bottom).



PRINT AT 100% / ACTUAL SIZE - turn OFF 'Fit to page' / 'Shrink'.
Ruler must read 100 mm and the square 50 x 50 mm. If not, the drawing is NOT 1:1.

50 x 50 mm square

PATTERN 01 - BEAR HEAD Overall 104.36 x 104.36 mm | 1 cut outline + 2 slits | REV 20261014	SCALE **1 : 1**	DATE: 2026-10-14 SHEET: 1 / 6
Project: Leather no-sew interlocking patterns | REV 20261014 Source: 20261014_pattern-leather-cre.pdf (vector, exact geometry) Material: leather 1.2-2.0 mm | Process: steel-rule / clicker die	UNITS: mm TOL: +/-0.2 mm PAPER: A4 (print 100%)	DRAWN: Claude Code CHECKED: _____ APPROVED: _____



GEOMETRY (from designer vector file)

- R29.37 centres: (29.37, 45.00), (60.63, 45.00), (45.00, 60.63), (45.00, 29.37)

SLIT COORDINATES (origin = bottom-left 0,0)

S1: (72.05, 17.91) -> (45.00, 17.91) L = 27.05
S2: (17.95, 17.95) -> (17.95, 44.71) L = 26.76
S3: (72.00, 45.07) -> (72.00, 72.05) L = 26.98
S4: (45.00, 72.00) -> (17.95, 72.00) L = 27.05

CUT - outline, full-cut rule
SLIT - through-cut slit / slot
Dimension - not cut

NOTES

- Pinwheel slots 27.0 = half of the 54.1 fold edge. Unchanged from the artwork.



PRINT AT 100% / ACTUAL SIZE - turn OFF 'Fit to page' / 'Shrink'.

Ruler must read 100 mm and the square 50 x 50 mm. If not, the drawing is NOT 1:1.

50 x 50 mm square

PATTERN 02 - PINWHEEL 4-LOBE Overall 90.00 x 90.00 mm | 1 cut outline + 4 slits | REV 20261014	SCALE **1 : 1**	DATE: 2026-10-14 SHEET: 2 / 6
Project: Leather no-sew interlocking patterns | REV 20261014 Source: 20261014_pattern-leather-cre.pdf (vector, exact geometry) Material: leather 1.2-2.0 mm | Process: steel-rule / clicker die	UNITS: mm TOL: +/-0.2 mm PAPER: A4 (print 100%)	DRAWN: Claude Code CHECKED: _____ APPROVED: _____



GEOMETRY (from designer vector file)

- R22.50 centres: (67.51, 45.00), (45.00, 67.50), (45.00, 22.50), (22.50, 45.00)

SLIT COORDINATES (origin = bottom-left 0,0)

S1: (67.52, 56.50) -> (67.52, 33.50) L = 23.00 (lengthened 22.50 -> 23.00 (+0.25 each end))
S2: (22.49, 56.50) -> (22.49, 33.50) L = 23.00 (lengthened 22.50 -> 23.00 (+0.25 each end))
S3: (72.76, 22.49) -> (56.25, 22.49) L = 16.51 (runs 5.26 past outline (as drawn))
S4: (33.75, 22.49) -> (17.26, 22.49) L = 16.50 (runs 5.25 past outline (as drawn))
S5: (33.75, 67.51) -> (17.26, 67.51) L = 16.50 (runs 5.24 past outline (as drawn))
S6: (72.76, 67.51) -> (56.25, 67.51) L = 16.51 (runs 5.26 past outline (as drawn))

CUT - outline, full-cut rule
SLIT - through-cut slit / slot
Dimension - not cut

NOTES

- Receiving slits S1, S2 lengthened 22.50 -> 23.00 so the 22.5 tab neck has 0.5 mm clearance.



50 x 50 mm square

PRINT AT 100% / ACTUAL SIZE - turn OFF 'Fit to page' / 'Shrink'.

Ruler must read 100 mm and the square 50 x 50 mm. If not, the drawing is NOT 1:1.

PATTERN 03 - CAPSULE CROSS Overall 90.01 x 90.00 mm | 1 cut outline + 6 slits | REV 20261014	SCALE **1 : 1**	DATE: 2026-10-14 SHEET: 3 / 6
Project: Leather no-sew interlocking patterns | REV 20261014 Source: 20261014_pattern-leather-cre.pdf (vector, exact geometry) Material: leather 1.2-2.0 mm | Process: steel-rule / clicker die	UNITS: mm TOL: +/-0.2 mm PAPER: A4 (print 100%)	DRAWN: Claude Code CHECKED: _____ APPROVED: _____



GEOMETRY (from designer vector file)

- R5.00 centres: (85.00, 85.00), (85.00, 5.00), (5.00, 85.00), (5.00, 5.00)

CUT - outline, full-cut rule

SLIT - through-cut slit / slot

Dimension - not cut

SLIT COORDINATES (origin = bottom-left 0,0)

S1: (78.10, 56.88) -> (91.20, 43.78) L = 18.52 (runs 1.69 past outline (as drawn))
S2: (41.81, 93.18) -> (56.96, 78.02) L = 21.43 (runs 4.49 past outline (as drawn))
S3: (33.09, 11.87) -> (46.18, -1.23) L = 18.52 (runs 1.74 past outline (as drawn))
S4: (-3.21, 48.16) -> (11.95, 33.01) L = 21.43 (runs 4.54 past outline (as drawn))
S5: (78.27, 33.30) -> (56.70, 11.73) L = 30.50 (lengthened 30.00 -> 30.50 (+0.25 each end))
S6: (33.30, 78.27) -> (11.73, 56.70) L = 30.50 (lengthened 30.00 -> 30.50 (+0.25 each end))

NOTES

- Receiving slits S5, S6 lengthened 30.00 -> 30.50 (tab neck ~29.9).



50 x 50 mm square

PRINT AT 100% / ACTUAL SIZE - turn OFF 'Fit to page' / 'Shrink'.

Ruler must read 100 mm and the square 50 x 50 mm. If not, the drawing is NOT 1:1.

PATTERN 04 - ROUNDED SQUARE DIAGONAL Overall 90.00 x 90.00 mm | 1 cut outline + 6 slits | REV 20261014	SCALE **1 : 1**	DATE: 2026-10-14 SHEET: 4 / 6
Project: Leather no-sew interlocking patterns | REV 20261014 Source: 20261014_pattern-leather-cre.pdf (vector, exact geometry) Material: leather 1.2-2.0 mm | Process: steel-rule / clicker die	UNITS: mm TOL: +/-0.2 mm PAPER: A4 (print 100%)	DRAWN: Claude Code CHECKED: _____ APPROVED: _____



GEOMETRY (from designer vector file)
- R45.00 centre: (45.00, 45.00)

SLIT COORDINATES (origin = bottom-left 0,0)

S1: (76.79, 29.16) -> (76.79, 11.86) L = 17.30 (runs 1.29 past outline (as drawn))
S2: (76.79, 77.95) -> (76.79, 59.16) L = 18.79 (runs 1.09 past outline (as drawn))
S3: (13.18, 29.16) -> (13.18, 11.86) L = 17.30 (runs 1.32 past outline (as drawn))
S4: (13.18, 77.95) -> (13.18, 59.16) L = 18.79 (runs 1.12 past outline (as drawn))
S5: (60.23, 13.23) -> (29.73, 13.23) L = 30.50 (lengthened 30.00 -> 30.50 (+0.25 each end))
S6: (60.23, 76.82) -> (29.73, 76.82) L = 30.50 (lengthened 30.00 -> 30.50 (+0.25 each end))

CUT - outline, full-cut rule
SLIT - through-cut slit / slot
Dimension - not cut

NOTES
- Receiving slits S5, S6 lengthened 30.00 -> 30.50 (tab neck 30.0).
- Slot pairs differ as drawn: top 17.7, bottom 16.0 - kept as in the artwork.



50 x 50 mm square

PRINT AT 100% / ACTUAL SIZE - turn OFF 'Fit to page' / 'Shrink'.
Ruler must read 100 mm and the square 50 x 50 mm. If not, the drawing is NOT 1:1.

PATTERN 05 - CIRCLE Overall 90.00 x 90.00 mm | 1 cut outline + 6 slits | REV 20261014	SCALE **1 : 1**	DATE: 2026-10-14 SHEET: 5 / 6
Project: Leather no-sew interlocking patterns | REV 20261014 Source: 20261014_pattern-leather-cre.pdf (vector, exact geometry) Material: leather 1.2-2.0 mm | Process: steel-rule / clicker die	UNITS: mm TOL: +/-0.2 mm PAPER: A4 (print 100%)	DRAWN: Claude Code CHECKED: _____ APPROVED: _____



GEOMETRY (from designer vector file)

- R12.62 centres: (75.31, 75.31), (14.69, 75.31), (75.30, 14.70), (14.70, 14.70)
- Ellipse 35.37 x 29.37 centres: (45.00, 75.31)
- Ellipse 35.37 x 29.39 centres: (45.00, 14.70), (45.00, 75.31)
- Ellipse 29.39 x 35.38 centres: (14.69, 44.99)
- Ellipse 29.38 x 35.38 centres: (75.31, 44.99)

CUT - outline, full-cut rule

SLIT - through-cut slit / slot

Dimension - not cut

SLIT COORDINATES (origin = bottom-left 0,0)

S1: (36.00, 75.02) -> (54.00, 75.02) L = 18.00 (lengthened 17.50 -> 18.00 (+0.25 each end))
S2: (36.00, 14.98) -> (54.00, 14.98) L = 18.00 (lengthened 17.50 -> 18.00 (+0.25 each end))
S3: (75.02, 53.75) -> (75.02, 63.77) L = 10.02 (runs 1.07 past outline (as drawn))
S4: (75.02, 26.23) -> (75.02, 36.25) L = 10.02 (runs 1.08 past outline (as drawn))
S5: (14.98, 53.75) -> (14.98, 63.77) L = 10.02 (runs 1.07 past outline (as drawn))
S6: (14.98, 26.23) -> (14.98, 36.25) L = 10.02 (runs 1.08 past outline (as drawn))

NOTES

- Receiving slits S1, S2 lengthened 17.50 -> 18.00 (tab neck 17.5). Lobes are true ellipses in the DXF.

50 x 50 mm square



PRINT AT 100% / ACTUAL SIZE - turn OFF 'Fit to page' / 'Shrink'.

Ruler must read 100 mm and the square 50 x 50 mm. If not, the drawing is NOT 1:1.

PATTERN 06 - SOFT CROSS Overall 90.00 x 90.00 mm | 1 cut outline + 6 slits | REV 20261014	SCALE **1 : 1**	DATE: 2026-10-14 SHEET: 6 / 6
Project: Leather no-sew interlocking patterns | REV 20261014 Source: 20261014_pattern-leather-cre.pdf (vector, exact geometry) Material: leather 1.2-2.0 mm | Process: steel-rule / clicker die	UNITS: mm TOL: +/-0.2 mm PAPER: A4 (print 100%)	DRAWN: Claude Code CHECKED: _____ APPROVED: _____