


**GEOMETRY (from designer vector file)**
- R41.68 centre: (41.70, 41.70)
- R12.68 centres: (91.68, 41.69), (41.69, 91.68)

CUT - outline, full-cut rule
SLIT - through-cut slit / slot
Dimension - not cut

**SLIT COORDINATES (origin = bottom-left 0,0)**
S1: (11.20, 32.74) -> (11.20, 50.66) L = 17.91 (receiving slit 17.91, centred on CL)
S2: (32.74, 11.20) -> (50.66, 11.20) L = 17.91 (receiving slit 17.91, centred on CL)

**ALIGNMENT CHECK (CL = centre line)**

| | |
|---|---|
| - ear centres vs CL: | 0.01 / 0.01 mm |
| - ear neck (ear meets face): | 17.41 |
| - slit = neck + 0.5: | 17.91 (was 17.27) |
| - slit centre to CL: | 0.00 / 0.00 |
| - slit offset from centre: | 30.50 |

**NOTES**
- The ear neck (17.41, where ear meets face) is the tab. Slits lengthened 17.27 -> 17.91 = neck + 0.5, centred on CL.

50 x 50 mm square

0 10 20 30 40 50 60 70 80 90 100

**PRINT AT 100% / ACTUAL SIZE - turn OFF 'Fit to page' / 'Shrink'.**
Ruler must read 100 mm and the square 50 x 50 mm. If not, the drawing is NOT 1:1.

| | | |
|---|---|---|
| **PATTERN 01 - BEAR HEAD**<br>Overall 104.36 x 104.36 mm \| 1 cut outline + 2 slits \| REV 20261014 | SCALE<br>**1 : 1** | DATE: 2026-10-14<br>SHEET: 1 / 6 |
| Project: Leather no-sew interlocking patterns \| REV 20261014<br>Source: 20261014_pattern-leather-cre.pdf (vector, exact geometry)<br>Material: leather 1.2-2.0 mm \| Process: steel-rule / clicker die | UNITS: mm<br>TOL: +/-0.2 mm<br>PAPER: A4 (print 100%) | DRAWN: Claude Code<br>CHECKED: _____<br>APPROVED: _____ |




**GEOMETRY (from designer vector file)**

- R29.37 centres: (29.37, 45.00), (60.63, 45.00), (45.00, 60.63), (45.00, 29.37)

**SLIT COORDINATES (origin = bottom-left 0,0)**

S1: (73.05, 17.95) -> (45.00, 17.95) L = 28.05 (slot 27.05 notch->CL + 1.0 past cut)
S2: (17.95, 16.95) -> (17.95, 45.00) L = 28.05 (slot 27.05 notch->CL + 1.0 past cut)
S3: (72.05, 73.05) -> (72.05, 45.00) L = 28.05 (slot 27.05 notch->CL + 1.0 past cut)
S4: (16.95, 72.05) -> (45.00, 72.05) L = 28.05 (slot 27.05 notch->CL + 1.0 past cut)

**ALIGNMENT CHECK (CL = centre line)**

| | |
|---|---|
| - fold square (notch to notch): | 54.11 |
| - slot inner end on CL: | 0.00 (all 4) |
| - slot length notch -> CL: | 27.05 |
| - overrun past cut: | 1.00 |

CUT - outline, full-cut rule
SLIT - through-cut slit / slot
Dimension - not cut

**NOTES**

- Each slot runs from the notch to the centre line (ends exactly on CL) plus 1.0 past the cut.




50 x 50 mm square

**PRINT AT 100% / ACTUAL SIZE - turn OFF 'Fit to page' / 'Shrink'.**

Ruler must read 100 mm and the square 50 x 50 mm. If not, the drawing is NOT 1:1.

| | | |
|---|---|---|
| **PATTERN 02 - PINWHEEL 4-LOBE**<br>Overall 90.00 x 90.00 mm \| 1 cut outline + 4 slits \| REV 20261014 | SCALE<br>**1 : 1** | DATE: 2026-10-14<br>SHEET: 2 / 6 |
| Project: Leather no-sew interlocking patterns \| REV 20261014<br>Source: 20261014_pattern-leather-cre.pdf (vector, exact geometry)<br>Material: leather 1.2-2.0 mm \| Process: steel-rule / clicker die | UNITS: mm<br>TOL: +/-0.2 mm<br>PAPER: A4 (print 100%) | DRAWN: Claude Code<br>CHECKED: _____<br>APPROVED: _____ |




CUT - outline, full-cut rule

SLIT - through-cut slit / slot

Dimension - not cut

**GEOMETRY (from designer vector file)**

- R22.50 centres: (67.51, 45.00), (45.00, 67.50), (45.00, 22.50), (22.50, 45.00)

**SLIT COORDINATES (origin = bottom-left 0,0)**

S1: (22.50, 33.75) -> (22.50, 56.25) L = 22.50 (receiving slit 22.50, centred on CL)
S2: (67.50, 33.75) -> (67.50, 56.25) L = 22.50 (receiving slit 22.50, centred on CL)
S3: (68.50, 67.50) -> (56.00, 67.50) L = 12.50 (slot 11.50 in + 1.0 past cut)
S4: (21.50, 67.50) -> (34.00, 67.50) L = 12.50 (slot 11.50 in + 1.0 past cut)
S5: (68.50, 22.50) -> (56.00, 22.50) L = 12.50 (slot 11.50 in + 1.0 past cut)
S6: (21.50, 22.50) -> (34.00, 22.50) L = 12.50 (slot 11.50 in + 1.0 past cut)

**ALIGNMENT CHECK (CL = centre line)**

| | |
|---|---|
| - fold line offset from centre: | 22.50 |
| - receiving slit (design): | 22.50, centred on CL (0.00) |
| - tab neck = slit - 0.5: | 22.00, centred on CL (0.00) |
| - tab chord at fold (cut to cut): | 45.00 (centre 0.00 off CL) |
| - slot inside the piece: | 11.50 each side |
| - overrun past cut: | 1.00 |

**NOTES**

- Slit 22.5 as designed. Tab neck between slots = 22.0 (slit - 0.5). Slots 11.5 in + 1.0 past cut.




**PRINT AT 100% / ACTUAL SIZE - turn OFF 'Fit to page' / 'Shrink'.**

Ruler must read 100 mm and the square 50 x 50 mm. If not, the drawing is NOT 1:1.

50 x 50 mm square

| | | |
|---|---|---|
| **PATTERN 03 - CAPSULE CROSS**<br>Overall 90.01 x 90.00 mm \| 1 cut outline + 6 slits \| REV 20261014 | SCALE<br>**1 : 1** | DATE: 2026-10-14<br>SHEET: 3 / 6 |
| Project: Leather no-sew interlocking patterns \| REV 20261014<br>Source: 20261014_pattern-leather-cre.pdf (vector, exact geometry)<br>Material: leather 1.2-2.0 mm \| Process: steel-rule / clicker die | UNITS: mm<br>TOL: +/-0.2 mm<br>PAPER: A4 (print 100%) | DRAWN: Claude Code<br>CHECKED: _____<br>APPROVED: _____ |




**GEOMETRY (from designer vector file)**

- R5.00 centres: (85.00, 85.00), (85.00, 5.00), (5.00, 85.00), (5.00, 5.00)

CUT - outline, full-cut rule

SLIT - through-cut slit / slot

Dimension - not cut

**SLIT COORDINATES (origin = bottom-left 0,0)**

S1: (56.89, 11.89) -> (78.11, 33.11) L = 30.00 (receiving slit 30.00, centred on CL)
S2: (11.89, 56.89) -> (33.11, 78.11) L = 30.00 (receiving slit 30.00, centred on CL)
S3: (90.71, 44.29) -> (77.93, 57.07) L = 18.07 (slot 17.07 in + 1.0 past cut)
S4: (44.29, 90.71) -> (57.07, 77.93) L = 18.07 (slot 17.07 in + 1.0 past cut)
S5: (45.71, -0.71) -> (32.93, 12.07) L = 18.07 (slot 17.07 in + 1.0 past cut)
S6: (-0.71, 45.71) -> (12.07, 32.93) L = 18.07 (slot 17.07 in + 1.0 past cut)

**ALIGNMENT CHECK (CL = centre line)**

| | |
|---|---|
| - fold line offset from centre: | 22.50 |
| - receiving slit (design): | 30.00, centred on CL (0.00) |
| - tab neck = slit - 0.5: | 29.50, centred on CL (0.00) |
| - tab chord at fold (cut to cut): | 63.64 (centre 0.00 off CL) |
| - slot inside the piece: | 17.07 each side |
| - overrun past cut: | 1.00 |

**NOTES**

- Slit 30.0 as designed. Tab neck = 29.5. Slots 17.07 in + 1.0 past cut (overrun was 1.7-4.5).




**PRINT AT 100% / ACTUAL SIZE - turn OFF 'Fit to page' / 'Shrink'.**

Ruler must read 100 mm and the square 50 x 50 mm. If not, the drawing is NOT 1:1.

50 x 50 mm square

| | | |
|---|---|---|
| **PATTERN 04 - ROUNDED SQUARE DIAGONAL**<br>Overall 90.00 x 90.00 mm \| 1 cut outline + 6 slits \| REV 20261014 | SCALE<br>**1 : 1** | DATE: 2026-10-14<br>SHEET: 4 / 6 |
| Project: Leather no-sew interlocking patterns \| REV 20261014<br>Source: 20261014_pattern-leather-cre.pdf (vector, exact geometry)<br>Material: leather 1.2-2.0 mm \| Process: steel-rule / clicker die | UNITS: mm<br>TOL: +/-0.2 mm<br>PAPER: A4 (print 100%) | DRAWN: Claude Code<br>CHECKED: _____<br>APPROVED: _____ |




**GEOMETRY (from designer vector file)**
- R45.00 centre: (45.00, 45.00)

**SLIT COORDINATES (origin = bottom-left 0,0)**

S1: (30.00, 76.82) -> (60.00, 76.82) L = 30.00 (receiving slit 30.00, centred on CL)
S2: (30.00, 13.18) -> (60.00, 13.18) L = 30.00 (receiving slit 30.00, centred on CL)
S3: (76.82, 77.82) -> (76.82, 59.75) L = 18.07 (slot 17.07 in + 1.0 past cut)
S4: (76.82, 12.18) -> (76.82, 30.25) L = 18.07 (slot 17.07 in + 1.0 past cut)
S5: (13.18, 77.82) -> (13.18, 59.75) L = 18.07 (slot 17.07 in + 1.0 past cut)
S6: (13.18, 12.18) -> (13.18, 30.25) L = 18.07 (slot 17.07 in + 1.0 past cut)

CUT - outline, full-cut rule
SLIT - through-cut slit / slot
Dimension - not cut

**ALIGNMENT CHECK (CL = centre line)**

| | |
|---|---|
| - fold line offset from centre: | 31.82 |
| - receiving slit (design): | 30.00, centred on CL (0.00) |
| - tab neck = slit - 0.5: | 29.50, centred on CL (0.00) |
| - tab chord at fold (cut to cut): | 63.64 (centre 0.00 off CL) |
| - slot inside the piece: | 17.07 each side |
| - overrun past cut: | 1.00 |

**NOTES**
- Slit 30.0 as designed, centred on the circle. Tab neck = 29.5 centred, so all 4 slots are now equal (were 17.7 / 16.0).

0 10 20 30 40 50 60 70 80 90 100

**PRINT AT 100% / ACTUAL SIZE - turn OFF 'Fit to page' / 'Shrink'.**
Ruler must read 100 mm and the square 50 x 50 mm. If not, the drawing is NOT 1:1.

50 x 50 mm square

# PATTERN 05 - CIRCLE

Overall 90.00 x 90.00 mm | 1 cut outline + 6 slits | REV 20261014

SCALE **1 : 1**

DATE: 2026-10-14
SHEET: 5 / 6

Project: Leather no-sew interlocking patterns | REV 20261014
Source: 20261014_pattern-leather-cre.pdf (vector, exact geometry)
Material: leather 1.2-2.0 mm | Process: steel-rule / clicker die

UNITS: mm
TOL: +/-0.2 mm
PAPER: A4 (print 100%)

DRAWN: Claude Code
CHECKED: _____
APPROVED: _____




**GEOMETRY (from designer vector file)**

- R12.62 centres: (75.31, 75.31), (14.69, 75.31), (75.30, 14.70), (14.70, 14.70)
- Ellipse 35.37 x 29.37 centres: (45.00, 75.31)
- Ellipse 35.37 x 29.39 centres: (45.00, 14.70), (45.00, 75.31)
- Ellipse 29.39 x 35.38 centres: (14.69, 44.99)
- Ellipse 29.38 x 35.38 centres: (75.31, 44.99)

CUT - outline, full-cut rule

SLIT - through-cut slit / slot

Dimension - not cut

**SLIT COORDINATES (origin = bottom-left 0,0)**

S1: (36.25, 75.01) -> (53.75, 75.01) L = 17.50 (receiving slit 17.50, centred on CL)
S2: (36.25, 15.01) -> (53.75, 15.01) L = 17.50 (receiving slit 17.50, centred on CL)
S3: (75.00, 63.69) -> (75.00, 53.51) L = 10.18 (slot 9.18 in + 1.0 past cut)
S4: (75.00, 26.31) -> (75.00, 36.51) L = 10.20 (slot 9.20 in + 1.0 past cut)
S5: (15.00, 63.69) -> (15.00, 53.51) L = 10.18 (slot 9.18 in + 1.0 past cut)
S6: (15.00, 26.31) -> (15.00, 36.51) L = 10.20 (slot 9.20 in + 1.0 past cut)

**ALIGNMENT CHECK (CL = centre line)**

| | |
|---|---|
| - fold line offset from centre: | 30.00 |
| - receiving slit (design): | 17.50, centred on CL (0.00) |
| - tab neck = slit - 0.5: | 17.00, centred on CL (0.00) |
| - tab chord at fold (cut to cut): | 35.38 (centre 0.01 off CL) |
| - slot inside the piece: | 9.19 each side |
| - overrun past cut: | 1.00 |

50 x 50 mm square

**NOTES**

- Slit 17.5 as designed, centred on CL. Tab neck = 17.0. Slots 9.19 in + 1.0 past cut.

0 10 20 30 40 50 60 70 80 90 100

**PRINT AT 100% / ACTUAL SIZE - turn OFF 'Fit to page' / 'Shrink'.**

Ruler must read 100 mm and the square 50 x 50 mm. If not, the drawing is NOT 1:1.

| | | |
|---|---|---|
| **PATTERN 06 - SOFT CROSS**<br>Overall 90.00 x 90.00 mm \| 1 cut outline + 6 slits \| REV 20261014 | SCALE<br>**1 : 1** | DATE: 2026-10-14<br>SHEET: 6 / 6 |
| Project: Leather no-sew interlocking patterns \| REV 20261014<br>Source: 20261014_pattern-leather-cre.pdf (vector, exact geometry)<br>Material: leather 1.2-2.0 mm \| Process: steel-rule / clicker die | UNITS: mm<br>TOL: +/-0.2 mm<br>PAPER: A4 (print 100%) | DRAWN: Claude Code<br>CHECKED: _____<br>APPROVED: _____ |