01 Bear head
95 x 90 mm | 2 slits



02 Pinwheel 4-lobe
90 x 90 mm | 4 slits



03 Capsule cross
90 x 90 mm | 6 slits



04 Rounded square diagonal
90 x 90 mm | 6 slits



05 Circle
90 x 90 mm | 6 slits



06 Soft cross
90 x 90 mm | 6 slits



DIE MAKER NOTES

1. All drawings 1:1, mm. Use DXF files (layers CUT / SLIT) for production; this PDF is the dimensioned reference.
2. CUT (black) = outline, full cut. SLIT (red) = through cut, same rule height as CUT so slits cut fully through leather.
3. Slits that start on the outline (open slots) must join the outline rule cleanly (T-joint), no gap, no overcut past outline.
4. Suggested rule: 2pt (0.71 mm) centre-bevel, height 23.8 mm (or per die maker std.) for leather 1.2-2.0 mm.
5. Recommended: dia. 1.5 mm round punch at the closed end of each slit to stop leather tearing (confirm with designer).
6. Concave sharp corners (01, 02, 03) - die maker may use smallest practical inner radius (<= R0.5).
7. Add ejection rubber/foam inside the outline and both sides of each slit.
8. Dimensions are derived from the artboard screenshot (+/-0.5 mm). Confirm against the original .ai file before cutting steel.

Check print: this bar must measure exactly 50 mm

CUT - outline, full-cut rule
SLIT - through-cut slit / slot (red)
Dimension - not cut

OVERVIEW - 6 LEATHER DIE-CUT PATTERNS Reduced scale on this sheet only (approx. 1:1.6). Sheets 2-7 are 1:1.	SCALE **1 : 1**	DATE: 2026-10-13 SHEET: 1 / 7
Project: Leather no-sew interlocking patterns (20261013) Material: genuine leather 1.2-2.0 mm | Process: steel-rule / clicker die Dims read from artboard screenshot: verify vs. original .ai before die order	UNITS: mm TOL: +/-0.2 mm PAPER: A4 (print 100%)	DRAWN: Claude Code CHECKED: _____ APPROVED: _____



GEOMETRY

- Face circle R41.5 center (47.5, 41.5)
- Ear circles R12.5 centers (12.5, 77.5) / (82.5, 77.5)
- Outline = union of the 3 circles
- Slits 17.0 long, tangent to R30.5 from face center, at 225 / 315 deg

SLIT COORDINATES (origin = bottom-left 0,0)

S1: (19.92, 25.94) -> (31.94, 13.92) L = 17.00
S2: (63.06, 13.92) -> (75.08, 25.94) L = 17.00

CUT - outline, full-cut rule
SLIT - through-cut slit / slot (red)
Dimension - not cut

Check print: this bar must measure exactly 50 mm

PATTERN 01 - BEAR HEAD Overall 95 x 90 mm | 1 cut outline + 2 slits	SCALE **1 : 1**	DATE: 2026-10-13 SHEET: 2 / 7
Project: Leather no-sew interlocking patterns (20261013) Material: genuine leather 1.2-2.0 mm | Process: steel-rule / clicker die Dims read from artboard screenshot: verify vs. original .ai before die order	UNITS: mm TOL: +/-0.2 mm PAPER: A4 (print 100%)	DRAWN: Claude Code CHECKED: _____ APPROVED: _____



GEOMETRY

- 4 lobe circles R29.25 centers 45 +/- 15.75 on X and Y axes
- Fold square (lobe chords) 18.00 .. 72.00 (54.00 sq.)
- 4 slots 29.25 long on the fold lines, starting at the notches, pinwheel (CW)

SLIT COORDINATES (origin = bottom-left 0,0)

S1: (18.00, 72.00) -> (47.25, 72.00)   L = 29.25
S2: (72.00, 72.00) -> (72.00, 42.75)   L = 29.25
S3: (72.00, 18.00) -> (42.75, 18.00)   L = 29.25
S4: (18.00, 18.00) -> (18.00, 47.25)   L = 29.25

CUT - outline, full-cut rule
SLIT - through-cut slit / slot (red)
Dimension - not cut

Check print: this bar must measure exactly 50 mm

PATTERN 02 - PINWHEEL 4-LOBE Overall 90 x 90 mm | 1 cut outline + 4 slits	SCALE **1 : 1**	DATE: 2026-10-13 SHEET: 3 / 7
Project: Leather no-sew interlocking patterns (20261013) Material: genuine leather 1.2-2.0 mm | Process: steel-rule / clicker die Dims read from artboard screenshot: verify vs. original .ai before die order	UNITS: mm TOL: +/-0.2 mm PAPER: A4 (print 100%)	DRAWN: Claude Code CHECKED: _____ APPROVED: _____



GEOMETRY

- Center square 45 x 45 (22.5 .. 67.5) = fold lines
- 4 semicircle flaps R22.5 on each side of the square
- Top/bottom fold: center slit 30.0 (X 30 .. 60)
- Left/right fold: end slots 14.0 from each corner

SLIT COORDINATES (origin = bottom-left 0,0)

S1: (30.00, 67.50) -> (60.00, 67.50) L = 30.00
S2: (30.00, 22.50) -> (60.00, 22.50) L = 30.00
S3: (22.50, 67.50) -> (22.50, 53.50) L = 14.00
S4: (22.50, 22.50) -> (22.50, 36.50) L = 14.00
S5: (67.50, 67.50) -> (67.50, 53.50) L = 14.00
S6: (67.50, 22.50) -> (67.50, 36.50) L = 14.00

CUT - outline, full-cut rule
SLIT - through-cut slit / slot (red)
Dimension - not cut

Check print: this bar must measure exactly 50 mm

PATTERN 03 - CAPSULE CROSS Overall 90 x 90 mm | 1 cut outline + 6 slits	SCALE **1 : 1**	DATE: 2026-10-13 SHEET: 4 / 7
Project: Leather no-sew interlocking patterns (20261013) Material: genuine leather 1.2-2.0 mm | Process: steel-rule / clicker die Dims read from artboard screenshot: verify vs. original .ai before die order	UNITS: mm TOL: +/-0.2 mm PAPER: A4 (print 100%)	DRAWN: Claude Code CHECKED: _____ APPROVED: _____



GEOMETRY

- Square 90 x 90, corner R5.0
- Fold lines = diamond through edge midpoints (side 63.64)
- TR / BL fold: end slots 15.0 at 45 deg from edge midpoints
- TL / BR fold: center slit 30.0 centered at (22.5, 67.5) / (67.5, 22.5)

SLIT COORDINATES (origin = bottom-left 0,0)

S1: (45.00, 90.00) -> (55.61, 79.39) L = 15.00
S2: (90.00, 45.00) -> (79.39, 55.61) L = 15.00
S3: (0.00, 45.00) -> (10.61, 34.39) L = 15.00
S4: (45.00, 0.00) -> (34.39, 10.61) L = 15.00
S5: (11.89, 56.89) -> (33.11, 78.11) L = 30.00
S6: (56.89, 11.89) -> (78.11, 33.11) L = 30.00

CUT - outline, full-cut rule
SLIT - through-cut slit / slot (red)
Dimension - not cut

Check print: this bar must measure exactly 50 mm

PATTERN 04 - ROUNDED SQUARE DIAGONAL Overall 90 x 90 mm | 1 cut outline + 6 slits	SCALE **1 : 1**	DATE: 2026-10-13 SHEET: 5 / 7
Project: Leather no-sew interlocking patterns (20261013) Material: genuine leather 1.2-2.0 mm | Process: steel-rule / clicker die Dims read from artboard screenshot: verify vs. original .ai before die order	UNITS: mm TOL: +/-0.2 mm PAPER: A4 (print 100%)	DRAWN: Claude Code CHECKED: _____ APPROVED: _____



GEOMETRY

- Circle D90 (R45), center (45, 45)
- Fold lines = inscribed square 13.18 .. 76.82 (63.64 sq.)
- Top/bottom fold: center slit 30.0 (X 30 .. 60)
- Left/right fold: end slots 15.0 from each corner

SLIT COORDINATES (origin = bottom-left 0,0)

S1: (30.00, 76.82) -> (60.00, 76.82) L = 30.00
S2: (30.00, 13.18) -> (60.00, 13.18) L = 30.00
S3: (13.18, 76.82) -> (13.18, 61.82) L = 15.00
S4: (13.18, 13.18) -> (13.18, 28.18) L = 15.00
S5: (76.82, 76.82) -> (76.82, 61.82) L = 15.00
S6: (76.82, 13.18) -> (76.82, 28.18) L = 15.00

CUT - outline, full-cut rule
SLIT - through-cut slit / slot (red)
Dimension - not cut

Check print: this bar must measure exactly 50 mm

PATTERN 05 - CIRCLE Overall 90 x 90 mm | 1 cut outline + 6 slits	SCALE **1 : 1**	DATE: 2026-10-13 SHEET: 6 / 7
Project: Leather no-sew interlocking patterns (20261013) Material: genuine leather 1.2-2.0 mm | Process: steel-rule / clicker die Dims read from artboard screenshot: verify vs. original .ai before die order	UNITS: mm TOL: +/-0.2 mm PAPER: A4 (print 100%)	DRAWN: Claude Code CHECKED: _____ APPROVED: _____



GEOMETRY

- 4 lobes R16.0, centers 29.0 from (45,45) on X/Y axes
- 4 concave fillets R16.0, centers (76.87, 76.87) etc.
- Fold lines = square 13.2 .. 76.8
- Top/bottom fold: center slit 15.0 (X 37.5 .. 52.5)
- Left/right fold: end slots 5.0 from the outline

SLIT COORDINATES (origin = bottom-left 0,0)

S1: (37.50, 76.80) -> (52.50, 76.80) L = 15.00
S2: (37.50, 13.20) -> (52.50, 13.20) L = 15.00
S3: (13.20, 60.75) -> (13.20, 55.75) L = 5.00
S4: (13.20, 29.25) -> (13.20, 34.25) L = 5.00
S5: (76.80, 60.75) -> (76.80, 55.75) L = 5.00
S6: (76.80, 29.25) -> (76.80, 34.25) L = 5.00

CUT - outline, full-cut rule
SLIT - through-cut slit / slot (red)
Dimension - not cut

Check print: this bar must measure exactly 50 mm

PATTERN 06 - SOFT CROSS Overall 90 x 90 mm | 1 cut outline + 6 slits	SCALE **1 : 1**	DATE: 2026-10-13 SHEET: 7 / 7
Project: Leather no-sew interlocking patterns (20261013) Material: genuine leather 1.2-2.0 mm | Process: steel-rule / clicker die Dims read from artboard screenshot: verify vs. original .ai before die order	UNITS: mm TOL: +/-0.2 mm PAPER: A4 (print 100%)	DRAWN: Claude Code CHECKED: _____ APPROVED: _____