

GEOMETRY (from designer vector file)
- R41.68 centre: (41.70, 41.70)
- R12.68 centres: (91.68, 41.69), (41.69, 91.68)

CUT - outline, full-cut rule
SLIT - through-cut slit / slot
Dimension - not cut

SLIT COORDINATES (origin = bottom-left 0,0)
S1: (11.20, 32.74) -> (11.20, 50.66) L = 17.91 (receiving slit 17.91, centred on CL)
S2: (32.74, 11.20) -> (50.66, 11.20) L = 17.91 (receiving slit 17.91, centred on CL)

ALIGNMENT CHECK (CL = centre line)

- ear centres vs CL:	0.01 / 0.01 mm
- ear neck (ear meets face):	17.41
- slit = neck + 0.5:	17.91 (was 17.27)
- slit centre to CL:	0.00 / 0.00
- slit offset from centre:	30.50

NOTES
- The ear neck (17.41, where ear meets face) is the tab. Slits lengthened 17.27 -> 17.91 = neck + 0.5, centred on CL.

50 x 50 mm square



PRINT AT 100% / ACTUAL SIZE - turn OFF 'Fit to page' / 'Shrink'.
Ruler must read 100 mm and the square 50 x 50 mm. If not, the drawing is NOT 1:1.

PATTERN 01 - BEAR HEAD Overall 104.36 x 104.36 mm | 1 cut outline + 2 slits | REV 20261019	SCALE **1 : 1**	DATE: 2026-10-14 SHEET: 1 / 7
Project: Leather no-sew interlocking patterns | REV 20261019 (set 01-07) Source: 20261014_pattern-leather-cre.pdf (vector, exact geometry) Material: leather 1.0-1.2 mm | Process: steel-rule / clicker die	UNITS: mm TOL: +/-0.2 mm PAPER: A4 (print 100%)	DRAWN: Claude Code CHECKED: _____ APPROVED: _____



GEOMETRY (from designer vector file)

- R29.37 centres: (29.37, 45.00), (60.63, 45.00), (45.00, 60.63), (45.00, 29.37)

SLIT COORDINATES (origin = bottom-left 0,0)

S1: (73.05, 17.95) -> (45.00, 17.95) L = 28.05 (slot 27.05 notch->CL + 1.0 past cut)
S2: (17.95, 16.95) -> (17.95, 45.00) L = 28.05 (slot 27.05 notch->CL + 1.0 past cut)
S3: (72.05, 73.05) -> (72.05, 45.00) L = 28.05 (slot 27.05 notch->CL + 1.0 past cut)
S4: (16.95, 72.05) -> (45.00, 72.05) L = 28.05 (slot 27.05 notch->CL + 1.0 past cut)

ALIGNMENT CHECK (CL = centre line)

- fold square (notch to notch):	54.11
- slot inner end on CL:	0.00 (all 4)
- slot length notch -> CL:	27.05
- overrun past cut:	1.00

CUT - outline, full-cut rule
SLIT - through-cut slit / slot
Dimension - not cut

NOTES

- Each slot runs from the notch to the centre line (ends exactly on CL) plus 1.0 past the cut.

50 x 50 mm square

0 10 20 30 40 50 60 70 80 90 100

PRINT AT 100% / ACTUAL SIZE - turn OFF 'Fit to page' / 'Shrink'.

Ruler must read 100 mm and the square 50 x 50 mm. If not, the drawing is NOT 1:1.

PATTERN 02 - PINWHEEL 4-LOBE Overall 90.00 x 90.00 mm | 1 cut outline + 4 slits | REV 20261019	SCALE **1 : 1**	DATE: 2026-10-14 SHEET: 2 / 7
Project: Leather no-sew interlocking patterns | REV 20261019 (set 01-07) Source: 20261014_pattern-leather-cre.pdf (vector, exact geometry) Material: leather 1.0-1.2 mm | Process: steel-rule / clicker die	UNITS: mm TOL: +/-0.2 mm PAPER: A4 (print 100%)	DRAWN: Claude Code CHECKED: _____ APPROVED: _____



GEOMETRY (from designer vector file)

- R22.50 centres: (67.51, 45.00), (45.00, 67.50), (45.00, 22.50), (22.50, 45.00)

CUT - outline, full-cut rule

SLIT - through-cut slit / slot

Dimension - not cut

SLIT COORDINATES (origin = bottom-left 0,0)

S1: (22.50, 33.75) -> (22.50, 56.25) L = 22.50 (receiving slit 22.50, centred on CL)
S2: (67.50, 33.75) -> (67.50, 56.25) L = 22.50 (receiving slit 22.50, centred on CL)
S3: (68.50, 67.50) -> (56.00, 67.50) L = 12.50 (slot 11.50 in + 1.0 past cut)
S4: (21.50, 67.50) -> (34.00, 67.50) L = 12.50 (slot 11.50 in + 1.0 past cut)
S5: (68.50, 22.50) -> (56.00, 22.50) L = 12.50 (slot 11.50 in + 1.0 past cut)
S6: (21.50, 22.50) -> (34.00, 22.50) L = 12.50 (slot 11.50 in + 1.0 past cut)

ALIGNMENT CHECK (CL = centre line)

- fold line offset from centre:	22.50
- receiving slit (design):	22.50, centred on CL (0.00)
- tab neck = slit - 0.5:	22.00, centred on CL (0.00)
- tab chord at fold (cut to cut):	45.00 (centre 0.00 off CL)
- slot inside the piece:	11.50 each side
- overrun past cut:	1.00

NOTES

- Slit 22.5 as designed. Tab neck between slots = 22.0 (slit - 0.5). Slots 11.5 in + 1.0 past cut.



PRINT AT 100% / ACTUAL SIZE - turn OFF 'Fit to page' / 'Shrink'.

Ruler must read 100 mm and the square 50 x 50 mm. If not, the drawing is NOT 1:1.

50 x 50 mm square

PATTERN 03 - CAPSULE CROSS Overall 90.01 x 90.00 mm | 1 cut outline + 6 slits | REV 20261019	SCALE **1 : 1**	DATE: 2026-10-14 SHEET: 3 / 7
Project: Leather no-sew interlocking patterns | REV 20261019 (set 01-07) Source: 20261014_pattern-leather-cre.pdf (vector, exact geometry) Material: leather 1.0-1.2 mm | Process: steel-rule / clicker die	UNITS: mm TOL: +/-0.2 mm PAPER: A4 (print 100%)	DRAWN: Claude Code CHECKED: _____ APPROVED: _____



GEOMETRY (from designer vector file)
- R5.00 centres: (85.00, 85.00), (85.00, 5.00), (5.00, 85.00), (5.00, 5.00)

SLIT COORDINATES (origin = bottom-left 0,0)

S1: (56.89, 11.89) -> (78.11, 33.11) L = 30.00 (receiving slit 30.00, centred on CL)
S2: (11.89, 56.89) -> (33.11, 78.11) L = 30.00 (receiving slit 30.00, centred on CL)
S3: (90.71, 44.29) -> (77.93, 57.07) L = 18.07 (slot 17.07 in + 1.0 past cut)
S4: (44.29, 90.71) -> (57.07, 77.93) L = 18.07 (slot 17.07 in + 1.0 past cut)
S5: (45.71, -0.71) -> (32.93, 12.07) L = 18.07 (slot 17.07 in + 1.0 past cut)
S6: (-0.71, 45.71) -> (12.07, 32.93) L = 18.07 (slot 17.07 in + 1.0 past cut)

CUT - outline, full-cut rule
SLIT - through-cut slit / slot
Dimension - not cut

ALIGNMENT CHECK (CL = centre line)

- fold line offset from centre:	22.50
- receiving slit (design):	30.00, centred on CL (0.00)
- tab neck = slit - 0.5:	29.50, centred on CL (0.00)
- tab chord at fold (cut to cut):	63.64 (centre 0.00 off CL)
- slot inside the piece:	17.07 each side
- overrun past cut:	1.00

NOTES
- Slit 30.0 as designed. Tab neck = 29.5. Slots 17.07 in + 1.0 past cut (overrun was 1.7-4.5).



PRINT AT 100% / ACTUAL SIZE - turn OFF 'Fit to page' / 'Shrink'.
Ruler must read 100 mm and the square 50 x 50 mm. If not, the drawing is NOT 1:1.

50 x 50 mm square

PATTERN 04 - ROUNDED SQUARE DIAGONAL

Overall 90.00 x 90.00 mm | 1 cut outline + 6 slits | REV 20261019

SCALE **1 : 1**

DATE: 2026-10-14

SHEET: 4 / 7

Project: Leather no-sew interlocking patterns | REV 20261019 (set 01-07)
Source: 20261014_pattern-leather-cre.pdf (vector, exact geometry)
Material: leather 1.0-1.2 mm | Process: steel-rule / clicker die

UNITS: mm
TOL: +/-0.2 mm
PAPER: A4 (print 100%)

DRAWN: Claude Code
CHECKED: _____
APPROVED: _____



GEOMETRY (from designer vector file)
- R45.00 centre: (45.00, 45.00)

SLIT COORDINATES (origin = bottom-left 0,0)

S1: (30.00, 76.82) -> (60.00, 76.82) L = 30.00 (receiving slit 30.00, centred on CL)
S2: (30.00, 13.18) -> (60.00, 13.18) L = 30.00 (receiving slit 30.00, centred on CL)
S3: (76.82, 77.82) -> (76.82, 59.75) L = 18.07 (slot 17.07 in + 1.0 past cut)
S4: (76.82, 12.18) -> (76.82, 30.25) L = 18.07 (slot 17.07 in + 1.0 past cut)
S5: (13.18, 77.82) -> (13.18, 59.75) L = 18.07 (slot 17.07 in + 1.0 past cut)
S6: (13.18, 12.18) -> (13.18, 30.25) L = 18.07 (slot 17.07 in + 1.0 past cut)

CUT - outline, full-cut rule
SLIT - through-cut slit / slot
Dimension - not cut

ALIGNMENT CHECK (CL = centre line)

- fold line offset from centre:	31.82
- receiving slit (design):	30.00, centred on CL (0.00)
- tab neck = slit - 0.5:	29.50, centred on CL (0.00)
- tab chord at fold (cut to cut):	63.64 (centre 0.00 off CL)
- slot inside the piece:	17.07 each side
- overrun past cut:	1.00

NOTES
- Slit 30.0 as designed, centred on the circle. Tab neck = 29.5 centred, so all 4 slots are now equal (were 17.7 / 16.0).



PRINT AT 100% / ACTUAL SIZE - turn OFF 'Fit to page' / 'Shrink'.
Ruler must read 100 mm and the square 50 x 50 mm. If not, the drawing is NOT 1:1.

50 x 50 mm square

PATTERN 05 - CIRCLE Overall 90.00 x 90.00 mm | 1 cut outline + 6 slits | REV 20261019	SCALE **1 : 1**	DATE: 2026-10-14 SHEET: 5 / 7
Project: Leather no-sew interlocking patterns | REV 20261019 (set 01-07) Source: 20261014_pattern-leather-cre.pdf (vector, exact geometry) Material: leather 1.0-1.2 mm | Process: steel-rule / clicker die	UNITS: mm TOL: +/-0.2 mm PAPER: A4 (print 100%)	DRAWN: Claude Code CHECKED: _____ APPROVED: _____



GEOMETRY (from designer vector file)

- R12.62 centres: (75.31, 75.31), (14.69, 75.31), (75.30, 14.70), (14.70, 14.70)
- Ellipse 35.37 x 29.37 centres: (45.00, 75.31)
- Ellipse 35.37 x 29.39 centres: (45.00, 14.70), (45.00, 75.31)
- Ellipse 29.39 x 35.38 centres: (14.69, 44.99)
- Ellipse 29.38 x 35.38 centres: (75.31, 44.99)

CUT - outline, full-cut rule

SLIT - through-cut slit / slot

Dimension - not cut

SLIT COORDINATES (origin = bottom-left 0,0)

S1: (36.25, 75.01) -> (53.75, 75.01) L = 17.50 (receiving slit 17.50, centred on CL)
S2: (36.25, 15.01) -> (53.75, 15.01) L = 17.50 (receiving slit 17.50, centred on CL)
S3: (75.00, 63.69) -> (75.00, 53.51) L = 10.18 (slot 9.18 in + 1.0 past cut)
S4: (75.00, 26.31) -> (75.00, 36.51) L = 10.20 (slot 9.20 in + 1.0 past cut)
S5: (15.00, 63.69) -> (15.00, 53.51) L = 10.18 (slot 9.18 in + 1.0 past cut)
S6: (15.00, 26.31) -> (15.00, 36.51) L = 10.20 (slot 9.20 in + 1.0 past cut)

ALIGNMENT CHECK (CL = centre line)

- fold line offset from centre:	30.00
- receiving slit (design):	17.50, centred on CL (0.00)
- tab neck = slit - 0.5:	17.00, centred on CL (0.00)
- tab chord at fold (cut to cut):	35.38 (centre 0.01 off CL)
- slot inside the piece:	9.19 each side
- overrun past cut:	1.00

50 x 50 mm square

NOTES

- Slit 17.5 as designed, centred on CL. Tab neck = 17.0. Slots 9.19 in + 1.0 past cut.

0 10 20 30 40 50 60 70 80 90 100

PRINT AT 100% / ACTUAL SIZE - turn OFF 'Fit to page' / 'Shrink'.

Ruler must read 100 mm and the square 50 x 50 mm. If not, the drawing is NOT 1:1.

PATTERN 06 - SOFT CROSS Overall 90.00 x 90.00 mm | 1 cut outline + 6 slits | REV 20261019	SCALE **1 : 1**	DATE: 2026-10-14 SHEET: 6 / 7
Project: Leather no-sew interlocking patterns | REV 20261019 (set 01-07) Source: 20261014_pattern-leather-cre.pdf (vector, exact geometry) Material: leather 1.0-1.2 mm | Process: steel-rule / clicker die	UNITS: mm TOL: +/-0.2 mm PAPER: A4 (print 100%)	DRAWN: Claude Code CHECKED: _____ APPROVED: _____



GEOMETRY (from designer vector file)

- R16.57 centres: (45.01, 16.57), (16.57, 45.00), (45.01, 73.43), (73.43, 45.00)
- R11.84 centres: (16.57, 16.59), (73.43, 16.59), (73.43, 73.42), (16.58, 73.42)

CUT - outline, full-cut rule

SLIT - through-cut slit / slot

Dimension - not cut

SLIT COORDINATES (origin = bottom-left 0,0)

S1: (36.46, 73.43) -> (53.56, 73.43) L = 17.10 (receiving slit 17.10, centred on CL)
S2: (36.46, 16.57) -> (53.56, 16.57) L = 17.10 (receiving slit 17.10, centred on CL)
S3: (73.44, 62.57) -> (73.44, 53.30) L = 9.27 (slot 8.27 in + 1.0 past cut)
S4: (73.44, 27.43) -> (73.44, 36.70) L = 9.27 (slot 8.27 in + 1.0 past cut)
S5: (16.58, 62.57) -> (16.58, 53.30) L = 9.27 (slot 8.27 in + 1.0 past cut)
S6: (16.58, 27.43) -> (16.58, 36.70) L = 9.27 (slot 8.27 in + 1.0 past cut)

ALIGNMENT CHECK (CL = centre line)

- lobes: half circles, fold through centres:	R16.57 at 28.43 from centre (0.01 off)
- shown tips make a circle:	dia. 33.15 at every joint
- receiving slit:	17.10, centred on CL (designer 16.60, +0.50)
- tab neck = slit - 0.5:	16.60, centred on CL (0.00)
- slot inside the piece:	8.27 each side, chord 33.15
- overrun past cut:	1.00 (designer 1.70)

NOTES

- Tips shown on the front: the two lobes meet across each joint as one circle. Joins with 07 (mixing with 06 untested).
- Slit lengthened 16.6 -> 17.1 (agreed 19 Oct). Leather left at slit tips: 8.02 mm (min 8.0).

0 10 20 30 40 50 60 70 80 90 100

PRINT AT 100% / ACTUAL SIZE - turn OFF 'Fit to page' / 'Shrink'.

Ruler must read 100 mm and the square 50 x 50 mm. If not, the drawing is NOT 1:1.

50 x 50 mm square

PATTERN 07 - ROUND-JOINT CROSS Overall 90.00 x 90.00 mm | 1 cut outline + 6 slits | REV 20261019	SCALE **1 : 1**	DATE: 2026-10-19 SHEET: 7 / 7
Project: Leather no-sew interlocking patterns | REV 20261019 (set 01-07) Source: 20261019_pattern-leather-2.pdf (vector, exact geometry) Material: leather 1.0-1.2 mm | Process: steel-rule / clicker die	UNITS: mm TOL: +/-0.2 mm PAPER: A4 (print 100%)	DRAWN: Claude Code CHECKED: _____ APPROVED: _____