


















KONSTRUKSI ATAP





Fasilitas:

- 1. Taman bermain anak
- 2. Keamanan dilengkapi CCTV
- 3. Instalasi listrik bawah tanah
- 4. Lebar jalan 8 m & 10 m
- 5. Taman dalam kavling & kawasan eksklusif
- 6. Lokasi bebas banjir

Spesifikasi Teknis			
PODASI STRUKTUR		KAMAR MANDI	DI : Lantai Keramik 20 x 20 Dinding Keramik cutting 20 x 25 Closet Jongkok & Monoblock
	bertulang		Shower Air panas & dingin
DINDING	: Pasangan Bata Merah diplester acian Finishing cat eksterior	LISTRIK	: PLN 1300 Watt Saklar + Stop Kontak standar Pan
KUSEN & DAUN PINTU JENDELA	: Kayu Kamper 6 x 15, oven, finishing cat Daun pintu (Panil) kayu jati, finishing cat	PLAFON	: Rangka metal furing Interior : Plafon Gipsum + Cornice finishing cat Eksterior : Plafon Hardflex + list ka
LANTAL	: Keramik 60 x 60 cutting		profil 4 x 4 cm, finishing cat

; Rangka atap Baja ringan Lapisan Alumunium foil Penutup atap Genteng press beton Pyramid,

finishing cat

ardflex + list kayu hing cat : Samping belakang : Pasangan Bata tinggi 2 m, finishing cat Samping depan : Pasangan Bata + Pilar, finishing cat, tinggi 1 m PAGAR

k standar Panasonic