

API ISISKA MYCX

STATUS	:	DRAFT			
CLASSIFICATION	:	CONFIDENTIAL			
ABSTRACT	:	This document describes the details of API ISISKA MYCX which was published for internal purposes of PT Telekomunikasi Indonesia, Tbk.			
PURPOSED	:	Describes the input parameters, out API.	put parameters of the		
ISSUEDBY	:	PT.Swamedia Informatika			
APPROVED BY	:				
		PT. Telekomunikasi Indonesia, Tbk	Date		
		PT. Swamedia Informatika	Date		

SDP API Document

ISISKA MYCX API Version 1.0



Contents

A	PI ISISKA M	YCX	1
	Contents.		2
	VERSION	HISTORY	3
1	Gener	ral Description	4
	1.1 Purpo	ose	4
	1.2 Note.		4
2	Interf	ace Overview	4
	2.1 Systen	n Interconnection Architecture	4
	2.1.1	ISISKA MYCX	4
	2.2 Interf	ace Protocols	5
	2.2.1	Sequence Diagram ISISKA MYCX	5
3	Servic	e Description	5
	3.1Service	e Name	5
	3.2 Object	t Description	6
	3.2.1	API Methods: TLK_GET_PLGGN	6
	3.2.2	API Methods: getPortfolioISISKA_ND	6
	3.3 SERVIC	CE Description	7
	3.4 PLGGN	N Description	7
	3.5 CUSTO	OMER_CONTACT Description	8
	3.6 ND_PC	OTS Description	8
	3.7 API Ca	ıll Example	9
	3.7.1	TLK_GET_PLGGN	9
	3.7.2	getPortfolioISISKA_ND	11
	3.8 ERROR	R CODE	12



VERSION HISTORY

Ver.No	Ver.Date	Revised by	Description	FileName
Version 1.0			Released	Dokumen API ISISKA MYCX - API ISISKA MYCX v 1.0.doc



1 General Description

1.1 Purpose

Describes the input parameters, output parameters of the API. The intended readers of this documen tare as follows:

- Developers of PT Telekomunikasi Indonesia, Tbk system.
- Developers of Third Party Service Consumer
- Personnel who need to learn about this API.

1.2 Note

To make sure that the document about the API description is correct andmatches, you can apply to the responsible person of PT Telekomunikasi Indonesia, Tbk for the document.

You need to apply for the related document about the interface description according to the version of the document.

2 Interface Overview

2.1 System Interconnection Architecture

The picture below will describe about SOA and another systems Interconnection architecture

2.1.1 ISISKA MYCX



Picture 1. System Interconnection Architecture

System Interconnection Architecture show the connection between SOA and other systems.




2.2 Interface Protocols

The interfaces of SOA and other system that will accessed this API types apply the HTTP protocol in the REST MODE (POST).

2.2.1 Sequence Diagram ISISKA MYCX

getData



Picture 2. ISISKA MYCX Sequence Diagram

3 Service Description

3.1 Service Name

URL	:	http://servicebus.telkom.co.id:9001/TelkomProduct/Indihome/Services/Prox
		yService/API_ISISKA_MYCX?wsdl
Operation	:	1. TLK_GET_PLGGN
		2. getPortfolioISISKA_ND
Location	:	servicebussit.telkom.co.id:9001
SIT		
Location	:	servicebus.telkom.co.id:9001
Production		



3.2 Object Description

This is the object description of ISISKA MYCX API:

3.2.1 API Methods: TLK_GET_PLGGN

Input Parameters

Tabel 1 Input Parameter TLK_GET_PLGGN

	· · · · · · · · · · · · · · · · · · ·				
Parameter	Name	Required	Overview	Value	
This API accepts HTT	P SOAP method.				
This data is in an asso	ociated array forn	nat that includ	es the following fields:		
ND		Mandatory		String	
ND_REF		Optional		String	
NCLI		Optional		String	
NDOS		Optional		String	
CODESOURCE		Optional		String	

Output Parameters

Tabel 2 Output Parameter TLK_GET_PLGGN

Parameter	Name	Overview	Value
This API accepts HTTP S	SOAP method.		
This data is in an associ	ated array format that in	ncludes the following fields	:
ND			String
ND_REF			String
NCLI			String
NDOS			String
JENIS			String
ETAT			String
MESS			String
SERVICE		SERVICE (Refer to	String
		Table 4.1)	
PLGGN		PLGGN (Refer to	String
		Table 5.1)	
CUSTOMER_CONTACT		CUSTOMER_CONTACT	String
		(Refer to Table 6.1)	

3.2.2 API Methods: getPortfolioISISKA_ND

Input Parameters

Tabel 3 Input Parameter getPortfolioISISKA_ND

Parameter	Name	Required	Overview	Value		
This API accepts HTTP SOAP method.						
This data is in an ass	This data is in an associated array format that includes the following fields:					
ND		Mandatory		String		



Output Parameters

Tabel 4 Output Parameter getPortfolioISISKA_ND

Parameter	Name	Overview	Value			
·	This API accepts HTTP SOAP method. This data is in an associated array format that includes the following fields:					
ND_POTS		ND_POTS (Refer to Table 7.1)	String			

3.3 SERVICE Description

Tabel 4.1 SERVICE Description

Parameter	Name	Overview	Value
This API accepts HTTP S This data is in an associ		ncludes the following fiel	ds:
service			String
citem			String
desc_item			String
datdeb			String
speed			String

3.4 PLGGN Description

Tabel 5.1 PLGGN Description

Parameter	Name	Overview	Value					
This ADI accounts LITTE COAD months of								
	This API accepts HTTP SOAP method.							
	This data is in an associated array format that includes the following fields:							
ncli			String					
ndos			String					
nom			String					
alamat			String					
cprod			String					
nd			String					
nd_reference			String					
ccat			String					
cgest			String					
lgest			String					
segment			String					
portofolio			String					
lfortofolio			String					
datms			String					
daten_ms			String					
repart			String					
cautocom			String					
neqpt_reseau			String					
sr			String					
nadr_inst			String					
restriction			String					
csus			String					

SDP API Document

ISISKA MYCX API Version 1.0



cnivrest String centite String lentite String num_eqpt String cprio_eqpt String lprio_eqpt String libel1 String libel2 String libel3 String lcat String

3.5 CUSTOMER_CONTACT Description

Tabel 6.1 CUSTOMER_CONTACT Description

Parameter	Name	Overview	Value				
	This API accepts HTTP SOAP method. This data is in an associated array format that includes the following fields:						
jenis			String				
desc			String				

3.6 ND_POTS Description

Tabel 7.1 ND_POTS Description

Parameter	Name	Overview	Value						
This ADI accepts HTTD COAD method									
	This API accepts HTTP SOAP method. This data is in an associated array format that includes the following fields:								
	ated array format that ir	icludes the following field							
ND_INET			String						
ND_USEE			String						
DATEK			String						
INDIHOME			String						
PAKET			String						
MELON			String						
NCLI			String						
ALAMAT			String						
NAMA_PEMILIK			String						
NAMA_PIC			String						
HP_PIC			String						
EMAIL_PIC			String						
SEGMENT			String						
DATEL			String						
WITEL			String						
REGIONAL			String						
REPART			String						
PRODUCTS		PRODUCTS (Refer to Table 7.2)	String						



Tabel 7.2 PRODUCTS Description

Parameter	Name	Overview	Value	
This API accepts HTTP SOAP method.				
This data is in an associated array format that includes the following fields:				
Internet			String	
Others			String	
Usee			String	

3.7 API Call Example

3.7.1 TLK_GET_PLGGN

3.7.1.1 URL API

http://servicebus.telkom.co.id:9001/TelkomProduct/Indihome/Services/ProxyService/API_ISISKA_M_YCX?wsdl

3.7.1.2 Request

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"</p>
xmlns:api="http://eai/telkom/bie/isiska/integration/ws/API_ISISKA_MYCX">
  <soapenv:Header/>
  <soapenv:Body>
   <api:TLK_GET_PLGGN>
     <ND>?</ND>
     <!--Optional:-->
     <ND_REF>?</ND_REF>
     <!--Optional:-->
     <NCLI>?</NCLI>
     <!--Optional:-->
     <NDOS>?</NDOS>
     <!--Optional:-->
     <CODESOURCE>?</CODESOURCE>
   </api:TLK_GET_PLGGN>
  </soapenv:Body>
</soapenv:Envelope>
```

3.7.1.3 Response

```
<soapeny;Envelope xmlns;soapeny="http://schemas,xmlsoap.org/soap/envelope/"</p>
xmlns:api="http://eai/telkom/bie/isiska/integration/ws/API_ISISKA_MYCX">
 <soapenv:Header/>
  <soapenv:Body>
   <api:TLK_GET_PLGGNResponse>
     <ND>?</ND>
     <!--Optional:-->
     <ND_REF>?</ND_REF>
     <!--Optional:-->
     <NCLI>?</NCLI>
     <!--Optional:-->
     <NDOS>?</NDOS>
     <!--Optional:-->
     <JENIS>?</JENIS>
     <ETAT>?</ETAT>
     <MESS>?</MESS>
     <!--Zero or more repetitions:-->
```



the world in your hand

```
<SERVICE>
       <service>?</service>
       <citem>?</citem>
       <desc_item>?</desc_item>
       <!--Optional:-->
       <datdeb>?</datdeb>
       <!--Optional:-->
       <speed>?</speed>
     </SERVICE>
     <!--Zero or more repetitions:-->
     <PLGGN>
       <ncli>?</ncli>
       <ndos>?</ndos>
       <nom>?</nom>
       <alamat>?</alamat>
       <cprod>?</cprod>
       <nd>?</nd>
       <nd_reference>?</nd_reference>
       <ccat>?</ccat>
       <cgest>?</cgest></lgest>
       <segment>?</segment>
       <portofolio>?</portofolio>
       Ifortofolio>?
       <datms>?</datms>
       <daten_ms>?</daten_ms>
       <repart>?</repart>
       <cautocom>?</cautocom>
       <neqpt_reseau>?</neqpt_reseau>
       <sr>?</sr>
       <nadr inst>?</nadr inst>
       <restriction>?</restriction>
       <csusp>?</csusp>
       <cnivrest>?</cnivrest>
       <centite>?</centite>
       <lentite>?</lentite>
       <num_eqpt>?</num_eqpt>
       <cprio_eqpt>?</cprio_eqpt>
       <lprio_eqpt>?</prio_eqpt>
       libel1>?</libel1>
       libel2>?</libel2>
       libel3>?</libel3>
       <lcat>?</lcat>
     </PLGGN>
     <!--Zero or more repetitions:-->
     <CUSTOMER_CONTACT>
       <jenis>?</jenis>
       <desc>?</desc>
   </CUSTOMER_CONTACT>
</api:TLK_GET_PLGGNResponse>
 </soapenv:Body>
</soapenv:Envelope>
```



3.7.2 getPortfolioISISKA_ND

3.7.2.1 URL API

http://servicebus.telkom.co.id:9001/TelkomProduct/Indihome/Services/ProxyService/API_ISISKA_M_YCX?wsdl

3.7.2.2 Request

3.7.2.3 Response

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"</p>
xmlns:api="http://eai/telkom/bie/isiska/integration/ws/API_ISISKA_MYCX">
 <soapenv:Header/>
 <soapenv:Body>
   <api:getPortfolioISISKA_NDResponse>
     <ND POTS>?</ND POTS>
     <ND_INET>?</ND_INET>
     <ND_USEE>?</ND_USEE>
     <DATEK>?</DATEK>
     <INDIHOME>?</INDIHOME>
     <PAKET>?</PAKET>
     <MELON>?</MELON>
     <NCLI>?</NCLI>
     <ALAMAT>?</ALAMAT>
     <NAMA_PEMILIK>?</NAMA_PEMILIK>
     <NAMA_PIC>?</NAMA_PIC>
     <!--Optional:-->
     <HP_PIC>?</HP_PIC>
     <EMAIL_PIC>?</EMAIL_PIC>
     <SEGMENT>?</SEGMENT>
     <DATEL>?</DATEL>
     <WITEL>?</WITEL>
     <REGIONAL>?</REGIONAL>
     <REPART>?</REPART>
     <!--Optional:-->
     <PRODUCTS>
       <!--Zero or more repetitions:-->
       <Internet>?</Internet>
       <!--Zero or more repetitions:-->
       <Others>?</Others>
       <!--Zero or more repetitions:-->
       <Usee>?</Usee>
     </PRODUCTS>
   </api:getPortfoliolSISKA_NDResponse>
 </soapeny:Body>
</soapenv:Envelope>
```

SDP API Document

ISISKA MYCX API Version 1.0



3.8 ERROR CODE

English Version:	Versi Bahasa :