GABRIELLA'S MATH LAB · DECIMALS WORKBOOK

SECTION 7 · SUPPLEMENTAL

Dividing Decimals

Share decimals into equal groups, use long division, and learn how to divide by a decimal.

SKILL
One new idea at a time.

SHOW HOW
Watch a problem solved step by step.

TRY ONE
Finish a problem with help.

YOUR TURN
Solve problems on your own.

7.1	Dividing by 10, 100, and 1,000	☐ done	2
7.2	Decimal ÷ Whole Number: Equal Groups	☐ done	4
7.3	Decimal ÷ Whole Number: Long Division	☐ done	6
7.4	Whole Numbers with Decimal Answers	☐ done	8
7.5	Dividing by a Decimal	☐ done	10
7.6	Check by Multiplying	☐ done	12
7.7	Division Word Problems	☐ done	14
✓	Section 7 Review	☐ done	16
🔑	Parent Answer Key		17

Name _____ Started _____

Supplemental: Georgia's Grade 5 decimal standard (5.NR.4) covers adding and subtracting decimals. Dividing decimals is a Grade 6 standard (6.NR.1); Skill 7.1 connects to 5.NR.1.2 (powers of 10).

7.1 Dividing by 10, 100, and 1,000

Goal: I can divide by 10, 100, or 1,000 by moving digits to smaller places.

SHOW HOW

Divide 34.5 ÷ 100.

Tens 10	Ones 1		Tenths 0.1	Hundredths 0.01	Thousandths 0.001
3	4	.	5		

→

Tens 10	Ones 1		Tenths 0.1	Hundredths 0.01	Thousandths 0.001
	0	.	3	4	5

1. Dividing by 100 makes each digit worth **one hundredth as much**: it moves **2 places to the right**.
2. 3 tens → 3 tenths, 4 ones → 4 hundredths, 5 tenths → 5 thousandths.
3. **34.5 ÷ 100 = 0.345**. Shortcut: count the zeros (100 has 2), move the decimal point that many places to the **left**. Write a 0 in the ones place.

Why it works: dividing undoes multiplying. × 100 moves digits 2 places left (Section 6), so ÷ 100 moves them 2 places right. Fill empty places with zeros: 7 ÷ 100 = 0.07.

LET'S TRY ONE

Divide 52 ÷ 10.

10 has _____ zero, so each digit moves _____ place to the right.

52 ÷ 10 = _____

YOUR TURN — SKILL 7.1 · DIVIDE

1 **46 ÷ 10**

Quotient _____

2 **8.3 ÷ 10**

Quotient _____

3 **275 ÷ 100**

Quotient _____

4 **6.4 ÷ 100**

Quotient _____

5 **1250 ÷ 1000**

Quotient _____

6 **9 ÷ 100**

Quotient _____

7 **35 ÷ 1000**

Quotient _____

8 A **48.5 m** rope is cut into **10** equal pieces. How long is each piece?


Quotient _____ m

7.2 Decimal ÷ Whole Number: Equal Groups

Goal: I can share a decimal into equal groups using place value.

SHOW HOW

Solve 6.4 ÷ 2.



Written

$$\begin{array}{r} 3.2 \\ 2\overline{)\,6.4} \\ \underline{6} \\ 04 \\ \underline{4} \\ 0 \end{array}$$

1. 6.4 ÷ 2 means **share 6.4 into 2 equal groups**.
2. Think in tenths: 6.4 is **64 tenths**.
3. 64 tenths ÷ 2 = **32 tenths** in each group.
4. 32 tenths = **3.2**. Each group gets 3 ones and 2 tenths.
5. **Written way** (left): put the point up first. 6 ÷ 2 = 3, then 4 ÷ 2 = 2 → 3.2. Same answer.

Why it works: sharing 6 ones and 4 tenths into 2 groups gives 3 ones and 2 tenths in each group. Thinking "64 tenths" turns the problem into whole-number division.

LET'S TRY ONE

Solve 0.96 ÷ 3.

0.96 = _____ hundredths. _____ ÷ 3 = _____ hundredths

Quotient: _____

YOUR TURN — SKILL 7.2 · THINK IN TENTHS OR HUNDREDTHS, THEN DIVIDE

1 **0.8 ÷ 2** (8 tenths)

Quotient _____

2 **0.9 ÷ 3**

Quotient _____

3 **4.8 ÷ 2**

Quotient _____

4 **3.6 ÷ 4**

Quotient _____

5 **0.45 ÷ 5**

Quotient _____

6 **2.4 ÷ 6**

Quotient _____

7 **1.28 ÷ 4**

Quotient _____

8 **7.2 ÷ 8**

Quotient _____

7.3 Decimal ÷ Whole Number: Long Division

Goal: I can use long division and put the point straight up.

SHOW HOW

Solve 7.56 ÷ 3.

```
   2 . 5 2
3 | 7 . 5 6
    6
    1 5
    1 5
      0 6
        6
        0
```

1. **Put the decimal point in the answer first**, straight above the point in 7.56.
2. Divide like whole numbers: 7 ÷ 3 = **2**, remainder 1.
3. Bring down the 5: 15 ÷ 3 = **5**. Bring down the 6: 6 ÷ 3 = **2**.
4. Answer: **2.52**. **Check:** 2.52 × 3 = 7.56 ✓

Why it works: the remainder 1 one becomes 10 tenths, so 10 + 5 = 15 tenths. Long division keeps trading leftovers into the next smaller place, just like regrouping.

LET'S TRY ONE

Solve 8.4 ÷ 4. Put the point up first.

```
   .
4 | 8 . 4
```

8 ÷ 4 = _____ 4 ÷ 4 = _____

Quotient: _____

YOUR TURN — SKILL 7.3 · USE LONG DIVISION

1

$3\overline{)6.9}$

Quotient _____

2

$2\overline{)8.6}$

Quotient _____

3

$4\overline{)5.28}$

Quotient _____

4

$4\overline{)0.84}$

Quotient _____

5

$6\overline{)12.6}$

Quotient _____

6

$7\overline{)14.56}$

Quotient _____

7.4 Whole Numbers with Decimal Answers

Goal: I can keep dividing past the point by writing zeros.

SHOW HOW

Solve 7 ÷ 4.

```
    1 . 7 5
  ┌─────────
4 │ 7 . 0 0
    4
    ---
    3 0
    2 8
    ---
      2 0
      2 0
      ---
        0
```

1. 7 ÷ 4 = **1** with 3 left over. Instead of a remainder, keep going.
2. Write 7 as **7.00** (equivalent decimals) and put the point up.
3. 3 ones = 30 tenths: 30 ÷ 4 = **7**, 2 left. 2 tenths = 20 hundredths: 20 ÷ 4 = **5**.
4. Answer: **1.75**. **Check:** 1.75 × 4 = 7 ✓

Why it works: adding zeros after the point does not change 7, but it gives the leftover a place to go. Stop when the remainder is 0.

LET'S TRY ONE

Solve 3 ÷ 2. Write 3 as 3.0.

```
    .
  ┌─────
2 │ 3 . 0
```

3 ÷ 2 = _____ r _____ 10 ÷ 2 = _____

Quotient: _____

YOUR TURN — SKILL 7.4 · WRITE ZEROS AND KEEP DIVIDING

1

$2\overline{)5.0}$

Quotient _____

2

$4\overline{)9.00}$

Quotient _____

3

$5\overline{)3.0}$

Quotient _____

4

$4\overline{)13.00}$

Quotient _____

5 $1 \div 8$ (write 1.000)

Quotient _____

6 $7 \div 8$

Quotient _____

7.5 Dividing by a Decimal

Goal: I can change a problem so I divide by a whole number.

SHOW HOW

Solve 4.8 ÷ 0.6.

1. Dividing by a decimal is tricky, so **make the divisor a whole number**. 0.6 × 10 = **6**.
2. Multiply the **other number by the same 10**: 4.8 × 10 = **48**. Now the problem is **48 ÷ 6**.
3. 48 ÷ 6 = **8**. So 4.8 ÷ 0.6 = 8.
4. **Check:** 8 × 0.6 = 4.8 ✓. Think: how many 0.6s fit in 4.8? Eight of them.

Why it works: multiplying both numbers by the same amount does not change the answer: 4.8 ÷ 0.6 = 48 ÷ 6 = 480 ÷ 60. These are **equivalent division expressions**. If the divisor has 2 decimal places, multiply both by 100.

LET'S TRY ONE

Solve 2.4 ÷ 0.3.

Multiply both by _____: 2.4 ÷ 0.3 = _____ ÷ _____

Quotient: _____ Check: _____ × 0.3 = 2.4

YOUR TURN — SKILL 7.5 · MAKE THE DIVISOR WHOLE, THEN DIVIDE

1 **3.6 ÷ 0.4**

Quotient _____

2 Which expression has the same answer as **4.2 ÷ 0.06**?

(A) **42 ÷ 6** (B) **420 ÷ 6** (C) **4.2 ÷ 6**

Answer _____

3 **6 ÷ 0.2**

Quotient _____

4 **0.63 ÷ 0.7**

Quotient _____

5 **4.2 ÷ 0.06** (× 100)

Quotient _____

6 **1.2 ÷ 0.04**

Quotient _____

7 **7.5 ÷ 2.5**

Quotient _____

8 **9.6 ÷ 1.2**

Quotient _____

7.6 Check by Multiplying

Goal: I can use multiplication to check a division answer.

SHOW HOW

Check: is 7.56 ÷ 3 = 2.52 correct?

1. Division splits a number into equal groups: 7.56 ÷ 3 = 2.52 means **3 groups of 2.52 make 7.56**.
2. So multiply: **2.52 × 3**. As whole numbers: 252 × 3 = 756. Two decimal places: **7.56**.
3. 7.56 matches the number we started with, so the division is **correct**.

Why it works: quotient × divisor = dividend. If the product does not match, check where the decimal point went in the quotient.

LET'S TRY ONE

Check 6.4 ÷ 4 = 1.6 by multiplying.

1.6 × 4 = _____

Does it match 6.4? _____

YOUR TURN — SKILL 7.6 · DIVIDE, THEN CHECK BY MULTIPLYING

1 **4.5 ÷ 3** Check: answer × 3

Quotient _____

2 **9.2 ÷ 4** Check: answer × 4

Quotient _____

3 **0.75 ÷ 5** Check: answer × 5

Quotient _____

4 **3.6 ÷ 0.9** Check: answer × 0.9

Quotient _____

5 Is **8.4 ÷ 6 = 1.4** correct? Check by multiplying.

Correct or not? _____

6 Is **0.32 ÷ 0.4 = 8** correct? Check by multiplying. If not, fix it.

Correct or not? _____

7 Is **4.3 ÷ 2 = 21.5** correct? Check by multiplying. If not, fix it.

Correct or not? _____

8 Is **2 ÷ 8 = 0.25** correct? Check by multiplying.

Correct or not? _____

7.7 Division Word Problems

Goal: I can tell when a story needs dividing, then solve and label.

SHOW HOW

Three friends share $7.50 equally. How much does each friend get?

1. **What is asked?** One share of $7.50 split into 3 equal parts: **divide**. (“Share equally”, “each”, “per”, “split”, “how many … fit”.)
2. **Estimate:** 7.5 ÷ 3 is a little more than 6 ÷ 3 = 2.
3. **Divide:** 7.50 ÷ 3 = **2.50**.
4. **Check and label:** 2.50 × 3 = 7.50 ✓. Each friend gets **$2.50**.

```
   2.50
3 | 7.50
  - 6
    15
  - 15
     00
    - 0
      0
```

Two kinds of division stories: sharing (“how much in each group?”) and measuring (“how many groups of 0.5 fit?”). Both use ÷.

LET'S TRY ONE

A jug holds 2 L of lemonade. Each cup holds 0.25 L. How many cups can be filled?

Operation: _____ Equivalent problem: _____ ÷ _____

Answer with units: _____

YOUR TURN

SKILL 7.7 · SOLVE. LABEL YOUR ANSWER.

1 A **8.4 m** board is cut into **2** equal pieces. How long is each piece?

Answer _____ m

2 Four friends share a **$9.60** pizza equally. How much does each pay?

$ _____

3 Pour **4.5 L** of water equally into **5** bottles. How much is in each bottle?

Answer _____ L

4 A **3 m** ribbon is cut into pieces **0.5 m** long. How many pieces are there?

Answer _____ pieces

5 Leo hiked **12.6 km** in **3** days, the same distance each day. How far did he hike each day?

Answer _____ km

6 Mom splits **5 lb** of apples into **4** equal bags. How much is in each bag?

Answer _____ lb

7 A pot has **1.8 L** of soup. One serving is **0.3 L**. How many servings are in the pot?

Answer _____ servings

8 Seven stickers cost **$10.50** in all. How much does one sticker cost?

$ _____

Section 7 Review

Mixed practice from Skills 7.1 to 7.7. No hints: show what you know.

YOUR TURN **REVIEW · PROBLEMS 1–8**

1 **72.4 ÷ 100**

Quotient _____

2 **0.6 ÷ 3**

Quotient _____

3 **9.45 ÷ 3**

Quotient _____

4 **11 ÷ 4**

Quotient _____

5 **5.6 ÷ 0.7**

Quotient _____

6 **0.36 ÷ 0.04**

Quotient _____

7 Five friends share **$13.50** equally. How much does each get?

$ _____

8 A track lap is **0.8 km**. How many laps make **4 km**?

Answer _____ laps

Parent Answer Key

Equal values are correct (2.50 = 2.5); money keeps two places ($2.50). “Try” is the Let's Try One problem.

7.1 Dividing by 10, 100, and 1,000

Try **5.2** Dividing by 10: each digit moves 1 place to the right (the point moves 1 left): 52 → 5.2.

1 **4.6** Dividing by 10: each digit moves 1 place to the right (the point moves 1 left): 46 → 4.6.

2 **0.83** Dividing by 10: each digit moves 1 place to the right (the point moves 1 left): 8.3 → 0.83.

3 **2.75** Dividing by 100: each digit moves 2 places to the right (the point moves 2 left): 275 → 2.75.

4 **0.064** Dividing by 100: each digit moves 2 places to the right (the point moves 2 left): 6.4 → 0.064.

5 **1.25** Dividing by 1000: each digit moves 3 places to the right (the point moves 3 left): 1250 → 1.25.

6 **0.09** Dividing by 100: each digit moves 2 places to the right (the point moves 2 left): 9 → 0.09.

7 **0.035** Dividing by 1000: each digit moves 3 places to the right (the point moves 3 left): 35 → 0.035.

8 **4.85 m** Dividing by 10: each digit moves 1 place to the right (the point moves 1 left): 48.5 → 4.85.

7.2 Decimal ÷ Whole Number: Equal Groups

Try **0.32** 0.96 = 96 hundredths. Split into 3 equal groups: 96 ÷ 3 = 32 hundredths = 0.32.

1 **0.4** 0.8 = 8 tenths. Split into 2 equal groups: 8 ÷ 2 = 4 tenths = 0.4.

2 **0.3** 0.9 = 9 tenths. Split into 3 equal groups: 9 ÷ 3 = 3 tenths = 0.3.

3 **2.4** 4.8 = 48 tenths. Split into 2 equal groups: 48 ÷ 2 = 24 tenths = 2.4.

4 **0.9** 3.6 = 36 tenths. Split into 4 equal groups: 36 ÷ 4 = 9 tenths = 0.9.

5 **0.09** 0.45 = 45 hundredths. Split into 5 equal groups: 45 ÷ 5 = 9 hundredths = 0.09.

6 **0.4** 2.4 = 24 tenths. Split into 6 equal groups: 24 ÷ 6 = 4 tenths = 0.4.

7 **0.32** 1.28 = 128 hundredths. Split into 4 equal groups: 128 ÷ 4 = 32 hundredths = 0.32.

8 **0.9** 7.2 = 72 tenths. Split into 8 equal groups: 72 ÷ 8 = 9 tenths = 0.9.

7.3 Decimal ÷ Whole Number: Long Division

Try **2.1** Long division: 8 ÷ 4 = 2; point goes straight up; 4 ÷ 4 = 1. So 8.4 ÷ 4 = 2.1. Check: 2.1 × 4 = 8.4.

1 **2.3** Long division: 6 ÷ 3 = 2; point goes straight up; 9 ÷ 3 = 3. So 6.9 ÷ 3 = 2.3. Check: 2.3 × 3 = 6.9.

2 **4.3** Long division: 8 ÷ 2 = 4; point goes straight up; 6 ÷ 2 = 3. So 8.6 ÷ 2 = 4.3. Check: 4.3 × 2 = 8.6.

3 **1.32** Long division: 5 ÷ 4 = 1 r 1; point goes straight up; 12 ÷ 4 = 3; 8 ÷ 4 = 2. So 5.28 ÷ 4 = 1.32. Check: 1.32 × 4 = 5.28.

4 **0.21** Long division: 0 ÷ 4 = 0; point goes straight up; 8 ÷ 4 = 2; 4 ÷ 4 = 1. So 0.84 ÷ 4 = 0.21. Check: 0.21 × 4 = 0.84.

5 **2.1** Long division: 12 ÷ 6 = 2; point goes straight up; 6 ÷ 6 = 1. So 12.6 ÷ 6 = 2.1. Check: 2.1 × 6 = 12.6.

6 **2.08** Long division: 14 ÷ 7 = 2; point goes straight up; 5 ÷ 7 = 0 r 5; 56 ÷ 7 = 8. So 14.56 ÷ 7 = 2.08. Check: 2.08 × 7 = 14.56.

7.4 Whole Numbers with Decimal Answers

Try **1.5** Write 3 as 3.0 so you can keep dividing. Long division: 3 ÷ 2 = 1 r 1; point goes straight up; 10 ÷ 2 = 5. So 3 ÷ 2 = 1.5. Check: 1.5 × 2 = 3.

1 **2.5** Write 5 as 5.0 so you can keep dividing. Long division: 5 ÷ 2 = 2 r 1; point goes straight up; 10 ÷ 2 = 5. So 5 ÷ 2 = 2.5. Check: 2.5 × 2 = 5.

2 **2.25** Write 9 as 9.00 so you can keep dividing. Long division: 9 ÷ 4 = 2 r 1; point goes straight up; 10 ÷ 4 = 2 r 2; 20 ÷ 4 = 5. So 9 ÷ 4 = 2.25. Check: 2.25 × 4 = 9.

3 **0.6** Write 3 as 3.0 so you can keep dividing. Long division: 3 ÷ 5 = 0 r 3; point goes straight up; 30 ÷ 5 = 6. So 3 ÷ 5 = 0.6. Check: 0.6 × 5 = 3.

4 **3.25** Write 13 as 13.00 so you can keep dividing. Long division: 13 ÷ 4 = 3 r 1; point goes straight up; 10 ÷ 4 = 2 r 2; 20 ÷ 4 = 5. So 13 ÷ 4 = 3.25. Check: 3.25 × 4 = 13.

5 **0.125** Write 1 as 1.000 so you can keep dividing. Long division: 1 ÷ 8 = 0 r 1; point goes straight up; 10 ÷ 8 = 1 r 2; 20 ÷ 8 = 2 r 4; 40 ÷ 8 = 5. So 1 ÷ 8 = 0.125. Check: 0.125 × 8 = 1.

6 **0.875** Write 7 as 7.000 so you can keep dividing. Long division: 7 ÷ 8 = 0 r 7; point goes straight up; 70 ÷ 8 = 8 r 6; 60 ÷ 8 = 7 r 4; 40 ÷ 8 = 5. So 7 ÷ 8 = 0.875. Check: 0.875 × 8 = 7.

7.5 Dividing by a Decimal

Try **8** Multiply both numbers by 10: 2.4 ÷ 0.3 = 24 ÷ 3 = 8. Check: 8 × 0.3 = 2.4.

1 **9** Multiply both numbers by 10: 3.6 ÷ 0.4 = 36 ÷ 4 = 9. Check: 9 × 0.4 = 3.6.

2 **B (420 ÷ 6)** Multiply both numbers by 100 so the divisor is a whole number: 4.2 × 100 = 420 and 0.06 × 100 = 6. (Both give 70.)

3 **30** Multiply both numbers by 10: 6 ÷ 0.2 = 60 ÷ 2 = 30. Check: 30 × 0.2 = 6.

4 **0.9** Multiply both numbers by 10: 0.63 ÷ 0.7 = 6.3 ÷ 7 = 0.9. Check: 0.9 × 0.7 = 0.63.

5 **70** Multiply both numbers by 100: 4.2 ÷ 0.06 = 420 ÷ 6 = 70. Check: 70 × 0.06 = 4.2.

6 **30** Multiply both numbers by 100: 1.2 ÷ 0.04 = 120 ÷ 4 = 30. Check: 30 × 0.04 = 1.2.

7 **3** Multiply both numbers by 10: 7.5 ÷ 2.5 = 75 ÷ 25 = 3. Check: 3 × 2.5 = 7.5.

8 **8** Multiply both numbers by 10: 9.6 ÷ 1.2 = 96 ÷ 12 = 8. Check: 8 × 1.2 = 9.6.

7.6 Check by Multiplying

Try **6.4** 1.6 × 4 = 6.4 (16 × 4 = 64, 1 decimal place). It matches 6.4, so 6.4 ÷ 4 = 1.6 is correct.

1 **1.5** Long division: 4 ÷ 3 = 1 r 1; point goes straight up; 15 ÷ 3 = 5. So 4.5 ÷ 3 = 1.5. Check: 1.5 × 3 = 4.5.

2 **2.3** Long division: 9 ÷ 4 = 2 r 1; point goes straight up; 12 ÷ 4 = 3. So 9.2 ÷ 4 = 2.3. Check: 2.3 × 4 = 9.2.

3 **0.15** Long division: 0 ÷ 5 = 0; point goes straight up; 7 ÷ 5 = 1 r 2; 25 ÷ 5 = 5. So 0.75 ÷ 5 = 0.15. Check: 0.15 × 5 = 0.75.

4 **4** Multiply both numbers by 10: 3.6 ÷ 0.9 = 36 ÷ 9 = 4. Check: 4 × 0.9 = 3.6.

5 **Correct** 1.4 × 6 = 8.4 (14 × 6 = 84, 1 decimal place). It matches.

6 **Not correct (0.8)** 8 × 0.4 = 3.2, not 0.32. Correct: 0.32 ÷ 0.4 = 3.2 ÷ 4 = 0.8 (check: 0.8 × 0.4 = 0.32).

7 **Not correct (2.15)** 21.5 × 2 = 43, not 4.3. The point is in the wrong place. Correct: 4.3 ÷ 2 = 2.15 (check: 2.15 × 2 = 4.3).

8 **Correct** 0.25 × 8 = 2.00 = 2 (25 × 8 = 200, 2 decimal places). It matches.

7.7 Division Word Problems

Try **8 cups** How many 0.25 L cups fit in 2 L: divide. Multiply both by 100: 200 ÷ 25 = 8 cups. Check: 8 × 0.25 = 2.

1. **4.2 m** Long division: 8 ÷ 2 = 4; point goes straight up; 4 ÷ 2 = 2. So 8.4 ÷ 2 = 4.2. Check: 4.2 × 2 = 8.4.
2. **$2.40** Long division: 9 ÷ 4 = 2 r 1; point goes straight up; 16 ÷ 4 = 4. So 9.6 ÷ 4 = 2.4. Check: 2.4 × 4.
3. **0.9 L** Long division: 4 ÷ 5 = 0 r 4; point goes straight up; 45 ÷ 5 = 9. So 4.5 ÷ 5 = 0.9. Check: 0.9 × 5 = 4.5.
4. **6 pieces** Multiply both numbers by 10: 3 ÷ 0.5 = 30 ÷ 5 = 6. Check: 6 × 0.5 = 3.
5. **4.2 km** Long division: 12 ÷ 3 = 4; point goes straight up; 6 ÷ 3 = 2. So 12.6 ÷ 3 = 4.2. Check: 4.2 × 3 = 12.6.
6. **1.25 lb** Write 5 as 5.00 so you can keep dividing. Long division: 5 ÷ 4 = 1 r 1; point goes straight up; 10 ÷ 4 = 2 r 2; 20 ÷ 4 = 5. So 5 ÷ 4 = 1.25. Check: 1.25 × 4 = 5.
7. **6 servings** Multiply both numbers by 10: 1.8 ÷ 0.3 = 18 ÷ 3 = 6. Check: 6 × 0.3 = 1.8.
8. **$1.50** Long division: 10 ÷ 7 = 1 r 3; point goes straight up; 35 ÷ 7 = 5. So 10.5 ÷ 7 = 1.5. Check: 1.5 × 7.

Review Section 7 Review

1. **0.724** Dividing by 100: each digit moves 2 places to the right (the point moves 2 left): 72.4 → 0.724.
2. **0.2** 0.6 = 6 tenths. Split into 3 equal groups: 6 ÷ 3 = 2 tenths = 0.2.
3. **3.15** Long division: 9 ÷ 3 = 3; point goes straight up; 4 ÷ 3 = 1 r 1; 15 ÷ 3 = 5. So 9.45 ÷ 3 = 3.15. Check: 3.15 × 3 = 9.45.
4. **2.75** Write 11 as 11.00 so you can keep dividing. Long division: 1 ÷ 4 = 0 r 1; 11 ÷ 4 = 2 r 3; point goes straight up; 30 ÷ 4 = 7 r 2; 20 ÷ 4 = 5. So 11 ÷ 4 = 2.75. Check: 2.75 × 4 = 11.
5. **8** Multiply both numbers by 10: 5.6 ÷ 0.7 = 56 ÷ 7 = 8. Check: 8 × 0.7 = 5.6.
6. **9** Multiply both numbers by 100: 0.36 ÷ 0.04 = 36 ÷ 4 = 9. Check: 9 × 0.04 = 0.36.
7. **$2.70** Long division: 13 ÷ 5 = 2 r 3; point goes straight up; 35 ÷ 5 = 7. So 13.5 ÷ 5 = 2.7. Check: 2.7 × 5.
8. **5 laps** Multiply both numbers by 10: 4 ÷ 0.8 = 40 ÷ 8 = 5. Check: 5 × 0.8 = 4.