

EPIDEMIC DEFENSE FORCE: BASIC TRAINING

MODULE 01: CLASSIFYING THE THREAT




Listen up, Rookie!
The enemy doesn't
always attack the same
way. To stop an
outbreak, you first
have to identify its
movement pattern.


you first have to
identify its identify
movement pattern.
Is it a sniper shot?
A siege? Or a wildfire?
Open your manual.
We have work to do.

KNOW YOUR ENEMY

We classify outbreaks based on how they spread. Most attacks fall into two categories: "Common Source," where a group is hit by a single origin, or "Propagated," where the infection jumps from host to host. Memorize this hierarchy.




THREAT TYPE A: COMMON SOURCE



In a Common Source attack, the victims share a history. They all drank from the same well or ate at the same food stall. But the *timing* of that exposure determines the shape of the curve.

TACTICAL PATTERN: POINT SOURCE



DATA FILE

Exposure: Brief / Simultaneous

Duration: All cases occur within one incubation period


Example: Food poisoning (e.g., bad potato salad at a picnic)

It's like a sniper shot. Sharp rise, sharp fall. Everyone gets hit at once, and it's over quickly.



TACTICAL PATTERN: SUSTAINED THREATS

CONTINUOUS SOURCE




DATA FILE

Intel: Exposure is prolonged. The source is not eliminated.

Example: A contaminated water tank that no one fixes.


INTERMITTENT SOURCE



If the curve flatlines at the top, the leak is still active (Continuous). If it spikes erratically, the enemy is striking at random intervals (Intermittent).



THREAT TYPE B: PROPAGATED



MISSION DATA


Definition: No common source.
Transmission is Person-to-Person.

Mechanism: Direct Contact (Touch),
Vehicle-borne (Needles/Items), or
Vector-borne (Mosquitoes).

This is the wildfire.
There is no central tank
to shut down. The enemy
uses *us* as the weapon.
Measles. The Flu.
Syphilis. It moves from
host to host.



TACTICAL PATTERN: THE WAVES




KEY CHARACTERISTICS

- **Pattern:** Series of waves separated by incubation periods.
- **Trajectory:** Waves grow larger as infection spreads to more people.
- **Endgame:** Continues until the pool of susceptible targets is exhausted.

Watch the radar. You'll see a small wave, then a bigger one, then a massive one. Each wave is a generation of infection.



HYBRID THREAT: MIXED EPIDEMICS



HYBRID CHARACTERISTICS

- **Definition:** An outbreak that begins with a Common Source (like a festival food poisoning) and transitions into Propagated (person-to-person spread).
- **Mechanism:** Initial exposure is simultaneous from one source, followed by secondary transmission among contacts.

Don't get complacent. Sometimes an ambush turns into a wildfire. It starts with a contaminated source, then the victims take the infection home and spread it. We call this a **Mixed Epidemic**.



TRAINING COMPLETE



CHEAT SHEET		
POINT SOURCE		One Peak, Steep Rise, Rapid Fall
CONTINUOUS		Plateau shape, Prolonged exposure
PROPAGATED		Multiple Waves, Progressive Growth

You survived the simulation, Rookie. Now keep your eyes open. Recognize the curve, identify the source, and stop the spread. Dismissed.