

Definition

Let A be an $m \times n$ matrix with columns $\mathbf{v}_1, \mathbf{v}_2, \dots, \mathbf{v}_n$ and let \mathbf{w} be a vector in \mathbb{R}^n :

$$A = \begin{bmatrix} \mathbf{v}_1 & \mathbf{v}_2 & \dots & \mathbf{v}_n \end{bmatrix} \quad \mathbf{w} = \begin{bmatrix} c_1 \\ c_2 \\ \vdots \\ c_n \end{bmatrix}$$

The product $A\mathbf{w}$ is a vector in \mathbb{R}^m given by

$$A\mathbf{w} = c_1\mathbf{v}_1 + c_2\mathbf{v}_2 + \dots + c_n\mathbf{v}_n$$


Example.

$$A = \begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \end{bmatrix} \quad \mathbf{w} = \begin{bmatrix} 3 \\ -2 \\ 1 \end{bmatrix}$$

Properties of matrix-vector multiplication

1) The product Aw is defined only if

(number of columns of A) = (number of entries of w)



2) $A(v + w) = Av + Aw$

3) If c is a scalar then $A(cw) = c(Aw)$.


Example. Solve the matrix equation

$$\begin{bmatrix} 1 & 1 & -4 \\ 1 & -2 & 3 \\ 3 & -3 & 0 \end{bmatrix} \cdot \begin{bmatrix} x_1 \\ x_2 \\ x_3 \end{bmatrix} = \begin{bmatrix} 1 \\ 2 \\ 3 \end{bmatrix}$$

How to solve a matrix equation

$$A\mathbf{x} = \mathbf{b}$$

matrix equation



$$\left[\begin{array}{c|c} A & \mathbf{b} \end{array} \right]$$

augmented matrix



$$\left[\text{reduced matrix} \right]$$



$$\mathbf{x} = \dots$$

solutions

Recall: A vector equation

$$x_1 \mathbf{v}_1 + \dots + x_n \mathbf{v}_n = \mathbf{b}$$

has a solution if and only if $\mathbf{b} \in \text{Span}(\mathbf{v}_1, \dots, \mathbf{v}_n)$.

Definition

If A is a matrix with columns $\mathbf{v}_1, \dots, \mathbf{v}_n$:

$$A = \begin{bmatrix} \mathbf{v}_1 & \dots & \mathbf{v}_n \end{bmatrix}$$

then the set $\text{Span}(\mathbf{v}_1, \dots, \mathbf{v}_n)$ is called the *column space* of A and it is denoted $\text{Col}(A)$.