

Note. In order to compute the determinant of an $n \times n$ matrix in this way we need to compute:

$$\begin{array}{rcl}
 & n & \text{determinants of } (n-1) \times (n-1) \text{ matrices} \\
 & n(n-1) & \text{determinants of } (n-2) \times (n-2) \text{ matrices} \\
 & n(n-1)(n-2) & \text{determinants of } (n-3) \times (n-3) \text{ matrices} \\
 & \dots & \dots \\
 & n(n-1)(n-2) \cdot \dots \cdot 3 & \text{determinants of } 2 \times 2 \text{ matrices}
 \end{array}$$

E.g. for a 25×25 matrix we would need to compute

$$25 \cdot 24 \cdot 23 \cdot \dots \cdot 3 = 7,755,605,021,665,492,992,000,000$$

determinants of 2×2 matrices.

Next: How to compute determinants faster.

Definition

If A is an $n \times n$ matrix and $1 \leq i, j \leq n$ then the ij -cofactor of A is the number

$$C_{ij} = (-1)^{i+j} \det A_{ij}$$

Example.

$$A = \begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \end{bmatrix}$$

Note. By the definition of the determinant we have:

$$\det A = a_{11}C_{11} + a_{12}C_{12} + \dots + a_{1n}C_{1n}$$

Theorem

Let A be an $n \times n$ matrix.

1) For any $1 \leq i \leq n$ we have

$$\det A = a_{i1}C_{i1} + a_{i2}C_{i2} + \dots + a_{in}C_{in}$$

(cofactor expansion across the i^{th} row).

2) For any $1 \leq j \leq n$ we have

$$\det A = a_{1j}C_{1j} + a_{2j}C_{2j} + \dots + a_{nj}C_{nj}$$

(cofactor expansion down the j^{th} column).

Example.

$$A = \begin{bmatrix} 1 & 3 & 0 & 4 \\ 0 & 4 & 6 & 1 \\ 2 & 1 & 0 & 3 \\ 0 & 5 & 0 & 0 \end{bmatrix}$$

Example. Compute the determinant of the following matrix:

$$\begin{bmatrix} 1 & 0 & 0 & 3 & 0 & 0 & 2 & 0 & 3 & 0 & 0 & 0 & 0 & e & 0 & 0 & 0 & 3 & 0 & 0 & 0 \\ 0 & 2 & 0 & 0 & \pi & 0 & 0 & 0 & 6 & 0 & 0 & 5 & 6 & 0 & 2 & 0 & 7 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 & 0 & 0 & 11 & 0 & 0 & 0 & 0 & 0 & 7 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{1}{2} & 0 & 0 & 0 & 0 & 4 & 0 & 0 & 2 & 0 & 4 & 0 & 2 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & -1 & 0 & 0 & 0 & 0 & 9 & 0 & 0 & 0 & 2 & 1 & 2 & 3 & 4 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 3 & 1 & 0 & 0 & -1 & 0 & 0 & 0 & 0 & 0 & 5 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 2 & 1 & 0 & 0 & 0 & 0 & 0 & 0 & 12 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 2 & 0 & 0 & 0 & 0 & 0 & 0 & -1 & 0 & 0 & 4 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 3 & 0 & 0 & 2 & 7 & 0 & -4 & 0 & 0 & 3 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 & 0 & 0 & 0 & 3 & 0 & 0 & 2 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 2 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 6 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \frac{1}{4} & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \frac{1}{5} & 0 & 1 & 0 & 4 & 3 & 2 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 & 0 & 8 & 7 & 7 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 2 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 & -1 & 0 \\ 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 1 & 1 & 0 \\ 0 & 0 & 0 & 0 & 2 & 8 & 9 & 0 & 3 & 3 & 2 & 5 & 6 & 3 & 8 & 9 & 2 & 6 & 2 & 2 & 1 \end{bmatrix}$$