



DO NOT WRITE OUTSIDE THE MARKED AREA

MTH 309Y LINEAR ALGEBRA

EXAM 3


December 11, 2018

Name: _____

Person Number: _____

- Textbooks and electronic devices (calculators, cellphones etc.) are not permitted.
- You may use one sheet of notes.
- For full credit explain your answers fully, showing all work.
- Each problem is worth 20 points.

1	
2	
3	
4	
5	
Total:	



DO NOT WRITE OUTSIDE THE MARKED AREA

1. Consider the following vectors in \mathbb{R}^4 :

$$\mathbf{v}_1 = \begin{bmatrix} 1 \\ 0 \\ -1 \\ 1 \end{bmatrix}, \quad \mathbf{v}_2 = \begin{bmatrix} 2 \\ 1 \\ -1 \\ 0 \end{bmatrix}, \quad \mathbf{v}_3 = \begin{bmatrix} 2 \\ -2 \\ -1 \\ 3 \end{bmatrix}, \quad \mathbf{u} = \begin{bmatrix} 3 \\ 3 \\ 3 \\ 3 \end{bmatrix}$$

The set $\mathcal{B} = \{\mathbf{v}_1, \mathbf{v}_2, \mathbf{v}_3\}$ is a basis of some subspace V of \mathbb{R}^4 .

- a) Find an orthogonal basis $\mathcal{D} = \{\mathbf{w}_1, \mathbf{w}_2, \mathbf{w}_3\}$ of the subspace V .
- b) Compute the vector $\text{proj}_V \mathbf{u}$, the orthogonal projection of \mathbf{u} on V .



DO NOT WRITE OUTSIDE THE MARKED AREA

2. Find the equation $f(x) = ax + b$ of the least square line for the points $(1, 0)$, $(-1, 2)$, $(2, 1)$.



DO NOT WRITE OUTSIDE THE MARKED AREA

3. Consider the following matrix A :

$$A = \begin{bmatrix} 0 & 1 & 2 \\ 1 & 1 & 0 \\ 4 & 2 & 2 \end{bmatrix}$$

For each value of λ given below determine if it is an eigenvalue of A .

a) $\lambda = 0$

b) $\lambda = -1$

c) $\lambda = -2$



DO NOT WRITE OUTSIDE THE MARKED AREA

4. Consider the matrix

$$A = \begin{bmatrix} 1 & 8 & 4 \\ -2 & 11 & 4 \\ 2 & -8 & -1 \end{bmatrix}$$

Knowing that eigenvalues of A are $\lambda_1 = 3$ and $\lambda_2 = 5$ diagonalize this matrix; that is, find a diagonal matrix D and an invertible matrix P such that

$$A = PDP^{-1}$$

Note: you do not need to compute P^{-1} .



DO NOT WRITE OUTSIDE THE MARKED AREA

5. For each of the statements given below decide if it is true or false. If it is true explain why. If it is false give a counterexample.

a) If A is a 2×2 matrix and \mathbf{v} is an eigenvector of A corresponding to an eigenvalue λ then $2\mathbf{v}$ is an eigenvector of A corresponding to the eigenvalue 2λ .

b) If V is a subspace of \mathbb{R}^2 and \mathbf{w} is a vector such that $\text{proj}_V \mathbf{w} = -\mathbf{w}$ then \mathbf{w} must be the zero vector.

c) If A is a square matrix which is both symmetric and orthogonal then A^2 is the identity matrix.

d) If A and B are 2×2 matrices which are both orthogonally diagonalizable, then the matrix $A + B$ is also orthogonally diagonalizable.