Ascension Technologies: Infrastructure Delivery Questionnaire(IDQ-Web 1.0/ June 2023)The answers on this form are part of the process in preparation for what is being signed into a contract with Ascension, therefore any generalized, incomplete answers, discrepancies, or missing requirements will cause delays in the process and possible rejection. This form is developed using REDCap, a HIPAA-compliant data collection system hosted internally (on Ascension servers). No data is shared with the supplier (Vanderbilt University). All projects hosted in REDCap are for Ascension's internal use only.Before starting the online technical assessment, the individual should read the document, "Completing the Technical Assessment Questionnaires."Completing the Online Technical Assessment Questionnaires.pdfDefinition of Terms used in this Form.pdfIDQ List of Questions.pdf

General Information

Supplier Company Name: _____
Product Name: _____

Name of Technical Expert Completing this Form: _____
Email Address: _____
Phone Number: _____

Name of Vendor Primary Contact:

This contact will receive any notifications related to data entered on this website.

_____
Email Address: _____

Name of the Ascension Contact working with the vendor: _____
Email Address: _____

Which Ascension Ministry Markets will be involved?	☐ AHACM Ascension Care Management ☐ AHDOC Daughters of Charity ☐ AHMFM Medxcel Facilities Management ☐ AHMSC AH Ministry Sevice Center ☐ AHNAT Ascension Health System-level ☐ AHSCN AH Senior Ministries ☐ NYAMS St. Mary's Hospital - NY ☐ ALBIR St. Vincent's Health System-AL ☐ AMITA Alexian Brothers_Adventist ☐ CTBRI St. Vincent's Health Services- ☐ FLJAC St. Vincent's HealthCare-FL ☐ FLPEN Sacred Heart Health System-FL ☐ INEVA St. Mary's Health System-IN ☐ ININD St. Vincent Health-IN ☐ INSIS Shared Services ☐ KSWIC Via Christi Health ☐ MDBAL St. Agnes Healthcare-MD ☐ MIDET St. John Health-MI ☐ MIGRA Genesys Health System-MI ☐ MIKAL Borgess Health-MI ☐ MIROC Crittenton Hospital Med Ctr ☐ MISAG St. Mary's of Michigan-MI ☑ MITAW St. Joseph Health System-MI ☐ MOSTL Ascension System Office-MO ☐ OKTUL St John Health System ☐ TNNAS Saint Thomas Health Svcs-TN ☐ TXAUS Seton Family of Hospitals-TX ☐ TXWAC Providence Healthcare Netwk-TX ☐ WIAPP Ministry Health Care ☐ WIGLE Wheaton Franciscan Healthcare ☐ WIMIL Columbia St. Mary's-WI
Which physical locations will be involved (Full USPS addresses strongly preferred)?	_____
Is this a New application, or is it already in the Ascension Production Environment?	○ It is a new application. ◉ It is already in the Ascension Production Environment.
Is this solution Cloud-based, On-premise, or Both (Hybrid)?	○ Cloud Hosted ◉ On-Premise ○ Both

A. Monitoring and Reliability - [company_name] [product_name]

A1 Are the solution's subsystems locked to the vendor's data center or otherwise only accessible from the vendor's side (SAAS or Cerner-like implementation)? If NO, explain:

- ○ Yes
- ◉ No

A1a. Explain:

The solution is hosted on-prem on client systems.

A2. Is the solution's infrastructure accessible from the Ascension side (Application only)?

- ◉ Yes
- ○ No

A3. If "locked" to the vendor only, how will alerts be sent to Ascension? What alerts are available?

The solutions infrastructure is not "locked" to the vendor.

A4. Will monitoring agents be allowed on the VM / server? If NO, explain:

- ◉ Yes
- ○ No

A4a. Explain:

A5. What monitoring metric or metrics best telegraph an issue with the application?

Down ports for the application and inaccessibility.

A6. If the solution is locked behind a vendor-provided, or stipulated, firewall then, will the vendor allow monitoring to traverse the firewall? If NO, explain:

- ○ Yes
- ◉ No

A6a. Explain:

The solution is not locked behind a vendor-provided, or stipulated, firewall.

A7. Does the application need native IP to IP, (could it survive NAT)?

- ○ Yes
- ◉ No

A8. What are the heuristics (metrics) that should be used to monitor CPU, memory, I/O, network, storage (warn, critical, enforce thresholds)?

A9. Will monitoring agents be allowed on the VM / servers that are on-premise at Ascension? If NO, explain:

- ◉ Yes
- ○ No

A9a. Explain:

If you have any other relevant information for the Monitoring and Reliability section, please add it here.

B. Network - [company_name] [product_name]

B1. Are there documented network performance requirements (For example; bandwidth, QoS, latency, jitter, packet loss)? IF YES, Explain or Attach Documentation when the form is emailed to your Ascension Contact, [asc_contact]:

- (●) Yes - explanation below
- ( ) Yes - providing documentation
- ( ) No

B1a. Explain:

Detailed system documentation is provided during installation and is attached.

B2. Will this solution contain HIPAA/PCI data which would require unique network protections?

- (●) Yes
- ( ) No

B3. Does the solution use broadcast, unicast, multicast, or anycast for its traffic?

- (●) Yes
- ( ) No

B4. Does the solution need to be a secure or segmented network? (Firewalled, Isolated)

- ( ) Yes
- (●) No

B5. Does your solution implement wireless devices (mobile devices, Bluetooth, WIFI, etc.) IF YES, explain:

- ( ) Yes
- (●) No

B5a. Explain:

If you have any other relevant information for the Network section, please add it here.

C. Cloud - DevOps - [company_name] [product_name]

C1. Will this solution include hosting within an Ascension tenant of GCP, Azure, or AWS, Or will this be hosted in a vendor-provided cloud solution? Select all applicable:

- ☐ GCP
- ☑ Azure
- ☐ AWS
- ☐ Vendor-provided cloud solution

C2. Is this a container-based solution?

- ○ Yes
- ◉ No

C3. Will this solution be scaled multi-regional, regional, or zonal?

- ○ Multi-regional
- ○ Regional
- ◉ Zonal

C3a. Will any components be limited to a zonal implementation (i.e., can't run or failover outside the zone)? If yes, explain:

- ◉ Yes
- ○ No

C3b. Explain:

Implementation is location specific.

C4. Is this solution able to utilize cloud-provided managed services (e.g. GKE, AKS, CloudSQL, etc)? Explain in Detail:

The solution can integrate with various cloud services as needed.

C5. From an application perspective, how will this application be deployed (e.g. helm, manifests, ansible, manual, etc)? If "Other," please explain:

- ○ Helm
- ○ Manifests
- ○ Ansible
- ◉ Manual
- ○ Other

C5a. Explain:

C6. Is there a customer-accessible and documented API for the solution to be deployed? IF YES, Attach Documentation when the form is emailed to your Ascension Contact, [asc_contact], or provide a hyperlink:

- ○ Yes - providing documentation
- ○ Yes - Hyperlink provided below
- ◉ No

C6a. Hyperlink to documentation for API:

Format example: http://www.ascension.org

C7. Is a cloud VM required for this solution?

- ○ Yes
- ◉ No

C7a. Will this be an immutable VM?

- ○ Yes
- ○ No

C7b. Will this VM be standalone, or deployed as a Managed Instance Group or equivalent?

- ○ Yes
- ○ No

If you have any other relevant information for the Cloud - DevOps, please add it here.

D. Data Center - [company_name] [product_name]

D1. If this is an On-Premise Solution, Are there any special power considerations or requirements (120v power, 480v power, 4 power supplies, etc)?

- ◯ Yes - Specify with Detail
- ◉ No - Detail the required power needs

D1a. Specify with Detail:

Detail the Required Power Needs:

Standard power requirements for running the host system and devices.

D2. What type of storage will this solution utilize: SAN, NAS, Local (Direct Attached), or HCI?

- ◯ SAN
- ◯ NAS
- ◯ Local (Direct Attached)
- ◯ HCI
- ◯ No Storage Needed

D3. Will any non-Ascension associate/partner need to come on-premise to install, maintain, or sunset any part of this solution? IF YES, Explain:

- ◉ Yes
- ◯ No

D3a. Explain:

If you have any other relevant information for the Data Center section, please add it here.

E. Server - [company_name] [product_name]

E1. Ascension Technologies' standard supported server operating systems are Windows 2016 or later, RHEL 8 or later. Is the solution compatible with these standards (On-Premise?)

- (●) Yes
- ( ) No

If the solution is only compatible with an older version of Windows/Linux, what is the lifecycle/upgrade roadmap for the solution? Provide supporting documentation.

E2. Will the server(s) the solution is hosted on be managed and supported by Ascension Technologies, fully supported/managed by the vendor, or both? IF BOTH, Explain:

- ( ) Fully Supported by Ascension
- ( ) Fully Vendor Managed
- (●) Both

E2a. Explain:

Solution will be hosted and managed by Ascension with support from Perigen

E3. If managed/supported by the vendor, will Ascension's monitoring and security tools and agents be permitted to be installed?

- (●) Yes
- ( ) No

E3a. What Monitoring can't be used?

Any monitoring within reason of performance of the system can be used.

E4. Will any hosted component of this system include a non-virtual (nonVMware) component (e.i. physical server, physical appliance)? If yes, please explain:

- (●) Yes
- ( ) No

E4a. Explain:

The entire solution can be hosted non-virtually. Also a DAS and central server are used to synchronize data between devices.

E5. Can all components hosted within VM be vMotioned without impacting overall application performance or stability?

If you have any other relevant information for the Server section, please add it here.

F. Infrastructure Security - [company_name] [product_name]

F1 Does your solution require elevated privileges on the server to manage or administer the product or service? IF YES, explain the level of access needed.

- ◯ Yes
- ◯ No

F1a. Explain the level of access needed:

F2. Does your solution require the use of TLS/SSL certificate(s) that are not version 1.2? IF YES, Explain

- ◯ Yes
- ◉ No

F2a. Explain:

F3. Does your solution support all the latest O/S platform patches and/or updates (On-Premise/Cloud)?

- ◉ Yes
- ◯ No

F4. Does your solution require any specific patching/reboot exceptions or can the solution be automatically patched and rebooted on a schedule? IF YES, Provide Details

- ◯ Yes
- ◉ No

F4a. Provide Details:

F5. Does your solution support CIS Level 1 (minimum) server hardening requirements?

- ◉ Yes
- ◯ No

F6. Does your solution require it to be in a DMZ (Internet-Facing)? If yes, please explain

- ◯ Yes
- ◉ No

F6a. Explain:

F7. Does your solution require any files or folders exempted from Ascension-managed antivirus scanning? IF YES, provide detail:

- ◯ Yes
- ◉ No

F7a. Provide Detail:

If you have any other relevant information for the Infrastructure Security section, please add it here.

G. Technology Resiliency/Recovery - [company_name] [product_name]

G1.	What is the resiliency/recovery strategy for this application (clustered SQL databases, front-end load balancers that redirect traffic to "surviving" nodes, data replication, data backups, etc.)?	Our solution can intergrade with customer load balancing solutions and backup strategies.
G2.	For vendor-hosted systems, how are resiliency/recovery capabilities being enabled?	◯ Within a data center ◯ Across multiple data centers
G2a.	Using what strategies? Choose all that apply.	☐ Data backup ☐ Data replication ☐ VM replication ☐ Application-level replication ☐ Failover capability ☐ Recovery of systems and/or data ☐ DNS updates
G3.	For on-premise systems, are there access restrictions or other limitations or constraints that require the vendor's (or a designated vendor partner's) involvement in a restoration of the system from backups (including with a different server name and/or different IP address)? Includes such things as hardware or VM serial number of computer name licensing restrictions, vendor-only knowledge and/or access, etc	
G4.	How are database contents protected?	☐ Replication ☐ Flat file backups ☑ Ascension-supplied backup agent
G4a	Can Ascension use any mainstream backup solution to back up the data/databases?	◉ Yes ◯ No
G5.	Is there a resiliency architecture such as front-end load balancers, cluster technologies, or GSLB that minimizes single component failure impact to overall application availability? Are these architectures limited to a single data center or can they be implemented across data centers?	Our solution can integrate with customer hosted load balancing solutions.
G6.	If the solution relies on a vendor's resources (personnel, systems, etc.) what are the Business Continuity plans for continuity of operations, and what internal technology resiliency/recovery solution is in place for the vendor's systems (Examples of dependencies include such things as licensing databases, required auto-update sources, etc.)? BE SPECIFIC	Continuity does not depend on our resources outside of support and our BCP includes provisions for maintaining support.
	If you have any other relevant information for the Technology Resiliancy and Recovery section, please add it here.	

H. Telecommunications - [company_name] [product_name]

H1. Does this solution require any specific firewall rules / DMZ placement? IF YES, Explain:

- ○ Yes
- ◉ No

H1a. Explain:

H2. Are there any DIDs to port to/from an existing circuit? IF YES, Explain:

- ○ Yes
- ◉ No

Explain:

H3. Are there specific round trip or directional latency requirements that push the solution on-site vs in a national DC? IF YES, Explain:

- ○ Yes
- ◉ No

Explain:

H4 Are new circuits (Data or Voice) required for this solution? IF YES, Explain:

- ○ Yes
- ◉ No

H4a. Explain:

H5. What third-party connectivity (Genesys, Recording, etc) are required and how is that connectivity managed? (SIP Trunks / other)?

N/A

H6. What are the power/grounding requirements?

Standard power requirements for the devices hosting our solution.

H7. What are the backup methods and space required (NFS, TFTP, SCP, etc)?

Backup methods can be configures as needed by the customer.

H8. What voice technologies are in use? (SIP / H.323 / or other) If other, Specify with Detail:

- ○ SIP
- ○ H.323
- ◉ Other

H8a. Specify with Detail:

N/A

H9. Are there Wireless Requirements? Wifi? DECT? Proprietary? IF YES, Specify Requirements with Detail:

- ○ Yes
- ◉ No

Specify Requirements with Detail:

If you have any other relevant information for the Telecommunications section, please add it here.

_____

I. Identity and Access Management - [company_name] [product_name]

I1. Will the solution use AD-based RBAC, IF NO, Specify with Detail

- (●) Yes
- ( ) No

I1a. Specify with Detail:

I2. Will any generic/multi-login account credentials be used to access any part of the system? IF YES, Explain:

- ( ) Yes
- (●) No

I2a. Explain

I3. Will the application require user provisioning and Role-Based Access birthright provisioning? IF YES, Explain

- ( ) Yes
- (●) No

I3a. Explain:

I3b. If the application will require provisioning, does the application offer an out-of-the-box connector or API that is designed for Sailpoint IIQ? Specify with Detail:

I4. Will the application rely on the Ascension IAM mechanism for authorization?

- (●) Yes
- ( ) No

I5 Will the application rely on Role, entitlement, or other RBAC data in order to customize the user experience based on sub-org or ministry accessing by using authenticated user attributes? IF YES, Explain:

- (●) Yes
- ( ) No

I5a. Explain:

RBAC is supported via active directory configuration.

I6. Will the application be using multiple sources of authentication? (eg. using Corporate LDAP for some functionality whilst using SSO/SAML for others). IF YES, Explain:

- (●) Yes
- ( ) No

Explain:

LDAPS can be used.

I7. Does the application rely on local accounts for any type of authentication, including admin access? IF YES, Explain:

- ( ) Yes
- (●) No

I7a. Explain:

I8.	Does this application support Duo or HID-based MFA? IF NO, Specify with Detail:	◉ Yes ◯ No
I8a.	Specify with Detail:	_____
I9.	Does the application provide its own logging of user access and action logs or will rely on IAM?	◯ Application provided ◉ Application relies on IAM
I10.	Describe the authentication process for mobile users:	_____
	If you have any other relevant information for the Identity and Access Management section, please add it here.	_____

J. Backup/Storage - [company_name] [product_name]

J1. Will the system require a backup more than once-per-24 hours? IF YES, Provide frequency requirement

- ◯ Yes
- ◉ No

J1a. Provide frequency requirement:

J2. Will any encryption requirements exist for backups? IF YES, Explain:

- ◉ Yes
- ◯ No

J2a. Explain:

Backups can be encrypted and it is recommended.

J3. Who is responsible for providing backups? IF BOTH, Explain:

- ◉ Ascension
- ◯ Vendor
- ◯ Both

Explain:

If Ascension provides backups, Can an Agent be installed? IF NO, Explain:

- ◉ Yes
- ◯ No

J3c. Explain:

J4. Please describe your I/O requirements:

J5. Please describe your day 1/month 1/year 1 storage requirement:

J6. Please describe any long-term archival needs for the solution on-prem or off-prem.

J7. Are there any requirements that would exclude the app from being stored on an encrypted disk?

- ◯ Yes
- ◉ No

J8. Is there a requirement for synchronous data replication and/or protection?

- ◯ Yes
- ◉ No

If you have any other relevant information for the Backup/Storage section, please add it here.

K. End User Experience Citrix/Vmware - [company_name] [product_name]

K1. Is there a data center requirement?
- ◯ Yes
- ◯ No

K2. Is it a website that needs to be published?
- ◯ Yes
- ◉ No

What are the security/addons requirements?

_____

K3. How many maximum users would concurrently be using the application?

_____

K4. Is there any vendor documentation that could be provided? IF YES, provide a hyperlink or Attach Documentation when the form is emailed to your Ascension Contact [asc_contact]
- ◯ Yes - providing hyperlink below.
- ◉ Yes - providing documentation.
- ◯ No

Attach the documentation to your submission OR provide a hyperlink:

_____

Format example: http://www.ascension.org

K5. Is the application supported by the vendor in Citrix?
- ◯ Yes
- ◉ No

K6. Does this application require any addons for full functionality (ex. Microsoft Office, Chrome, Windows Features, etc)?
- ◯ Yes
- ◯ No

K7. Are there printing requirements?
- ◯ Yes
- ◯ No

K7a. What types of printers?

_____

K8. Are there any non-printer peripherals required?
- ◯ Yes
- ◉ No

What types of peripherals (ex. handheld scanner)?

_____

K9. Does the application need to download from or upload data to any other applications?
- ◉ Yes
- ◯ No

K10. Will the application be used remotely, internally, or both?
- ◯ Remotely
- ◉ Internally
- ◯ Both

K11. If the application was not available for a period of time, what would be the downtime method?

K12. Is there a need for the application to be installed on the Citrix server?

- ◯ Yes
- ◉ No

K13. What is the expected workflow that the application will require?

K14. What types of devices will access this application?

K14a Do those devices have the capability to load/update Citrix Receiver?

K14b Is the device personal, Ascension-supported, or vendor-supported?

- ◯ Personal
- ◉ Ascension-supported
- ◯ Vendor-supported

If you have any other relevant information for the Citrix/VMWare section, please add it here.