

Partner Loss, Sex-Ratio Imbalance, and Occupational Sorting

A research paper and testable study framework synthesized from the uploaded documents, with the strongest claims separated from the speculative ones.

Core finding: The strongest defensible breakthrough in the uploaded materials is not that bars, jobs, trauma, or a putative female chemosignal are each the single cause of male suicide. It is that relationship disruption and partner-market failure appear to be major omitted variables linking male-biased communities, military and extractive labor sorting, alcohol-outlet density, and suicide risk.

Prepared for: User research synthesis

Purpose: Turn the uploaded theories into a paper that is evidence-backed, analytically disciplined, and commercially usable.

Method: Five uploaded text files were treated as conceptual inputs; peer-reviewed and official sources were used to verify, refine, or reject individual claims.

Abstract

This paper synthesizes five user-supplied working papers and transcripts into a single evidence-based framework for explaining male suicide in military and extractive communities. The paper's main argument is that the strongest, most testable version of the uploaded thesis is not that alcohol outlet density is causal, nor that female absence alone has already been proven to be causal. Instead, the best-supported model is a layered one: (1) relationship breakdown, non-partnered living, and loss of intimate support are strong predictors of male suicide; (2) male-biased local sex ratios can elevate suicide partly by lowering men's marriage or cohabitation rates; (3) military and blue-collar extractive communities sort high-risk men into remote shortage areas where provider access is limited and lethal means are common; and (4) bar and liquor-store density is likely, at least in part, a visible marker of that population mix rather than an isolated upstream cause. The paper proposes a decisive county-panel study that would test whether alcohol-outlet coefficients attenuate once local sex ratios, male partnership rates, veteran concentration, occupational composition, provider shortages, and firearm-related factors are modeled together. The commercial implication is straightforward: if this model validates, the high-value asset is a better risk engine and intervention design for employers, insurers, and public agencies—not a sensational but weakly supported chemical theory.

How the uploaded documents were used

The uploaded notes were not treated as evidence in themselves; they were treated as a map of hypotheses that needed to be pressure-tested against the literature. The table below shows how each document was incorporated.

Uploaded document theme	Role in this paper
Gender imbalance and partner absence	Provided the central thesis: male suicide may be better understood through relationship status, sex-ratio imbalance, and partner-market stress.
Military base towns	Supplied the comparison case showing that male-dominated institutional towns may produce both higher suicide and higher bar density without bars being the sole cause.
Bar density confound	Framed the methodological critique that alcohol-outlet research may be omitting occupational composition and social structure.
Transcript / critique notes	Sharpened the confounders: veteran sorting, rural care scarcity, firearms, seasonality, and measurement bias in overdose classification.
Long Gemini transcript	Expanded the speculative claims; this paper retains the strongest empirical core but demotes weak pheromone-style claims to an exploratory hypothesis section.

Evidence status of the core claims

A useful way to turn the uploaded ideas into a publishable paper is to separate strong claims from moderate claims and speculative claims. That avoids overclaiming while preserving the novel contribution.

Claim	Evidence status	Best support	Decision in this paper
Relationship breakdown and non-partnered living are major male suicide risks	Strong	Wilson et al. 2025; Woo et al. 2018; Shaw et al. 2021	Retain as central

Male-biased local sex ratios raise suicide partly via lower partnership rates	Moderate to strong	Snopkowski & Turner 2023; Yang et al. 2022; Zhou & Hesketh 2017; Moore et al. 2020 (caveat)	Retain, but localize and qualify
Alcohol outlet density is itself the main cause	Mixed / weak as sole explanation	Ecological outlet studies report positive associations; Murphy et al. 2024 found no clear overall suicide effect for state alcohol policy	Recast as potentially confounded marker
Veteran-to-extraction / construction sorting may inflate place-based risk	Moderate	DoD, VA, NASEO, Helmets to Hardhats, industry recruitment materials	Retain as sorting mechanism
Female chemosignals / pheromones are the core mechanism	Speculative	Human chemical-communication literature remains contested; direct suicide evidence is absent	Do not center; keep only as exploratory

1. Empirical foundation

1.1 Relationship status is one of the strongest recurring male suicide predictors

The uploaded documents are strongest when they foreground relationship status. Across a 2025 global systematic review and meta-analysis covering 75 studies across 30 countries and at least 100 million men, divorced men had substantially greater odds of suicide death than married men, and separated men were at even higher risk in the immediate aftermath of relationship breakdown (Wilson et al., 2025). An earlier meta-analysis similarly found that non-married status was associated with materially higher suicide risk, with stronger effects in men than in women (Woo et al., 2018).

This pattern is not just about subjective loneliness. In the UK Biobank cohort, living alone or living with non-partners predicted suicide death for men even after adjustment for loneliness, emotional support, health, and sociodemographic factors; the same pattern was not observed for women (Shaw et al., 2021). That distinction matters because it suggests that the protective effect may involve cohabiting partnership, not only a general sense of social contact.

This is the paper's first anchor: any theory of male suicide in military towns, base counties, oil patches, railroad corridors, or mining communities that does not model relationship disruption is probably under-specified.

1.2 Local sex-ratio imbalance appears to matter, but mainly at the community level

The strongest direct test of the sex-ratio claim is Snopkowski and Turner's county-level study of the United States. Using county data from 1999 to 2018, they found that a higher proportion of men in a county was associated with increased suicide among men ages 35–74, and mediation analyses indicated that male marriage rates were an important pathway (Snopkowski & Turner, 2023). In other words, the effect did not appear to operate simply through 'more men' in the abstract; it appeared to operate through local heterosexual partner-market conditions and resulting partnership rates.

Evidence from rural China points in the same direction. Studies of marriage squeeze have reported poorer quality of life, declining well-being among never-married men in high-sex-ratio areas, and higher suicidal ideation when perceived marriage squeeze intensifies (Zhou & Hesketh, 2017; Yang et al., 2022). Those findings do not prove a universal mechanism, but they do show that skewed partner markets can plausibly translate into despair among unmarried men.

At the same time, the claim must be qualified. A cross-national study across 142 societies found that a male-biased sex ratio was associated with reduced male self-harm mortality overall, particularly under lower unemployment conditions (Moore et al., 2020). That caveat is important: the sex-ratio effect may be highly sensitive to the level of aggregation and to local socioeconomic structure. The most plausible reading is therefore local, not civilizational. County- and community-scale partner markets appear more informative than national ratios.

1.3 Military and veteran evidence strongly supports an upstream relationship model

The military evidence converges with the relationship-status literature. In the Department of Defense Annual Report on Suicide in the Military for calendar year 2023, the active-component suicide rate was 28.2 per 100,000. Among active-component members who died by suicide in 2023, 43.6% had intimate relationship problems in the previous year—more than those with administrative/legal problems, workplace difficulties, or financial problems (Department of Defense, 2024). The same report shows a married active-component suicide rate of 25.7 per 100,000 versus 45.1 for divorced members. By branch, Army and Marine Corps rates remained higher than Navy and Air Force rates in 2023.

This is not a minor detail. A large latent-class analysis of 2,660 active-duty suicide deaths from 2008–2017 found that the largest class of decedents was primarily characterized by dissolution of an intimate relationship in the prior year (Landes et al., 2023). Meanwhile, Negrusa and Negrusa (2014) showed that time spent in deployment increased divorce risk among Army enlisted personnel and that PTSD symptoms further increased the odds of divorce. Together, these findings support a simple but powerful proposition: the military does not just expose men to trauma; it also damages or destabilizes the intimate relationships that otherwise buffer risk.

Veteran data point in the same direction. VA's latest national report, updated with 2023 data, recorded 6,398 Veteran suicide deaths in 2023, or 17.5 per day. The male Veteran suicide rate was 37.8 per 100,000, and firearms were involved in 73.3% of Veteran suicides overall and 74.5% of

male Veteran suicides (Department of Veterans Affairs, 2026). Pain, recent non-use of VA care, and younger age remain prominent risk factors. This suggests a layered model: relationship disruption and isolation increase crisis incidence; firearms increase crisis lethality.

1.4 Occupational sorting is a major confound in place-based suicide research

The uploaded documents are also on strong ground when they argue that many bar-dense communities are populated by the very occupational groups with the highest suicide rates. CDC's 2021 industry and occupation analysis reported that male suicide rates were 72.0 per 100,000 in mining, 56.0 in construction, and 65.6 in the construction-and-extraction occupational grouping overall, compared with 32.0 for male working-age civilians overall (Centers for Disease Control and Prevention, 2023). If bars and liquor stores follow young male workers doing high-risk labor, then outlet density is partly endogenous to the same population that is already at elevated suicide risk.

The military-to-labor pipeline strengthens that concern. NASEO and BW Research reported that Veterans represent 9% of the energy workforce while constituting only 6% of the overall national workforce, and women make up only 25% of energy workers (NASEO & BW Research Partnership, 2022). Formal transition routes such as Helmets to Hardhats and veteran-targeted oil-and-gas recruitment materials make clear that construction and energy industries actively seek separating service members. That means some counties may concentrate men who are simultaneously veterans, manual workers, firearm owners, and recent relationship casualties.

A second occupational layer is geography. County-level research shows that suicide rates are higher in mental-health professional shortage areas, and the association is stronger in more rural counties (Ku et al., 2021). So the risk bundle is not just occupational danger; it is occupational danger embedded in places with weaker provider access. This is exactly the kind of omitted structure that can make an environmental variable like bar density look more causal than it is.

1.5 Why the bar-density story should be treated as incomplete

Older ecological studies did report positive associations between alcohol outlet density and suicide or alcohol-related injury outcomes. For example, Escobedo and Ortiz (2002) found higher suicide and alcohol-related crash rates in New Mexico areas with greater liquor outlet density. More recent work, however, complicates a simple causal reading. Murphy et al. (2024), using a broad Alcohol Policy Scale and national mortality data, found no clear association between more restrictive alcohol policy environments and overall suicide rates, even though homicide did decline.

This does not mean alcohol is irrelevant. Alcohol is a known proximal disinhibitor, and suicides involving alcohol and/or firearms are influenced by state policy environments (Coleman et al., 2021). But the uploaded critique is still important: if the unit of analysis is a county or zip code, and that place has a heavy concentration of miners, roughnecks, commercial fishers, construction laborers, soldiers, or recently separated veterans, then outlet density may be capturing population composition and labor-market structure as much as alcohol availability.

The methodological breakthrough, therefore, is not to deny alcohol's role in acute crises. It is to insist that outlet-density studies model the upstream sorting process that creates both the bars and the vulnerable population.

2. Integrative model

The conceptual model below shows how the uploaded ideas become more convincing once they are recast as a multi-cause framework. The most novel part of the synthesis is the placement of bar and liquor-store density as a secondary marker of community structure rather than as the sole upstream cause.




Figure 1. Reframed causal model: structure -> mediators -> outcomes, with outlet density treated as a visible marker and firearms as a fatality amplifier.

In this reframing, the central mechanism is not 'bars cause suicide.' The more plausible mechanism is that male-dominated, transient, remote communities generate lower partnership rates, more relationship disruption, weaker access to care, more untreated pain and stress, and more self-medication. Alcohol outlets then appear partly because that population is already present. Firearms and other lethal means determine how often those crises become deaths.

3. The decisive study

To turn this from a strong synthesis into a publishable breakthrough, the next step is a study that can adjudicate among the competing explanations. The winning design is a county-by-year panel study with mediation and interaction tests.

3.1 Main hypotheses

- H1. Once county-level male partnership rates, sex ratios, veteran concentration, occupational composition, provider shortage status, and firearm-related covariates are included, the independent coefficient on alcohol outlet density will shrink materially.
- H2. The effect of male-biased local sex ratios on male suicide will be mediated in part by lower male marriage or cohabitation rates.
- H3. Veteran concentration will interact with construction/extraction employment and provider shortage status, producing especially high risk in counties where all three are elevated.
- H4. The relationship mechanism, not female presence alone, is primary: if socially recognized intimate partnership is the true protective factor, then places or policies that strengthen partnership access should reduce suicide even outside a strictly male-female frame.

3.2 Proposed model specification

A baseline county fixed-effects model can be written as follows:

$$\text{MaleSuicideRate_ct} = b1*\text{SexRatio_ct} + b2*\text{PartnerRate_ct} + b3*\text{VeteranShare_ct} + b4*\text{OccupationMix_ct} + b5*\text{OutletDensity_ct} + b6*\text{HPSA_ct} + b7*\text{FirearmProxy_st} + \text{countyFE} + \text{yearFE} + e_ct$$

The key tests are attenuation and mediation. If outlet-density effects remain large after these controls, the alcohol hypothesis strengthens. If they collapse, the uploaded confound hypothesis strengthens. A mediation model can then test SexRatio → PartnerRate → Suicide. Interaction terms can test whether the model is especially powerful in high-veteran, high-extraction, rural shortage counties.

3.3 Data sources

Domain	Candidate source	Why it matters
Suicide	CDC WONDER / NVSS county-year deaths	Outcome variable for male suicide; can be paired with age bands.
Relationship structure	ACS / Census marriage, cohabitation, and living-alone measures	Tests whether partner-market variables mediate risk.
Sex ratios	ACS county sex ratio by age band	Operationalizes local partner-market pressure rather than national ratios.
Occupation mix	ACS or BLS county employment shares	Controls the blue-collar / extraction / construction confound.
Veteran presence	ACS veteran share; base adjacency	Tests the sorting hypothesis from

	indicators	military to remote labor markets.
Alcohol outlets	County Business Patterns or state licensing data	Measures the variable that existing ecological studies focus on.
Mental health access	HRSA mental-health HPSA status	Captures structural care scarcity.
Means access	State firearm proxies / hunting / ownership measures	Separates crisis incidence from crisis lethality.

3.4 Falsification and discipline checks

- Female suicide should not show the same magnitude of association with non-partnered living or local male-biased sex ratios if the mechanism is genuinely male-specific.
- If the strongest protective variable is intimate partnership rather than female presence per se, then evidence from same-sex marriage policy should point in the same direction. In fact, same-sex marriage legalization has been associated with reduced youth suicide, with the decline strongest among males (Kennedy et al., 2021).
- Self-injury mortality should be examined alongside registered suicide because drug-intoxication intent is harder to classify than firearm suicide; otherwise some regions may look less suicidal simply because their deaths are coded differently (Rockett et al., 2020; Rockett et al., 2023).

4. What the evidence does not yet prove

The uploaded documents also venture into a more ambitious biological theory: that the decisive variable may be exposure to female-produced chemosignals or hormone-regulating cues, rather than companionship in the ordinary sociological sense. That idea is intriguing, but it is not yet strong enough to anchor the paper's main claim.

Human chemical communication research remains contested. Reviews emphasize that strong evidence for putative human pheromones such as androstadienone and estratetraenol is lacking, with many positive findings likely vulnerable to false positives and reproducibility problems (Wyatt, 2020). Similarly, oxytocin may matter in stress regulation and social bonding, but current human pain literature is mixed rather than decisive. Accordingly, the present paper treats a female-chemosignal account as an exploratory hypothesis worthy of future research, not as a demonstrated explanation of male suicide.

This distinction is strategically important. The paper becomes stronger—not weaker—when it says plainly that the empirical core is relationship disruption, partner-market structure, occupational sorting, care scarcity, and lethal-means access. That core is already strong enough to justify a major study. A chemical theory may eventually enrich it, but cannot yet replace it.

5. Practical and commercial implications

If the model above validates, the commercially useful output is not a media headline about bars or pheromones. It is a better risk-classification and intervention engine.

- For employers in energy, mining, logistics, and defense-adjacent sectors: a site-level risk model could identify counties or projects where relationship disruption, veteran concentration, sex-ratio imbalance, and provider shortage combine into exceptional suicide exposure.
- For insurers and reinsurers: the framework points to a more granular mortality-risk model than 'rural' or 'blue-collar' alone. That can improve underwriting, claims forecasting, and employer-client prevention consulting.
- For DoD, VA, and public agencies: the model suggests that family preservation, separation-response protocols, remote-county care access, and lethal-means mitigation may outperform generic anti-stigma campaigns when targeted to the right places and populations.

In other words, the financially valuable breakthrough is methodological and operational: treat alcohol outlets as endogenous, model relationships and partner-market structure explicitly, and identify the exact communities where the risk bundle is most concentrated.

6. Conclusion

The uploaded documents were directionally right about a real blind spot. They were strongest where they argued that alcohol-outlet density has been overinterpreted and that the people who live around those outlets matter more than the outlets alone. After verification against the literature, the most defensible synthesis is this: male suicide in military and extractive communities is best understood as a clustered risk system in which relationship breakdown and non-partnered living are major upstream variables; male-biased local sex ratios can worsen those dynamics; veterans and high-risk manual workers are sorted into remote care-poor counties; alcohol availability may intensify some acute events but is not sufficient as a sole explanation; and firearms strongly affect lethality.

That reframing is publishable because it changes the causal question. Instead of asking whether bars cause suicide, it asks whether bars are a visible byproduct of a deeper community structure centered on partner loss, partner scarcity, occupational sorting, and weak access to care. That is the breakthrough worth testing.

References

- Centers for Disease Control and Prevention. (2023). Suicide Rates by Industry and Occupation - National Vital Statistics System, United States, 2021. *MMWR*, 72(50), 1350-1356.
- Coleman, S. M., Lira, M. C., Blanchette, J., Heeren, T. C., & Naimi, T. S. (2021). Alcohol policies, firearm policies, and suicide in the United States: a lagged cross-sectional study. *BMC Public Health*, 21, 366.
- Department of Defense. (2024). Annual Report on Suicide in the Military, Calendar Year 2023. Defense Suicide Prevention Office.

- Department of Veterans Affairs. (2026). 2025 National Veteran Suicide Prevention Annual Report, Part 2: Report Findings (updated with 2023 data). U.S. Department of Veterans Affairs.
- Escobedo, L. G., & Ortiz, M. (2002). The relationship between liquor outlet density and injury and violence in New Mexico. *Accident Analysis & Prevention*, 34(5), 689-694.
- Kennedy, A., Genc, M., & Owen, P. D. (2021). The Association Between Same-Sex Marriage Legalization and Youth Deaths by Suicide: A Multimethod Counterfactual Analysis. *Journal of Adolescent Health*, 68(6), 1176-1182.
- Ku, B. S., Li, J., Lally, C., Compton, M. T., & Druss, B. G. (2021). Associations between mental health shortage areas and county-level suicide rates among adults aged 25 and older in the USA, 2010 to 2018. *General Hospital Psychiatry*, 70, 44-50.
- Landes, S. D., Wilmoth, J. M., London, A. S., & Landes, A. T. (2023). Risk Factors Explaining Military Deaths From Suicide, 2008–2017: A Latent Class Analysis. *Armed Forces & Society*, 49(1), 115-137.
- Murphy, J. P., Smart, R., Schell, T. L., Nicosia, N., & Naimi, T. S. (2024). Relationships of State Alcohol Policy Environments With Homicides and Suicides. *American Journal of Preventive Medicine*, 67(2), 193-200.
- NASEO & BW Research Partnership. (2022). Diversity in the U.S. Energy Workforce: Data Findings to Inform State Energy, Climate, and Workforce Development Policies and Programs. National Association of State Energy Officials.
- Negrusa, B., & Negrusa, S. (2014). Home front: post-deployment mental health and divorces. *Demography*, 51(3), 895-916.
- Moore, F. R., Macleod, M., Starkey, C., Krams, I., & Roy, T. (2020). Effects of the Sex Ratio and Socioeconomic Deprivation on Male Mortality. *Archives of Suicide Research*, 24(3), 435-449.
- Rockett, I. R. H., & Caine, E. D. (2020). Reconciling Suicides With 'Accidental' Drug-Intoxication Deaths: A Behaviorally Based Definition of Self-Injury Mortality. *American Journal of Public Health*, 110(1), 73-74.
- Rockett, I. R. H., Ali, B., Caine, E. D., Shepard, D. S., Banerjee, A., Nolte, K. B., Connery, H. S., Larkin, G. L., Stack, S., White, F. M. M., Jia, H., Cossman, J. S., Feinberg, J., Stover, A. N., & Miller, T. R. (2023). Escalating costs of self-injury mortality in the 21st century United States: an interstate observational study. *BMC Public Health*, 23, 285.
- Shaw, R. J., Cullen, B., Graham, N., Lyall, D. M., John, A., & Smith, D. J. (2021). Living alone, loneliness and lack of emotional support as predictors of suicide and self-harm: A nine-year follow up of the UK Biobank cohort. *Journal of Affective Disorders*, 279, 316-323.
- Snopkowski, K., & Turner, H. (2023). The Association of Sex Ratio on Suicide Rates in United States Counties: An Exploration of Mechanisms. *Social Sciences*, 12(7), 388.
- Veterans Energy Pipeline. (n.d.). Potential Labor Pool / Veterans Employed in the Oil and Natural Gas Industry. Retrieved April 5, 2026.
- Wilson, M. J., Scott, A. J., Pilkington, V., Macdonald, J. A., Rice, S. M., Oliffe, J. L., & Seidler, Z. E. (2025). Suicidality in men following relationship breakdown: A systematic review and meta-analysis of global data. *Psychological Bulletin*, 151(7), 819-860.
- Woo, K.-S., Shin, S., Shin, S., & Shin, Y.-J. (2018). Marital status integration and suicide: A meta-analysis and meta-regression. *Social Science & Medicine*, 197, 116-126.
- Wyatt, T. D. (2020). Reproducible research into human chemical communication by cues and pheromones: learning from psychology's renaissance. *Philosophical Transactions of the Royal Society B*, 375(1800), 20190262.
- Yang, X., Li, R., & Wang, S. (2022). A Micro-Level Explanation for Suicidal Ideation Based on Marriage-Squeeze and Social Support Among Rural Men in China. *American Journal of Men's Health*, 16(6).
- Zhou, X., & Hesketh, T. (2017). High sex ratios in rural China: declining well-being with age in never-married men. *Philosophical Transactions of the Royal Society B*, 372(1729), 20160324.