

[E] LIQUID_eKYC_013_GetOCRResultsAPI_v1.8.8

Revision history

- 2019/08/09 v1.0 Created
- 2020/02/12 v1.1
 - Added response param: Nationality, sex
 - Added error code: OCR has not been run or application has not been completed (CE00017)
 - Removed error code: Newest application of designated Applicant ID, is still not completed yet, or is expired (CE00005)
- 2020/04/22 v1.2 Update format of API Document
- 2020/06/15 v1.3
 - Added error code: ID document with no response value (CE00019)
 - Added ID document: Driving history certificate, passport
 - Added response param: Zip code, address (prefecture), address (city), address (other), resident status, period of stay, expiration date of stay, permit date, type of permit, employment restriction
 - Added response details of nationality and sex
- 2020/09/14 v1.4 Added section "OCR result response values by ID document". Formatted sample response data
- 2020/10/09 v1.5 Passport OCR results
 - Updated error code: No CE00019 in response for passport
 - Added response specification for nationality
 - Organized Null response conditions for OCR failures
- 2020/12/02 v1.6
 - Added features for individual number document collection
 - Changed value type descriptions from Japanese to English
- 2021/04/05 v1.6.1 Comply to "He"
 - For Comply to "He", the OCR is done only for residence cards.
- 2021/08/05 v1.7.0 Added General Document Application and change detection option, reorganized My Number Collection features
 - Added response params: "Name change", "Address change"

- 2021/09/06 v1.7.1
 - Changed the physical name of Name Change and Address Change
 - name_change → name_changed, address_change → address_changed
 - Added information about restrictions and details of the OCR return values
- 2021/12/15 v1.7.2 Added Comply to “To”/”Chi” (IC Scan through SDK)
- 2022/06/28 v1.7.3
 - OCR Returned Value Added supplemental Residence card info for details.
- 2022/07/26 v1.7.4
 - Added "Front"
- 2023/01/24 v1.7.5
 - Added Passport expiration date
 - Added Special permanent resident certificate
- 2023/02/21 v1.7.6
 - Added Student ID Card, Student notebook, Health insurance card
- 2023/03/28 v1.7.7
 - Added Comply to "FrontBack"
- 2023/06/27 v1.7.8
 - Added supplemental specifications for split address items
- 2023/07/23 v1.7.9
 - Added Response param : Driver's license type
- 2023/08/29 v1.8.0
 - Added response params : With or without remarks content
 - Revised description column: Change of name from "Change Detection Option" and "Name/Address Change Option" to "Front and back OCR (change detection) option"
- 2024/01/23 v1.8.1
 - OCR Returned Value A change has been made in the split address item's field to include the possibility of returning Special Permanent Resident Certificate Information.
- 2024/03/26
 - v1.8.2 Added Response param: Issue date
- 2024/05/28 v1.8.3
 - Added special permanent resident certificate to the IC scanning method through the comply to “He” and “To”/ “Chi” SDK for ID documents to OCR.
- 2024/07/23 v1.8.4

- Added Global KYC
- Change the description of the passport item name in the OCR return value details.
- Added PH Driver's license, PH Passport, and PH PhilID to the OCR return value for each identification document.
- 2024/09/24 v1.8.5
 - Supplementary information added to name entry
 - Additional response: Issuer
- 2025/05/01 v1.8.6 Added a nationality master of the response details
- 2025/08/01 v1.8.7 The following documents have been added for OCR processing:
 - Philippine : OLD SSS ID
 - Philippine : UMID
 - Philippine : UMID (Issued before 2015/11/09)
- 2025/10/01 v1.8.8 Revised the description column for the following items in the response data (JSON) table
 - No.9 : Zip code
 - No.10 : Address (prefecture)
 - No.11 : Address (city)
 - No.12 : Address (other)

Overview

- This API returns OCR results of the latest KYC application represented by designated Applicant ID

Specification

- Response params are arbitrary, and can be added for new ID documents
- Response params may not be applicable to some ID documents (e.g. sex is on individual number card but not on driver's license). In that case null is returned
- Basically returns OCR results without processing. When OCR results that need to be converted in to a date or code cannot be processed, null is returned.
- ID documents for OCR
 - Comply to "Ho" "To" "Chi", "Front", "FrontBack"
 - Driver's licence

- Individual number card
- Residence card
- Driving history certificate
- Passport
- Special permanent resident certificate
- Comply to "To / Chi" (manual photos)
 - Student ID Card, Student notebook, Health insurance card
- Comply to "He", Comply to "To"/"Chi" (IC Scan through SDK)
 - Residence card, SpecialPermanentResidentCertificate
- Global KYC
 - PH Driver's license: Philippine Driver's License
 - PH Passport: Philippine passport
 - PH PhilID: Philippine Identification Card
 - PH OLD SSS ID: Old Philippine SSS ID (Social Security System ID Card)
 - PH UMID: Philippine UMID (Unified Multi-purpose Identification Card)
 - PH UMID: Philippine UMID (Issued before 2015/11/09)
- If the request was sent to an Applicant ID that does not belong to KYC Application, will return "Applicant ID is not found" (CE00001)

Restrictions

- Max 100 requests/minute
- Immediate modifications to the database may not be reflected, so the response may include old data or the request might result in an error. In this case please repeat the request after an interval
- For SDK
 - Calling this API immediately after the Document Function or the Document IC Card Function finishes may result in error code "CE00017". Make sure to call after a 1 second interval with several retries
- For Web (pre-application)
 - Calling thi API immediately after the application is completed on eKYC Applicant may result in error code "CE00017". Make sure to call after a 1 second interval with several retries
- For Web (post-application)
 - No additional specifications

Error cases

- Applicant ID is not found (CE00001)
- Newest application of designated Applicant ID, is still not completed yet, or is expired (CE00005)
- OCR has not been run or application has not been completed (CE00017)
- ID document with no response value (CE00019)
- System Error

API Specification

- URL
 - Staging: [https://\(Unique URL for each organization\)/v1/applicants/:applicant_id/ocr_results](https://(Unique URL for each organization)/v1/applicants/:applicant_id/ocr_results)
 - Production: [https://\(Unique URL for each organization\)/v1/applicants/:applicant_id/ocr_results](https://(Unique URL for each organization)/v1/applicants/:applicant_id/ocr_results)
- Protocol: https
- Method: GET
- Request: PATH Parameter
- Response: JSON

Request detail

HTTP header

	論理名 (Logical Name)	物理名 (Physical Name)	JSONデータ型 (JSON Data Type)	データ属性 (Value Type)	文字数上限 (Char. Limit)	必須 (Req?)	フォーマット (Format)	説明 (Description)
1	API Key	Refer to Common Spec.				○	Refer to Common Spec.	

Request parameters

	論理名 (Logical Name)	物理名 (Physical Name)	JSONデータ型 (JSON Data Type)	データ属性 (Value Type)	文字数上限 (Char. Limit)	必須 (Req?)	フォーマット (Format)	説明 (Description)
--	--------------------------	---------------------------	------------------------------------	--------------------------	---------------------------	--------------	--------------------	---------------------

1	Applicant ID	Refer to Common Spec.	○	Refer to Common Spec.
---	--------------	-----------------------	---	-----------------------

Response detail

Body (JSON)

	論理名 (Logical Name)	物理名 (Physical Name)	JSON デー タ型 (JSO N Data Type)	デー タ 属 性 (Value Type)	文 字 数 上 限 (Ch ar. Lim it)	必 須 (Re q?)	フォ ーマ ット (For mat)	説明 (Description)
1	ID document type	id_document_type	string	Number	2	○		Code of ID document type << Please refer to “APIGenericCode” >>
2	Name	name	string	Any	–			- Name listed in ID document - As several patterns are returned depending on the type of document, please refer to ‘OCR return value details’ below. - Note that in the case of residence cards, there may be more than one kanji name and alphabetical name returned
3	Birthday	birthday	string	DATE	8		yyyyMMdd	- Birthday listed in ID document (Christian era) - Automatically converted to christian era if it is written

								in Japanese Calendar (wareki)
4	Address	address	string	Any	–			• Address listed in ID document
5	ID number	id_number	string	Number	–			• Driver's license, Driving history certificate ◦ License number • Individual number card, Health insurance card ◦ Return null • Residence card ◦ Residence card number • Passport ◦ Passport number • Special permanent resident certificate ◦ Special permanent resident certificate number • Student ID Card, Student notebook, Health insurance card ◦ Return null • PH Driver's license ◦ License number • PH Passport ◦ passport number • PH PhilID ◦ PhilSys Number • PH OLD SSS ID ◦ SSS Number • PH UMID ◦ common reference number (CRN)

								• PH UMID (Issued before 2015/11/09) ◦ common reference number (CRN)
6	Expiration date (Christian era)	expire_date	string	DATE	8		yyyyMMdd	• Driver's license ◦ Expiration date listed in ID document (Christian era) • Individual number card ◦ Expiration date • Residence card ◦ Expiration date of the card itself • Driving history certificate ◦ Return null • Passport ◦ Expiration date • Special permanent resident certificate ◦ Expiration date • Student ID Card, Student notebook, Health insurance card ◦ Return null • PH Driver's license ◦ Expiration date • PH Passport ◦ Expiration date • PH PhilID ◦ Return Null • PH OLD SSS ID ◦ Return Null • PH UMID ◦ Return Null

								• PH UMID (Issued before 2015/11/09) ◦ Return Null • Automatically converted to christian era if it is written in Japanese Calendar (wareki)
7	Nationality	nationality	string	Alphanumeric (Half-width)	2			• Nationality listed in ID document ◦ Converted into ISO 3166-1 alpha-2, and the following values are now supported: ▪ 01: Republic of Kosovo ▪ 99: Stateless ◦ Returns NULL when conversion fails
8	Sex	sex	string	Number	1			• Sex listed in ID document ◦ << Please refer to “APIGenericCode” >>
9	Zip code	zip_code	string	Number	7			• Return the 7-digit postal code corresponding to the address
10	Address (prefecture)	address_pref	string	Any	–			• Separate the address and return the prefecture name
11	Address (city)	address_city	string	Any	–			• Separate the address and return the municipality (city, ward, town, or village)

12	Address (other)	address_other	string	Any	-			Separate the address and return the remaining address details, excluding the prefecture and municipality (city, ward, town, or village)
13	Resident status	resident_status	string	Any	-			Only for residence card
14	Period of stay	stay_period	string	Any	-			Only for residence card. Returned in "Y年M月" or "Y年、M月" format (年: year, 月: month)
15	Expiration date of stay	stay_expire_date	string	DATE	8		yyyyMMdd	Only for residence card
16	Permit date	permitted_date	string	DATE	8		yyyyMMdd	Only for residence card
17	Type of permit	kind_of_permission	string	Any	-			Only for residence card
18	Employment restriction	employment_restriction	string	Any	-			Only for residence card
19	Issue date	issue_date	string	DATE	8		yyyyMMdd	Only for residence card Please inquire if you plan to use this service, as it may not be returned depending on the settings of some businesses.
20	Name change	name_changed	string	Number	1			Only returned when the Front and back OCR (change detection) option. is enabled

							0: No changes in name 1: There are changes in name, or there are changes other than an address change Null: No subscription to Front and back OCR (change detection) option or OCR failure
21	Address Change	address_changed	string	Number	1		Only returned when the Double-sided OCR (Change Detection) Option. is enabled 0: No changes in address 1: There are changes in address, or there are changes other than a name change Null: No subscription to Front and back OCR (change detection) option or OCR failure
22	Driver's license type array	drivers_license_types	Array				Only Driver's license
23	Driver's license type	(Array element)	string	Any			Only Driver's license Values included are as follows Towing license / mid-sized motor vehicle / Moped license / large Motor Vehicle /special large motor vehicle / large motorcycle license / special small motor vehicle /class 2 standard motor

								vehicle / semi-mid-sized motor vehicle / class 2 large motor vehicle / class 2 mid-sized motor vehicle / class 2 S-MVL / class 2 special large motor vehicle / class 2 towing / Regular license
24	With or without remarks content	remarks_exist	string	Number	1			Returned only if user is subscribed to front and back OCR (change detection) option. 0: Without remarks content 1: With remarks content Null : No subscription to Front and back OCR (change detection) option or OCR failure
25	Issuer	issuing_authority	string	Alphanumeric (Half-width)	2			Passport only • Convert to ISO 3166-1 alpha-2 format using our company's custom master data. • Return NULL if the master conversion fails

HTTP Status Code

	Code	説明(Description)
1	200	Success

OCR return value details

	Driver's license / Driving history certificate	Individual number card	Residence card / Special permanent resident certificate	Passport
--	--	------------------------	---	----------

For every document	- About the returned characters - Level 1 and 2 kanji from JIS X 0213:2004 are supported - Other than that, commonly used characters such as hiragana, katakana, alphanumerics, special characters, and popular kanji in names are supported			
Name	- Alphanumerics are always half-width - There will be a half-width space between surname and given name (however OCR may not always be precise, so it might return names without a space or a space in the wrong place) - The surname and given name are returned as shown on the card - If multiple names are on the card, the names are separated by a "/" (residence cards and passports are exceptions)			
	Common specifications - Return value examples for multiple names - 日本 花子 ⇒ 日本 花子 - 日本 花子[東京 花子] ⇒ 日本 花子/東京 花子 - 日本 花子 / 東京 花子 ⇒ 日本 花子/東京 花子 - 日本 / 東京 ⇒ 日本/東京 Standard version - N/A High-performance version - Supports "Koto (コト)" expressions - 日本 花子 コト 東京 花子 ⇒ 日	- Return value examples for multiple names - 日本 花子 ⇒ 日本 花子 - 日本 (東京) 花子 ⇒ 日本/東京/花子	- Return value examples for multiple names - NIHON HANAKO ⇒ NIHON HANAKO - Return value example for middle names - NIHON AA HANAKO ⇒ NIHON AA HANAKO - Return value example for top row: full-width character name, bottom row: alphabetic name - 日本 花子 NIHON HANAKO ⇒ 日本 花	- According to the MRZ specifications, the MRZ section (line 1, positions 6-44) will be read. - Only Roman alphabet. - The order of names is Surname. → Given Name. - If a middle name is included, either of the following orders is possible. - Surname → Middle Name → Given Name - Surname → Given Name

本 花子/東京 花子

子/NIHON

HANAKO

→ Middle

Name

- Return value
example for top row: alphabetic name, bottom row: alphabetic name
 - * For names that are too long to print on one line
 - NIHON
HANAKO AAA
BBB CCC
DDD EEE
⇒ NIHON
HANAKO AAA
BBB CCC DDD
EEE
- In principle, the name written on the residence card will be the same as the alphabetic name on the passport. Aliases will not be shown (however there is no set rule about former surnames)
- Foreigners that have kanji names written on their certificate of alien registration, such as people from
 - *Maiden/alternate surnames are not included.
- Convert spaces between the surname, given name, and middle name to half-width spaces and return the result.
- Example1
NIHON<<HANAKO<AA ⇒ NIHON HANAKO AA
- Example2
NIHON<AA<<HANAKO ⇒ NIHON AA HANAKO
- Example3
NIHON<<HANAKO ⇒ NIHON HANAKO
- Differences between the Name and MRZ column.
 - The MRZ column does not include maiden or alternate surnames.

			China or South Korea, will have both their alphabetic names and kanji names written on the card (however, the kanji names will be converted to characters that are used in Japan)	
Date of birth	• All half-width characters			
Addresses	• Alphanumerics are always half-width • Is returned as one row even if the card shows an address printed on multiple rows • Hyphens are all half-width (UTF8 2D) • However, the OCR may mistakenly read the hyphens as the kanji number one "一" or a chōonpu as in "コーポレート" ◦ The characters are checked one by one by verifying the correlation with the neighboring characters. They are replaced if better alternatives are found ◦ The images of every character is read on its own, then adjusted by the strings that come before or after it ◦ Both are predictions from different machine learning algorithms, and the one with the highest score is chosen			
ID number	• All half-width characters			
Expiration date (Christian era)	• All half-width characters			
Nationality	• No additional specifications			
Sex	• No additional specifications			

Zip code	• The search is based on data from Japan Post (updated every 6 months) • The zip code can be found for addresses without prefecture names (as on driver's licenses)			
Addresses (prefecture)	• No additional specifications			
Addresses (city)	• No additional specifications			
Addresses (other)	• No additional specifications			
Resident status	—	—	For Comply to "Ho", "To", and "Chi", "Front", "FrontBack" (OCR of photos) • The English status will be appended ◦ "永住者 PermanentRes aeni" For Comply to "He" (OCR of images stored on IC chip) • The English status will not be appended ◦ "永住者"	—
Period of stay	—	—	• No additional specifications	—

Expiration date of stay	—	—	• No additional specifications	—
Permit date	—	—	• No additional specifications	—
Type of permit	—	—	For Comply to "Ho", "To", and "Chi", "Front", "FrontBack" (OCR of photos) • Everything in the image will be shown ◦ "永住許可(法務大臣)" "Permanent residence permit (Minister of Justice)" For Comply to "He" (OCR of images stored on IC chip) • The content in the brackets will not be shown ◦ "永住許可" "permanent residence permit"	—
Employment restriction	—	—	• No additional specifications	—

Issue date	—	—	• No additional specifications	—
Driver's license type	• Only driver's licenses are supported • False recognition not included in response	—	—	—
With or without remarks column	—	—	• No additional specifications	—
Issuer	—	—	—	• No additional specifications

Usage Examples

Request URL

https://xxxx.xxx-liquid-ekyc.com/v1/applicants/a000000001/ocr_results

Response body

```
{
  "id_document_type": "03",
  "name": "田中 太郎",
  "birthday": "19900101",
  "address": "東京都千代田区大手町1-6-1大手町ビル2階",
  "id_number": "0000000000000",
  "expire_date": "20200101",
  "nationality": "br",
  "sex": "1",
  "zip_code": "1010047",
  "address_pref": "東京都",
  "address_city": "千代田区",
  "address_other": "大手町1-6-1大手町ビル2階",
  "resident_status": "永住者PermanentResident",
  "stay_period": "4年3月",
  "stay_expire_date": "20181020",
  "permitted_date": "20140610",
  "kind_of_permission": "在留資格変更許可(東京山入国在留管理局長)",
  "employment_restriction": "就労不可",
  "name_changed": "1",
  "address_changed": "0",
  "drivers_license_types": [ "普通", "普自二"],
  "remarks_exist": "1",
}
```

OCR result response values by ID document

○: Required △: May be returned ×: Not returned

	Logical Name	Dri ver	In div	Re sid	Pa ss	Dri vin	Sp eci	St ud	PH Dri	PH Pa	PH Phi	PH OL	PH U	PH UM
--	--------------	------------	-----------	-----------	----------	------------	-----------	----------	-----------	----------	-----------	----------	---------	----------

13	Resident status	x	x	△	x	x	x	x	x	x	x	x	x	x
14	Period of stay	x	x	△	x	x	x	x	x	x	x	x	x	x
15	Expiration date of stay	x	x	△	x	x	x	x	x	x	x	x	x	x
16	Permit date	x	x	△	x	x	x	x	x	x	x	x	x	x
17	Type of permit	x	x	△	x	x	x	x	x	x	x	x	x	x
18	Employment restriction	x	x	△	x	x	x	x	x	x	x	x	x	x
19	Issue date	x	x	△	x	x	x	x	x	x	x	x	x	x
20	Name change	△	△	△	x	x	△	x	x	x	x	x	x	x
21	Address Change	△	△	△	x	x	△	x	x	x	x	x	x	x
22	Driver's license type	△	x	x	x	x	x	x	x	x	x	x	x	x
23	With or without remarks column	△	△	△	x	x	△	x	x	x	x	x	x	x
24	Issuer	x	x	x	△	x	x	x	x	△	x	x	x	x