

[E]LIQUID_eKYC_022_GetICCardInfo_API_v1.3.9

Revision history

- 2021/03/05 v0.1 Created
- 2021/04/05 v1.0 Made correction
- 2021/08/05 v1.1.0 Added General Document Application and Public Certification, reorganized My Number Collection features
 - Added response param: "JPKI (Public Certification)"
- 2021/10/11 v1.1.1 Added supplementary information to Name and Address.
- 2021/11/17 v1.1.2
 - Added the API's execution timing in Specification
 - Changed the return value of National Identity Cards for Expiration date (Christian era)
 - Added information about restrictions
- 2021/11/25 v1.1.3
 - Change response values for information related to JPKI (Public Certification)
- 2021/12/10 v1.1.4
 - Added response param for postcode derivation function: postcode.
 - Added comply to "To"/"Chi" (IC Scan through SDK)
- 2022/03/28 v1.1.5
 - Added supplemental Driver's license in the Name param of the response details.
- 2022/06/28 v1.1.6
 - Added supplement to response details.
- 2022/11/22 v1.1.7
 - Added response params : Digital signature and public key certification for digital signature verification
- 2023/1/24 v1.1.8
 - Response params added: previous name, previous name in external character image array, name change flag, and address change flag.
 - Added new section "Supplemental Explanation Related to Name
- 2023/03/28 v1.1.9
 - Remove former surname from response param "name"
- 2023/06/13 v1.2.0

- The sample responses of the comply to "He" and "To"/"Chi" (IC Scan through SDK) were changed and are now based on the different type of documents that can be used such as driver's license, National Identity Card, and residence card.
- 2023/10/24 v1.2.1
 - Additional response items: Surname (Kana) suggested array, Given name (Kana) suggested array, Maiden name (Kana) suggested array.
 - Revised incorrect character limit for the ID document code in the response item
- 2023/11/28 v1.2.2
 - Added response items: Japanese/Foreigner judgment
- 2024/01/23 v1.2.3
 - Add a special note for National Identity Card (+MyNumber) which is in the response item "ID document number" explanation.
 - Corrected the value of "id_doc_photo" in the case of JPKI (Comply to "Wa") in the sample response data.
- 2024/05/28 v1.2.4
 - Added response items: Name Last name (half-width kana) Candidate array, Name First name (half-width kana) Candidate array, First name maiden name (half-width kana) Candidate array
 - The word "Kana" has been changed from "Kana" to "Full-width Kana" to distinguish it from half-width Kana.
- 2024/06/25 v1.2.5
 - Added response item; Determination using the date of birth obtained from the digital certificate for signing as the priority in the explanation of "Japanese/non-Japanese Verification".
 - Added the Special Permanent Resident Certificate
- 2024/07/23 v1.2.6
 - Added new response items: Not moved abroad, moved abroad, expected moving abroad date
 - Added new response items: Name (half-width kana)
 - Changed the explanation of "ID Document Number" in the response item "Residence Card/Special Permanent Resident Certificate".
 - Deleted incorrect explanation of response item "Confirmation Result"
- 2024/08/27 v1.2.7
 - Removed description of name (Kana) conversion option.

- Added detailed specifications for Japanese/non-Japanese verification.
- 2025/01/14 v12.8
 - Added text to the description of response item 'Validation result'.
 - Response item 'iTrust IDnumber for KYC check'.
 - Logical name changed to 'ID number for KYC verification by PF company'.
 - Revised description
- 2025/02/20 v1.2.9
 - Added text to the description of the response item 'Validity period (start)'.
 - Added text to the description of the response item 'Validity period (end)'.
- 2025/04/01 v1.3.0
 - Added description: National Identity Card (+ License Information)
 - Changed the decision logic and accuracy of "Comply to Wa" for Japanese/Foreigner judgment.
- 2025/05/12 v1.3.1 Clearly defined the character limits in the response details for the following fields:
 Full Name, Former Name, Name (Full-width Kana), Name (Half-width Kana), Date of Birth, and Address
 (Previous: No limit specified)
- 2025/06/23 v1.3.2 Added explanation of ID number for KYC verification by PF company.
- 2025/07/14 v1.3.4 Updated response items
 - ID face photo
 - Added explanation for when a dummy image representing someone under the age of 16 is returned.
 - Types of information contained in Residence Cards / Special Permanent Resident Certificates
 - Deleted "2: Check code, no public key certificate (No certificate)"
 - Added return conditions for "1: Under 16 years old"
- 2025/08/04 v1.3.5
 - Added query parameter: 「Return My Number Availability」
 - Response Details: Deleted description regarding smartphone JPKI from the explanation for "JPKI (Public Certification)>PF company ID number for KYC check"
- 2025/10/10 v1.3.6
 - Added a description for the Comply to "Ru" method in the section below
 - Specification

- Response Details : Expiration date (Christian era)
- Corrected an error in the explanation of the response item “ID Number”
- 2025/11/18 v1.3.7
 - Added the Comply to "Ru" method to the response sample
 - Added information about driver’s licenses using the IC reading method to the following sections of the response details:
 - Driver’s license color classification
 - Driver’s License Conditions Array
 - Driver's License Type Array
 - Driver’s License Date of Issue Array
- 2026/01/23 v1.3.8
 - Support for Postal Code Derivation + Address Splitting Function
 - Added response param
 - Address_Prefecture / Address_Municipality / Address_Other
 - Revised the description of postal code
- 2026/02/01 v1.3.9
 - Support for acquiring "Alias", "Public Safety Commission Name", and "Issue Date" from Driver's Licenses
 - Added response param
 - common name • Non-standard character image of alias • Public Safety Commission Name • Revision history of Public Safety Commission • Issue date

Overview

- Retrieves the IC card chip information of the latest KYC application represented by designated Applicant ID

Specification

- This API can be called only after the SDK's Activate Function is executed
- If you want to use the IC chip reading results before then, please use the SDK's return values
- All response parameters are arbitrary and new ones may be added as new ID document types become available
- Response params may not be applicable to some ID documents. In that case null is returned
- ID documents for IC card scan
 - Driver's licence

- National Identity Card
- Residence card/ Special Permanent Resident Certificate
- If the request was sent to an Applicant ID that does not belong to KYC Application, will return "Applicant ID is not found" (CE00001)
- Will return "ID document with no response value (CE00019)" when request is sent to an application (Applicant ID) of an ID document that is not available in Comply to "He", "Wa", "Ru", "To"/"Chi" (IC Scan through SDK)

Restrictions

- Max 100 requests/minute
- Immediate modifications to the database may not be reflected, so the response may include old data or the request might result in an error. In this case please repeat the request after an interval
- For SDK
 - Calling this API immediately after executing the Activate Function may result in error "CE00008". Make sure to call after a 1 second interval with several retries
- For Web (pre-application)
 - Not supported
- For Web (post-application)
 - Not supported

Error cases

- Applicant ID is not found (CE00001)
- The KYC application is not completed yet (CE00008)
- The KYC application has expired (the URL has expired) (CE00011)
- ID document with no response value (CE00019)
- System Error

API Specification

- URL
 - Staging: [https://\(Unique URL for each organization\)/v1/applicants/:applicant_id/id_document_ic_information](https://(Unique URL for each organization)/v1/applicants/:applicant_id/id_document_ic_information)
 - Production: [https://\(Unique URL for each organization\)/v1/applicants/:applicant_id/id_document_ic_information](https://(Unique URL for each organization)/v1/applicants/:applicant_id/id_document_ic_information)

- Protocol: https
- Method: GET
- Request: PATH Parameter
- Response: JSON

Request detail

HTTP header

	論理名 (Logical Name)	物理名 (Physical Name)	JSONデータ型 (JSON Data Type)	データ属性 (Value Type)	文字数上限 (Char. Limit)	必須 (Req?)	フォーマット (Format)	説明 (Description)
1	API Key	Refer to Common Spec.				○	Refer to Common Spec.	

Request parameters

Body

	論理名 (Logical Name)	物理名 (Physical Name)	JSONデータ型 (JSON Data Type)	データ属性 (Value Type)	文字数上限 (Char. Limit)	必須 (Req?)	フォーマット (Format)	説明 (Description)
1	Applicant ID	Refer to Common Spec.				○	Refer to Common Spec.	

Query

	論理名 (Logical Name)	物理名 (Physical Name)	JSONデータ型 (JSON Data Type)	データ属性 (Value Type)	文字数上限 (Char. Limit)	必須 (Req?)	フォーマット (Format)	説明 (Description)
--	-----------------------	------------------------	------------------------------	-----------------------	------------------------	--------------	--------------------	---------------------

1	Return My Number Availability	is_include_my_number_id_number	string	true/false				- The "Return My Number Availability Parameter" allows clients to specify whether the My Number should be included in the response. - Query parameter - false ... The My Number will not be obtained - true ... The My Number can be obtained - Not given ... The My Number can be obtained - Blank ... The My Number can be obtained - Otherwise ... Error
---	-------------------------------	--------------------------------	--------	------------	--	--	--	---

Response detail

Body

	論理名 (Logical Name)		物理名 (Physical Name)	JSON データ 型 (JSON Data Type)	データ 属性 (Value Type)	文字 数 上 限 (Character Limit)	必須 (Required?)	フォーマット (Format)	説明 (Description)
1	ID document		id_document_ty	string	Number	2	○		Code of ID document type

	type		pe					<< Please refer to "APIGenericCode" >>
2	ID face photo		id_face_ photo	Object			o	The face photo recorded in the IC chip If "1: Under 16 years old" is returned for "Residence card information type", a dummy image representing a person under the age of 16 is returned.
3		Image file name	file_nam e	string	Alphanu meric + Symbols	25 5	o	- Image file name - Driver's license: <Applicant ID>_<application count>_driverslicens e_face.jpg - National Identity Card: <Applicant ID>_<application count>_mynumberca rd_face.jpg - Residence card: <Applicant ID>_<application count>_residencecar d_face.jpg - Special Permanent Resident Certificate : <Applicant ID>_<application count>_specialperma nentresidentcertificat e_face.jpg

4		Image data	image	string	BASE64		o		
5	Name		name	string	Any	100			• Driver's licence ◦ When a new name is registered, sets the new name ◦ External characters are expressed as □ (UTF-8 E296A1) ◦ Whether there is a space between the last name and first name depends on the information recorded on the IC chip card. ◦ May include chōonpu (ー) instead of hyphens (-). ◦ For the specific name notation pattern to be returned, please refer to the 'Supplemental explanation related to name' below. • National Identity Card ◦ Name ◦ Whether there is a space between the last name and first name depends on the information recorded on the IC chip card. ◦ May include chōonpu (ー) instead of hyphens (-).

								◦ For the specific name notation pattern to be returned, please refer to the 'Supplemental explanation related to name' below. • Residence card/ Special Permanent Resident Certificate ◦ Return NULL
6	Previous name		previous_name	string	Any	100		• When your previous surname is documented. ◦ Convert surname to previous surname and return it • When your previous surname is not documented. ◦ Return Null
7	common name		alias_name	string	Any	100		• Driver's licence ◦ Returned only when an alias is recorded ◦ External characters are expressed as □ (UTF-8 E296A1) ◦ Whether there is a space between the last name and first name depends on the information recorded on the IC chip card ◦ May include chōonpu (—) instead of hyphens (-)

8	Name (full-width kana)		name_kana	string	Katakana a	25 5		• Driver's licence ◦ Dakutens and handakutens are treated as one character. ◦ The small characters (ヤ, ュ, ヨ, ツ) are treated as normal characters. ◦ When a new name is registered, sets the new name ◦ For characters that differ between Unix and Windows environments, the Unix system code is used. (e.g.: For characters that differ between full-width minus Unix and Windows environments, the Unix system code is used.(e.g., full-width minus is Unicode character number U+2212 (not U+FF0D)) • National Identity Card ◦ Return NULL • Residence card/ Special Permanent Resident Certificate ◦ Return NULL
---	---------------------------	--	-----------	--------	---------------	---------	--	--

9	Name (Half-width Kana)		name_half_width_kana	string	Half Width Katakana	255			• Driver's licence ◦ Name (Full-width Kana) is converted to half-width kana and returned. ◦ However, characters not included in the Unicode code point U+FF66 - U+FF9F are deleted. ◦ However, the half-width space that serves as a delimiter will not be deleted. ◦ If all characters are deleted, NULL will be returned. • National Identity Card ◦ Return NULL • Residence card/ Special Permanent Resident Certificate ◦ Return NULL
10	Birthday		birthday	string	DATE	8	yyyymmdd		• Driver's licence ◦ Birthday listed in ID document (Christian era) ◦ Automatically converted to christian era if it is written in Japanese Calendar (wareki) • National Identity Card ◦ Birthday listed in ID document (Christian

								era) ◦ Automatically converted to christian era if it is written in Japanese Calendar (wareki) • Residence card/ Special Permanent Resident Certificate ◦ Return NULL
1 1	Address		address	string	Any	20 0		• Driver's licence ◦ When a new address is registered, sets the new address ◦ External characters are expressed as □ (UTF-8 E296A1) ◦ Whether prefecture names are included depends on the decisions of the local Public Safety Commission that issued the license. ◦ May include chōonpu (ー) instead of hyphens (-). • National Identity Card ◦ Address ◦ Prefecture names are always included. ◦ May include chōonpu (ー) instead of hyphens (-).

								• Residence card/ Special Permanent Resident Certificate ◦ Return NULL
1 2	Address_Prefecture		address _pref	string	Any	20 0		• Address_Prefecture is a paid option. If you wish to use it, please contact your sales representative. • If not set, returns uniformly as NULL. • Driver's License / National Identity Card ◦ Return address splitting values from the address information obtained through IC reading ◦ Due to notation discrepancies, non-standard characters (including differences between old and new character forms), etc. between the address and the address registered in the database provided by Japan Post, the reverse lookup process may not work as expected, and results that are null or do not exactly match the input

								address may be returned. • ResidenceCard/Special PermanentResidentCertificate ◦ Return Null
1 3	Address_Municipality		address_city	string	Any	200		• This is a paid option, similar to Address_Prefecture. If you wish to use it, please contact your sales representative.
1 4	Address_Other		address_other	string	Any	200		• This is a paid option, similar to Address_Prefecture. If you wish to use it, please contact your sales representative.
1 5	ID number		id_number	string	Alphanumeric	–		• Driver's licence ◦ License number ◦ Data attribute is Number • National Identity Card ◦ Return NULL ◦ However, for (+ My number), Return My number ◦ Data attribute is Number • Residence card/ Special Permanent Resident Certificate ◦ Return the Residence Card number or Special Permanent

									Resident Certificate number entered as authentication information for IC card reading. ◦ Data attribute is Alphanumeric • Query parameter is_include_my_number_id_number • 「Return My Number Availability」 = Return My Number Availability enabled ◦ If permitted to obtain, the My Number will be returned ◦ Other document numbers (e.g. license number) continue to be returned ◦ 「Return My Number Availability」 = Return My Number Availability disabled ▪ The My Number will be returned as NULL in all cases
16	Expiration date (Christian era)		expire_date	string	DATE	8		yyyymmdd	• Driver's licence ◦ Expiration date ◦ Automatically converted to christian era if it is written in

								Japanese Calendar (wareki) - National Identity Card - For Comply to "He" - Expiration date - For Comply to "Wa", "Ru" - Return NULL - Residence card/ Special Permanent Resident Certificate - Return NULL
17	Sex		sex	string	Number	1		- Driver's licence - Return NULL - National Identity Card - Sex << Please refer to "APIGenericCode" >> - Residence card/ Special Permanent Resident Certificate - Return NULL
18	Comprehensive permission for activity		residence_card_comprehensive_permission	string	Any	–		Only for residence / Special Permanent Resident Certificatecards
19	Individual permission for activity		residence_card_individual_permission	string	Any	–		Only for residence / Special Permanent Resident Certificatecards

20	Card update status		residence_card_update_status	bool	true/false	–		Only for residence/Special Permanent Resident Certificate cards true: application under process, false: N/A
21	Residence card information type		residence_card_info_type	string	Number	1		Only for residence card/Special Permanent Resident Certificate ※ Methods other than Non-legal IC scan system (without digital signature verification and without face photo) (e.g. Comply to 'He') will immediately return an error within the SDK/app, so return uniformly as "0: Normal". • 0: Normal • 1: Under 16 years old  Return conditions for "1: Under 16 years old" In the document IC card function of LIQUID eKYC SDK, the following conditions must be met in order for it to be returned: • Argument "The eKYC method" is as follows: ◦ READ (Non-legal IC scan

									system (without digital signature verification and without face photo)) - The card read is one of the following: - Residence Card for individuals under 16 years of age - Special Permanent Resident Certificates for individuals under 16 years of age
2 2	Residence card type		residence_card_type	string	Number	1			Only for residence card/ Special Permanent Resident Certificate 0: Undetected, 1: ResidenceCard, 2: SpecialPermanentResidentCertificate
2 3	External character array for name		name_external_characters	Array					Up to 7 images
2 4		Image file name	file_name	string	Alphanumeric + Symbols	25 5			- Only for driver's license - Image file name <applicant id>_<count>_driverslicense_name_external

									character<Sequential numbers (from 1)>.jpg
25		Image data	image	string	BASE64				base64-encoded jpeg images
26	Non-standard character image sequence of the previous name		previous_name_external_characters	Array					Up to 7 images
27		Image file name	file_name	string	Alphanumeric + Symbols	255			• Only for driver's license • Image file name ◦ <The Applicant ID>_<Application count>_driverslicense_previous_name_external_character_<serial number (from1)>.jpg
28		Image data	image	string	BASE64				base64-encoded jpeg images
29	External character array for address		address_external_characters	Array					Up to 7 images
30		Image file name	file_name	string	Alphanumeric + Symbols	255			• Only for driver's license • Image file name ◦ <applicant id>_<count>_driverslicense_address_external_character_<Sequ

									e ntial numbers (from 1)>.jpg
3 1		Image data	image	string	BASE64				base64-encoded jpeg images
3 2	Array of non- standard character images of alias		alias_na me_exte rnal_cha racters	Array					Up to 7 images
3 3		Image file name	file_nam e	string	Alphanu meric + Symbols	25 5			- Only for driver's license - Image file name <applicant id>_<count>_driversli cense_alias_name_ex ternal_character_<Se que ntial numbers (from 1)>.jpg
3 4		Image data	image	string	BASE64				base64-encoded jpeg images
3 5	JPKI (Public Certificati on)		jpki_ide ntificatio n_result	Object					Only returned for Comply to "Wa"
3 6		Validati on result	valid	bool	true/fals e				As the acquisition of information by the relevant API can only be carried out after the KYC application has been completed, the confirmation result will be uniformly true.

37		PF company ID number for KYC check	uid	string	Int64	19	19-digit random integer (leading non-zero digit)	• User ID to identify the user for KYC check • ID is issued by PF company, and when disclosing information to the police department as a suspicious transaction, this ID must be linked to the PF company. example) 3839026582487608164 • In the following cases, different values may be returned even for the same National Identity Card. Therefore, please be careful when implementing controls (e.g., prevention of duplication) on the client side based on the assumption that the relevant values are unique. ◦ If the National Identity Card has recently been updated (If the digital certificate for signature has been changed) ◦ If JPKI is performed using a different client code
----	--	------------------------------------	-----	--------	-------	----	--	--

								◦ If the same National Identity Card is used again after the data is deleted from 「907_JPKI PF Data Deletion API」
38		Validation datetime	asof	string	datetime	17	yy yy MM dd hh :m m:ss (JavaScript time)	
39		Validity period (start)	not_before	string	datetime	17	yy yy MM dd hh :m m:ss (JavaScript time)	Start date and time of the effective period of the digital certificate for signature that generated the digital signature
40		Validity period (end)	not_after	string	datetime	17	yy yy MM dd hh :m	End date and time of the effective period of the digital certificate for signature that generated the digital signature

							m: ss (JS T tim e)	
4 1		Certificate issuer	issuer_id	string	Any	25 5		A string that indicates the X.500 identifier of the authority issuing the electronic signature certificate example) C=JP,O=JPKI,OU=JPKI for digital signature,OU=Japan Agency for Local Authority Information Systems
4 2		Electronic signature identifier	signature_id	string	Any	25 5		The identifier for the electronic signature (Used for searching electronic signatures obtained at KYC) example) 3feaf344af4b33cfd2215b85ad64ab23
4 3	Post code		zip_code	string	Number	7		• Post codes are a paid option; please contact a sales representative if required. • If not set, returns uniformly as NULL. • Driver's license, National Identity Card

								◦ Return the postcode from IC Scan address information. ◦ Due to notation discrepancies, non-standard characters (including differences between old and new character forms), etc. between the address and the address registered in the database provided by Japan Post, the reverse lookup process may not work as expected, and results that are null or do not exactly match the input address may be returned. • Residence card/ Special Permanent Resident Certificate ◦ Return Null
4 4	Digital signature		signature	string	BASE64			• Return only Residence card/ Special Permanent Resident Certificate ◦ Digital signature data
4 5	Public key certification for		signatureCertificate	string	BASE64			• Return only Residence card/ Special

	digital signature verificatio n								Permanent Resident Certificate Public key certificate used for digital signature verification
4 6	Name change flag		name_c hanged	string	Number	1			- Driver's licence 0: No change in name and name (full- width kana) 1: Name and name (full-width kana) have been changed. - National Identity Card - Return Null - Residence card/ Special Permanent Resident Certificate - Return Null
4 7	Address change flag		address _change d	string	Number	1			- Driver's licence 0: No changes in address 1: Address has been changed - National Identity Card - Return Null - Residence card/ Special Permanent Resident Certificate - Return Null
4 8	Japanese /Foreigner judgment		japanes e_foreig ner_jud gment	string	Number	1			- Driver's licence 1:Japanese 2:Foreigner - National Identity Card 1:Japanese

- 2:Foreigner
- Residence card/ Special Permanent Resident Certificate
- Return Null

Comply to "He"/ "To/chi"
IC method (driver's
license) determination
logic

*It is not 100% accurate due to an estimated value.

1. If the name includes a common name: non-Japanese
2. If name includes maiden name: Japanese
3. Name with separator character: non-Japanese
 - Example : () / / —
4. If the name contains alphabetical characters: non-Japanese
5. Other than above: Japanese

Comply to "He"/ "To/chi"
IC method (driver's
license) determination
logic

- *Capable of determining with 100% accuracy
- *This logic applies only if

								SDK version 1.21.0 or later is being used. 1. When western calendar year is specified in the date of birth input: non-Japanese 2. When Japanese calendar is specified in the date of birth input: Japanese <u>Comply to "Wa" (National identity card) decision logic</u> *It is not 100% accurate due to an estimated value. (Same to "<u>Comply to "He"/ "To/chi" IC method (driver's license) determination logic</u>")
49	Last name (Full-width Kana) candidates array		last_name_kan_candidates	Array				• Driver's licence ◦ Return Null • National Identity Card ◦ Returns a candidate array of last name (Full-width Kana) based on the Kanji notation of the name. ◦ If no candidate is found, return NULL. • Residence card/ Special Permanent Resident Certificate ◦ Return Null

									*When there are multiple candidates • Order when there are multiple candidates ◦ Order of appearance rate • Percentage of Kanji notation with multiple candidates ◦ Kanji notation with 2 or more candidates: 20.94% of the total ◦ Kanji notation with 5 or more candidates: 2.14% of the total ◦ Kanji notation with 10 or more candidates: 0.19% of the total
50		Surname (Full-width Kana) candidates		string	Katakana	–			
51	First name (Full-width Kana) candidates array		first_name_kanji_candidates	Array					• Driver's licence ◦ Return Null • National Identity Card ◦ Returns a candidate array of first name (Full-width Kana) based on the Kanji notation of the name. ◦ If no candidate is found, return NULL.

								• Residence card/ Special Permanent Resident Certificate ◦ Return Null *When there are multiple candidates • Order when there are multiple candidates ◦ Order of appearance rate • Percentage of Kanji notation with multiple candidates ◦ Kanji notation with 2 or more candidates: 15.23% of the total ◦ Kanji notation with 5 or more candidates: 1.92% of the total ◦ Kanji notation with 10 or more candidates: 0.30% of the total
5 2		First name (Full-width Kana) candidates		string	Katakana	–		
5 3	Previous last name (Full-width Kana)		previous_last_name_candidates	Array				• Driver's licence ◦ Return Null • National Identity Card ◦ Returns a candidate array of previous last name (Full-width

	candidate s array							Kana) based on the Kanji notation of the name. ◦ If no candidate is found, return NULL. • Residence card/ Special Permanent Resident Certificate ◦ Return Null *When there are multiple candidates • Order when there are multiple candidates ◦ Order of appearance rate • Percentage of Kanji notation with multiple candidates ◦ Kanji notation with 2 or more candidates: 20.94% of the total ◦ Kanji notation with 5 or more candidates: 2.14% of the total ◦ Kanji notation with 10 or more candidates: 0.19% of the total
5 4		Previous last name (Full-width Kana) candidates		string	Katakana	–		

5 5	Name Last name (half- width kana) Candidate array		last_na me_half _width_ kana_ca ndidates	Array					• Driver's licence ◦ Return Null • Nnational identity card ◦ *Same as “Name Last Name (half- width kana) Candidate”. However, the following are different. ▪ Return half-width Kana characters. ▪ Return characters in Unicode code point U+FF66 - U+FF9F • Residence card/ Special Permanent Resident Certificate ◦ Return NULL
5 6		Name Last name (half- width kana) Candid ate		string	Katakan a	–			
5 7	Name First name (half- width kana) Candidate array		first_na me_half _width_ kana_ca ndidates	Array					• Driver's licence ◦ Return Null • National identity card. ◦ *Same as “Name Last Name (half- width kana) Candidate”. However,

									the following are different. ▪ Return half-width Kana characters. ▪ Return characters in Unicode code point U+FF66 - U+FF9F • Residence card/ Special Permanent Resident Certificate ◦ Return Null
58		Name First name (half-width kana) Candidate		string	Katakana	-			
59	First name maiden name (half-width kana) Candidate array		previous _last_name_half_width_kana_candidates	Array					• Driver's licence ◦ Return Null • National identity card. ◦ *Same as "Name Last Name (half-width kana) Candidate". However, the following are different. ▪ Return half-width Kana characters. ▪ Return characters in Unicode code point U+FF66 - U+FF9F

									• Residence card/ Special Permanent Resident Certificate ◦ Return Null
60		First name maiden name (half-width kana) Candidate		string	Katakana	–			
61	Whether or not moved abroad		is_moved_abroad	string	Number	1			• Driver's license ◦ Return Null • National identity card ◦ 0: Unknown (the data is old, before the National Identity Card was adapted to use abroad) ◦ 1: Not moved abroad ◦ 2: Moved abroad • Residence card/ Special Permanent Resident Certificate ◦ Return Null Since the value is determined from the address record of the IC chip, there may be errors in the determination results.

6 2	Expected date of moving abroad		planned _abroad _move_ date	string	DATE	8		yyy yM Md d	• Driver's license ◦ Return Null • National identity card ◦ The expected date of moving abroad is extracted from the address record on the IC chip (western calendar year) ◦ If it is registered in the Japanese calendar, it will be converted to the western calendar. • Residence card/ Special Permanent Resident Certificate ◦ Return Null The values are extracted from the IC chip address records, so there may be errors in the extraction results.
6 3	Driver's license color classification		drivers_l icense_ color_cl ass	string	Any				National Identity Card (+License Information) 、 Driver's licenses using the IC reading method • “Excellent” or “New”, or “Other”
6 4	Driver's License Conditions Array		drivers_l icense_ conditio ns	Array					National Identity Card (+License Information)) 、 Driver's licenses using the IC reading method

								Variable number of elements In the case of driver's licenses using the IC reading method • Maximum number of conditions is 4 • If the content of an individual element exceeds 80 bytes, it will be split. (Therefore, the maximum number of elements is not limited to 4)
6 5		Driver's license conditions	(Array element)	string	Any			
6 6	Driver's License Type Array		drivers_license_types	Array				National Identity Card (+License Information)、Driver's licenses using the IC reading method

67		Driver's license type	(Array element)	string	Any				The values included are as follows Trailer / Mid-sized / Moped / Large / Special Large / Large Motorcycle / Special Small / Standard Motorcycle / Semi-mid-sized / Class 2 Large / Class 2 Mid-sized / Class 2 Standard / Class 2 Special Large / Class 2 Trailer / Standard
68	Driver's License Remarks Array		drivers_license_remarks	Array					National Identity Card (+License Information) only
69		Driver's license remarks	(Array element)	string	Any				
70	Driver's License Date of Issue Array		drivers_license_obtained_dates	Array					National Identity Card (+License Information), Driver's licenses using the IC reading method Acquisition dates for three fixed categories: (Motorized Bicycle/Small Vehicle, Other, and Class 2 License).
71		Driver's License Date	(Array element)	string	DATE	8		yyyymmdd	If not acquired, return an empty string. If the date of issue is unknown for a driver's

		of Issue							license using the IC reading method, an empty string will also be returned.
7 2	Issue date		issue_date	string	DATE	8		yyy yM Md d	Driver's license only Automatically converted to christian era if it is written in Japanese Calendar (wareki)
7 3	Public Safety Commission Name		psc_name	string	Any	–			Driver's license only
7 4	Revision history of Public Safety Commission		psc_names	Array					Driver's license only
7 5		Public Safety Commission Name	(Array element)	string	Any				
7 6	MyNa Driver's License Information Registration Number		my_nad rivers_license_record_number	string	Number				National Identity Card (+License Information) only The License Information Registration Number of the Myna Driver's License is not the same as the standard Driver's License Number. Of the 12 digits,

									the first 11 digits are identical, but the 12th digit can be different.
7 7	Last day of validity of the MyNa Driver's License		my_na_drivers_license_expire_date	string	DATE	8		yyyymmdd	National Identity Card (+License Information) only
7 8	Face photo from the front of the MyNa Driver's License		my_na_drivers_license_face_photo	Object					National Identity Card (+License Information) only The face photo saved in the License Information Registration of the MyNa Driver's License
7 9		Image file name	file_name	string	Alphanumeric + Symbols	25 5	○		- Image file name <Applicant ID>_<Application count>_mynumbercard_my_na_drivers_license_face.jpg
8 0		Image data	image	string	BASE64		○		

HTTP Status Code

	Code	説明(Description)
1	200	Success

Usage Examples

Request URL

```
https://xxxx.xxx-liquid-  
ekyc.com/v1/applicants/a00000001/id_document_ic_information?  
is_include_my_number_id_number=true
```

Response body

- Driver's license of Comply to "He", "To"/"Chi" (IC Scan through SDK)

```
{  
  "id_document_type": "11",  
  "id_face_photo": {  
    "file_name": "a00000001_1_driverslicense_face.jpg",  
    "image": ""  
  },  
  "name": "田中 次郎",  
  "previous_name": "鈴木 次郎",  
  "alias_name": null,  
  "name_kana": "タナカ ジロウ",  
  "name_half_width_kana": "タカ シﾞ ㇑",  
  "birthday": "19900101",  
  "address": "東京都千代田区大手町1-6-1大手町ビル2階",  
  "address_pref": "東京都",  
  "address_city": "千代田区",  
  "address_other": "大手町1-6-1大手町ビル2階",  
  "id_number": "000000000000",  
  "expire_date": "20200101",  
  "sex": null,  
  "residence_card_comprehensive_permission": null,  
  "residence_card_individual_permission": null,  
}
```

```
"residence_card_update_status": null,

"residence_card_info_type": null,

"residence_card_type": null,

"name_external_characters": [

  {

    "file_name":

"a00000001_1_driverslicense_name_external_character_1.jpg",

    "image": ""

  },

  {

    "file_name":

"a00000001_1_driverslicense_name_external_character_2.jpg",

    "image": ""

  }

],

"previous_name_external_characters": [

  {

    "file_name":

"a00000001_1_driverslicense_previous_name_external_character_1.jpg",

    "image": ""

  }

],
```

```
"address_external_characters": [  
  
  {  
  
    "file_name":  
"a00000001_1_driverslicense_address_external_character_1.jpg",  
  
    "image": ""  
  
  }  
  
],  
  
"alias_name_external_characters": null,  
  
"jpki_identification_result": null,  
  
"zip_code": "1000000",  
  
"signature": null,  
  
"signatureCertificate": null,  
  
"name_changed": "0",  
  
"address_changed": "0",  
  
"japanese_foreigner_judgment": "1",  
  
"last_name_kana_candidates": null,  
  
"first_name_kana_candidates": null,  
  
"previous_last_name_kana_candidates": null,  
  
"last_name_half_width_kana_candidates": null,  
  
"first_name_half_width_kana_candidates": null,  
  
"previous_last_name_half_width_kana_candidates": null,  
  
"is_moved_abroad": null,
```

```
"planned_abroad_move_date": null,  
"drivers_license_color_class": "優良",  
"drivers_license_conditions": ["眼鏡等"],  
"drivers_license_types": ["準中型"],  
"drivers_license_remarks": null,  
"drivers_license_obtained_dates": ["", "20200220", "",],  
"issue_date": "20150101",  
"psc_name": "東京都公安委員会",  
"psc_names": null,  
"my_na_drivers_license_record_number": null,  
"my_na_drivers_license_expire_date": null,  
"my_na_drivers_license_face_photo": null  
}
```

- National Identity Card of the comply to "He" and "To"/"Chi" (IC Scan through SDK)


```
{  
  "id_document_type": "12",  
  "id_face_photo": {  
    "file_name": "a00000001_1_mynumbercard_face.jpg",  
    "image": ""  
  },  
  "name": "田中 次郎",  
  "previous_name": "鈴木 次郎",  
  "alias_name": null,  
  "name_kana": null,  
  "name_half_width_kana": null,  
  "birthday": "19970814",  
  "address": "東京都千代田区大手町1-6-1大手町ビル2階",  
  "address_pref": "東京都",  
  "address_city": "千代田区",  
  "address_other": "大手町1-6-1大手町ビル2階",  
  "id_number": null,  
  "expire_date": "20200101",  
  "sex": "1",  
  "residence_card_comprehensive_permission": null,  
  "residence_card_individual_permission": null,  
}
```

"residence_card_update_status": null,
"residence_card_info_type": null,
"residence_card_type": null,
"zip_code": "1000000",
"jпки_identification_result": null,
"name_external_characters": null,
"previous_name_external_characters": null,
"address_external_characters": null,
"alias_name_external_characters": null,
"signature": null,
"signatureCertificate": null,
"name_changed": null,
"address_changed": null,
"japanese_foreigner_judgment": "1",
"last_name_kana_candidates": ["タナカ"],
"first_name_kana_candidates": ["ジロウ", "チロウ", "シロウ"],
"previous_last_name_kana_candidates": ["スズキ", "ススギ", "ススキ"],
"last_name_half_width_kana_candidates": ["タナカ"],
"first_name_half_width_kana_candidates": ["ジロウ", "チロウ", "シロウ"],
"previous_last_name_half_width_kana_candidates": ["スズキ", "ススギ", "ススキ"],
"is_moved_abroad": "1",
"intended_abroad_move_date": null

```
planned_abroad_move_date : null,  
  
"drivers_license_color_class": null,  
  
"drivers_license_conditions": null,  
  
"drivers_license_types": null,  
  
"drivers_license_remarks": null,  
  
"drivers_license_obtained_dates": null,  
  
"issue_date": null,  
  
"psc_name": null,  
  
"psc_names": null,  
  
"my_na_drivers_license_record_number": null,  
  
"my_na_drivers_license_expire_date": null,  
  
"my_na_drivers_license_face_photo": null  
  
}
```

- National Identity Card (+License Information) of the comply to "He" and “To”/”Chi” (IC Scan through SDK)


```
{  
  "id_document_type": "1035",  
  "id_face_photo": {  
    "file_name": "a00000001_1_mynumbercard_face.jpg",  
    "image": ""  
  },  
  "name": "田中 次郎",  
  "previous_name": "鈴木 次郎",  
  "alias_name": null,  
  "name_kana": null,  
  "name_half_width_kana": null,  
  "birthday": "19970814",  
  "address": "東京都千代田区大手町1-6-1大手町ビル2階",  
  "address_pref": "東京都",  
  "address_city": "千代田区",  
  "address_other": "大手町1-6-1大手町ビル2階",  
  "id_number": null,  
  "expire_date": "20200101",  
  "sex": "1",  
  "residence_card_comprehensive_permission": null,  
  "residence_card_individual_permission": null,  
}
```

"residence_card_update_status": null,
"residence_card_info_type": null,
"residence_card_type": null,
"zip_code": "1000000",
"jпки_identification_result": null,
"name_external_characters": null,
"previous_name_external_characters": null,
"address_external_characters": null,
"alias_name_external_characters": null,
"signature": null,
"signatureCertificate": null,
"name_changed": null,
"address_changed": null,
"japanese_foreigner_judgment": "1",
"last_name_kana_candidates": ["タナカ"],
"first_name_kana_candidates": ["ジロウ", "チロウ", "シロウ"],
"previous_last_name_kana_candidates": ["スズキ", "ススギ", "ススキ"],
"last_name_half_width_kana_candidates": ["タナカ"],
"first_name_half_width_kana_candidates": ["ジロウ", "チロウ", "シロウ"],
"previous_last_name_half_width_kana_candidates": ["スズキ", "ススギ", "ススキ"],
"is_moved_abroad": "1",
"planned_abroad_move_date": null

```
    planned_abroad_move_date : null,  
  
    "drivers_license_color_class": "優良",  
  
    "drivers_license_conditions": ["眼鏡等"],  
  
    "drivers_license_types": ["準中型"],  
  
    "drivers_license_remarks": [""],  
  
    "drivers_license_obtained_dates": ["", "20200220", "",],  
  
    "issue_date": null,  
  
    "psc_name": null,  
  
    "psc_names": null,  
  
    "my_na_drivers_license_record_number": "000000000000",  
  
    "my_na_drivers_license_expire_date": "20350914",  
  
    "my_na_drivers_license_face_photo": {  
  
        "file_name":  
        "a00000001_1_mynumbercard_my_na_drivers_license_face.jpg",  
  
        "image": ""  
  
    }  
  
}
```

- Residence card of the comply to "He" and “To”/”Chi” (IC Scan through SDK)


```
{  
  "id_document_type": "13",  
  "id_face_photo": {  
    "file_name": "a00000001_1_residencecard_face.jpg",  
    "image": ""  
  },  
  "name": null,  
  "previous_name": null,  
  "alias_name": null,  
  "name_kana": null,  
  "name_half_width_kana": null,  
  "birthday": null,  
  "address": null,  
  "id_number": null,  
  "expire_date": null,  
  "sex": null,  
  "residence_card_comprehensive_permission": "",  
  "residence_card_individual_permission": "",  
  "residence_card_update_status": false,  
  "residence_card_info_type": "0",  
  "residence_card_type": "1",  
}
```

"zip_code": null,
"jпки_identification_result": null,
"name_external_characters": null,
"previous_name_external_characters": null,
"address_external_characters": null,
"alias_name_external_characters": null,
"signature": "xxxxxxxxxx",
"signatureCertificate": "xxxxxxxxxx",
"name_changed": null,
"address_changed": null,
"japanese_foreigner_judgment": null,
"last_name_kana_candidates": null,
"first_name_kana_candidates": null,
"previous_last_name_kana_candidates": null,
"last_name_half_width_kana_candidates": null,
"first_name_half_width_kana_candidates": null,
"previous_last_name_half_width_kana_candidates": null,
"is_moved_abroad": null,
"planned_abroad_move_date": null,
"drivers_license_color_class": null,
"drivers_license_conditions": null,
"drivers_license_type": null

```
drivers_license_types : null,  
  
"drivers_license_remarks": null,  
  
"drivers_license_obtained_dates": null,  
  
"issue_date": null,  
  
"psc_name": null,  
  
"psc_names": null,  
  
"my_na_drivers_license_record_number": null,  
  
"my_na_drivers_license_expire_date": null,  
  
"my_na_drivers_license_face_photo": null  
  
}
```

- JPKI (Comply to “Wa”)

```
{  
  "id_document_type": "42",  
  "id_face_photo": {  
    "file_name": "",  
    "image": ""  
  },  
  "name": "田中 次郎",  
  "previous_name": null,  
  "alias_name": null,  
  "name_kana": null,  
  "name_half_width_kana": null,  
  "birthday": "19900101",  
  "address": "東京都千代田区大手町1-6-1大手町ビル2階",  
  "address_pref": "東京都",  
  "address_city": "千代田区",  
  "address_other": "大手町1-6-1大手町ビル2階",  
  "id_number": null,  
  "expire_date": null,  
  "sex": "1",  
  "residence_card_comprehensive_permission": null,  
  "residence_card_individual_permission": null,
```

```
"residence_card_update_status": null,

"residence_card_info_type": null,

"residence_card_type": null,

"name_external_characters": null,

"previous_name_external_characters": null,

"address_external_characters": null,

"alias_name_external_characters": null,

"jpki_identification_result": {

    "valid": true,

    "uid": "111111111111111111",

    "asof": "20200101 00:00:00",

    "not_before": "20190101 00:00:00",

    "not_after": "20210101 00:00:00",

    "issuer_dn": "C=JP,O=JPKI,OU=JPKI for digital signature,OU=Japan
Agency for Local Authority Information Systems",

    "signature_id": "abcdef0123456789abcdef0123456789"

},

"zip_code": "1000000",

"signature": null,

"signatureCertificate": null,

"name_changed": null,

"address_changed": null,
```

```
"japanese_foreigner_judgment": "1",  
  
"last_name_kana_candidates": ["タナカ"],  
  
"first_name_kana_candidates": ["ジロウ", "チロウ", "シロウ"],  
  
"previous_last_name_kana_candidates": null,  
  
"last_name_half_width_kana_candidates": ["タナカ"],  
  
"first_name_half_width_kana_candidates": ["ｼﾞﾛｳ", "ﾁﾛｳ", "ｼﾛｳ"],  
  
"previous_last_name_half_width_kana_candidates": null,  
  
"is_moved_abroad": "1",  
  
"planned_abroad_move_date": null,  
  
"drivers_license_color_class": null,  
  
"drivers_license_conditions": null,  
  
"drivers_license_types": null,  
  
"drivers_license_remarks": null,  
  
"drivers_license_obtained_dates": null,  
  
"issue_date": null,  
  
"psc_name": null,  
  
"psc_names": null,  
  
"my_na_drivers_license_record_number": null,  
  
"my_na_drivers_license_expire_date": null,  
  
"my_na_drivers_license_face_photo": null  
  
}
```


- National identity card of the comply to "Ru"

```
{  
  "id_document_type": "17002",  
  "id_face_photo": {  
    "file_name": "a00000001_1_mynumbercard_face.jpg",  
    "image": ""  
  },  
  "name": "田中 次郎",  
  "previous_name": "鈴木 次郎",  
  "alias_name": null,  
  "name_kana": null,  
  "name_half_width_kana": null,  
  "birthday": "19970814",  
  "address": "東京都千代田区大手町1-6-1大手町ビル2階",  
  "address_pref": "東京都",  
  "address_city": "千代田区",  
  "address_other": "大手町1-6-1大手町ビル2階",  
  "id_number": null,  
  "expire_date": null,  
  "sex": "1",  
  "residence_card_comprehensive_permission": null,  
  "residence_card_individual_permission": null,  
}
```

"residence_card_update_status": null,
"residence_card_info_type": null,
"residence_card_type": null,
"zip_code": "1000000",
"jpki_identification_result": null,
"name_external_characters": null,
"previous_name_external_characters": null,
"address_external_characters": null,
"alias_name_external_characters": null,
"signature": null,
"signatureCertificate": null,
"name_changed": null,
"address_changed": null,
"japanese_foreigner_judgment": "1",
"last_name_kana_candidates": ["タナカ"],
"first_name_kana_candidates": ["ジロウ", "チロウ", "シロウ"],
"previous_last_name_kana_candidates": ["スズキ", "ススギ", "ススキ"],
"last_name_half_width_kana_candidates": ["タナカ"],
"first_name_half_width_kana_candidates": ["ジロウ", "チロウ", "シロウ"],
"previous_last_name_half_width_kana_candidates": ["スズキ", "ススギ", "ススキ"],
"is_moved_abroad": "1",
"planned_abroad_move_date": null

```

    planned_abroad_move_date : null,

    "drivers_license_color_class": null,

    "drivers_license_conditions": null,

    "drivers_license_types": null,

    "drivers_license_remarks": null,

    "drivers_license_obtained_dates": null,

    "issue_date": null,

    "psc_name": null,

    "psc_names": null,

    "my_na_drivers_license_record_number": null,

    "my_na_drivers_license_expire_date": null,

    "my_na_drivers_license_face_photo": null

}

```

Supplemental explanation related to name

- Describe the format of the return value of the param related to the name

For Japanese (no previous surname)

- The following person is listed as an example.
 - Name : 力度 太郎
 - *Person without former surname

Returned items	Driver's licence	National Identity Card(other than JPKI (Japanese Public Key Infrastructure))	National Identity Card(other than JPKI (Japanese Public Key Infrastructure))	Residence card / Special Permanent Resident Certificate

Name	Format : 現姓 現名 Ex. : 力度 太郎	Format : 現姓 現名 漢字表記の現氏名_アルファベット表記の現氏名 Ex. : 力度 太郎 力度 太郎_R I K I D O T A R O	— (Residence card / Special Permanent Resident Certificate only have image data and therefore do not have text data in the IC chip, so please refer to the OCR return value for the return format.)
Previous name	—		

For Japanese (with previous surname)

- The following person is listed as an example.
 - Name: 日本 花子
 - Previous surname: 東京

Returned items	Driver's licence	National Identity Card(other than JPKI (Japanese Public Key Infrastructure))	National Identity Card(other than JPKI (Japanese Public Key Infrastructure))	Residence card / Special Permanent Resident Certificate
Name	Format : 現姓 現名 Ex. : 日本 花子		Format : 現姓 [旧姓] 現名	— (Residence card /

		Ex. : 日本 [東京] 花子 *Includes previous surname	Special Permanent Resident Certificate only have image data and therefore do not have text data in the IC chip, so please refer to the OCR return value for the return format.)
Previous name	書式 : 旧姓現名 例 : 東京花子 *Blanks are not included between the first and last name.	書式 : 旧姓 現名 例 : 東京 花子 *Blanks are included between the first and last name.	

For foreigners

- The following person is listed as an example.。
 - Name :
H O N G K I L D O N G (Kanji:洪 吉童, also known as 本気 団)
T U R N E R E L I Z A B E T H (also known as Eri Tanaka)
*Foreigners do not have previous surnames.

Returned items	Driver's licence	National Identity Card(other than JPKI (Japanese Public Key Infrastructure))	National Identity Card(other than JPKI (Japanese Public Key Infrastructure))	Residence card
Name	Format : Current name in Kanji Current name in alphabet / Current name in Kanji Current name in alphabet/Current name in Kanji	Format : Current name Current name (alias) (alias) Current name in alphabet _ Current name in Kanji	— (Residence cards only have image data and therefore do not have text data in	

	Current name in alphabet (Current name in Kanji) Ex. : 洪 吉童 H O N G K I L D O N G / 洪 吉童 H O N G K I L D O N G / 洪 吉童 H O N G K I L D O N G (洪 吉童) T U R N E R E L I Z A B E T H *Unlike the National Identity Card, the alias is not included.	Current name in alphabet _ Current name in Kanji (alias) Current name in alphabet Current name in alphabet (alias) 例 : 洪 吉童 洪 吉童 (本気 団) (本気 団) H O N G K I L D O N G _ 洪 吉童 H O N G K I L D O N G _ 洪 吉童 (本気 団) T U R N E R E L I Z A B E T H T U R N E R E L I Z A B E T H (田中 絵里)	the IC chip, so please refer to the OCR return value for the return format.)
Previous name	(Foreigners do not have previous surnames)		