

SDK Interface Specifications

Liquid, INC.

UNAUTHORISED REPRODUCTION AND USE OF DOCUMENT IS STRICTLY PROHIBITED.

Initialization Function “startVerify()”

Revision		
Version	Overview	Details
1.27.0	Newly added	Newly added *The argument “API key for SDK” has been removed from the “Initialization function 'startVerify()'” that existed in SDKs before version 1.27.0.

Request detail					
Content	Type	Data Format	Max Characters	Required	Details
URL of SDK API	String	URL	-	☐	The URL specified by Liquid
Connection ID (Applicant ID)	String	1-byte alphabets and digits	100	☐	The reception number
Verification Token	String	hexadecimals	64	☐	The verification token received from Connector

Response detail				
Content	Type	Data Format	Required	Details
none				

【deprecated】 Initialization Function “startVerify()”

Revision

Version	Overview	Details
1.27.0	Deprecated	This is deprecated now as 'initialization function "startVerify()"' has been introduced without the SDK API key. However, this function will be retained to maintain compatibility.

Request detail

Content	Type	Data Format	Max Characters	Required	Details
URL of SDK API	Please refer to the corresponding section in the Initialization Function				
SDK API key	String	1-byte characters and digits	200	☐	The sequence of characters specified by Liquid * This will be different from the Connector's API key
Connection ID (Applicant ID)	Please refer to the corresponding section in the Initialization Function				
Verification Token	Please refer to the corresponding section in the Initialization Function				

Response detail

Content	Type	Data Format	Required	Details
none				

Initialization Function (Trial Version) “startVerify()”

Revision		
Version	Overview	Details
1.15.0	Error correction	Changed the type of additional information from Enum to Object.
1.33.0	Expanded description	Explanations are stated (descriptions that refer to other sheets have been revised)
1.33.0	Added Enum description	Added Enum description

Request detail					
Content	Type	Data Format	Max Characters	Required	Details
URL of SDK API	String	URL	-	○	The URL specified by Liquid
SDK API key	String	1-byte characters and digits	200	○	The sequence of characters specified by Liquid * This will be different from the Connector's API key
Callback	The type specified in API Documents	-	-	○	A callback to return the process results

Response detail (from Function)				
Content	Type	Data Format	Required	Details
Connection ID (Applicant ID)	String	1-byte alphabets and digits	○	The reception number * For failure analysis

Response detail (from Callback)				
Content	Type	Data Format	Required	Details
Process results	Enum	-	○	An enumeration indicating success or failure. →If the value indicates success, the process can continue * For the actual values, please refer to Common Return Values: Process Results * This contains an error code that gives details of the failure. ※For physical information on Enum, please refer to the 'LiquidProcessingResultStatus *for Android' and 'ResultStatus *for iOS' in the 'API Documents' included with the SDK.
Additional information	Object	-	△	Returned only when the process result is “Server Maintenance”. * For details, please refer to Additional Information (Server Maintenance)

Initialization Function (For Standalone Function) Version) “startVerifyStandalone()”

Revision		
Version	Overview	Details
1.29.0	Newly Added	Newly Added *For Liquid-designated businesses only
1.33.0	Expanded description	Explanations are stated (descriptions that refer to other sheets have been revised)
1.33.0	Added Enum description	Added Enum description

Request detail					
Content	Type	Data Format	Max Characters	Required	Details
URL of SDK API	String	URL	-	○	The URL specified by Liquid
SDK API key	String	1-byte characters and digits	200	○	The sequence of characters specified by Liquid * This will be different from the Connector's API key
Callback	The type specified in API Documents	-	-	○	A callback to return the process results

Response detail (from Function)				
Content	Type	Data Format	Required	Details
Connection ID (Applicant ID)	String	1-byte alphabets and digits	○	The reception number * For failure analysis

Response detail (from Callback)				
Content	Type	Data Format	Required	Details
Process results	Enum	-	○	An enumeration indicating success or failure. →If the value indicates success, the process can continue * For the actual values, please refer to Common Return Values: Process Results * This contains an error code that gives details of the failure. ※For physical information on Enum, please refer to the 'ResultStatus *for iOS' in the 'API Documents' included with the SDK.
Additional information	Object	-	△	Returned only when the process result is “Server Maintenance”. * For details, please refer to Additional Information (Server Maintenance)

Terms of Use Function “showTermsOfUse()”

Revision		
Version	Overview	Details
1.12.0	Newly added	Newly added
1.15.0	Error correction	Changed the type of additional information from Enum to Object.
1.33.0	Expanded description	Explanations are stated (descriptions that refer to other sheets have been revised)
1.33.0	Added Enum description	Added Enum description

Request detail					
Content	Type	Data Format	Max Characters	Required	Details
Header color	Refer to API Documents	Refer to API Documents	-	△	The font color of the header
Background color	Refer to API Documents	Refer to API Documents	-	△	The background color of the screen (excluding the section that displays the terms of use and privacy policy)
Subheader color	Refer to API Documents	Refer to API Documents	-	△	The font color of the sentence displayed below the header
Agree button background color (inactive)	Refer to API Documents	Refer to API Documents	-	△	The background color of the "agree button" before the user scrolls to the end of the terms of use
Agree button background color (active)	Refer to API Documents	Refer to API Documents	-	△	The background color of the "agree button" after the user scrolls to the end of the terms of use
Agree button font color	Refer to API Documents	Refer to API Documents	-	△	The font color of the "agree button"

Response detail				
Content	Type	Data Format	Required	Details
Process results	Enum	-	○	An enumeration indicating success or failure. →If the value indicates success, the process can continue * For the actual values, please refer to Common Return Values: Process Results * This contains an error code that gives details of the failure ※For physical information on Enum, please refer to the 'LiquidProcessingResultStatus *for Android' and 'ResultStatus *for iOS' in the 'API Documents' included with the SDK.
Additional information	Object	-	△	Returned only when the process result is "Server Maintenance". * For details, please refer to Additional Information (Server Maintenance)

Document Function “verifyIdDocument()”

Revision

Version	Overview	Details
1.15.3	Newly added	Newly added *The change is the addition of the "verifyIdDocument()" argument to the "verifyIdDocument()" document function that existed in SDK versions before 1.15.3.
1.17.0	Added a new Passive Facial Liveness Detection to the Facial Recognition Function	Description of differences due to the verification method of Facial Recognition Function (Active detection or Passive detection)
1.18.0	Added Document Liveness Detection to document function.	Added a Document Liveness Detection function as an optional feature of the document function.
1.19.0	Added supporting documents for document function.	The following documents have been added as support documents: ・ Student ID Card ・ Employee ID card ・ Student handbook ・ Pension book ・ Health insurance card ・ Basic Resident Registration Card ・ Basic Pension Number Notification ・ Special Education Book ・ Passport (Any issuance date) ・ Special Education Card ・ Physical Disability Certificate Book ・ Physical Disability Certificate Card ・ Mental Disability Certificate Book ・ Mental Disability Certificate Card In addition to the above, the name of the existing "Passport" was changed to "Passport (issued before February 3, 2020)".
1.19.0	Added supporting methods.	The following methods have been added ・ Comply to front and back(face) ・ Comply to front and back(No face)
1.21.0	Added Special Permanent Resident Certificate	Special Permanent Resident Certificate can now be specified and used.
1.23.0	Error correction	〇〇-support → 〇〇method (notation in Japanese changes)
1.24.0	Error correction	Error code indicating details is now "detailed error code" indicating details
1.30.0	Added supporting documents for document function.	The following documents have been added ・ Non-Japanese Passport
1.33.0	Added Enum description	Added Enum description
1.42.0	Revised description	Revised the description due to the new addition of Apple Wallet. ※There are no specification changes that affect the client's current implementation.

Request detail

Content	Type	Data Format	Max Characters	Required	Details
Set value for Document Function					
ID type	Enum	-	-	○	Driver's License/National Identity Card/Residence Card/Special Permanent Resident Certificate/Driving History Card/Passport (issued before February 3, 2020)/Student ID card/Employee ID card/Student handbook/Pension book/Health insurance card/Basic Resident Registration Card/Basic Pension Number Notification/Special Education Book/Special Education Card/Physical Disability Certificate Book/Physical Disability Certificate Card/Mental Disability Certificate Book/Mental Disability Certificate Card/Non-Japanese Passport ※For physical information on Enum, please refer to the 'LiquidDocumentType *for Android' and 'IdDocumentType *for iOS' in the 'API Documents' included with the SDK.

eKYC Method	Enum	-	-	○	COMPLY_HO (Comply to "Ho") / COMPLY_TO (Comply to "To") / COMPLY_CHI (Comply to "Chi") / FRONT_FACE/ FRONT(Comply to Front back(No face))/ FRONT_BACK_FACE (Face)/ FRONT_BACK(Comply to Front back (No face)) Please see "8. How The Integration Should Work" of "LIQUID eKYC Applicant SDK Specifications" to see which request parameter should be used. ※For physical information on Enum, please refer to the 'VerificationMethod *for Android' and 'VerificationMethod *for iOS' in the 'API Documents' included with the SDK.
Confirmation screen is displayed or not	Boolean	-	-	△	True: Display the confirmation screen for photos taken 【Default value】 False: Do not display the confirmation screen for photos taken
Document Liveness Detection	Boolean	-	-	△	* This is a paid option. Please contact a sales representative when you wish to use this service. True: Use False: Not use 【Default value】

Response detail

Content	Type	Data Format	Required	Details
Process results	Enum	-	○	An enumeration indicating success or failure. →If the value indicates success, the process can continue * For the actual values, please refer to Common Return Values: Process Results * This contains an error code that gives details of the failure. ※For physical information on Enum, please refer to the 'DocumentVerificationResultStatus *for Android' and 'ResultStatus *for iOS' in the 'API Documents' included with the SDK.
Verification results				
Matching result of the user's face scan and the face photo on ID	Object	-	△	Returned only when both the "Document function" or "IC Document Card function" or "Card-Substitute Electromagnetic Record function" and the "Facial recognition function" are executed :This object is available. Otherwise: (this value is not returned)
Face photo matching results	Enum	-	△	High (False acceptance rate below 1/100,000, match score equal to or over 388) Medium (False acceptance rate from 1/100,000 to 1/10,000, match score from 332 to 387) Low (False acceptance rate equal to or above 1/10,000, match score equal to or below 331) ※For physical information on Enum, please refer to the 'AutoVerificationFacePhotoResultType *for Android' and 'FacePhotoVerificationResult *for iOS' in the 'API Documents' included with the SDK.
Match score	Numerical	Integer	△	Integer (range -1000 to 1000)
【For use with active detection of the facial recognition function】 Identical verification results for "Facial Recognition photo" and "Liveness Check" images	Object	-	△	Returned only when both the "Document function" or "IC Document Card function" or "Card-Substitute Electromagnetic Record function" and the "Facial recognition function" are executed :This object is available. Otherwise: (this value is not returned)
Face recognition results	Enum	-	△	・ Same individual (false acceptance rate equal to or below 1/100,000, match score equal to or over 388) ・ May not be the same individual (false acceptance rate above 1/100,000, match score equal to or under 387) ※For physical information on Enum, please refer to the 'AutoVerificationFaceResultType *for Android' and 'FaceVerificationResult *for iOS' in the 'API Documents' included with the SDK.
Match score	Numerical	Integer	△	Integer (range -1000 to 1000)
【For use with passive detection of the facial recognition function】 Matching result of face scan and live verification	Object	-	△	Returned only when both the "Document function" or "IC Document Card function" or "Card-Substitute Electromagnetic Record function" and the "Facial recognition function" are executed :This object is available. Otherwise: (this value is not returned)
Face recognition results	Boolean	-	△	True: Authentic face False: Fake face

	【For use with document liveness detection of document function】 Results of document (front) authentication verification	Object	-	△	*This is a paid option. Please contact a sales representative when you wish to use this service. Document function has been executed with "Use Document Authentication Detection": This object is available Otherwise: (this value is not returned)
	Document liveness detection results	Boolean	-	△	True: Authentic document False: Most likely a fake document
	Match score	Numerical	Double	△	A number indicating the authenticity (genuineness) of a document; the higher the number, the more authentic (genuine). The range is 0 to 1. Returned to the third decimal place. As we are currently planning several improvements regarding the score, the definition and weighting of the score may change in the future. Therefore, please do not use the judgment process with the score results.
Image					
	ID document	Object	-	○	(Returned as default image object of OS) Android: Bitmap iOS: UIImage
	Front	Image object	-	○	An image immediately available for use in apps. * For passports, the front of the id is returned.
	Diagonal	Image object	-	○ or △	An image immediately available for use in apps. * For passports, the thickness of the id is returned. *Not returned when the eKYC method doesn't include the thickness photo.
	Back	Image object	-	○ or △	An image immediately available for use in apps. * For passports, the information on bearer page is returned. *Not returned when the eKYC method doesn't include the thickness photo or uses ID documents that do not require the back photo.
Additional information		Object	-	△	Returned only when the process result is "Server Maintenance". * For details, please refer to Additional Information (Server Maintenance)

【deprecated】 Document Function “verifyIdDocument()”

Revision

Version	Overview	Details
1.13.0	Newly added	Newly added * This function has the same features as the Document Function “verifyIdDocument()” in SDK versions under 1.13.0, with the request parameter “eKYC Method” added.
1.14.0	Added argument for identity verification method	Front (Face) and Front photo(No-face) are available. *The required column of “Diagonal of image” has been changed to “○ or △” accordingly. *Removed “Individual number card does not have a back side, so this value will not be returned” from the description of “Back side of the image”.
1.15.3	Deprecated	The operations of this function has been integrated into the new Document Function “verifyIdDocument()” This function is deprecated but remains functional to retain compatibility with older versions.

Request detail

Content	Type	Data Format	Max Characters	Required	Details
ID type	Enum	-	-	○	Omitted because it is similar to the “document function “verifyIdDocument()”” that takes a set value for a document function as an argument.
eKYC Method	Enum	-	-	○	Omitted because it is similar to the “document function “verifyIdDocument()”” that takes a set value for a document function as an argument.

Response detail

Omitted because it is similar to the “document function “verifyIdDocument()”” that takes a set value for a document function as an argument.

【deprecated】 Document Function “verifyIdDocument()”

Revision

Version	Overview	Details
1.13.0	Deprecated	The operations of this function has been integrated into the new Document Function “verifyIdDocument()” This function is deprecated but remains functional to retain compatibility with older versions.

Request detail

Content	Type	Data Format	Max Characters	Required	Details
ID type	Enum	-	-	○	Omitted because it is similar to the "document function "verifyIdDocument()"" that takes a set value for a document function as an argument.

Response detail

Omitted because it is similar to the "document function "verifyIdDocument()"" that takes a set value for a document function as an argument.

Document IC Card Function “verifyIdChip()”

Revision		
Version	Overview	Details
1.24.0	Newly added	Newly added *The argument of the 'Document IC Card Function "verifyIdChip()"' that existed in SDK versions below 1.24.0 has been changed to 'Document IC Card Function Setting Value', and a confirmation screen can now be displayed for residence cards/special permanent resident certificates.
1.25.0	Half-width kana returned	If you are subscribed to the Kana Name Conversion Option, the Kana candidates for first name and last name are also returned.
1.26.0	Return of Resident Card and Special Permanent Resident Certificate card numbers	As shown on the left
1.27.0	Return Name (Half-width Kana)	Regarding the driver's license, the information on the left will be returned as well.
1.27.0	Return whether or not you are moving abroad and the expected moving date.	For your National Identity Card, return the information on the left.
1.27.0	The Get My Number funtion is added	Obtain and return MyNumber at document IC card functions.
1.28.0	Added KYC method "Non-legal IC Scan (no digital signature verification, without facial verification, offline)".	Document IC card function can be used even if there is no communication environment when the function is executed. *Available when digital signature verification is not required.
1.29.0	Added the retrieve functions for name and address images	Obtain and return an image of the name and address when using a National Identity Card in the Document IC Card Function
1.29.0	Description added to ID face photo	Specified Bitmap for Andriod and UIImage for iOS
1.30.0	Error correction	National Identity Card(+Get My number) → National Identity Card(+My number)
1.31.0	Added Updated address	On a driver's licence, obtain and return the full address of the change of description.
1.31.0	Expanded description	Types, data attributes, requirements and explanations are clearly stated (descriptions that refer to other sheets have been revised.) In addition, the wording of the precautions when the KYC verification method is READ_OFFLINE has been changed.
1.31.0	Expanded description of voiced consonant mark	Specified that when the identification method is READ_OFFLINE, the voiced consonant mark is not normalised.
1.31.0	Expanded description of non-standard characters	Clearly stated that seven is the maximum number of images for non-standard characters of names and addresses combined.
1.33.0	Expanded description	Explanations are stated (descriptions that refer to other sheets have been revised)
1.33.0	Added Enum description	Added Enum description
1.36.0	Specify elements to be returned with the ID document number	Specified that the Driver's license number / Residence card number / Special permanent resident certificate number will be returned
1.37.0	Newly added the function to retrieve the My Number-linked driver's license (MyNa Driver's License).	Retrieve and return the MyNa Driver's License within the document IC card function.
1.37.0	Error corrections	National Identity Card (+My Number) → National Identity Card (+My Number)
1.37.0	Added specifications from the beginning	Clearly stated that the return value "ID Document Type" is available only on Android
1.37.0	Removed description of kana name conversion option	Starting from September 2024, kana will be returned even without using the kana name conversion option. Therefore, the text returned when signing up for the kana name conversion option has been deleted.
1.38.0	Added specifications for reading Residence Cards and Special Permanent Resident Certificates for individuals under 16 years of age.	In the following cases of KYC verification, even Residence Cards and Special Permanent Resident Certificates for individuals under 16 years of age can be read. ・ READ (Non-legal IC scan system (without digital signature verification and without face photo)) ・ READ_OFFLINE (Non-legal IC scan system (without digital signature verification and without face photo, off-line)) Please note that, for KYC verification methods other than those listed above, using a Residence Card or Special Permanent Resident Certificate for individuals under 16 years of age will continue to trigger the error: "IC chip is unusual (Residence Card / Special Permanent Resident Certificate) 'chip_unusual_residencecard' (detailed error code= SE21101)".
1.40.0	Added a feature to prevent the return of My Numbers from this function	A feature was added that prevents the function from returning the My Number when the ID document type is a National Identity Card (+ My Number), and allows it to be retrieved only via the Connector.
1.44.0	Added a feature to prevent the return of My Numbers from this function	A feature was added that prevents the function from returning the My Number when the ID document type is a National Identity Card (+ My Number), and allows it to be retrieved only via the Connector.
1.44.0	Return the qualification status of the driver's license	Added a function that returns the license conditions and license type when the ID document type is a driver's license
1.45.0	Return address in split format	Added the following return values with the address split: Address (prefecture)/Address (city)/Address (other)XXXXXXXX

If the setting 'Acquisition of changed name/address on the driver's license' is set to 'Do not acquire changed information,',
Please note that if a driver's license with changed information is used, the error message "IC chip is unusual (with updated information)" will be displayed.
*However, if the KYC check is READ_OFFLINE (Non-legal IC Scan (no digital signature verification, without facial verification, offline)), no error will occur.

Request detail						
Content		Type	Data Format	Max Characters	Required	Details
Set value for Document IC Card Function						
ID type	Enum	-	-	○		Driver's licence./National Identity Card./National Identity Card (+My Number)/National Identity Card (+License Information)/Residence card./For Special Permanent Resident Certificate Specify the ID document type that the end user should be guided to scan. Since this SDK does not display the ID document selection screen, you will need to confirm with the end user in advance which ID document they will use for KYC verification, and specify the selected ID document type in this request parameter. A dedicated guidance screen corresponding to the specified ID document type will be displayed. ※About MyNa Driver's Licenses ・ Please use "National Identity Card (+ license information)" only when you wish to retrieve license information from the MyNa Driver's License. ・ If license information is not required, please use "National Identity Card".KYC verification can be successfully performed even with a MyNa Driver's License. ※For physical information on Enum, please refer to the 'LiquidDocumentType *for Android' and 'IdDocumentType *for iOS' in the 'API Documents' included with the SDK.
eKYC Method	Enum	-	-	○		COMPLY_HE (Comply to "He") / COMPLY_TO (Comply to "To") / COMPLY_CHI (Comply to "Chi") / READ_FACE (Non-legal IC scan (no e-signature verification, with facial verification)) / READ (Non-legal IC Scan (no e-signature verification, without facial verification)) / READ (Non-legal IC Scan (no e-signature verification, without facial verification.off-line)) Please see "8. How The Integration Should Work" of "LIQUID eKYC Applicant SDK Specifications" to see which request parameter should be used. ※For physical information on Enum, please refer to the 'VerificationMethod *for Android' and 'VerificationMethod *for iOS' in the 'API Documents' included with the SDK.
Confirmation screen is displayed or not	Boolean	-	-	△		This is valid only when the identification document type is Resident Card or Special Permanent Resident Certificate. True: Display the confirmation screen for photos taken 【Default value】 False: Do not display the confirmation screen for photos taken
Return My Number Availability	Boolean	-	-	△		Valid only when the ID document type is a National Identity Card (+ My Number) True: The My Number is not returned from this function (returns NULL) False: The My Number can be returned from this function 【Default value】 ※Regardless of whether this argument is set to true, false, or left as the default value, the My Number obtained by the SDK is passed to the LIQUID eKYC Platform and can be retrieved separately via the Connector.

Availability of the OCR-based input assistance function for authentication information	Boolean	-	-	△	True: Use OCR input assistance (reduces the user's effort when entering authentication information) 【Default value】 False: Do not use OCR input assistance (the user manually enters the authentication information) ※Argument applicable to iOS only ■Input assistance for National Identity Card Reference Number B Valid only when the ID document type is a National Identity Card/National Identity Card (+MyNumber)/National Identity Card(Licence information)
--	---------	---	---	---	--

Content	Type	Data Format	Required				Details
			Driver's License	National Identity Card	ResidenceCard	SpecialPermanentResidentCertificate	
Process results	Enum	-	○	○	○	○	An enumeration indicating success or failure. —If the value indicates success, the process can continue * For the actual values, please refer to Common Return Values: Process Results * This contains an error code that gives details of the failure. ※For physical information on Enum, please refer to the 'ChipVerificationResultStatus *for Android' and 'ResultStatus *for iOS' in the 'API Documents' included with the SDK.
Verification results							
Matching result of the user's face scan and the face photo on ID	Object	-	△	△	△	△	Returned only when both the "Document function or IC Document Card function" and the "Facial recognition function" are executed :This object is available. Otherwise: (this value is not returned) 【Notice】 If the KYC check is READ_OFFLINE (Non-legal IC Scan (no digital signature verification, without facial verification, offline)), it will not be returned.
Face photo matching results	Enum	-	△	△	△	△	High (False acceptance rate below 1/100,000, match score equal to or over 388) Medium (False acceptance rate from 1/100,000 to 1/10,000, match score from 332 to 387) Low (False acceptance rate equal to or above 1/10,000, match score equal to or below 331) ※For physical information on Enum, please refer to the 'AutoVerificationFacePhotoResultType *for Android' and 'FacePhotoVerificationResult *for iOS' in the 'API Documents' included with the SDK. 【Notice】 If the KYC check is READ_OFFLINE (Non-legal IC Scan (no digital signature verification, without facial verification, offline)), it will not be returned.
Match score	Numerical	Integer	△	△	△	△	Integer (range -1000 to 1000) 【Notice】 If the KYC check is READ_OFFLINE (Non-legal IC Scan (no digital signature verification, without facial verification, offline)), it will not be returned.
【For use in Active Detection of the Facial Recognition Function】 Matching result of face scan and live verification	Object	-	△	△	△	△	Returned only when both the "Document function or IC Document Card function" and the "Facial recognition function" are executed :This object is available. Otherwise: (this value is not returned) 【Notice】 If the KYC check is READ_OFFLINE (Non-legal IC Scan (no digital signature verification, without facial verification, offline)), it will not be returned.
Face recognition results	Enum	-	△	△	△	△	・ Same individual (false acceptance rate equal to or below 1/100,000, match score equal to or over 388) ・ May not be the same individual (false acceptance rate above 1/100,000, match score equal to or under 387) ※For physical information on Enum, please refer to the 'AutoVerificationFaceResultType *for Android' and 'FaceVerificationResult *for iOS' in the 'API Documents' included with the SDK. 【Notice】 If the KYC check is READ_OFFLINE (Non-legal IC Scan (no digital signature verification, without facial verification, offline)), it will not be returned.
Match score	Numerical	Integer	△	△	△	△	Integer (range -1000 to 1000) 【Notice】 If the KYC check is READ_OFFLINE (Non-legal IC Scan (no digital signature verification, without facial verification, offline)), it will not be returned.
【For use in Passive Detection of the Facial Recognition Function】 Matching result of face scan and live verification Matching result of face scan and live verification	Object	-	△	△	△	△	Returned only when both the "Document function or IC Document Card function" and the "Facial recognition function (Passive detection)" are executed :This object is available. Otherwise: (this value is not returned) 【Notice】 If the KYC check is READ_OFFLINE (Non-legal IC Scan (no digital signature verification, without facial verification, offline)), it will not be returned.
Face recognition results	Boolean	-	△	△	△	△	True: Authentic face False: Fake face 【Notice】 If the KYC check is READ_OFFLINE (Non-legal IC Scan (no digital signature verification, without facial verification, offline)), it will not be returned.
Image							
ID document	Object	-	-	-	○	○	Return only in case of Residence Card/Special Permanent Resident Certificate (Returned as default image object of OS) Android: Bitmap iOS: UIImage
Front	Image object	-	-	-	○	○	An image immediately available for use in apps.
Back	Image object	-	-	-	○	○	An image immediately available for use in apps.
IC and chip information							

ID type	Enum	-	○	○	○	○	Same as the value passed to the SDK ※Returned only Android ※For physical information on Enum, please refer to the 'LiquidDocumentType *for Android' in the 'API Documents' included with the SDK.
ID photo	Image Object	-	○	○	○	○	An image immediately available for use in apps (Returned as default image object of OS) Android: Bitmap iOS: UIImage
Name	String	*	○	○	- * OCR can be used as an alternative	- * OCR can be used as an alternative	For Driver's License: - External characters are expressed as □ (UTF-8 E296A1) - May include chôonpu (ー) instead of hyphens (-) - For the format, please refer to the "Supplementary Explanation of Name" in Connector "LIQUID_eKYC_022_IC Card Read Information Acquisition API" For National Identity Card: - For the format, please refer to the "Supplementary Explanation of Name" in Connector "LIQUID_eKYC_022_IC Card Read Information Acquisition API". - May include chôonpu (ー) instead of hyphens (-) 【Notice】 If the KYC check is READ_OFFLINE (Non-legal IC Scan (no digital signature verification, without facial verification, offline)), In some cases, the voiced consonant mark and semi-voiced consonant mark in katakana are not combined but split (e.g. ヤマダー→ヤマタ´)
Name (Full-width Kana)	String	katakana characters	○	-	-	-	The small characters (ゃ, ゅ, ょ, っ) are treated as normal characters. For characters that differ between Unix and Windows environments, the Unix system code is used. (e.g., a full-width minus is the Unicode number U+2212 (not U+FF0D)) 【Notice】 If the KYC check is READ_OFFLINE (Non-legal IC Scan (no digital signature verification, without facial verification, offline)), In some cases, the voiced consonant mark and semi-voiced consonant mark in katakana are not combined but split (e.g. ヤマダー→ヤマタ´)
Name (Half-width Kana)	String	*	○	-	-	-	Name (Full-width Kana) is converted to half-width kana and returned. However, characters not included in the Unicode code point U+FF66 - U+FF9F are deleted. However, the half-width space that serves as a delimiter will not be deleted. If all characters are deleted, NULL will be returned. 【Notice】 If the KYC check is READ_OFFLINE (Non-legal IC Scan (no digital signature verification, without facial verification, offline)), it will not be returned.
Last Name Suggestion Array	Array	-	-	Δ	-	-	※For conditions, see the equivalent elements of "Connector_LIQUID_eKYC_022_GetICCardInfo_API". 【Notice】 If the eKYC method is READ_OFFLINE (Non-legal IC scan system (without digital signature verification and without face photo, off-line)), it will not be returned.
Last Name suggestions	String	*	-	Δ	-	-	Last name (Kana) suggestions are provided based on Kanji notation of name. 【Notice】 If the KYC check is READ_OFFLINE (Non-legal IC Scan (no digital signature verification, without facial verification, offline)), it will not be returned.
Last Name Suggestion Array	Array	-	-	Δ	-	-	※For conditions, see the equivalent elements of "Connector_LIQUID_eKYC_022_GetICCardInfo_API". 【Notice】 If the eKYC method is READ_OFFLINE (Non-legal IC scan system (without digital signature verification and without face photo, off-line)), it will not be returned.
Last Name suggestions	String	*	-	Δ	-	-	Suggested last name (half-width kana) based on the kanji characters of the first name. 【Notice】 If the KYC check is READ_OFFLINE (Non-legal IC Scan (no digital signature verification, without facial verification, offline)), it will not be returned.
First Name Suggestion Array	Array	-	-	Δ	-	-	※For conditions, see the equivalent elements of "Connector_LIQUID_eKYC_022_GetICCardInfo_API". 【Notice】 If the eKYC method is READ_OFFLINE (Non-legal IC scan system (without digital signature verification and without face photo, off-line)), it will not be returned.
First Name Suggestion	String	*	-	Δ	-	-	Suggested last name (kana) based on the kanji characters of the name 【Notice】 If the KYC check is READ_OFFLINE (Non-legal IC Scan (no digital signature verification, without facial verification, offline)), it will not be returned.
First Name Suggestion Array	Array	-	-	Δ	-	-	※For conditions, see the equivalent elements of "Connector_LIQUID_eKYC_022_GetICCardInfo_API". 【Notice】 If the eKYC method is READ_OFFLINE (Non-legal IC scan system (without digital signature verification and without face photo, off-line)), it will not be returned.

	First Name Suggestion	String	*	-	△	-	-	Suggested first name (half-width kana) based on the kanji characters of the name 【Notice】 If the KYC check is READ_OFFLINE (Non-legal IC Scan (no digital signature verification, without facial verification, offline)), it will not be returned.
	External character images for name	Array	-	△	-	-	-	(The images inside the array are returned as default image objects of the OS) Android: Bitmap iOS: UIImage * A way to detect missing characters is recommended in API Documents
	External character image	Image Object	-	△	-	-	-	An image immediately available for use in apps * Returned only when there are external characters in the name (at most 7 images) ※However, the maximum of seven images is the combined maximum for items such as name, former name, address, etc.
	Name image	Image Object	-	-	○	-	-	Note that the font style may differ when compared to the "Name" as text. *If the name contains any non-standard characters, those characters in the "Name" as text are replaced by alternative characters and registered. However, in the "Name image" as an image, the characters are represented as an image before they are replaced by the alternative characters. (Returned in the system's standard image objects) Android : Bitmap iOS : UIImage
	Name : Former name (Refers to the former surname plus given name. Hereafter referred to as the "former name.")	String	*	○	○	-	-	For Driver's License: ・ External characters are expressed as □ (UTF-8 E296A1) ・ May include chōonpu (ー) instead of hyphens (-) ・ For the format, please refer to the "Supplementary Explanation of Name" in Connector "LIQUID_eKYC_022_IC Card Read Information Acquisition API" For National Identity Card: ・ For the format, please refer to the "Supplementary Explanation of Name" in Connector "LIQUID_eKYC_022_IC Card Read Information Acquisition API". ・ May include chōonpu (ー) instead of hyphens (-) 【Notice】 If the KYC check is READ_OFFLINE (Non-legal IC Scan (no digital signature verification, without facial verification, offline)), it will not be returned. 【Notice】 If the KYC check is READ_OFFLINE (Non-legal IC Scan (no digital signature verification, without facial verification, offline)), In some cases, the voiced consonant mark and semi-voiced consonant mark in katakana are not combined but split (e.g. ヤマダ→ヤマタ´)
	External character images for former name	Array	-	△	-	-	-	(The images inside the array are returned as default image objects of the OS) Android: Bitmap iOS: UIImage * A way to detect missing characters is recommended in API Documents 【Notice】 If the KYC check is READ_OFFLINE (Non-legal IC Scan (no digital signature verification, without facial verification, offline)), it will not be returned.
	External character image	Image Object	-	△	-	-	-	Image data that can be used as it is in the app *Return only when the current name contains a non-standard character (maximum 7 images). ※However, the maximum of seven images is the combined maximum for items such as name, former name, address, etc. 【Notice】 If the KYC check is READ_OFFLINE (Non-legal IC Scan (no digital signature verification, without facial verification, offline)), it will not be returned.
	Former Name Suggestion Array	Array	-	-	△	-	-	※For conditions, see the equivalent elements of "Connector_LIQUID_eKYC_022_GetICCardInfo_API". 【Notice】 If the eKYC method is READ_OFFLINE (Non-legal IC scan system (without digital signature verification and without face photo, off-line)), it will not be returned.
	Former Name Suggestion Array	String	*	-	△	-	-	Suggested former name (Kana) based on the kanji characters of the name. 【Notice】 If the KYC check is READ_OFFLINE (Non-legal IC Scan (no digital signature verification, without facial verification, offline)), it will not be returned.
	Former Name Suggestion Array	Array	-	-	△	-	-	※For conditions, see the equivalent elements of "Connector_LIQUID_eKYC_022_GetICCardInfo_API". 【Notice】 If the eKYC method is READ_OFFLINE (Non-legal IC scan system (without digital signature verification and without face photo, off-line)), it will not be returned.
	Former Name Suggestion Array	String	*	-	△	-	-	Suggested former name (half-width kana) based on the kanji characters of the name 【Notice】 If the KYC check is READ_OFFLINE (Non-legal IC Scan (no digital signature verification, without facial verification, offline)), it will not be returned.
	Updated name or not.	Boolean	-	○	-	-	-	True: In the event of a change of name. False: In the event of no change of name.

Date of birth	String	yyyyMMdd	○	○	- * OCR can be used as an alternative	- * OCR can be used as an alternative	
Address	String	*	○	○	- * OCR can be used as an alternative	- * OCR can be used as an alternative	[EN] For Driver's License: - When a new address is registered, sets the new address - External characters are expressed as □ (UTF-8 E296A1) - Whether prefecture names are included depends on the decisions of the local Public Safety Commission that issued the license - May include chōonpu (→) instead of hyphens (-) For National Identity Card: - Prefecture names are always included - May include chōonpu (→) instead of hyphens (-) 【Notice】 If the KYC check is READ_OFFLINE (Non-legal IC Scan (no digital signature verification, without facial verification, offline)), In some cases, the voiced consonant mark and semi-voiced consonant mark in katakana are not combined but split (e.g. ヤマダ→ヤマダ´)
Address (prefecture)	String	*	○	○	- * OCR can be used as an alternative	- * OCR can be used as an alternative	※This is a paid option. Please contact a sales representative when you wish to use this service. "Prefecture" name split from the address ※For restrictions on the return values, refer to the "Address_Prefecture" section of Connector "LIQUID_eKYC_022_GetICCardInfo_API"
Address (city)	String	*	○	○	- * OCR can be used as an alternative	- * OCR can be used as an alternative	This is a paid option. Please contact a sales representative when you wish to use this service. "Municipality" name split from the address
Address (other)	String	*	○	○	- * OCR can be used as an alternative	- * OCR can be used as an alternative	This is a paid option. Please contact a sales representative when you wish to use this service. Remaining address components, excluding "Prefecture" and "Municipality"
External character images for address	Array	-	△	-	-	-	(The images inside the array are returned as default image objects of the OS) Android: Bitmap iOS: UIImage * A way to detect missing characters is recommended in API Documents
External character image	Image Object	-	△	-	-	-	An image immediately available for use in apps * Returned only when there are external characters in the address (at most 7 images) ※However, the maximum of seven images is the combined maximum for items such as name, former name, address, etc.
Address image	Image Object	-	-	○	-	-	Address image Note that the font style may differ when compared to the "Name" as text. If the name contains any non-standard characters, those characters in the "Name" as text are replaced by alternative characters and registered However, in the "Name image" as an image, the characters are represented as an image before they are replaced by the alternative characters. (Returned in the system's standard image objects) Android : Bitmap iOS : UIImage

Address history	Array	*	○	-	-	-	History of previous addresses in case of address change (up to 8 addresses) ※Return "null" when there is no change ※Does not include most recent address ・ External characters are expressed as □ (UTF-8 E296A1) 【Notice】 If the KYC check is READ_OFFLINE (Non-legal IC Scan (no digital signature verification, without facial verification, offline)), In some cases, the voiced consonant mark and semi-voiced consonant mark in katakana are not combined but split (e.g. ヤマダー→ヤマダ´)
Updated address or not	Boolean	-	○	-	-	-	True: In case of a change of address. False: In case of no change of address.
ID number	String	Alphanumeric	○	-	○	○	Specific data content ・ Driver's license: Driver's license number ・ Residence card: Residence card number ・ Special permanent resident certificate: Special permanent resident certificate number Specific Data Attributes ・ Driver's License : Numbers ・ ResidenceCard : Alphanumeric ・ SpecialPermanentResidentCertificate : Alphanumeric
Expiration date	String	yyyyMMdd	○	○	-	-	* OCR can be used as an alternative * OCR can be used as an alternative
Sex	Enum	-	-	○	-	-	Male, female, other ※For physical information on Enum, please refer to the 'Sex *for Android' and 'Sex *for iOS' in the 'API Documents' included with the SDK.
My number	String	Numbers	-	△	-	-	※This is a paid option. Please contact a sales representative when you wish to use this service. My number ※The value is returned only when the ID document type is a National Identity Card (+ My Number); however, if the argument "Return My Number Availability" is set to true, it will not be returned.
MyNa Driver's License Information							
Driver's license color classification	String	*	-	△	-	-	※This is a paid option. Please contact a sales representative when you wish to use this service. "Excellent", "New", "others" ※Returned only when the ID document type is MyNumber Card (+ Licence information).
Driver's License Conditions Array	Array (String)	*	-	△	-	-	※This is a paid option. Please contact a sales representative when you wish to use this service. ※Returned only when the ID document type is MyNumber Card (+ Licence information).
Driver's License Type Array	Array (String)	As shown on the right	-	△	-	-	※This is a paid option. Please contact a sales representative when you wish to use this service. The values included are as follows Trailer / Mid-sized / Moped / Large / Special Large / Large Motorcycle / Special Small / Standard Motorcycle / Semi-mid-sized / Class 2 Large / Class 2 Mid-sized / Class 2 Standard / Class 2 Special Large / Class 2 Trailer / Standard ※Returned only when the ID document type is MyNumber Card (+ Licence information).
Driver's License Remarks Array	Array (String)	*	-	△	-	-	※This is a paid option. Please contact a sales representative when you wish to use this service. ※Returned only when the ID document type is MyNumber Card (+ Licence information).
Driver's License Date of Issue Array	Array (String)	yyyyMMdd	-	△	-	-	※This is a paid option. Please contact a sales representative when you wish to use this service. Fixed three elements (e.g., Second, Small, Moped; Other; Class 2), with each date in YYYYMMDD format. However, if the relevant license has not been obtained, an empty string will be returned. ※Returned only when the ID document type is MyNumber Card (+ Licence information).
MyNa Driver's License Information Registration Number	String	Numbers	-	△	-	-	※This is a paid option. Please contact a sales representative when you wish to use this service. The License Information Registration Number of the Myna Driver's License is not the same as the standard Driver's License Number. Of the 12 digits, the first 11 digits are identical, but the 12th digit can be different. ※Returned only when the ID document type is MyNumber Card (+ Licence information).

Last day of validity of the MyNa Driver's License	String	yyyyMMdd	-	△	-	-	※This is a paid option. Please contact a sales representative when you wish to use this service. ※Returned only when the ID document type is MyNumber Card (+ Licence information).
Face photo from the front of the MyNa Driver's License	Image Object	-	-	△	-	-	※This is a paid option. Please contact a sales representative when you wish to use this service. The face photo saved in the License Information Registration of the MyNa Driver's License (Returned as default image object of OS) Android : Bitmap iOS : UIImage ※Returned only when the ID document type is MyNumber Card (+ Licence information).
Zip code	String	Numbers	△	△	- ※OCR functionality is available separately	- ※OCR functionality is available separately	※This is a paid option. Please contact a sales representative when you wish to use this service. 7-digit number Null when the zip code identification setting is off or zip code could not be identified. *Reverse lookup may fail and return a null or incorrect zip code when there is a distortion in notation or inclusion of external characters with the registered address in the database provided by the Postal Service. 【Note】 If the eKYC method is READ_OFFLINE (Non-legal IC scan system (without digital signature verification and without face photo, off-line)), it will not be returned.
Japanese/Foreigner verification	Enum	-	○	○	-	-	Japanese / Foreigner *Due to the estimated value, there are cases where a foreigner is returned in the results even if the applicant is Japanese (or vice versa). *For more information on the verification method, please refer to the ""Japanese/foreigner detection"" section of the Connector's ""LIQUID_eKYC_022_IC Card Read Information Acquisition API"". ※For physical information on Enum, please refer to the 'LiquidJapaneseForeignerJudgment *for Android' and 'JapaneseForeignerJudgment *for iOS' in the 'API Documents' included with the SDK. 【Note】 If the eKYC method is READ_OFFLINE (Non-legal IC scan system (without digital signature verification and without face photo, off-line)), it will not be returned.
Driver's License Conditions Array	Array (String)	As shown on the right	-	△	-	-	※Returned only when the ID document type is a driver's license 【Notice】 If the eKYC method is READ_OFFLINE (Non-legal IC scan system (without digital signature verification and without face photo, off-line)), it will not be returned
Driver's License Type Array	Array (String)	As shown on the right	-	△	-	-	The values included are as follows: Trailer / Mid-sized / Moped / Large / Special Large / Large Motorcycle / Special Small / Standard Motorcycle / Semi-mid-sized / Class 2 Large / Class 2 Mid-sized / Class 2 Standard / Class 2 Special Large / Class 2 Trailer / Standard ※Returned only when the ID document type is a driver's license 【Notice】 If the eKYC method is READ_OFFLINE (Non-legal IC scan system (without digital signature verification and without face photo, off-line)), it will not be returned
Driver's License Date of Issue Array	Array (String)	yyyyMMdd	-	△	-	-	Fixed three elements (e.g., Second, Small, Moped; Other; Class 2), with each date in YYYYMMDD format. ※Returned only when the ID document type is a driver's license 【Notice】 If the eKYC method is READ_OFFLINE (Non-legal IC scan system (without digital signature verification and without face photo, off-line)), it will not be returned
Whether or not moved abroad	Enum	-	-	○	-	-	Unknown (the data is old, before the National Identity Card was adapted to use abroad), not moving abroad, moving abroad. ※This value is determined based on the address record on the IC chip, so there may be errors in the determination results. ※For physical information on Enum, please refer to the 'MovedAbroad *for Android' and 'MovedAbroad *for iOS' in the 'API Documents' included with the SDK. 【Note】 If the eKYC method is READ_OFFLINE (Non-legal IC scan system (without digital signature verification and without face photo, off-line)), it will not be returned.
Expected date of moving abroad	String	yyyyMMdd	-	○	-	-	The expected date of moving abroad is extracted from the address record on the IC chip (western calendar year). *If it is registered in the Japanese calendar, it will be converted to the western calendar. *The values are extracted from the IC chip address records, so there may be errors in the extraction results. 【Note】 If the eKYC method is READ_OFFLINE (Non-legal IC scan system (without digital signature verification and without face photo, off-line)), it will not be returned.
(Residence Card) Permission to Engage in Activity other than that Permitted under the Status	String	*	-	-	△	-	
(Residence Card) Permission to Engage in Activity other than that Permitted under the Status	String	*	-	-	△	-	
(Residence Card) Application for extension of period of stay	Boolean	-	-	-	○	-	True: Pending False: Not Found
Residence Card / Special Permanent Resident Certificate information type	Enum	-	-	-	○	○	Normal (Normal), Under 16 years old (Under 16 years old), check code, no public key certificate (No certificate) ※16歳未満については、身元確認方式が以下の場合に16歳未満の在留カード ないし 特別永住者証明書を読み取った場合にのみ返却される ・ READ (Non-legal IC scan system (without digital signature verification and without face photo)) ・ READ_OFFLINE (Non-legal IC scan system (without digital signature verification and without face photo, off-line)) ※For physical information on Enum, please refer to the 'LiquidResidenceCardInfoType *for Android' and 'ResidenceCardInfoType *for iOS' in the 'API Documents' included with the SDK.

Residence Card / Special Permanent Resident Certificate information type	Enum	-	-	-	○	○	ResidenceCard、SpecialPermanentResidentCertificate ※Regardless of whether a Residence Card or Special Permanent Resident Certificate is specified as the ID document type, the actual user may present the other type at the time of use. To exclude that use case, please check the document type and implement appropriate error handling. ※For physical information on Enum, please refer to the 'LiquidResidenceCardType *for Android' and 'ResidenceCardType *for iOS' in the 'API Documents' included with the SDK.
Additional information	Object	-	△	△	△	△	Returned only when the process result is "Server Maintenance". * For details, please refer to Additional Information (Server Maintenance) 【Notice】 If the KYC check is READ_OFFLINE (Non-legal IC Scan (no digital signature verification, without facial verification, offline)), it will not be returned.

【deprecated】Document IC Card Function (“Comply to He”) “verifyIdChip()”

Revision		
Version	Overview	Details
1.11.0	Newly added	Newly added * This function has the same features as the Document IC Card Function (“Comply to He”) “verifyIdChip()” in SDK versions under 1.11.0, with the request parameter “Electronic signature verification key” removed and “eKYC Method” added.
1.11.0	Added descriptions for names on National Identity Card.	Added information about variations in Japanese names and non-Japanese names.
1.12.0	Added Comply to “To”/“Chi”	Added Comply to “To”/“Chi” and Non-legal IC Scan (no e-signature verification, without facial verification) as arguments in eKYC Method.
1.12.0	Added zip code as return value	Added feature that determines the zip code from the address recorded on IC chip.
1.12.1	Error correction	Corrected ○ to △ in the “Required” column of the zip code return value. Dakutens and handakutens are treated as one character.
1.13.0	Dakutens or handakutens in name (Kana)	Delete the statement “Dakutens and handakutens are treated as one character.” *Since v1.9.0, we return kana with Dakuten and Handakuten characters (e.g., “タ” “ ” for less than v1.9.0 and “タ” for v1.9.0 and later).
1.13.0	Supplement Name (kana)	Added supplemental information about characters available on Driver's licenses.
1.13.0	Undetected type of Residence card.	“Undetected” is not returned, so delete description
1.13.0	Added note to zip code.	Added behavior in the event of failure.
1.15.0	Support for previous name	*New return items to be added: “Current name,” “Current name with external character image,” “Previous name,” “Previous name with external character image,” “Updated name with/without updated name,” “Updated address with/without updated address.” *Existing “Name (Kana)” is unchanged.”
1.15.0	Revision of the name description:	• The name “Last name [previous name] □ First name” is deleted from the description as it cannot be returned as a name in this function.*The previous name is a full-width character and [] is a separate character. • *The specifications for the National Identity Card itself include “Last name [previous name] □ First name”*The previous name is a full-width character and [] is a separate character, but the previous name is removed from the document IC card function and is returned. • *However, when using the JPKI function, the ‘family Last name [previous name] □ name’*The previous name is a full-width character and [] is a separate character can be returned. • Deleted the description of the format of the Natinal Identity card. *For similar content, refer to the “Supplementary description related to names” in Connector ‘LIQUID_eKYC_022_IC card reading information acquisition API’.
1.15.0	Additional prerequisites	Pre-setting, ‘Whether or not the amended name/address has been obtained on the driver’s licence’ error stated.
1.15.0	Change of terms	Before change: only when the master setting “Support for change of current name and address” is ON. After change: only when the setting “Retrieve changed name/address on driver’s licence” is set to “Retrieve changed information”.
1.17.0	Added a new passive judgment to the Facial Recognition Function.	Description of differences due to the verification method of Facial Recognition Function (Active detection or Passive detection)
1.20.0	Added new option for kana name conversion	Return Kana suggestions for the first name and the last name if the Kana name conversion option is under contract.
1.21.0	Added Special Permanent Resident Certificate	Special Permanent Resident Certificate is now available to be selected.
1.21.0	Japanese/Foreigner verification has been added.	Return Japanese/Foreigner verification on driver’s license and national identity card. *Due to the estimated value, there are cases where a foreigner is returned in the results even if the applicant is Japanese (or vice versa).
1.23.0	Error correction	○○-support → ○○method (notation in Japanese changes)
1.24.0	Depricated	This section is now deprecated due to the newly established function, ‘verifyIdChip()’ for setting values for the Document IC card functions (Comply to “HE”), which takes settings for document IC card functions as arguments. However, this function will be retained to maintain compatibility.

Prerequisite

• If the setting ‘Acquisition of changed name/address on the driver’s license’ is set to ‘Do not acquire changed information,’
Please note that if a driver’s license with changed information is used, the error message “IC chip is unusual (with updated information)” will be displayed.

Request detail					
Content	Type	Data Format	Max Characters	Required	Details

ID type	Enum	-	-	○	Please refer to Document IC Card Function "verifyIdChip()"
eKYC Method	Enum	-	-	○	Please refer to Document IC Card Function "verifyIdChip()"

Response detail

Please refer to Document IC Card Function "verifyIdChip()"

【deprecated】 Document IC Card Function (“Comply to He”) “verifyIdChip()”

Revision

Version	Overview	Details
1.60	Changed the type of "sex" to Enum	Modified so it matches the data type of eKYC SDK v1.5.5
1.60	Changed the data type of "Residence Card information type" to Enum	Modified so it matches the data type of eKYC SDK v1.5.5
1.60	Changed the data type of "Residence Card type" to Enum	Modified so it matches the data type of eKYC SDK v1.5.5
1.80	Error correction	Add "△" in "MN Card" and "Residence Card" in "Additional Information". (The error occurred in version 1.60. The description in version 1.55 and earlier is correct.)☒
1.80	Error correction	The notation of boolean values is unified to "Boolean".
1.11.0	Depricated	The operations of this function has been integrated into the new Document IC Card Function “verifyIdChip()” This function is deprecated but remains functional to retain compatibility with older versions.
1.21.0	Special Permanent Resident Certificate has been added.	Special Permanent Resident Certificate is now available to be selected.
1.23.0	Error correction	○○-support → ○○method (notation in Japanese changes)

Request detail

Content	Type	Data Format	Max Characters	Required	Details
ID type	Enum	-	-	○	Please refer to Document IC Card Function “verifyIdChip()”, which has the same response detail but different arguments "ID type" and "eKYC Method"
Electronic signature verification key	String	Alphanumeric	-	○	String specified by Liquid * Not referred to after version 1.11.0

Response detail

Please refer to Document IC Card Function “verifyIdChip()”

Document IC Card Function (signature verification only) “verifyIdChip()”

Revision

Version	Overview	Details
1.11.0	Newly added	Newly added ※A function that only does signature verification after retrieving the data from the IC chip.
1.12.0	Added features for Comply to "To"/"Chi" and verification excluding back of Residence Card.	- Added the parameter "eKYC Method" to distinguish between Comply to "He", Comply to "To, and Comply to "Chi" ※If you were using Comply to "He" in v1.11.0, please specify Comply to "He" as the "eKYC Method" when switching to v1.12.0 - Added method for excluding the photoshoot of the back of Residence Card so that the process of taking a photo of the Residence Card can be skipped in Comply to "To"/"Chi" ※If you are skipping the back of Residence Card photoshoot, please use the method verifyIdChipExcludeBack()
1.15.0	Support for previous name	New argument items to be added: See request detail for additional arguments. New return items to be added: See response detail for additional returns. Change in the description:
1.15.0	Additional prerequisites.	Refer to the Prerequisite section.
1.21.0	Special Permanent Resident Certificate has been added.	Special Permanent Resident Certificate is now available to be selected.
1.21.0	Error correction	○○-support → ○○method (notation in Japanese changes)
1.24.0	Error correction	The description has been deleted as this function does not support COMPLY_CHI (CHI method).
1.24.0	The option to display a confirmation screen has been added.	The confirmation screen can now be displayed when presenting a Residence Card/Special Permanent Resident Certificate. *As a result, the description of the document IC card function (for signature verification only (back side not applicable for residence card/special permanent residence certificate)) has been split onto a separate sheet.
1.38.0	Updated the description for the type of information held on the Residence Card/Special Permanent Residence Certificate	Aligned with the updated specification for verifyIdChip() ※There are no specification changes for this function.
1.44.0	Support for Comply to "Chi" method	Added support for COMPLY_CHI (Comply to "Chi" method) as an eKYC method

Prerequisite

The same as Document IC Card Function “verifyIdChip()”

Request detail

Content	Type	Data Format	Max Characters	Required	Details
---------	------	-------------	----------------	----------	---------

eKYC Method	Enum	-	-	○	COMPLY_HE(Comply to "He")/COMPLY_TO(Comply to "To")/COMPLY_CHI(Comply to "Chi") Please see "8. How The Integration Should Work" of "LIQUID eKYC Applicant SDK Specifications" to see which request parameter should be used. ※For physical information on Enum, please refer to the 'VerificationMethod *for Android' and 'VerificationMethod *for iOS' in the 'API Documents' included with the SDK.
Electronic signature	String	BASE64	-	○	Formatted as specified separately

Verification parameter	String	BASE64	-	○	Formatted as specified separately
RAW data	Object	-	-	○	The object is different for Driver's License/Individual Number Card/Residence Card /Special Permanent Resident Certificate (Please see tables below)
Confirmation screen is displayed or not	Boolean	-	-	○	Valid only if the RAW data is a Residence Card/Special Permanent Resident Certificate. True: Display the confirmation screen for photos taken. False: Do not display the confirmation screen for photos taken

Content	Type	Data Format	Max Characters	Required	Details
RAW data for Residence Card					
Data for signature verification (excluding place of domicile)	String	BASE64	-	○	Formatted as specified separately
Data for signature verification (place of domicile)	String	BASE64	-	○	Formatted as specified separately
Data of photo of face for signature verification	String	BASE64	-	○	Formatted as specified separately
Photo of face	Binary	-	-	○	A binary for the photo of face (in JPEG2000) Android: byte[] iOS: Data
ID number	String	Numbers	-	○	Driver's License number
New name	String	*	-	△	The latest name of owner if their name has changed ※If it includes external characters, they are replaced by □ (U+25A1) [Null] if the owner's name has not changed

New name (katakana)	String	katakana characters	-	△	The katakana version of the latest name of owner (in other words how to read the new name) if their name has changed Null if the owner's name has not changed
Previous name in latest change history	String	*	-	△	Previous name in latest change history *This item should only be given when the previous name is attached to the name that has been changed. If there are any changes in the name, and when the previous name is also still used, the latest previous name will be `previous name + first name`. *When a non-standard character is included, it is replaced by (U+25A1) and linked.
New address	String	*	-	△	Address out of the latest change history The latest address of owner if their address has changed ※If it includes external characters, they are replaced by □ (U+25A1) Null if the owner's address has not changed
External characters in name	Object Array	External character objects	-	△	If external characters are included in the name, an array of "external character objects" as they appear in the name ※If there are missing characters, the missing characters are skipped in the array Null if there are no external characters in name
External characters in address	Object Array	External character objects	-	△	If external characters are included in the address, an array of "external character objects" as they appear in the address ※If there are missing characters, the missing characters are skipped in the array Null if there are no external characters in address

External characters in new name	Object Array	External character objects	-	△	If external characters are included in the new name, an array of "external character objects" as they appear in the new name ※If there are missing characters, the missing characters are skipped in the array Null if there are no external characters in the new name
Non-standard character included in the previous name of the signature subject.	Object Array	External character objects	-	△	If external characters are included in the new name, an array of "external character objects" as they appear in the new name ※If there are missing characters, the missing characters are skipped in the array Null if there are no external characters in the new name
The latest change history includes a previous name which has non-standard characters.	Object Array	External character objects	-	△	If external characters are included in the new name, an array of "external character objects" as they appear in the new name ※If there are missing characters, the missing characters are skipped in the array Null if there are no external characters in the new name
External characters in new address	Object Array	External character objects	-	△	If external characters are included in the new address, an array of "external character objects" as they appear in the new address ※If there are missing characters, the missing characters are skipped in the array Null if there are no external characters in the new address

Content	Type	Data Format	Max Characters	Required	Details
External character objects for Driver's License					
External character size	Numerical	Integer	-	○	The size of the external character (the structure of the character) e.g. 50
External character image	Binary	-	-	○	The binary of the image of the external character (in "BitMap") ※ Unlike the typical BitMap image (whose extension is .bmp), this one is in the "BitMap" format Android: byte[] iOS: Data

Content	Type	Data Format	Max Characters	Required	Details
RAW data for Individual Number Card					
Data for signature verification	String	BASE64	-	○	Formatted as specified separately

Expiration date	String	yyyyMMdd	-	○	The expiration date in yyyyMMdd format
Photo of face	Binary	-	-	○	The binary for the photo of face (in JPEG2000) Android: byte[] iOS: Data

Content	Type	Data Format	Max Characters	Required	Details
RAW data for Residence Card					
Data for signature verification	String	BASE64	-	○	Formatted as specified separately
Photo of face	Binary	-	-	○	The binary for the photo of face (in JPEG2000) Android: byte[] iOS: Data
Card image (front)	Binary	-	-	○	The binary for the image of the front of the card (in TIFF) Android: byte[] iOS: Data
Application for extension of period of stay	Boolean	-	-	○	True: application under process False: N/A
Residence Card/Special Permanent Resident Certificate information type	Enum	-	-	○	Normal, Under 16 years old, Check code, No certificate ※For physical information on Enum, please refer to the 'LiquidResidenceCardInfoType *for Android' and 'ResidenceCardInfoType *for iOS' in the 'API Documents' included with the SDK.
Residence Card/Special Permanent Resident Certificate type	Enum	-	-	○	Undetected, ResidenceCard, SpecialPermanentResidentCertificate ※For physical information on Enum, please refer to the 'LiquidResidenceCardType *for Android' and 'ResidenceCardType *for iOS' in the 'API Documents' included with the SDK.
Permission to Engage in Activity other than that Permitted under the Status of Residence Previously Granted (general activity permission)	String	*	-	△	Null if there is no corresponding information

	Permission to Engage in Activity other than that Permitted under the Status of Residence Previously Granted (individual activity permission)	String	*	-	△	Null if there is no corresponding information
--	--	--------	---	---	---	---

Content	Type	Data Format	Max Characters	Required	Details
RAW data for SpecialPermanentResidentCertificate					
Data for signature verification	String	BASE64	-	○	Formatted as specified separately
Photo of face	Binary	-	-	○	The binary for the photo of face (in JPEG2000) Android: byte[] iOS: Data
Card image (front)	Binary	-	-	○	The binary for the image of the front of the card (in TIFF) Android: byte[] iOS: Data
Residence Card/Special Permanent Resident Certificate information type	Enum	-	-	○	Normal, Under 16 years old, Check code, No certificate ※For physical information on Enum, please refer to the 'LiquidResidenceCardInfoType *for Android' and 'ResidenceCardInfoType *for iOS' in the 'API Documents' included with the SDK.
Residence Card/Special Permanent Resident Certificate type	Enum	-	-	○	Undetected, ResidenceCard, SpecialPermanentResidentCertificate ※For physical information on Enum, please refer to the 'LiquidResidenceCardType *for Android' and 'ResidenceCardType *for iOS' in the 'API Documents' included with the SDK.

Response detail

The same as Document IC Card Function "verifyIdChip()"

Document IC Card Function
(signature verification only (exclude back of Residence Card/Special Permanent Resident Certificate))
“verifyIdChipExcludeBack()”

Revision		
Version	Overview	Details
1.24.0	Newly added	The split of the description was only from "Document IC Card Function (for signature verification only) "verifyIdChip()".

Request detail					
Content	Type	Data Format	Max Characters	Required	Details
eKYC Method	* Please refer to the corresponding section in the Document IC Card Function (signature verification only)				
Electronic signature	* Please refer to the corresponding section in the Document IC Card Function (signature verification only)				
Verification parameter	* Please refer to the corresponding section in the Document IC Card Function (signature verification only)				
RAW data	* Please refer to the corresponding section in the Document IC Card Function (signature verification only)				

Content	Type	Data Format	Max Characters	Required	Details
RAW data for Residence Card	* Please refer to the corresponding section in the Document IC Card Function (signature verification only)				

Content	Type	Data Format	Max Characters	Required	Details
External character objects for Driver's License	* Please refer to the corresponding section in the Document IC Card Function (signature verification only)				

Content	Type	Data Format	Max Characters	Required	Details
RAW data for Individual Number Card	* Please refer to the corresponding section in the Document IC Card Function (signature verification only)				

Content	Type	Data Format	Max Characters	Required	Details
RAW data for Residence Card	* Please refer to the corresponding section in the Document IC Card Function (signature verification only)				

Content	Type	Data Format	Max Characters	Required	Details
RAW data for SpecialPermanentResidentCertificate	* Please refer to the corresponding section in the Document IC Card Function (signature verification only)				

Response detail

[EN] The same as Document IC Card Function “verifyIdChip()”

Document IC Card Function without screen “verifyIdChipNonInteractive()”

Revision		
Version	Overview	Details
1.26.0	Newly added	Newly added
1.27.0	Return Name (Half-width Kana)	Regarding the driver's license, name (Half-width Kana) will be returned as well.
1.27.0	Return whether or not you are moving abroad and the expected moving date.	For your National Identity Card, return the information on the left.
1.31.0	Added updated address	On a driver's licence, obtain and return the full address of the change of description
1.31.0	Expanded description	Types, data attributes, requirements and explanations are clearly stated (descriptions that refer to other sheets have been revised)
1.31.0	Added Enum description	Added Enum description
1.36.0	Compatible with Residence cards	Now compatible with Residence cards / Special permanent resident certificates
1.36.0	Specify elements to be returned with the ID document number	Specified that the Driver's license number / Residence card number / Special permanent resident certificate number will be returned
1.37.0	Newly added the function to retrieve the My Number-linked driver's license (MyNa	Retrieve and return the MyNa Driver's License within the document IC card function.
1.37.0	Change in Notation Method	The password elements for each document, accepted as configuration values for the Document IC Card function, are presented with differentiation in levels, such as by using staggered notation or indentation.
1.37.0	Added specifications from the beginning	Clearly stated that the return value "ID Document Type" is available only on Android. It has been clearly stated that the return value "IC Card Read Error Information" is also returned when the IC chip is in a locked state "chip_locked" (detailed error code = SE20001).
1.37.0	Removed description of kana name conversion option	Starting from September 2024, kana will be returned even without using the kana name conversion option. Therefore, the text returned when signing up for the kana name conversion option has been deleted.
1.38.0	Newly added the Get My Number function	Similar to the Comply to "He" method using the National Identity Card, obtain and return the My Number.
1.38.0	Updated the description for the type of information held on the Residence Card/Special Permanent Residence Certificate	Aligned with the updated specification for verifyIdChip() ※There are no specification changes for this function.
1.40.0	Added a feature to prevent the return of My Numbers from this function	A feature was added that prevents the function from returning the My Number when the ID document type is a National Identity Card (+ My Number), and allows it to be retrieved only via the Connector.
1.44.0	Return the qualification status of the driver's license	Added a function that returns the license conditions and license type when the ID document type is a driver's license.
1.45.0	Return address in split format	Added the following return values with the address split: Address (prefecture)/Address (city)/Address (other) 

- Prerequisite**
- If the setting 'Acquisition of changed name/address on the driver's license' is set to 'Do not acquire changed information,' Please note that if a driver's license with changed information is used, the error message "IC chip is unusual (with updated information)" will be displayed.
 - About MyNa Driver's Licenses
 - "Password / National Identity Card (+ license information)" should be used only when you wish to retrieve license information from the MyNa Driver's License.
 - If license information is not required, use "Password / National Identity Card".KYC verification is possible without issue even with a MyNa License.

Request detail					
Content	Type	Data Format	Max Characters	Required	Details
Set value for Document IC Card Function					
Return My Number Availability	Boolean	-	-	△	Valid only when the ID document type is a National Identity Card (+ My Number) True: The My Number is not returned from this function (returns NULL) False: The My Number can be returned from this function 【Default Value】 ※Regardless of whether this argument is set to true, false, or left as the default value, the My Number obtained by the SDK is passed to the LIQUID eKYC Platform and can be retrieved separately via the Connector.
Password	Object	-	-	○	Please specify the object according to the type of ID document you wish to guide the end user to read. (refer to the table below)

Content	Type	Data Format	Max Characters	Required	Details
【Objects when the ID document type is a driver's license】 Password for Driver's license					
PIN 1	String	Numbers	4	○	
PIN 2	String	Numbers	4	○	

Content	Type	Data Format	Max Characters	Required	Details
【Objects when the ID document type is a National Identity Card】 Password for National Identity Card					
Reference number B	String	Numbers	14	○	<If you are Japanese (date of birth in Japanese calendar format)> Two-digit zero-padded birth year (Japanese calendar) + four-digit month and day + four-digit expiration year + four-digit security code. <If you are non-Japanese (date of birth is in western calendar format)> Last 2 digits of birth year + 4 digits for month and day + 4 digits for expiration year + 4 digits for security code.
The birth year in both the Japanese calendar and the Western calendar.	Enum	-	-	○	in Japanese Calendar (wareki), in Christian year ※For physical information on Enum, please refer to the 'BirthYearCalendarType *for Android' and 'BirthYearCalendarType *for iOS' in the 'API Documents' included with the SDK.
Reference number A	String	Numbers	12	○	digits of 12 (12 digits of MyNumber)

Content	Type	Data Format	Max Characters	Required	Details
【Objects when the ID document type is a National Identity Card (+License Information)】 Password / National Identity Card (+ license information)					
Verification Number B	String	Numbers	14	○	< If you are Japanese (date of birth in Japanese calendar format) Two-digit zero-padded birth year (Japanese calendar) + four-digit month and day + four-digit expiration year + four-digit security code. <If you are non-Japanese (date of birth is in western calendar format) Last 2 digits of birth year + 4 digits for month and day + 4 digits for expiration year + 4 digits for security code.
The birth year in both the Japanese calendar and the Western calendar.	Enum	-	-	○	the Japanese calendar and the Western calendar. *For physical information on Enum, please refer to the 'BirthYearCalendarType *for Android' and 'BirthYearCalendarType *for iOS' in the 'API Documents' included with the SDK.
PIN for MyNa Driver's License	String	-	4	○	digits of 4

Content	Type	Data Format	Max Characters	Required	Details
【Objects when the ID document type is a Residence card】 Password for Residence Card					
Residence card number	String	Alphanumeric	12	○	2 uppercase letters + 8 digits + 2 uppercase letters

Content	Type	Data Format	Max Characters	Required	Details
【Objects when the ID document type is a For Special Permanent Resident Certificate】 Password for Special Permanent Resident B43Certificate					

	Special permanent resident certificate number	String	Alphanumeric	12	○	2 uppercase letters + 8 digits + 2 uppercase letters
--	---	--------	--------------	----	---	--

Response detail

Content	Type	Data Format	Required				Details
			Driver's License	National Identity Card	ResidenceCard	SpecialPermanentResidentCertificate	
Process results	Enum	-	○	○	○	○	An enumeration indicating success or failure. --If the value indicates success, the process can continue * For the actual values, please refer to Common Return Values: Process Results * This contains an error code that gives details of the failure. ※For physical information on Enum, please refer to the 'ChipVerificationResultStatus *for Android' and 'ResultStatus *for iOS' in the 'API Documents' included with the SDK.

Verification results								
Matching result of the user's face scan and the face photo on ID		Object	-	△	△	- ※May be returned via the "Document IC Card +ISO:L57Supplementary Information Transmission Function (without screen)"	- ※May be returned via the "Document IC Card Supplementary Information Transmission Function (without screen)"	Returned only when both the "Document function or IC Document Card function" and the "Facial recognition function" are executed :This object is available. Otherwise: (this value is not returned)
	Face photo matching results	Enum	-	△	△	- ※May be returned via the "Document IC Card Supplementary Information Transmission Function (without screen)"	- ※May be returned via the "Document IC Card Supplementary Information Transmission Function (without screen)"	High (False acceptance rate below 1/100,000, match score equal to or over 388) Medium (False acceptance rate from 1/100,000 to 1/10,000, match score from 332 to 387) Low (False acceptance rate equal to or above 1/10,000, match score equal to or below 331) ※For physical information on Enum, please refer to the 'AutoVerificationFacePhotoResultType *for Android' and 'FacePhotoVerificationResult *for iOS' in the 'API Documents' included with the SDK.
	Match score	Numerical	Integer	△	△	- ※May be returned via the "Document IC Card Supplementary Information Transmission Function (without screen)"	- ※May be returned via the "Document IC Card Supplementary Information Transmission Function (without screen)"	Integer (range -1000 to 1000)
【For use in Active Detection of the Facial Recognition Function】 Matching result of face scan and live verification		Object	-	△	△	- ※May be returned via the "Document IC Card Supplementary Information Transmission Function (without screen)"	- ※May be returned via the "Document IC Card Supplementary Information Transmission Function (without screen)"	Returned only when both the "Document function or IC Document Card function" and the "Facial recognition function" are executed :This object is available. Otherwise: (this value is not returned)
	Face recognition results	Enum	-	△	△	- ※May be returned via the "Document IC Card Supplementary Information Transmission Function (without screen)"	- ※May be returned via the "Document IC Card Supplementary Information Transmission Function (without screen)"	・ Same individual (false acceptance rate equal to or below 1/100,000, match score equal to or over 388) ・ May not be the same individual (false acceptance rate above 1/100,000, match score equal to or under 387) ※For physical information on Enum, please refer to the 'AutoVerificationFaceResultType *for Android' and 'FaceVerificationResult *for iOS' in the 'API Documents' included with the SDK.
	Match score	Numerical	Integer	△	△	- ※May be returned via the "Document IC Card Supplementary Information Transmission Function (without screen)"	- ※May be returned via the "Document IC Card Supplementary Information Transmission Function (without screen)"	Integer (range -1000 to 1000)

【For use in Passive Detection of the Facial Recognition Function】 Matching result of face scan and live verification Matching result of face scan and live verification		Object	-	△	△	-	-	Returned only when both the "Document function or IC Document Card function"" and the ""Facial recognition function (Passive detection)"" are executed :This object is available. Otherwise: (this value is not returned)
		Face recognition results	Boolean	-	△	△	-	-
						※May be returned via the "Document IC Card Supplementary Information Transmission Function (without screen)"	※May be returned via the "Document IC Card Supplementary Information Transmission Function (without screen)"	
						※May be returned via the "Document IC Card Supplementary Information Transmission Function (without screen)"	※May be returned via the "Document IC Card Supplementary Information Transmission Function (without screen)"	
Image								
ID document		Object	-	-	-	○	○	Returned only for Residence cards / Special permanent resident certificates (Returned as default image object of OS) Android : Bitmap iOS : UIImage
Front		Image object	-	-	-	○	○	Image data that can be used as it is in the app
Back		Image object	-	-	-	-	-	
IC card chip information								
Information related to IC card reading error		Object	-	△	△	-	-	It is returned when the processing result is as follows: ・ IC chip is in a locked state "chip_locked" (Detailed error code= SE20001) ・ Incorrect PIN with IC chip "chip_pin_invalid" (Detailed error code= SE20015)
Number of possible attempts before being locked		Numerical	Integer	△	△	-	-	The remaining number of attempts to verify the PIN on the chip embedded in the IC card. *If the number of attempts is exceeded, the chip will be locked.
Identified error authentication information type		Enum	-	-	△	-	-	A value to identify the authentication information used at the time of the error in question 【When the ID document type is a driver's license】 ・ Unknown type 【When the ID document type is a National Identity Card】 ・ Unknown type 【When the ID document type is a National Identity Card (+License Information)】 ・ Reference numberB(digits of 14) ・ PIN for MyNa Driver's License(digits of 4) 【When the ID document type is a Residence card】 None of the items under "IC Card Read Error Related Information" are returned. 【When the ID document type is a For Special Permanent Resident Certificate】 None of the items under "IC Card Read Error Related Information" are returned. ※For physical information on Enum, please refer to the 'LiquidChipErrorCredentialType *for Android' and 'ChipErrorCredentialType *for iOS' in the 'API Documents' included with the SDK.
ID type		Enum	-	○	○	○	○	The ID document type guided to the end user for scanning. ※Returned only Android ※For physical information on Enum, please refer to the 'LiquidDocumentType *for Android' included with the SDK.
ID photo		Image Object	-	○	○	○	○	An image immediately available for use in apps (Returned as default image object of OS) Android: Bitmap iOS: UIImage
Name		String	*	○	○	-	-	For Driver's License: ・ External characters are expressed as □ (UTF-8 E296A1) ・ May include chōonpu (ー) instead of hyphens (-) ・ For the format, please refer to the ""Supplementary Explanation of Name"" in Connector ""LIQUID_eKYC_022_IC Card Read Information Acquisition API"" For National Identity Card: ・ For the format, please refer to the ""Supplementary Explanation of Name"" in Connector ""LIQUID_eKYC_022_IC Card Read Information Acquisition API"". ・ May include chōonpu (ー) instead of hyphens (-)
Name (katakana)		String	katakana characters	○	-	-	-	The small characters (ゃ,ゅ,ゃ,ゅ) are treated as normal characters. For characters that differ between Unix and Windows environments, the Unix system code is used. (e.g., a full-width minus is the Unicode number U+2212 (not U+FF0D))
Name (Half-width Kana)		String	*	○	-	-	-	Name (Full-width Kana) is converted to half-width kana and returned. However, characters not included in the Unicode code point U+FF66 - U+FF9F are deleted. However, the half-width space that serves as a delimiter will not be deleted. If all characters are deleted, NULL will be returned.
Last Name Suggestion Array		Array	-	-	△	-	-	*For conditions, see the equivalent elements of "Connector_LIQUID_eKYC_022_GetICCardInfo_API".
Last Name suggestions		String	*	-	△	-	-	Last name (Kana) suggestions are provided based on Kanji notation of name.

Last Name (half-width kana) Suggestion Array		Array	-	-	Δ	-	-	*For conditions, see the equivalent elements of "Connector_LIQUID_eKYC_022__GetICCardInfo_API".
	Last Name (half-width kana) suggestions	String	*	-	Δ	-	-	Suggested last name (half-width kana) based on the kanji characters of the first name.
First Name Suggestion (Kana) Array		Array	-	-	Δ	-	-	*For conditions, see the equivalent elements of "Connector_LIQUID_eKYC_022__GetICCardInfo_API".
	First Name (Kana) Suggestion	String	*	-	Δ	-	-	Suggested last name (kana) based on the kanji characters of the name
First Name (half-width kana) Suggestion Array		Array	-	-	Δ	-	-	*For conditions, see the equivalent elements of "Connector_LIQUID_eKYC_022__GetICCardInfo_API".
	First Name (half-width kana) Suggestion	String	*	-	Δ	-	-	Suggested first name (half-width kana) based on the kanji characters of the name
External character images for name		Array	-	△	-	-	-	(The images inside the array are returned as default image objects of the OS) Android: Bitmap iOS: UIImage * A way to detect missing characters is recommended in API Documents
	External character image	Image Object	-	△	-	-	-	An image immediately available for use in apps * Returned only when there are external characters in the name (at most 7 images) ※However, the maximum of seven images is the combined maximum for items such as name, former name, address, etc.
Name image		Image Object	-	-	○	-	-	Note that the font style may differ when compared to the "Name" as text. "If the name contains any non-standard characters, those characters in the "Name" as text are replaced by alternative characters and registered. However, in the "Name image" as an image, the characters are represented as an image before they are replaced by the alternative characters. (Returned in the system's standard image objects) Android : Bitmap iOS : UIImage
Previous name (Previous Surname(maiden name) + First Name)		String	*	○	○	-	-	For Driver's License: • External characters are expressed as □ (UTF-8 E296A1) • May include chōonpu (ー) instead of hyphens (-) • For the format, please refer to the ""Supplementary Explanation of Name"" in Connector ""LIQUID_eKYC_022_IC Card Read Information Acquisition API"" For National Identity Card: • For the format, please refer to the ""Supplementary Explanation of Name"" in Connector ""LIQUID_eKYC_022_IC Card Read Information Acquisition API"". • May include chōonpu (ー) instead of hyphens (-)
External character images for previous name		Array	-	△	-	-	-	(The images inside the array are returned as default image objects of the OS) Android: Bitmap iOS: UIImage * A way to detect missing characters is recommended in API Documents
	External character image	Image Object	-	△	-	-	-	Image data that can be used as it is in the app *Return only when the current name contains a non-standard character (maximum 7 images). ※However, the maximum of seven images is the combined maximum for items such as name, former name, address, etc.
Maiden Name Suggestion Array		Array	-	-	Δ	-	-	*For conditions, see the equivalent elements of "Connector_LIQUID_eKYC_022__GetICCardInfo_API".
	Maiden Name Suggestion Array 𐄂	String	*	-	Δ	-	-	Suggested maiden name (Kana) based on the kanji characters of the name.
Maiden Name (half-width kana) Suggestion Array		Array	-	-	Δ	-	-	*For conditions, see the equivalent elements of "Connector_LIQUID_eKYC_022__GetICCardInfo_API".
	Maiden Name (half-width kana) Suggestion Array	String	*	-	Δ	-	-	Suggested maiden name (half-width kana) based on the kanji characters of the name
Updated name or not.		Boolean	-	○	-	-	-	True: In the event of a change of name. False: In the event of no change of name.
Date of birth		String	yyyyMMdd	○	○	-	-	※OCR functionality is available separately
Address		String	*	○	○	-	-	※OCR functionality is available separately
						-	-	[EN] For Driver's License: • When a new address is registered, sets the new address • External characters are expressed as □ (UTF-8 E296A1) • Whether prefecture names are included depends on the decisions of the local Public Safety Commission that issued the license • May include chōonpu (ー) instead of hyphens (-) For National Identity Card: • Prefecture names are always included • May include chōonpu (ー) instead of hyphens (-)

Address (prefecture)	String	*	○	○	- ※OCR functionality is available separately	- ※OCR functionality is available separately	※This is a paid option. Please contact a sales representative when you wish to use this service. "Prefecture" name split from the address ※For restrictions on the return values, refer to the "Address_Prefecture" section of Connector "LIQUID_eKYC_022_GetICCardInfo_API"
Address (city)	String	*	○	○	- ※OCR functionality is available separately	- ※OCR functionality is available separately	※This is a paid option. Please contact a sales representative when you wish to use this service. "Municipality" name split from the address
Address (other)	String	*	○	○	- ※OCR functionality is available separately	- ※OCR functionality is available separately	※This is a paid option. Please contact a sales representative when you wish to use this service. Remaining address components, excluding "Prefecture" and "Municipality"
External character images for address	Array	-	△	-	-	-	(The images inside the array are returned as default image objects of the OS) Android: Bitmap iOS: UIImage * A way to detect missing characters is recommended in API Documents
External character image	Image Object	-	△	-	-	-	An image immediately available for use in apps * Returned only when there are external characters in the address (at most 7 images) ※However, the maximum of seven images is the combined maximum for items such as name, former name, address, etc.
Address image	Image Object	-	-	○	-	-	Address image Note that the font style may differ when compared to the "Name" as text. If the name contains any non-standard characters, those characters in the "Name" as text are replaced by alternative characters and registered However, in the "Name image" as an image, the characters are represented as an image before they are replaced by the alternative characters. (Returned in the system's standard image objects) Android : Bitmap iOS : UIImage
Address history	Array	*	○	-	-	-	History of previous addresses in case of address change (up to 8 addresses) ※Return ""null"" when there is no change ※Does not include most recent address • External characters are expressed as □ (UTF-8 E296A1)
Updated address or not	Boolean	-	○	-	-	-	True: In case of a change of address. False: In case of no change of address.
ID number	String	Alphanumeric	○	-	○	○	Specific data content • Driver's license: Driver's license number • Residence card: Residence card number • Special permanent resident certificate: Special permanent resident certificate number Specific Data Attributes • Driver's License : Numbers • ResidenceCard : Alphanumeric • SpecialPermanentResidentCertificate : Alphanumeric
Expiration date	String	yyyyMMdd	○	○	- ※OCR functionality is available separately	- ※OCR functionality is available separately	
Sex	Enum	-	-	○	- ※OCR functionality is available separately	- ※OCR functionality is available separately	Male, female, other ※For physical information on Enum, please refer to the "Sex *for Android" and "Sex *for iOS" in the "API Documents" included with the SDK.
My number	String	Numbers	-	△	-	-	※This is a paid option. Please contact a sales representative when you wish to use this service. My number ※The value is returned only when the ID document type is a National Identity Card (+ My Number); however, if the argument "Return My Number Availability" is set to true, it will not be returned.
MyNa Driver's License Information							
Driver's license color classification	String	*	-	△	-	-	※This is a paid option.Please contact a sales representative when you wish to use this service. "Excellent", "New", "others" ※Returned only when the ID document type is MyNumber Card (+ National Identity Card (+License Information)).
Driver's License Conditions Array	Array (String)	*	-	△	-	-	※This is a paid option. Please contact a sales representative when you wish to use this service. ※Returned only when the ID document type is MyNumber Card (+ Licence information).
Driver's License Type Array	Array (String)	As shown on the right	-	△	-	-	※This is a paid option. Please contact a sales representative when you wish to use this service. The values included are as follows Trailer / Mid-sized / Moped / Large / Special Large / Large Motorcycle / Special Small / Standard Motorcycle / Semi-mid-sized / Class 2 Large / Class 2 Mid-sized / Class 2 Standard / Class 2 Special Large / Class 2 Trailer / Standard ※Returned only when the ID document type is MyNumber Card (+ Licence information).

Driver's License Remarks Array	Array (String)	*	-	△	-	-	※This is a paid option. Please contact a sales representative when you wish to use this service. ※Returned only when the ID document type is MyNumber Card (+ Licence information).
Driver's License Date of Issue Array	Array (String)	yyyyMMdd	-	△	-	-	※This is a paid option. Please contact a sales representative when you wish to use this service. Fixed three elements (e.g., Second, Small, Moped; Other; Class 2), with each date in YYYYMMDD format. However, if the relevant license has not been obtained, an empty string will be returned. ※Returned only when the ID document type is MyNumber Card (+ Licence information).
MyNa Driver's License Information Registration Number	String	Numbers	-	△	-	-	※This is a paid option. Please contact a sales representative when you wish to use this service. The License Information Registration Number of the MyNa Driver's License is not the same as the standard Driver's License Number. Of the 12 digits, the first 11 digits are identical, but the 12th digit can be different. ※Returned only when the ID document type is MyNumber Card (+ Licence information).
Last day of validity of the MyNa Driver's License	String	yyyyMMdd	-	△	-	-	※This is a paid option. Please contact a sales representative when you wish to use this service. ※Returned only when the ID document type is MyNumber Card (+ Licence information).
Face photo from the front of the MyNa Driver's License	Image Object	-	-	△	-	-	※This is a paid option. Please contact a sales representative when you wish to use this service. The face photo saved in the License Information Registration of the MyNa Driver's License (Returned as default image object of OS) Android : Bitmap iOS : UIImage ※Returned only when the ID document type is MyNumber Card (+ Licence information).
Zip code	String	Numbers	△	△	- ※OCR functionality is available separately	- ※OCR functionality is available separately	※This is a paid option. Please contact a sales representative when you wish to use this service. 7-digit number Null when the zip code identification setting is off or zip code could not be identified. *Reverse lookup may fail and return a null or incorrect zip code when there is a distortion in notation or inclusion of external characters with the registered address in the database provided by the Postal Service.
Japanese/Foreigner verification	Enum	-	○	○	-	-	Japanese / Foreigner *Due to the estimated value, there are cases where a foreigner is returned in the results even if the applicant is Japanese (or vice versa). *For more information on the verification method, please refer to the ""Japanese/foreigner detection"" section of the Connector's ""LIQUID_eKYC_022_IC Card Read Information Acquisition API"". ※For physical information on Enum, please refer to the 'LiquidJapaneseForeignerJudgment *for Android' and 'JapaneseForeignerJudgment *for iOS' in the 'API Documents' included with the SDK.
Driver's License Conditions Array	Array (String)	As shown on the right	△	-	-	-	※Returned only when the ID document type is a driver's license
Driver's License Type Array	Array (String)	As shown on the right	△	-	-	-	The values included are as follows: Trailer / Mid-sized / Moped / Large / Special Large / Large Motorcycle / Special Small / Standard Motorcycle / Semi-mid-sized / Class 2 Large / Class 2 Mid-sized / Class 2 Standard / Class 2 Special Large / Class 2 Trailer / Standard ※Returned only when the ID document type is a driver's license.
Driver's License Date of Issue Array	Array (String)	yyyyMMdd	△	-	-	-	Fixed three elements (e.g., Second, Small, Moped; Other; Class 2), with each date in YYYYMMDD format. However, if the corresponding license has not been obtained, an empty string is returned. ※Returned only when the ID document type is a driver's license.
Whether or not moved abroad	Enum	-	-	○	-	-	Unknown (the data is old, before the National Identity Card was adapted to use abroad), not moving abroad, moving abroad. ※This value is determined based on the address record on the IC chip, so there may be errors in the determination results. ※For physical information on Enum, please refer to the 'MovedAbroad *for Android' and 'MovedAbroad *for iOS' in the 'API Documents' included with the SDK.
Expected date of moving abroad	String	yyyyMMdd	-	○	-	-	The expected date of moving abroad is extracted from the address record on the IC chip (western calendar year). *If it is registered in the Japanese calendar, it will be converted to the western calendar. *The values are extracted from the IC chip address records, so there may be errors in the extraction results.
(Residence Card) Permission to Engage in Activity other than that Permitted under the Status of Residence Previously Granted	String	*	-	-	△	-	
(Residence Card) Permission to Engage in Activity other than that Permitted under the Status of Residence Previously Granted	String	*	-	-	△	-	

(Residence Card) Application for extension of period of stay	Boolean	-	-	-	○	-	True: Pending False: Not Found
Residence Card / Special Permanent Resident Certificate information type	Enum	-	-	-	○	○	Normal (Normal), Under 16 years old (Under 16 years old), check code, no public key certificate (No certificate) However, only Normal (Normal) is returned at this time. ※Otherwise, an error is returned in the process result. (For error details, please refer to the description in the Appendix " Various process results".) ※For physical information on Enum, please refer to the 'LiquidResidenceCardInfoType *for Android' and 'ResidenceCardInfoType *for iOS' in the 'API Documents' included with the SDK.
Residence Card / Special Permanent Resident Certificate information type	Enum	-	-	-	○	○	ResidenceCard, SpecialPermanentResidentCertificate ※Regardless of whether a Residence Card or Special Permanent Resident Certificate is specified as the ID document type, the actual user may present the other type at the time of use. To exclude that use case, please check the document type and implement appropriate error handling.
Additional information	Object	-	△	△	○	○	Returned only when the process result is "Server Maintenance". * For details, please refer to Additional Information (Server Maintenance)

Document IC Card Supplementary Information Transmission Function (Noscreen) “verifyIdChipSupplementaryNonInteractive()”

Revision

Version	Overview	Details
1.36.0	Newly added	Newly added

Request detail

Content	Type	Data Format	Max Characters	Required	Details
Configuration values for the Document IC Card Supplementary Information Transmission Function (no screen)					
ID Document Type	Enum	-	-	○	Residence cards / Special permanent resident certificates Please specify the type of document used in the Document IC Card function (no screen) ※For physical information on Enum, please refer to the 'LiquidDocumentType *for Android' and 'IdDocumentType *for iOS' in the 'API Documents' included with the SDK.
Image of the back side	Binary	-	-	○	JPEG image of the back side of the Resident card / Special permanent resident certificate ※Resolution up to 1080 pixels wide x 1920 pixels high ※Up to 500,000 bytes

Response detail

Content	Type	Data Format	Required	Details
Process Result	Enum	-	○	An enumeration indicating success or failure. →If the value indicates success, the process can continue ※For the actual values, please refer to Common Return Values: Process Results ※This contains an error code that gives details of the failure. ※For physical information on Enum, please refer to the 'VerifyIdChipSupplementaryNonInteractiveResultStatus *for Android' and 'ResultStatus *for iOS' in the 'API Documents' included with the SDK.
Verification results				
Matching result of the user's face scan and the face photo on ID	Object	-	△	Returned only when both the "IC Document Card function (without screen)" and the "Facial recognition function" are executed :This object is available. Otherwise: (this value is not returned)
Face photo matching results	Enum	-	△	High (False acceptance rate below 1/100,000, match score equal to or over 388) Medium (False acceptance rate from 1/100,000 to 1/10,000, match score from 332 to 387) Low (False acceptance rate equal to or above 1/10,000, match score equal to or below 331) ※For physical information on Enum, please refer to the 'AutoVerificationFacePhotoResultType *for Android' and 'FacePhotoVerificationResult *for iOS' in the 'API Documents' included with the SDK.
Match score	Numerical	Integer	△	Integer (range -1000 to 1000)
【For use in Active Detection of the Facial Recognition Function】 The result of the "Face photo" and "Liveness detection" matches.	Object	-	△	Returned only when both the "IC Document Card function (without screen)" and the "Facial recognition function" are executed :This object is available. Otherwise: (this value is not returned)
Face recognition results	Enum	-	△	Same individual (false acceptance rate equal to or below 1/100,000, match score equal to or over 388) May not be the same individual (false acceptance rate above 1/100,000, match score equal to or under 387) For physical information on Enum, please refer to the 'AutoVerificationFaceResultType *for Android' and 'FaceVerificationResult *for iOS' in the 'API Documents' included with the SDK.
Match score	Numerical	Integer	△	Integer (range -1000 to 1000)
【For use in Passive Detection of the Facial Recognition Function】 "Facial photo" authenticity verification result.	Object	-	△	Returned only when both the "IC Document Card function (without screen)" and the "Facial recognition function" are executed :This object is available. Otherwise: (this value is not returned)
Face recognition results	Boolean	-	△	True: Authentic face False: Fake face
Additional Information	Object	-	△	Returned only when the process result is "Server Maintenance" ※For specific values, please refer to "Additional Information (During Server Maintenance)".

JPKI Function “identifyIdChip()”

Revision

Version	Overview	Details
1.18.0	Newly added	Newly added *The change is the addition of the "identifyIdChip()" argument to the "identifyIdChip()" document function that existed in SDK versions before 1.18.0.
1.20.0	Added JPKI +(face)	Added an argument to specify which KYC verification method to use to perform JPKI (Public Certification) functions
1.20.0	Newly added Kana name conversion option	Return Kana suggestions for the first name and the last name if the Kana name conversion option is under contract.
1.21.0	Newly added Japanese/Foreigner verification	Return Japanese/Foreigner verification on driver's license and national identity card. *Due to the estimated value, there are cases where a foreigner is returned in the results even if the applicant is Japanese (or vice versa).
1.23.0	Newly added obtain My number function	Obtain and return the JPKI and My Number at the same time
1.23.0	Error correction	〇〇-support → 〇〇method (notation in Japanese changes)
1.23.0A	Error correction	Deleted "For details, please refer to "8. Embedding and Linkage Specifications" in the document "LIQUID eKYC Applicant SDK Version Specifications"".
1.25.0	Added the expiration reason	Return the expiration reason.
1.25.0	Half-width kana returned	If you are subscribed to the Kana Name Conversion Option, the Kana candidates for first name and last name are also returned.
1.25.0	Data for digital signature	Aligned description with API Documents. *The value of this argument can be specified as null or an empty string without any problem.
1.26.0	Update the explanation of the reason for expiration.	Clarified the meaning of -1
1.27.0	Return whether or not you are moving abroad and the expected moving date.	Return the information on the left.
1.30.0	Expanded description	Types, data attributes, requirements and explanations are stated (descriptions that refer to other sheets have been revised)
1.30.0	Error correction	National Identity Card(+Get My number) → National Identity Card(+My number)
1.33.0	Added Enum description	Added Enum description
1.37.0	Newly added the function to retrieve the My Number-linked driver's license (MyNa Driver's License).	Retrieve and return the MyNa Driver's License in the JPKI function.
1.37.0	Error corrections	National Identity Card (+My Number) → National Identity Card (+My Number)
1.37.0	Removed description of kana name conversion option	Starting from September 2024, kana will be returned even without using the kana name conversion option. Therefore, the text returned when signing up for the kana name conversion option has been deleted.
1.37.0	Changed the name of “iTrust ID number for KYC check” to “ID number for KYC verification by PF company”	The description was added accordingly
1.40.0	Added a feature to prevent the return of My Numbers from this function	A feature was added that prevents the function from returning the My Number when the ID document type is a National Identity Card (+ My Number), and allows it to be retrieved only via the Connector.

1.40.0	Revised description of "PF company ID number for KYC check"	Even when JPKI (public certification) is performed via smartphone JPKI, the correct number is now returned.
1.45.0	Return address in split format	Added the following return values with the address split: Address (prefecture)/Address (city)/Address (other)XXXX

Request detail

Content	Type	Data Format	Max Characters	Required	Details
Set value for JPKI Function					
ID type	Enum	-	-	○	National Identity Card./National Identity Card (+My Number)/National Identity Card (+License Information) ※About MyNa Driver's Licenses · Please use "National Identity Card (+ license information)" only when you wish to retrieve license information from the MyNa Driver's License. · If license information is not required, please use "National Identity Card". KYC verification can be successfully performed even with a MyNa Driver's License. ※For physical information on Enum, please refer to the 'LiquidDocumentTypeJpki *for Android' and 'IdDocumentTypeJpki *for iOS' in the 'API Documents' included with the SDK.
eKYC Method	Enum	-	-	△	COMPLY_WA(ワ方式) 【default values】 /FACE_JPKI(JPKI+ (face)) Please see "8. How The Integration Should Work" of "LIQUID eKYC Applicant SDK Specifications" to see which request parameter should be used. ※For physical information on Enum, please refer to the 'VerificationMethodJpki *for Android' and 'VerificationMethodJpki *for iOS' in the 'API Documents' included with the SDK.
Data for digital signature	String	BASE64	-	△	BASE64-encoded value of the data to be digitally signed used in the digital signature generation process. *Null/empty characters are acceptable.
"Lost the IC chip PIN" function availability	Boolean	-	-	△	True: Display the "[Lost the IC chip PIN]" button (this error may be returned). 【Default】 False: The "Lost the IC chip PIN" button is not displayed (this error cannot be returned).
Return My Number Availability	Boolean	-	-	△	Valid only when the ID document type is a National Identity Card (+ My Number) True: The My Number is not returned from this function (returns NULL) False: The My Number can be returned from this function 【Default Value】 ※Regardless of whether this argument is set to true, false, or left as the default value, the My Number obtained by the SDK is passed to the LIQUID eKYC Platform and can be retrieved separately via the Connector.

Response detail

Content	Type	Data Format	Required	Details
Process results	Enum	-	○	An enumeration indicating success or failure. →If the value indicates success, the process can continue * For the actual values, please refer to Common Return Values: Process Results * This contains an error code that gives details of the failure. ※For physical information on Enum, please refer to the 'ChipIdentificationResultStatus *for Android' and 'ResultStatus *for iOS' in the 'API Documents' included with the SDK.
JPKI results				
Verification results of electronic signature	Boolean	-	○	True: Verification successful False: Verification failed * Details will be returned as "process results"
IC card chip information				

Name	String	*	△	- For the format, please refer to the "Supplementary Explanation of Name" in Connector "LIQUID_eKYC_022_IC Card Read Information Acquisition API". - May include chōonpu (ー) instead of hyphens (-)
Last Name (Kana) Suggestion Array	Array	-	△	*For conditions, see the equivalent elements of "Connector_LIQUID_eKYC_022_GetICCardInfo_API".
Last Name (Kana) Suggestion	String	*	△	Last name (Kana) suggestions are provided based on Kanji notation of name.
Last Name (half-width kana) Suggestion Array	Array	-	△	*For conditions, see the equivalent elements of "Connector_LIQUID_eKYC_022_GetICCardInfo_API".
Last Name (half-width kana) Suggestion	String	*	△	Last name (half-width kana) suggestions are provided based on Kanji notation of name.
First Name (Kana) Suggestion Array	Array	-	△	*For conditions, see the equivalent elements of "Connector_LIQUID_eKYC_022_GetICCardInfo_API".
First Name Suggestion Array	String	*	△	First name (Kana) suggestions are provided based on Kanji notation of name.
First Name (half-width kana) Suggestion Array	Array	-	△	*For conditions, see the equivalent elements of "Connector_LIQUID_eKYC_022_GetICCardInfo_API".
First Name Suggestion Array	String	*	△	First name (half-width kana) suggestions are provided based on Kanji notation of name.
Name	String	*	△	- For the format, please refer to the "Supplementary Explanation of Name" in Connector "LIQUID_eKYC_022_IC Card Read Information Acquisition API". - May include chōonpu (ー) instead of hyphens (-)
Maiden Name (Kana) Suggestion Array	Array	-	△	*For conditions, see the equivalent elements of "Connector_LIQUID_eKYC_022_GetICCardInfo_API".
Maiden Name (Kana) Suggestion	String	*	△	Maiden name (Kana) suggestions are provided based on Kanji notation of name.
Maiden Name (half-width Kana) Suggestion Arra	Array	-	△	*For conditions, see the equivalent elements of "Connector_LIQUID_eKYC_022_GetICCardInfo_API".
Maiden Name (half-width kana) Suggestion	String	*	△	Maiden name (half-width kana) suggestions are provided based on Kanji notation of name.
Date of birth	String	yyyyMMdd	△	
Address (prefecture)	String	*	△	※This is a paid option. Please contact a sales representative when you wish to use this service. "Prefecture" name split from the address ※For restrictions on the return values, refer to the "Address_Prefecture" section of Connector "LIQUID_eKYC_022_GetICCardInfo_API"
Address (city)	String	*	△	※This is a paid option. Please contact a sales representative when you wish to use this service. "Municipality" name split from the address
Address (other)	String	*	△	※This is a paid option. Please contact a sales representative when you wish to use this service. Remaining address components, excluding "Prefecture" and "Municipality"
Address	String	*	△	- Prefecture names are always included - May include chōonpu (ー) instead of hyphens (-)
Sex	Enum	-	△	Male, female, other ※For physical information on Enum, please refer to the 'Sex *for Android' and 'Sex *for iOS' in the 'API Documents' included with the SDK.
My number	String	Numbers	△	*This is a paid option. Please contact a sales representative when you wish to use this service. My number ※The value is returned only when the ID document type is a National Identity Card (+ My Number); however, if the argument "Return My Number Availability" is set to true, it will not be returned.
MyNa Driver's License Information				

Driver's license color classification	String	*	△	※This is a paid option. Please contact a sales representative when you wish to use this service. "Excellent", "New", "others" ※Returned only when the ID document type is MyNumber Card (+ Licence information).
Driver's License Conditions Array	Array (String)	*	△	※This is a paid option. Please contact a sales representative when you wish to use this service. ※Returned only when the ID document type is MyNumber Card (+ Licence information).
Driver's License Type Array	Array (String)	As shown on the right	△	※This is a paid option. Please contact a sales representative when you wish to use this service. The values included are as follows Trailer / Mid-sized / Moped / Large / Special Large / Large Motorcycle / Special Small / Standard Motorcycle / Semi-mid-sized / Class 2 Large / Class 2 Mid-sized / Class 2 Standard / Class 2 Special Large / Class 2 Trailer / Standard ※Returned only when the ID document type is MyNumber Card (+ Licence information).
Driver's License Remarks Array	Array (String)	*	△	※This is a paid option. Please contact a sales representative when you wish to use this service. ※Returned only when the ID document type is MyNumber Card (+ Licence information).
Driver's License Date of Issue Array	Array (String)	yyyyMMdd	△	※This is a paid option. Please contact a sales representative when you wish to use this service. Fixed three elements (e.g., Second, Small, Moped; Other; Class 2), with each date in YYYYMMDD format. However, if the relevant license has not been obtained, an empty string will be returned. ※Returned only when the ID document type is MyNumber Card (+ Licence information).
MyNa Driver's License Information Registration Number	String	Numbers	△	※This is a paid option. Please contact a sales representative when you wish to use this service. The License Information Registration Number of the MyNa Driver's License is not the same as the standard Driver's License Number. Of the 12 digits, the first 11 digits are identical, but the 12th digit can be different. ※Returned only when the ID document type is MyNumber Card (+ Licence information).
Last day of validity of the MyNa Driver's License	String	yyyyMMdd	△	※This is a paid option. Please contact a sales representative when you wish to use this service. ※Returned only when the ID document type is MyNumber Card (+ Licence information).
Face photo from the front of the MyNa Driver's License	Image Object	-	△	※This is a paid option. Please contact a sales representative when you wish to use this service. The face photo saved in the License Information Registration of the MyNa Driver's License (Returned as default image object of OS) Android : Bitmap iOS : UIImage ※Returned only when the ID document type is MyNumber Card (+ Licence information).
Zip code	String	Numbers	△	*This is a paid option. Please contact a sales representative when you wish to use this service. 7-digit number Null when the zip code identification setting is off or zip code could not be identified. *Reverse lookup may fail and return a null or incorrect postcode when there is a distortion in notation or inclusion of external characters with the registered address in the database provided by the Postal Service.
Japanese/Foreigner verification	Enum	-	○	Japanese/Foreigner **Due to the estimated value, there are cases where a foreigner is returned in the results even if the applicant is Japanese (or vice versa). *For more information on the verification method, please refer to the "Japanese/foreigner detection" section of the Connector's "LIQUID_eKYC_022_IC Card Read Information Acquisition API". ※For physical information on Enum, please refer to the 'LiquidJapaneseForeignerJudgment' *for Android' and 'JapaneseForeignerJudgment' *for iOS' in the 'API Documents' included with the SDK.

Whether or not moved abroad	Enum	-	○	Unknown (the data is old, before the National Identity Card was adapted to use abroad), not moving abroad, moving abroad. *This value is determined based on the address record on the IC chip, so there may be errors in the determination results. ※For physical information on Enum, please refer to the 'MovedAbroad *for Android' and 'MovedAbroad *for iOS' in the 'API Documents' included with the SDK
Expected date of moving abroad	String	yyyyMMdd	○	The expected date of moving abroad is extracted from the address record on the IC chip (western calendar year). *If it is registered in the Japanese calendar, it will be converted to the western calendar. *The values are extracted from the IC chip address records, so there may be errors in the extraction results.
JPKI evidence				
PF company User ID for iTrust's eKYC	String	*	△	・ User ID to identify the user for KYC check ・ The ID is independently issued by the PF company, and the PF company must be linked to the ID when disclosing information regarding a suspicious transaction to authorities such as the police. example) 3839026582487608164 *In the following cases, different values may be returned even for the same National Identity Card. Therefore, please be careful when implementing controls (e.g., prevention of duplication) on the client side based on the assumption that the relevant values are unique. — If the National Identity Card has recently been updated (If the digital certificate for signature has been changed) — If JPKI is performed using a different client code — If the same National Identity Card is used again after deleting the data with Connector "LIQUID_eKYC_907_JPKI PF Data Deletion API".
Time of verification *in JST	String	yyyy-mm-ddTHH:MM:SS+ZZ:ZZ	△	In ISO 8601 format
Validity period (start) *in JST	String	yyyy-mm-ddTHH:MM:SS+ZZ:ZZ	△	The start of the validity period for the signature's digital certificate. In ISO 8601 format. * When expired, the value is null
Validity period (end) *in JST	String	yyyy-mm-ddTHH:MM:SS+ZZ:ZZ	△	The end of the validity period for the signature's digital certificate. In ISO 8601 format. * When expired, the value is null
Certificate issuer	String	*	△	A string that indicates the X.500 identifier of the authority issuing the certificate * When expired, the value is null
Electronic signature identifier	String	*	△	The identifier for the electronic signature * Required when obtaining an e-signature for KYC * When expired, the value is null
Expiration reason	Numerical	Integer	○	[EN] The expiration reason 0 - Valid 1 - Discarded due to some problem before grant 2 - Suspension of use due to reported loss of the national identity card or suspicion that the PIN has been compromised 3 - CA private key has been compromised 4 - Modification of name and address, or reported death of the individual, or relocation abroad. 5 - Expiration reasons unrecorded. Status unknown. 6 - Suspension of use at the request of the individual for reasons such as relocation abroad. 7 - Suspension of use due to reported loss of the national identity card or suspicion that the PIN has been compromised 8 - (Translation in progress) -1 - Due to unsuccessful JPKI authentication, the reason for expiration has not been obtained.☒ *If the processing result is as follows, return one or more reasons for expiration. ・ JPKI is denied "chip_identify_denied" (detailed error code = SE25001)

Additional information	Object	-	△	Returned only when the process result is "Server Maintenance". * For details, please refer to Additional Information (Server Maintenance)
------------------------	--------	---	---	--

【deprecated】 JPKI Function “identifyIdChip()”

Revision

Version	Overview	Details
1.10.0	Newly added	Newly added
1.12.1	Added zip code as return value	Added feature that determines the zip code from the address recorded on IC chip.
1.13.0	Added note to zip code	Added behavior in the event of failure.
1.15.0	Support for previous name	New return items to be added: "Previous name"
1.15.0	Revision of the name description	Refer to the separate document for an explanation of the format of the individual number card.
1.18.0	Deprecated	This function has been deprecated as the "identifyIdChip()" JPKI (Japanese Public Key Infrastructure) function with two arguments has been introduced. However, this function will be retained to maintain compatibility.

Request detail

Content	Type	Data Format	Max Characters	Required	Details
Data for electronic signature	String	BASE64	-	△	null or empty string

Response detail

Omitted because it is the same as the "identifyIdChip()" function with arguments.

JPKI Function (no screen) “identifyIdChipNonInteractive()”

Revision

Version	Overview	Details
1.25.0	Newly added	Newly added
1.30.0	Expanded description	Types, data attributes, requirements and explanations are stated (descriptions that refer to other sheets have been revised)
1.30.0	Newly added obtain My number function	Obtain and return the JPKI and My Number at the same time
1.30.1	Newly added authentication information type subject to error handling	Return the authentication information type that was being used when an IC card reading error occurred (IC chip locked or PIN error on the IC chip)
1.33.0	Added Enum description	Added Enum description
1.37.0	Newly added the function to retrieve the My Number-linked driver's license (MyNa Driver's	Retrieve and return the MyNa Driver's License in the JPKI function.
1.37.0	Error corrections	National Identity Card (+My Number) → National Identity Card (+My Number)
1.40.0	Added a feature to prevent the return of My Numbers from this function	A feature was added that prevents the function from returning the My Number when the ID document type is a National Identity Card (+ My Number), and allows it to be retrieved only via the Connector.
1.40.0	Error corrections	Changed the name of “iTrust ID number for KYC check” to “ID number for KYC verification by PF company” Added a corresponding explanation.
1.42.0	Added specifications for the National Identity Card itself	Added a note stating that the password for the digital certificate for signature requires uppercase letters
1.45.0	Return address in split format	Added the following return values with the address split: Address (prefecture)/Address (city)/Address (other) 〇〇〇〇

Request detail

Content	Type	Data Format	Max Characters	Required	Details
Set value for JPKI Function (no screen)					
ID type	Enum	-	-	△	National Identity Card／National Identity Card (+My Number)／National Identity Card (+License Information) *About MyNa Driver's Licenses ・ Please use "National Identity Card (+ license information)" only when you wish to retrieve license information from the MyNa Driver's License. ・ If license information is not required, please use "National Identity Card".KYC verification can be successfully performed even with a MyNa Driver's License. *For physical information on Enum, please refer to the 'LiquidDocumentTypeJpki *for Android' and 'IdDocumentTypeJpki *for iOS' in the 'API Documents' included with the SDK.
The password for the digital signing certificate.	String	Alphanumeric(Half-width)	16	○	At least 6 alphanumeric characters and up to 16 characters ※Alphabetic characters in the password for the signing digital certificate must be uppercase.
Password for obtaining authentication information and MyNumbers					
Verification Number A	String	Numbers	12	Objects when the ID document type is a National Identity Card (+My Number) : ○ If the ID document type is anything other than those listed above : —	12 numerical characters (12 digits of MyNumber) *When the ID document type is a National Identity Card (+My Number), either Verification Number A or the PIN for Input Assistance of Card Surface Information is required.
PIN for signature information entry assistance	String	Numbers	4		4-digit number *When the ID document type is a National Identity Card (+My Number), either Verification Number A or the PIN for Input Assistance of Card Surface Information is required.
For obtaining authentication information and integrated National Identity Card document data					
PIN for MyNa Driver's License	String	Numbers	4	Objects when the ID document type is a National Identity Card (+License Information) : ○ If the ID document type is anything other than those listed above : —	4-digit number *If the ID document type is a National Identity Card (+ license information), a MyNa Driver's License PIN is required.
Data for electronic signature	BASE64-encoded value of the data to be digitally signed used in the digital signature generation process. *Null/empty characters are acceptable.				
Return My Number Availability	Valid only when the ID document type is a National Identity Card (+ My Number) True: The My Number is not returned from this function (returns NULL) False: The My Number can be returned from this function 【Default Value】 ※Regardless of whether this argument is set to true, false, or left as the default value, the My Number obtained by the SDK is passed to the LIQUID eKYC Platform and can be retrieved separately via the Connector.				

Response detail

Content	Type	Data Format	Required	Details
---------	------	-------------	----------	---------

Process results	Enum	-	○	An enumeration indicating success or failure. →If the value indicates success, the process can continue * For the actual values, please refer to Common Return Values: Process Results * This contains an error code that gives details of the failure. ※For physical information on Enum, please refer to the 'ChipIdentificationNonInteractiveResultStatus *for Android' and 'ResultStatus *for iOS' in the 'API Documents' included with the SDK.
JPKI results				
Verification results of electronic signature	Boolean	-	○	True: Verification successful False: Verification failed * Details will be returned as "process results"
IC card chip information				
Information related to IC card scanning errors	Object	-	△	It is returned when the processing result is as follows: • IC is locked "chip_locked" (Detailed error code = SE20001) • Incorrect PIN entered on the IC chip: "chip_pin_invalid" (Detailed error code = SE20015)
Number of possible attempts before being locked	Numerical	Integer	△	The remaining number of attempts to verify the PIN on the chip embedded in the IC card. *If the number of attempts is exceeded, the chip will be locked.
Identified error authentication information type	Enum	-	△	A value to identify the authentication information used at the time of the error in question 【Objects when the ID document type is a National Identity Card】 • The password for the digital signing certificate.(6~16digit number) 【Objects when the ID document type is a National Identity Card (+My Number)】 • The password for the digital signing certificate.(6~16digit number) • Verification Number A(digits of 12) • PIN for signature information entry assistance(digits of 4) 【Objects when the ID document type is a National Identity Card (+License Information)】 • The password for the digital signing certificate.(6~16digit number) • PIN for MyNa Driver's License(digits of 4) ※For physical information on Enum, please refer to the 'LiquidChipErrorCredentialType *for Android' and 'ChipErrorCredentialType *for iOS' in the 'API Documents' included with the SDK.
Name	String	*	△	• For the format, please refer to the "Supplementary Explanation of Name" in Connector "LIQUID_eKYC_022_IC Card Read Information Acquisition API". • May include chōonpu (—) instead of hyphens (-)
Last Name (Kana) Suggestion Array	Array	-	△	*For conditions, see the equivalent elements of "Connector_LIQUID_eKYC_022_GetICCardInfo_API".
Last Name (Kana) Suggestion	String	*	△	Last name (Kana) suggestions are provided based on Kanji notation of name.
Last Name (half-width kana) Suggestion Array	Array	-	△	*For conditions, see the equivalent elements of "Connector_LIQUID_eKYC_022_GetICCardInfo_API".
Last Name (half-width kana) Suggestion	String	*	△	Last name (half-width kana) suggestions are provided based on Kanji notation of name.
First Name (Kana) Suggestion Array	Array	-	△	*For conditions, see the equivalent elements of "Connector_LIQUID_eKYC_022_GetICCardInfo_API".
First Name Suggestion	String	*	△	First name (Kana) suggestions are provided based on Kanji notation of name.
First Name Suggestion Array	Array	-	△	*For conditions, see the equivalent elements of "Connector_LIQUID_eKYC_022_GetICCardInfo_API".
First Name Suggestion	String	*	△	First name (half-width kana) suggestions are provided based on Kanji notation of name.
Maiden Name	String	*	△	• For the format, please refer to the "Supplementary Explanation of Name" in Connector "LIQUID_eKYC_022_IC Card Read Information Acquisition API". • May include chōonpu (—) instead of hyphens (-)
Maiden name (Kana) Suggestion Array	Array	-	△	*For conditions, see the equivalent elements of "Connector_LIQUID_eKYC_022_GetICCardInfo_API".
First Name Suggestion	String	*	△	Maiden name (Kana) suggestions are provided based on Kanji notation of name.
Maiden Name (half-width kana) Suggestion Array	Array	-	△	*For conditions, see the equivalent elements of "Connector_LIQUID_eKYC_022_GetICCardInfo_API".
Maiden Name(half-width kana) Suggestion	String	*	△	Maiden name (half-width kana) suggestions are provided based on Kanji notation of name.
Date of birth	String	yyyyMMdd	△	
Address	String	*	△	• Prefecture names are always included • May include chōonpu (—) instead of hyphens (-)
Address (prefecture)	String	*	△	※This is a paid option. Please contact a sales representative when you wish to use this service. "Prefecture" name split from the address ※For restrictions on the return values, refer to the "Address_Prefecture" section of Connector "LIQUID_eKYC_022_GetICCardInfo_API"

Address (city)	String	*	△	※This is a paid option. Please contact a sales representative when you wish to use this service. "Municipality" name split from the address
Address (other)	String	*	△	※This is a paid option. Please contact a sales representative when you wish to use this service. Remaining address components, excluding "Prefecture" and "Municipality"
Sex	Enum	-	△	Male, female, other ※For physical information on Enum, please refer to the 'Sex *for Android' and 'Sex *for iOS' in the 'API Documents' included with the SDK.
My number	String	Numbers	△	*This is a paid option. Please contact a sales representative when you wish to use this service. My number ※The value is returned only when the ID document type is a National Identity Card (+ My Number); however, if the argument "Return My Number Availability" is set to true, it will not be returned.
MyNa Driver's License Information				
Driver's license color classification	String	*	△	※This is a paid option. Please contact a sales representative when you wish to use this service. "Excellent", "New", "others" ※Returned only when the ID document type is MyNumber Card (+ Licence information).
Driver's License Conditions Array	Array (String)	*	△	※This is a paid option. Please contact a sales representative when you wish to use this service. ※Returned only when the ID document type is MyNumber Card (+ Licence information).
Driver's License Type Array	Array (String)	As shown on the right	△	※This is a paid option. Please contact a sales representative when you wish to use this service. The values included are as follows Trailer / Mid-sized / Moped / Large / Special Large / Large Motorcycle / Special Small / Standard Motorcycle / Semi-mid-sized / Class 2 Large / Class 2 Mid-sized / Class 2 Standard / Class 2 Special Large / Class 2 Trailer / Standard ※Returned only when the ID document type is MyNumber Card (+ Licence information).
Driver's License Remarks Array	Array (String)	*	△	※This is a paid option. Please contact a sales representative when you wish to use this service. ※Returned only when the ID document type is MyNumber Card (+ Licence information).
Driver's License Date of Issue Array	Array (String)	yyyyMMdd	△	※This is a paid option. Please contact a sales representative when you wish to use this service. Fixed three elements (e.g., Second, Small, Moped; Other; Class 2), with each date in YYYYMMDD format. However, if the relevant license has not been obtained, an empty string will be returned. ※Returned only when the ID document type is MyNumber Card (+ Licence information).
MyNa Driver's License Information Registration Number	String	Numbers	△	※This is a paid option. Please contact a sales representative when you wish to use this service. The License Information Registration Number of the MyNa Driver's License is not the same as the standard Driver's License Number. Of the 12 digits, the first 11 digits are identical, but the 12th digit can be different. ※Returned only when the ID document type is MyNumber Card (+ Licence information).
Last day of validity of the MyNa Driver's License	String	yyyyMMdd	△	※This is a paid option. Please contact a sales representative when you wish to use this service. ※Returned only when the ID document type is MyNumber Card (+ Licence information).
Face photo from the front of the MyNa Driver's License	Image Object	-	△	※This is a paid option. Please contact a sales representative when you wish to use this service. The face photo saved in the License Information Registration of the MyNa Driver's License (Returned as default image object of OS) Android : Bitmap iOS : UIImage ※Returned only when the ID document type is MyNumber Card (+ Licence information).
Zip code	String	Numbers	△	*This is a paid option. Please contact a sales representative when you wish to use this service. 7-digit number Null when the zip code identification setting is off or zip code could not be identified. *Reverse lookup may fail and return a null or incorrect postcode when there is a distortion in notation or inclusion of external characters with the registered address in the database provided by the Postal Service.

Japanese/Foreigner verification	Enum	-	○	Japanese/Foreigner **Due to the estimated value, there are cases where a foreigner is returned in the results even if the applicant is Japanese (or vice versa). *For more information on the verification method, please refer to the "Japanese/foreigner detection" section of the Connector's "LIQUID_eKYC_022_IC Card Read Information Acquisition API". ※For physical information on Enum, please refer to the 'LiquidJapaneseForeignerJudgment *for Android' and 'JapaneseForeignerJudgment *for iOS' in the 'API Documents' included with the SDK.
Whether or not moved abroad	Enum	-	○	Unknown (the data is old, before the National Identity Card was adapted to use abroad), not moving abroad, moving abroad. *This value is determined based on the address record on the IC chip, so there may be errors in the determination results. ※For physical information on Enum, please refer to the 'MovedAbroad *for Android' and 'MovedAbroad *for iOS' in the 'API Documents' included with the SDK
Expected date of moving abroad	String	yyyyMMdd	○	The expected date of moving abroad is extracted from the address record on the IC chip (western calendar year). *If it is registered in the Japanese calendar, it will be converted to the western calendar. *The values are extracted from the IC chip address records, so there may be errors in the extraction results.
JPKI evidence				
PF company ID number for KYC check	String	*	△	・ User ID to identify the user for KYC check ・ The ID is independently issued by the PF company, and the PF company must be linked to the ID when disclosing information regarding a suspicious transaction to authorities such as the police. example) 3839026582487608164 *In the following cases, different values may be returned even for the same National Identity Card. Therefore, please be careful when implementing controls (e.g., prevention of duplication) on the client side based on the assumption that the relevant values are unique. — If the National Identity Card has recently been updated (If the digital certificate for signature has been changed) — If JPKI is performed using a different client code — If the same National Identity Card is used again after deleting the data with Connector "LIQUID_eKYC_907_JPKI PF Data Deletion API".
Time of verification *in JST	String	yyyy-mm-ddTHH:MM:SS+ZZ:ZZ	△	In ISO 8601 format
Validity period (start) *in JST	String	yyyy-mm-ddTHH:MM:SS+ZZ:ZZ	△	The start of the validity period for the signature's digital certificate. In ISO 8601 format. * When expired, the value is null
Validity period (end) *in JST	String	yyyy-mm-ddTHH:MM:SS+ZZ:ZZ	△	The end of the validity period for the signature's digital certificate. In ISO 8601 format. * When expired, the value is null
Certificate issuer	String	*	△	A string that indicates the X.500 identifier of the authority issuing the certificate * When expired, the value is null
Electronic signature identifier	String	*	△	The identifier for the electronic signature * Required when obtaining an e-signature for KYC * When expired, the value is null
Expiration reason	Numerical	Integer	○	[EN] The expiration reason 0 - Valid 1 - Discarded due to some problem before grant 2 - Suspension of use due to reported loss of the national identity card or suspicion that the PIN has been compromised 3 - CA private key has been compromised 4 - Modification of name and address, or reported death of the individual, or relocation abroad. 5 - Expiration reasons unrecorded. Status unknown. 6 - Suspension of use at the request of the individual for reasons such as relocation abroad. 7 - Suspension of use due to reported loss of the national identity card or suspicion that the PIN has been compromised 8 - (Translation in progress) -1 - Due to unsuccessful JPKI authentication, the reason for expiration has not been obtained.☒ *If the processing result is as follows, return one or more reasons for expiration. ・ JPKI is denied "chip_identify_denied" (detailed error code = SE25001)
Additional information	Object	-	△	Returned only when the process result is "Server Maintenance". * For details, please refer to Additional Information (Server Maintenance)

JPKI(SmartphoneJPKI) Function “identifyIdMyna()”

Revision		
Version	Overview	Details
1.18.0	Newly added	Newly added
1.20.0	Added JPKI +(face)	Added an argument to specify which KYC verification method to use to perform JPKI (Public Certification) functions
1.23.0	Error correction	○○-support → ○○method (notation in Japanese changes)
1.33.0	Added Enum description	Added Enum description

Request detail						
Content		Type	Data Format	Max Characters	Required	Details
Set value for JPKI Function						
	eKYC Method	Enum	-	-	○	COMPLY_WA 【Default value】 ／FACE_JPKI(JPKI+ (face)) Please see "8. How The Integration Should Work" of "LIQUID eKYC Applicant SDK Specifications" to see which request parameter should be used. ※For physical information on Enum, please refer to the 'VerificationMethodJpki *for Android' included with the SDK.
	Data for electronic signature	String	BASE64	-	△	null or empty string

Response detail

This is removed as it has the same functionality as the JPKI (Japanese Public Key Infrastructure) function "identifyIdChip()".

Card-Substitute Electromagnetic Record function “verifyIdWallet()“

Revision

Version	Overview	Details
1.42.0	Newly Added	Newly Added
1.44.0	Add control character string.	Liquid specified. For special purpose operators.
1.45.0	Return address in split format	Added the following return values with the address split: Address (prefecture)/Address (city)/Address (other) 

Request detail

Content	Type	Data Format	Max Characters	Required	Details
Set value for Function					
eKYC Method	Enum	-	-	○	- COMPLY_RU (Comply to "Ru") 【default value】 - COMPLY_RU (Face)
ID type	Enum	-	-	○	National Identity Card / National Identity Card (+MyNumber) Specify the ID document type that the end user should be guided to scan. Since this SDK does not display the ID document selection screen, you will need to confirm with the end user in advance which ID document they will use for KYC verification, and specify the selected ID document type in this request parameter. A dedicated guidance screen corresponding to the specified ID document type will be displayed.
Merchant ID	String	Alphanumeric symbols	155	○	Please refer to Apple's website and prepare accordingly. Example) merchant.com.example.appname
Testing using a test card issued by J-LIS	Boolean	-	-	△	For testing purposes only Specify 'true' only when using a registered test card issued by J-LIS with the test version of the MyNa Portal app distributed by the Digital Agency.
Return My Number Availability	Boolean	-	-	△	Valid only when the ID document type is a National Identity Card (+ My Number) True: The My Number is not returned from this function (returns NULL) False: The My Number can be returned from this function 【Default value】 ※Regardless of whether this argument is set to true, false, or left as the default value, the My Number obtained by the SDK is passed to the LIQUID eKYC Platform and can be retrieved separately via the Connector.
Control character string	String	-	-	△	Liquid specified. For special purpose operators.

Response detail

Content	Type	Data Format	Required	Details
Process results	Enum	-	○	An enumeration indicating success or failure. →If the value indicates success, the process can continue * For the actual values, please refer to Common Return Values: Process Results * This contains an error code that gives details of the failure. ※For physical information on Enum, please refer to the 'ChipIdentificationResultStatus *for Android' and 'ResultStatus *for iOS' in the 'API Documents' included with the SDK.
Verification results				
Matching result of the user's face scan and the face photo on ID	Object	-		When the eKYC method of this function is 'Comply to "Ru" + Face', and both this function and the "Facial Recognition Function" have been executed : This object is available. Otherwise: (this value is not returned)
Face photo matching results	Enum	-		High (False acceptance rate below 1/100,000, match score equal to or over 388) Medium (False acceptance rate from 1/100,000 to 1/10,000, match score from 332 to 387) Low (False acceptance rate equal to or above 1/10,000, match score equal to or below 331) ※For physical information on Enum, please refer to the 'AutoVerificationFacePhotoResultType *for Android' and 'FacePhotoVerificationResult *for iOS' in the 'API Documents' included with the SDK.
Match score	Numerical	Integer		Integer (range -1000 to 1000)
【For use with active detection of the facial recognition function】 Identical verification results for ""Facial Recognition photo"" and ""Liveness Check"" images	Object	-		When the eKYC method of this function is 'Comply to "Ru" + Face', and both this function and the "Facial recognition function (Passive detection)" have been executed : This object is available. Otherwise: (this value is not returned)

	Face recognition results	Enum	-		- Same individual (false acceptance rate equal to or below 1/100,000, match score equal to or over 388) - May not be the same individual (false acceptance rate above 1/100,000, match score equal to or under 387) ※For physical information on Enum, please refer to the 'AutoVerificationFaceResultType *for Android' and 'FaceVerificationResult *for iOS' in the 'API Documents' included with the SDK.
	Match score	Numerical	Integer		Integer (range -1000 to 1000)
	【For use with passive detection of the facial recognition function】 Matching result of face scan and live verification	Object	-		When the eKYC method of this function is 'Comply to "Ru" + Face', and both this function and the "Facial recognition function (Passive detection)" have been executed : This object is available. Otherwise: (this value is not returned)
	Face recognition results	Boolean	-		True: Authentic face False: Fake face
IC card chip information					
	Name	String	*	△	- For the format, please refer to the "Supplementary Explanation of Name" in Connector "LIQUID_eKYC_022_IC Card Read Information Acquisition API". - May include chōonpu (→) instead of hyphens (-)
	Last Name Suggestion Array	Array	-	△	※For conditions, see the equivalent elements of "Connector_LIQUID_eKYC_022_GetICCardInfo_API".
	Last Name suggestions	String	*	△	Last name (Kana) suggestions are provided based on Kanji notation of name.
	Last Name (half-width kana) suggestion Array	Array	-	△	※For conditions, see the equivalent elements of "Connector_LIQUID_eKYC_022_GetICCardInfo_API".
	Last Name (half-width kana) suggestions	String	*	△	Suggested last name (half-width kana) based on the kanji characters of the first name.
	First Name Suggestion Array	Array	-	△	※For conditions, see the equivalent elements of "Connector_LIQUID_eKYC_022_GetICCardInfo_API".
	First Name Suggestion	String	*	△	Suggested last name (kana) based on the kanji characters of the name.
	First Name (half-width kana) suggestion Array	Array	-	△	※For conditions, see the equivalent elements of "Connector_LIQUID_eKYC_022_GetICCardInfo_API".
	First Name (half-width kana) suggestion	String	*	△	Suggested first name (half-width kana) based on the kanji characters of the name.
	Former name	String	*	△	- For the format, please refer to the "Supplementary Explanation of Name" in Connector "LIQUID_eKYC_022_IC Card Read Information Acquisition API". - May include chōonpu (→) instead of hyphens (-)
	former Name Suggestion Array	Array	-	△	※For conditions, see the equivalent elements of "Connector_LIQUID_eKYC_022_GetICCardInfo_API".
	former Name Suggestion	String	*	△	Suggested former name (Kana) based on the kanji characters of the name.
	former Name (half-width kana) suggestion Array	Array	-	△	※For conditions, see the equivalent elements of "Connector_LIQUID_eKYC_022_GetICCardInfo_API".
	former Name (half-width kana) suggestion	String	*	△	Suggested former name (half-width kana) based on the kanji characters of the name
	Date of birth	String	yyyyMMdd	△	
	Address	String	*	△	- Prefecture names are always included - May include chōonpu (→) instead of hyphens (-)
	Address (prefecture)	String	*	△	※This is a paid option. Please contact a sales representative when you wish to use this service. "Prefecture" name split from the address ※For restrictions on the return values, refer to the "Address_Prefecture" section of Connector "LIQUID_eKYC_022_GetICCardInfo_API"
	Address (city)	String	*	△	※This is a paid option. Please contact a sales representative when you wish to use this service. "Municipality" name split from the address
	Address (other)	String	*	△	※This is a paid option. Please contact a sales representative when you wish to use this service. Remaining address components, excluding "Prefecture" and "Municipality"
	Sex	Enum	-	△	Male, female, other ※For physical information on Enum, please refer to the 'Sex *for Android' and 'Sex *for iOS' in the 'API Documents' included with the SDK.
	My number	String	Numbers	△	※This is a paid option. Please contact a sales representative when you wish to use this service. My number

Zip code	String	Numbers	△	※This is a paid option. Please contact a sales representative when you wish to use this service. 7-digit number Null when the zip code identification setting is off or zip code could not be identified. *Reverse lookup may fail and return a null or incorrect zip code when there is a distortion in notation or inclusion of external characters with the registered address in the database provided by the Postal Service.
Japanese/Foreigner verification	Enum	-	○	Japanese / Foreigner *Due to the estimated value, there are cases where a foreigner is returned in the results even if the applicant is Japanese (or vice versa). *For more information on the verification method, please refer to the "Japanese/foreigner detection" section of the Connector's "LIQUID_eKYC_022_IC Card Read Information Acquisition API". ※For physical information on Enum, please refer to the 'LiquidJapaneseForeignerJudgment *for Android' and 'JapaneseForeignerJudgment *for iOS' in the 'API Documents' included with the SDK.
Whether or not moved abroad	Enum	-	○	Unknown (the data is old, before the National Identity Card was adapted to use abroad), not moving abroad, moving abroad. ※This value is determined based on the address record on the IC chip, so there may be errors in the determination results. ※For physical information on Enum, please refer to the 'MovedAbroad *for Android' and 'MovedAbroad *for iOS' in the 'API Documents' included with the SDK.
Expected date of moving abroad	String	yyyyMMdd	○	The expected date of moving abroad is extracted from the address record on the IC chip (western calendar year). *If it is registered in the Japanese calendar, it will be converted to the western calendar. *The values are extracted from the IC chip address records, so there may be errors in the extraction results.
ID face photo	Image Object	-	○	Image data that can be used as it is in the app (Returned as default image object of OS)
Additional information	Object	-	△	Returned only when the process result is "Server Maintenance". ※For specific values, please refer to "Additional Information (During Server Maintenance)".

IC card reading availability function "checkIdChipAvailability()".

Revision		
Version	Overview	Details
1.25.0	Newly added	Newly added
1.33.0	Added Enum description	Added Enum description

Request detail					
Content	Type	Data Format	Max Characters	Required	Details
none					

Response detail				
Content	Type	Data Format	Required	Details
IC card (NFC) scanning status	Enum	-	○	Supported, Not supported, (Android only) NFC turned off in settings. ※For physical information on Enum, please refer to the 'IdChipAvailabilityStatus *for Android' and 'IdChipAvailabilityStatus *for iOS' in the 'API Documents' included with the SDK.

Card-Substitute Electronic Record Usage Permission Function (AppleWallet) “checkIdWalletAvailability()”

Revision

Version	Overview	Details
1.42.0	Newly Added	Newly Added

Request detail

Content	Type	Data Format	Max Characters	Required	Details
Set value for Function ※However, as of v1.42.0, there are no items that need to be specified					

Response detail

Content	Type	Data Format	Required	Details
Card-Substitute Electronic Record Usage Permission Status	Enum	-	○	Available, Not Available(A National Identity Card has not been added to the iPhone, or the card has expired), Not Available(Earlier than iOS 18.5), Not Available(Touch ID and Face ID are not supported), Not Available(Touch ID and Face ID are locked), Not Available(Touch ID and Face ID information has not been registered)

Facial Recognition Function “verifyFace()”

Revision

Version	Overview	Details
1.15.3	Newly added	Newly added *The change is the addition of the "verifyIdDocument()" argument to the "verifyIdDocument()" document function that existed in SDK versions before 1.15.3.
1.17.0	Added a new Passive Facial Liveness Detection to the Facial Recognition Function	Existing method (active detection) and new passive detection can now be selected.
1.25.0	Error correction	Specify that one of the following will be returned upon successful completion of the process. • The result of the "Face photo" and "Liveness detection" matches. • "Facial photo" authenticity verification result.
1.26.0	Add control character string.	Liquid specified. For special purpose operators.
1.33.0	Expanded description	Explanations are stated (descriptions that refer to other sheets have been revised)
1.33.0	Added Enum description	Added Enum description
1.37.0	Error corrections	Because the explanation of the following values was incorrect, the state was reverted to what it was before the fix in version 1.33.0. *When authentication method = active detection The result of the "Face photo" and "Liveness detection" matches.
1.42.0	Revised description	Revised the description due to the new addition of Apple Wallet. ※There are no specification changes that affect the client's current implementation.

Request detail

Content	Type	Data Format	Max Characters	Required	Details
Set value for Facial Recognition Function					
Confirmation screen is displayed or not	Boolean	-	-	△	True: Display the confirmation screen for photos taken 【default value】 . False: Do not display the confirmation screen for photos taken.
Verification method	Enum	-	-	△	Active detection 【default value】 / Passive detection *Passive detection is a paid option. Please contact a sales representative if you require this service. ※For physical information on Enum, please refer to the 'FaceVerificationType *for Android' and 'FaceVerificationType *for iOS' in the 'API Documents' included with the SDK.
Control character string	String	-	-	△	Liquid specified. For special purpose operators.

Response detail

Content	Type	Data Format	Required	Details
---------	------	-------------	----------	---------

Process results	Enum	-	○	An enumeration indicating success or failure. →If the value indicates success, the process can continue * For the actual values, please refer to Common Return Values: Process Results * This contains an error code that gives details of the failure. ※For physical information on Enum, please refer to the 'FaceVerificationResultStatus *for Android' and 'ResultStatus *for iOS' in the 'API Documents' included with the SDK.
Verification results				
Matching result of the user's face scan and the face photo on ID	Object	-	△	Returned only when both the "Document function" or "IC Document Card function" or "Card-Substitute Electromagnetic Record function" and the "Facial recognition function" are executed :This object is available. Otherwise: (this value is not returned)
Face photo matching results	Enum	-	△	High (False acceptance rate below 1/100,000, match score equal to or over 388) Medium (False acceptance rate from 1/100,000 to 1/10,000, match score from 332 to 387) Low (False acceptance rate equal to or above 1/10,000, match score equal to or below 331) ※For physical information on Enum, please refer to the 'AutoVerificationFacePhotoResultType *for Android' and 'FacePhotoVerificationResult *for iOS' in the 'API Documents' included with the SDK.
Match score	Numerical	Integer	△	Integer (range -1000 to 1000)
*Verification method=active detection Matching result of face scan and live verification	Object	-	△	In the event of active detection, the object is applied
Face recognition results	Enum	-	△	- Same individual (false acceptance rate equal to or below 1/100,000, match score equal to or over 388) - May not be the same individual (false acceptance rate above 1/100,000, match score equal to or under 387) ※For physical information on Enum, please refer to the 'AutoVerificationFaceResultType *for Android' and 'FaceVerificationResult *for iOS' in the 'API Documents' included with the SDK.
Match score	Numerical	Integer	△	Integer (range -1000 to 1000)

	*Verification method=Passive detection Matching result of face scan and live verification	Object	-	△	An object is applied in Passive Detection.
	Face recognition results	Boolean	-	△	True: Authentic face False: Fake face
Image					
	Face scan	Object	-	○	(Returned as default image object of OS) Android: Bitmap iOS: UIImage
	Front	Image object	-	○	An image immediately available for use in apps.
	Live verification	Object	-	○	Images from live verification that requires confirmation from an operator. ※Only Active Detection will be returned. ※The number of images and the content is subject to change (7 in maximum, 8 if you include the scan from the front). (Returned as default image object of OS) ※Not returned in case of Passive Detection 【About the number of images】 This does not mean the number of images that need to be checked will be different every time. It means that the number of returned images and their content can change when, for example, we update the live verification.
	Pattern 1	Image object	-	△	An image immediately available for use in apps. Content: Facial Muscle Verification
	Pattern 2	Image object	-	△	An image immediately available for use in apps. Content: Flash Verification
	Pattern 3	Image object	-	△	An image immediately available for use in apps. Content: Flash Verification

	Pattern 4	Image object	-	△	An image immediately available for use in apps. Content: Flash Verification
	Pattern 5	Image object	-	△	An image immediately available for use in apps.
	Pattern 6	Image object	-	△	An image immediately available for use in apps.
	Pattern 7	Image object	-	△	An image immediately available for use in apps.
	Additional information	Object	-	△	Returned only when the process result is “Server Maintenance”. * For details, please refer to Additional Information (Server Maintenance)

【deprecated】 Facial Recognition Function “verifyFace()”

Revision

Version	Overview	Details
1.15.3	Deprecated	The operations of this function has been integrated into the new Facial Recognition Function “verifyFace()” This function is deprecated but remains functional to retain compatibility with older versions.

Request detail

Content	Type	Data Format	Max Characters	Required	Details
none					

Response detail

Omitted because it is the same as the "verifyFace()" function with arguments.

OCR Result Retrieval Function “getOcrResults()”

Revision					
Version	Overview	Details			
1.15.0	Error correction	Changed type of additional information from enum to object.			
1.15.1	Return the details of the change of name and address.	Added a new function to return the changed value when the name or address has been changed. Changed value will be returned. -Name [Existing Item] -Address[Existing Item] Items returned due to change or not -Name change flag 【New added items】 -Address change flag 【New added items】			
1.18.0	Return the type of Driver's license	Return the type of Driver's license			
1.19.0	Return "with or without remarks"	Return "with or without remarks" Additional description in null, "or OCR has failed", has been added for the "name change flag" and "address change flag"			
1.21.0	Special Permanent Resident Certificate has been added.	Special Permanent Resident Certificate is now available to be selected.			
1.23.0	The date of issue is newly added	In the residence card, the issue date can be returned now			
1.29.0	Newly added: issuer	On passports, the issuer can be returned			
1.33.0	Expanded description	Explanations are stated (descriptions that refer to other sheets have been revised)			
1.33.0	Added Enum description	Added Enum description			

Request detail					
Content	Type	Data Format	Max Characters	Required	Details
Callback	The data type specified in the API Documents	-	-	○	A callback to return the process results

Response detail (from Function)				
Content	Type	Data Format	Required	Details
none				

Response detail (from Callback)				
Content	Type	Data Format	Required	Details
Process results	Enum	-	○	An enumeration indicating success or failure. →If the value indicates success, the process can continue * For the actual values, please refer to Common Return Values: Process Results * This contains an error code that gives details of the failure. ※For physical information on Enum, please refer to the 'LiquidOcrResultStatus *for Android' and 'ResultStatus *for iOS' in the 'API Documents' included with the SDK.

OCR results					
	Name	String	*	△	The individual's name as shown on the ID *The return value will be empty when the OCR fails, the results contain an illegal character, or the value is illegal *Refer to "LIQUID_eKYC_013_GetOCRResultsAPI.pdf" for return value specifications.
	Name change flag	String	One 1-byte digit	△	*This is a paid option. Please contact a sales representative when you wish to use this service. *Returned only when subscribed to OCR's change detection option ID document name updated or not 0: When there is no change in the name entry 1: When there is a change in name or any other information (except change of address). null: User not subscribed to change detection option.

Date of birth	String	yyyyMMdd	△	The date of birth as shown on the ID *If year is written in Japanese calendar years, OCR converts then into Western calendar years *The return value will be NULL(empty) when the OCR fails or the results contain an illegal character *Refer to "LIQUID_eKYC_013_GetOCRResultsAPI.pdf" for return value specifications.
Address	String	*	△	The address as shown on the ID The return value will be empty when the OCR fails, the results contain an illegal character, or the value is illegal *Refer to "LIQUID_eKYC_013_GetOCRResultsAPI.pdf" for return value specifications.
A change in address has been flagged.	String	One 1-byte digit	△	*This is a paid option. Please contact a sales representative when you wish to use this service. *Returned only when subscribed to OCR's change detection option. ID document address updated or not 0: When there is no change in the address entry 1: When there is a change in address or any other information (except change of name). null: User not subscribed to change detection option.
ID number	String	1-byte characters and digits	△	Driver's License, Driving History Cards ID number * The return value will be empty when the OCR fails, the results contain an illegal character, or the value is illegal Individual Number Card * The return value will be empty Residence Card / Special Permanent Resident Certificate Residence Card number/Special Permanent Resident Certificate number * The return value will be empty when the OCR fails, the results contain an illegal character, or the value is illegal *Refer to "LIQUID_eKYC_013_GetOCRResultsAPI.pdf" for return value specifications.
Expiration date	String	yyyyMMdd	△	Driver's License: The expiration date as shown on ID (in Western calendar years) Individual Number Cards: Expiration date Residence Card/ Special Permanent Resident Certificate : Expiration date Driving History Card: The return value will be empty * If year is written in Japanese calendar years, OCR converts then into Western calendar years * The return value will be empty when the OCR fails, the results contain an illegal character, or the value is illegal * Refer to "LIQUID_eKYC_013_GetOCRResultsAPI.pdf" for return value specifications.

Nationality	String	Two 1-byte characters and/or digits	△	The nationality as shown on the ID Converted to ISO 3166-1 alpha-2 using Liquid's master code list * For details please refer to the API master code document provided separately * The return value will be empty when the OCR fails, the results contain an illegal character, or the value is illegal * Refer to "LIQUID_eKYC_013_GetOCRResultsAPI.pdf" for return value specifications.
Sex	String	One 1-byte digit	△	Sex as shown on the ID Converted using Liquid's master code list * For details please refer to the API master code document provided separately * The return value will be empty when the OCR fails, the results contain an illegal character, or the value is illegal * Refer to "LIQUID_eKYC_013_GetOCRResultsAPI.pdf" for return value specifications.
Zip code	String	1-byte digits	△	The zip code is generated from the address. * Refer to "LIQUID_eKYC_013_GetOCRResultsAPI.pdf" for return value specifications.
Address (prefecture)	String	*	△	* Refer to "LIQUID_eKYC_013_GetOCRResultsAPI.pdf" for return value specifications.
Address (city)	String	*	△	* Refer to "LIQUID_eKYC_013_GetOCRResultsAPI.pdf" for return value specifications.
Address (other)	String	*	△	* Refer to "LIQUID_eKYC_013_GetOCRResultsAPI.pdf" for return value specifications.
Driver's license type	Array (String)	*	△	For Driver's License only * Refer to "LIQUID_eKYC_013_GetOCRResultsAPI.pdf" for return value specifications.
With or without remarks	Array (String)	*	△	*This is a paid option. Please contact a sales representative when you wish to use this service. *Returned only when subscribed to OCR's change detection option. ID document address updated or not 0:No remarks 1:When there is a change in address or any other information (except change of name). null:OCR change detection option is not enabled or OCR has failed
Resident status	String	*	△	For Residence Card only * Refer to "LIQUID_eKYC_013_GetOCRResultsAPI.pdf" for return value specifications.
Period of stay	String	Y年M月 Y年 M月 (年: year, 月: month)	△	For Residence Card only * Refer to "LIQUID_eKYC_013_GetOCRResultsAPI.pdf" for return value specifications.
Expiration date	String	yyyyMMdd	△	For Residence Card only * Refer to "LIQUID_eKYC_013_GetOCRResultsAPI.pdf" for return value specifications.
Permit date	String	yyyyMMdd	△	For Residence Card only * Refer to "LIQUID_eKYC_013_GetOCRResultsAPI.pdf" for return value specifications.
Type of permit	String	*	△	For Residence Card only * Refer to "LIQUID_eKYC_013_GetOCRResultsAPI.pdf" for return value specifications.
Employment restriction	String	*	△	For Residence Card only * Refer to "LIQUID_eKYC_013_GetOCRResultsAPI.pdf" for return value specifications.

	Issue date	String	*	△	For Residence Card only * Refer to "LIQUID_eKYC_013_GetOCRResultsAPI.pdf" for return value specifications.
	Issuing authority	String	Two 1-byte characters and/or digits	△	For Passport only * Refer to "LIQUID_eKYC_013_GetOCRResultsAPI.pdf" for return value specifications.
	Additional information	Object	-	△	Returned only when the process result is "Server Maintenance". * For details, please refer to Additional Information (Server Maintenance)

Additional Document Photo function “captureOptionalDocument()”

Revision

Version	Overview	Details
1.33.0	Newly added	Newly added
1.40.0	Description added	Added descriptions of additional document names for each display language

Request detail

Content	Type	Data Format	Max Characters	Required	Details
Set value for Additional Document Photo Function					
Additional documents term number	Numerical	Integer	1	☐	Specify the term number of the additional document that is about to be photographed. ※The term is a number indicating how many types of Additional Document Photo are to be guided to the end-user. Each time a new type of additional document is photographed, specify an integer of 1 or greater (up to a maximum of 5). Example : · For capturing a "business card" in "Additional Document Photo (1st Term)," specify 1. · For capturing an "employee ID card" in "Additional Document Photo (2nd Term)," specify 2 (*a sequential number from the previous term). · For capturing a "utility bill receipt" in "Additional Document Photo (3rd Term)," specify 3. *Always specify sequential numbers based on the previous term number. If the same term number is specified again, the previously registered data for that term number will be deleted, and a new photo must be taken. In this case, all data associated with the specified term number and subsequent term numbers will be deleted.
Maximum pages	Numerical	Integer	2	☐	Maximum number of photos taken (An integer from 1 to 50.) Up to 50 photos (50 pages) can be taken.
Additional document codes	String	Alphanumeric (Half-width)	6	☐	A 6-digit fixed additional document code issued and managed by the client Example : 012345 ※When retrieving the acquisition results of the additional document, this code will also be returned.
An associative array of additional document names	Dictionary	-	-	☐	※The additional document name in English (en) is mandatory; other languages are optional. Specify the language for additional document names ※For more information on the languages that can be specified, see 'Languages' in the Connector 'LIQUID_eKYC_G05_API Master Code (APIGenericCode)'. For display on LIQUID eKYC Manager ※When the display language is set to English (en), this value can also be shown in Japanese.
Display language	String	ISO 639-1	2		
Additional document names per display language	String	-	100		

Response detail

Content	Type	Data Format	Required	Details
Process results	Enum	-	○	An enumeration indicating success or failure. →If the value indicates success, the process can continue * For the actual values, please refer to Common Return Values: Process Results * This contains an error code that gives details of the failure. ※For physical information on Enum, please refer to the 'LiquidOptionalDocumentCapturingResultStatus *for Android' and 'ResultStatus *for iOS' in the 'API Documents' included with the SDK.
Additional documents term number	Numerical	Integer	○	Additional document term number set in the configuration values for the Additional Document Photo function.
Additional document codes	String	Alphanumeric (Half-width)	○	Additional document code set in the configuration values for the Additional Document Photo function. Needs to be 6 digits.
Array of additional document images	Array	-	○	(Returned as default image object of OS) Android: Bitmap iOS: UIImage
Additional document image	Image object	-	△	An image immediately available for use in apps.
Additional information	Object	-	△	Returned only when the process result is "Server Maintenance". * For details, please refer to Additional Information (Server Maintenance)

Activate Function “activate()”

Revision		
Version	Overview	Details
1.33.0	Expanded description	Explanations are stated (descriptions that refer to other sheets have been revised)
1.33.0	Added Enum description	Added Enum description

Request detail					
Content	Type	Data Format	Max Characters	Required	Details
Callback	The data type specified in the API Documents	-	-	○	A callback to return the process results

Response detail				
Content	Type	Data Format	Required	Details
Process results	Enum	-	○	An enumeration indicating success or failure. →If the value indicates success, the process can continue * For the actual values, please refer to Common Return Values: Process Results * This contains an error code that gives details of the failure. ※For physical information on Enum, please refer to the 'LiquidProcessingResultStatus *for Android' and 'ResultStatus *for iOS' in the 'API Documents' included with the SDK.
Additional information	Object	-	○	Returned only when the process result is “Server Maintenance”. * For details, please refer to Additional Information (Server Maintenance)

Face Verification Function “collateFace()”

Revision		
Version	Overview	Details
1.29.0	Newly added	Newly added
1.33.0	Added Enum description	Added Enum description

Request detail					
Content	Type	Data Format	Max Characters	Required	Details
Set value for Face Verification Function					
Image of the "ID face photo" *ID face photo from the document	Image object	-	-	○	The resolution must be less than 1080 x 1920 iOS : UIImage
Image of "personal appearance" *Appearance image taken as a selfie	Image object	-	-	○	The resolution must be less than 1080 x 1920 iOS : UIImage

Response detail				
Content	Type	Data Format	Required	Details
Process results	Enum	-	○	An enumeration indicating success or failure. →If the value indicates success, the process can continue * For the actual values, please refer to Common Return Values: Process Results * This contains an error code that gives details of the failure. ※For physical information on Enum, please refer to the 'ResultStatus *for iOS' in the 'API Documents' included with the SDK.
Verification results				
Matching result of the user's face scan and the face photo on ID	Object	-	△	When the result of the process is "normal": the object is present. Otherwise: (this value is not returned)
Face photo matching results	Enum	-	△	High (False acceptance rate below 1/100,000, match score equal to or over 388) Medium (False acceptance rate from 1/100,000 to 1/10,000, match score from 332 to 387) Low (False acceptance rate equal to or above 1/10,000, match score equal to or below 331) ※For physical information on Enum, please refer to the 'AutoVerificationFacePhotoResultType *for Android' and 'FacePhotoVerificationResult *for iOS' in the 'API Documents' included with the SDK.
Match score	Numerical	Integer	△	Integer (range -1000 to 1000)

Additional information	Object	-	△	Returned only when the process result is "Server Maintenance". * For details, please refer to Additional Information (Server Maintenance)
------------------------	--------	---	---	--

Get Version Function “getVersion()”

Revision		
Version	Overview	Details
1.14.2	Newly added	Newly added

Request detail					
Content	Type	Data Format	Max Characters	Required	Details
none					

Response detail				
Content	Type	Data Format	Required	Details
SDK Version	String	XX.XX.XX	☐	SDK version can be obtained. *Available even before the initialization function is executed. e.g.) 1.14.2

Change Display Language Function “changeDisplayLanguage()”

Revision

Version	Overview	Details
1.29.0	Newly added	Newly added
1.33.0	Added Enum description	Added Enum description

Request detail

Content	Type	Data Format	Max Characters	Required	Details
Display language	Enum	-	-	☐	Language of strings displayed on screen ※For physical information on Enum, please refer to the 'DisplayLanguage *for Android' and 'DisplayLanguage *for iOS' in the 'API Documents' included with the SDK.

Response detail

Content	Type	Data Format	Required	Details
none				

Design setting Function “customizeDesign()”

Revision		
Version	Overview	Details
1.16.0	Newly added	Newly added
1.41.0	Expanded the range of configurable design settings	Expanded the configurable elements

Request detail					
Content	Type	Data Format	Max Characters	Required	Details
Background color of positive action buttons (when inactive)	Refer to API Documents	Refer to API Documents	-	△	Background color of buttons for positive actions (e.g. Next button) when inactive
Background color of positive action buttons (when active)	Refer to API Documents	Refer to API Documents	-	△	Background color of buttons for positive actions (e.g. Next button) when inactive. *The background color of positive buttons is also applied to the color of some other buttons (e.g. the shoot button during manual shooting and the reshoot button on the confirmation screen).
Text color of positive action button	Refer to API Documents	Refer to API Documents	-	△	Text color of buttons for positive actions (e.g. Next button).
Negative action button background color	Refer to API Documents	Refer to API Documents	-	△	Background color of negative action button (e.g. Cancel button)
Negative action button text color	Refer to API Documents	Refer to API Documents	-	△	Text color of buttons for a negative action (e.g. Cancel button)
Highlight Color when Active	Refer to API Documents	Refer to API Documents	-	△	A color used to indicate that an operation is active. ※Primarily applied to the following elements: · Check mark shown during shooting · Checkboxes in the image confirmation screen · (Android) Icon color in the dialog when the IC card placement position is detected ※Specify a color that ensures a sufficient contrast ratio against white (#FFFFFF)
Information Dialog Icon Color	Refer to API Documents	Refer to API Documents	-	△	Icon Color in Information Display Dialogs (Example dialog: "The camera will be used for eKYC verification") ※Specify a color that ensures a sufficient contrast ratio against white (#FFFFFF)
Warning Dialog Icon Color	Refer to API Documents	Refer to API Documents	-	△	Icon Color in Information Display Dialogs (Example dialog: "Facial recognition failed") ※Specify a color that ensures a sufficient contrast ratio against white (#FFFFFF)
Text Link Color	Refer to API Documents	Refer to API Documents	-	△	Colors used to represent link elements, etc. The default color is a shade of blue. ※Primarily applied to the following elements: · Confirmation button within the IC card authentication information input dialog · Link text for navigating to another screen · Forgot Password Button for JPKI Function ※Link colors specified in the Terms of Use are excluded from modification
Active Color for the Photoshooting Frame	Refer to API Documents	Refer to API Documents	-	△	Color used to represent the photoshooting frame. The default color is a shade of blue. ※Primarily applied to the following elements: · Frame color before automatic shooting · Frame color during manual shooting · Frame color for photoshooting method instructions · Frame color when reading a QR code

Success Color for the Photoshooting Frame	Refer to API Documents	Refer to API Documents	-	△	Color used to represent the photoshooting frame. The default color is a shade of green. ※Primarily applied to the following elements: ・ Frame color after automatic shooting
--	---------------------------	------------------------	---	---	---

Response detail

Content	Type	Data Format	Required	Details
none				

Common Return Values: Additional Information (Server Maintenance)

Revision

Version	Overview	Details

Response detail

Content	Type	Data Format	Required	Details
Subject	String	-	△	A short text indicating that the server is under maintenance.
Message	String	-	△	A string that contains the contents of the maintenance and when it is scheduled to finish. * This message is designed to be approximately 5 to 10 lines in a dialog. ■Example Message■ The server is currently under maintenance. We are very sorry for the inconvenience. Maintenance Schedule: From January 2, 2020 03:04 To January 2, 2020 05:06 * The schedule is subject to change.

Common Return Values: Process Results

Revision

Version	Overview	Details
1.70	Error correction	There is no need for modifications. Corrected the description of SE10012, SE10021, SE10022, SE20001, SE21001, SE21101, SE21102, SE21201, SE22001, SE23001, SE80001 in "Activate" of "Returnability from each function" so that they are not returned. (The error occurred in version 1.60. The description in version 1.55 and earlier is correct.)
1.80	Added new error handling for "Comply to He" resident cards.	Added new error for resident cards, which has a similar meaning to the lock for driver's licenses and My Number cards. Returning a new error if the authentication is exceeded a certain number of times.
1.9.0	"Comply to He": Added new error handling for expired.	If you are using "Comply to He", you will need to modify the implementation. The behaviour when expiry is detected will be changed. To SDK v1.8.0 : Terminated fatal error (SE91028) From SDK v1.9.0 : IC chip expired (SE21205)
1.9.0.1	"Comply to He": Added detailed error codes for special resident cards.	Unless you are using detailed error codes for error handling, there is no need for modifications. SE21103 has been added as a detailed error code for "IC chip is unusual (Residence Card)" and the reason for SE21102 has been changed.
1.10.0	Error correction	There is no need for modifications. Separated the cells for SE90003 and SE10001.
1.10.0	Added "Comply to Wa"	There is no need for modifications unless you are using Comply to "Wa".
1.10.0	"Comply to He" Added descriptions for expired IC chip	There is no need for modifications. Clarified that the expired IC chip error does not occur with Residence Cards.
1.11.0	Upgraded security level of "Comply to He"	Upgraded the security level of "Comply to He" without changing its interface or functionalities ※ "IC chip is unique (updated information available)" may be newly generated depending on the client's setting.
1.11.0a	Added Document IC Card Function (signature verification only)	Added Document IC Card Function (signature verification only)
1.12.0	Corrected descriptions of functions that do not time out	The functions below do not time out • Document IC Card Function • Document IC Card Function (signature verification only) • JPKI Function
1.12.2	Remove all cases in iOS where a dialog box does not appear when errors occur.	When an error occurs in iOS, a dialog is always displayed as shown in Android. The changes are as follows ■Error end - Detail error code SE90003 - Detail error code SE90004 ■Non-supported devices (IC chip reason) - Detail error code SE99998
1.13.0	Describe the use of content/physical name (enumerator) and detailed error code.	Added column titles "Error Type" and "Detailed Error Information" to specify the use of content/physical name (enumerator) and detailed error code. In addition, the actual physical enumerator names for Android and iOS are now also listed. *We recommend error handling for each "error type" because "error type" is defined as a unit that should be announced to users of apps by clients.
1.13.0	Added failure cause to "Verification of digital signature on IC chip".	Added a case where the verification of the digital signature of the IC chip fails. Two detailed error codes have been added, but there is no need to modify the implementation as long as the error is handled by the content of the error (≠ physical name (enumerator)).
1.13.0	Implementation Impact Added "Communication failure".	When a communication error occurs on the device side in a function without a screen, "communication_failure" (detailed error code = SE05001) is returned. Error handling needs to be additionally implemented in the implementation part that receives the results of the following functions. ■Target function -Activate Function Note: Activate function is a function that is being used by all clients. -OCR result acquisition function -Initialization function (for evaluation version) *Prior to v1.13.0, "error end "error" (detailed error code = SE90000)" was returned when a communication error caused by the device occurred.
1.13.0	Limited to the function that generated the detailed error code SE90002.	The reason for SE90002 has been clearly indicated and the functions that occur have been limited.

1.15.0	Added explanation of "IC chip is unusual"	We have clarified that the IC chip is "chip_unusual" and that it only occurs on driver's licenses.
1.16.0	Added version acquisition function and design setting function	Added GetVersion function and Design Setting function into the table. However, errors will not occur through these functions.
1.16.0	Added explanation of "IC chip is unusual (with updated information)"	The reason for "chip_unusual_updated", being a special IC chip (with updated information), occurring has been explained.
1.18.0	Added explanation of "IC chip is unusual (with updated information)"	It has been clarified that the IC chip not available ("chip_not_available") message will not occur.
1.18.0	Added Japanese Public Key Infrastructure (smartphone JPKI) function.	Added Japanese Public Key Infrastructure (smartphone JPKI) function.
1.18.0	Error correction	There is no need for modifications. It has been corrected as the insufficient permission dialog was not displayed in the JPKI (Japanese Public Key Infrastructure).
1.19.0	Added SE90006	Added an error that occurs when displaying multiple windows on Android There is no need to modify the implementation as long as the error is handled by the content of the error (≒ physical name (enumerator)).
1.20.0	Error correction	For v1.18.0 version onwards , it is stated that the "chip_not_available" IC chip is not available.
1.21.0	Added Special Permanent Resident Certificate	Special Permanent Resident Certificate is available for specified use. However, the changes in this sheet are only wording modifications and do not require any implementation modifications.
1.23.0	Added get My number function	Unlike regular JPKI, signature verification of the My number itself is also performed It is specified that "failure to verify the digital signature on the IC chip" can occur at this time.
1.23.0	The validity time of authentication tokens has been extended	60 min.→ 90 min.
1.23.0	Error correction	〇〇-support → 〇〇method (notation in Japanese changes)
1.24.0	Error correction	Error Type is now information regarding the Processing Result Detailed error information is now information regarding the detailed error code.
1.25.0	Added JPKI function (no screen)	Added error related to JPKI function (no screen). *This does not affect existing functions.
1.25.0	Added SE91029	Added an error that occurs when using the iOS camera. As long as the error is handled by the content of the error (≒ physical name (enumerator)), there is no need to modify the implementation. In addition, merged SE91xxx and later descriptions into one line.
1.26.0	Added document IC card function (without screen).	Added errors related to document IC card function (without screen). *Existing functions are not affected.
1.28.0	Added KYC method "Non-legal IC Scan (no digital signature verification, without facial verification, offline)".	Added description of errors related to document IC card functions that can be used without a communication environment at the time of function execution. *Fewer types of errors than in a standard document IC card function.
1.29.0	Added Face Verification function	Added error description for Face Verification function *Fewer types of errors than in a standard document IC card function.
1.30.0	Error correction	National Identity Card(+Get My number) → National Identity Card(+My number)
1.31.0	Error correction	Delete "The validity period of the digital certificate has expired." ※Due to the error SE21205

1.33.0	Error correction	Updated the description so that a dialog is displayed when the user interrupts the process of the IC Card, JPKI, or JPKI (Smartphone JPKI) functions.
1.33.0	Added an explanation for SE91025	Specified the error code for cases where an invalid date of birth (e.g. 2000A1A1) is read in the JPKI function
1.33.0	Added the Additional Document Photo function	Added errors related to the Additional Document Photo function *Existing functions are not affected.
1.36.0	Addition of error return when the ID type in JPKI is a National Identity Card (+ My Number)	Added an error when the ID type in JPKI is a National Identity Card (+ My Number). • Signature verification error related to My Numbers ※This is a rare error in actual operation.
1.36.0	Addition of the Document IC Card Supplementary Information Transmission Function (no screen)	Added errors related to the Document IC Card Supplementary Information Transmission Function (no screen) ※Existing functions are not affected.
1.37.0	Newly added the function to retrieve the My Number-linked driver's license (MyNa Driver's	Retrieve and return the MyNa Driver's License in the JPKI function.
1.37.0	Addition of missing description	IC card readable/unreadable function added *This has no impact on the client's implementation.
1.37.0	Error corrections	National Identity Card (+My Number) → National Identity Card (+My Number) Identification type → ID document type
1.41.0	Addition of missing description	When the ID document type is a National Identity Card (+License Information), the error codes ""SE21201"" and ""SE21202"" for "Failure to verify the digital signature on the IC chip" will also be returned. ※This error has been returned from the outset.
1.42.0	Apple Wallet Newly Added	Newly Added
1.42.0	Android 16KB page size support	For Android only, newly added 'Unsupported device(Due to camera) "unsupported" (Detailed error code=SE99991)'

[illegible]